

SAFETY DATA SHEET

GC - MS Semi-Volatiles Analyzer Checkout Mix

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name : GC - MS Semi-Volatiles Analyzer Checkout Mix
Part no. : 5190-0473

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Reagents and Standards for Analytical Chemistry Laboratory Use
 3 x 1 ml
Uses advised against : None known.

1.3 Details of the supplier of the safety data sheet

Agilent Technologies LDA UK Ltd.
 5500 Lakeside Cheadle Royal Business Park,
 Cheadle, Cheshire, SK8 3GR
 United Kingdom
 Tel: +44 (0) 345 712 5292
e-mail address of person responsible for this SDS : pdl-msds_author@agilent.com

1.4 Emergency telephone number

Emergency telephone number (with hours of operation) : CHEMTREC®: +44 20 3807 3798

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Product definition : Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

H315	SKIN CORROSION/IRRITATION	Category 2
H319	SERIOUS EYE DAMAGE/EYE IRRITATION	Category 2
H350	CARCINOGENICITY	Category 1B
H336	SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE (Narcotic effects)	Category 3
H400	SHORT-TERM (ACUTE) AQUATIC HAZARD	Category 1
H410	LONG-TERM (CHRONIC) AQUATIC HAZARD	Category 1

The product is classified as hazardous according to UK CLP Regulation SI 2019/720 as amended.

Ingredients of unknown toxicity : Percentage of the mixture consisting of ingredient(s) of unknown acute dermal toxicity: > 60%

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

Hazard pictograms :



Signal word : Danger

EC - MS Semi-Volatiles Analyzer Checkout Mix

SECTION 2: Hazards identification

Hazard statements : H315 - Causes skin irritation.
 H319 - Causes serious eye irritation.
 H336 - May cause drowsiness or dizziness.
 H350 - May cause cancer.
 H410 - Very toxic to aquatic life with long lasting effects.

Precautionary statements

Prevention : P201 - Obtain special instructions before use.
 P280 - Wear protective gloves, protective clothing and eye or face protection.
 P273 - Avoid release to the environment.

Response : P391 - Collect spillage.

Storage : P403 + P233 - Store in a well-ventilated place. Keep container tightly closed.

Disposal : P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.

Hazardous ingredients : Dichloromethane and dimethylnitrosoamine

Supplemental label elements : Not applicable.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles : Restricted to professional users.

Special packaging requirements

Containers to be fitted with child-resistant fastenings : Not applicable.

Tactile warning of danger : Not applicable.

2.3 Other hazards

Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII : This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

Other hazards which do not result in classification : None known.

SECTION 3: Composition/information on ingredients

3.2 Mixtures : Mixture

Product/ingredient name	Identifiers	%	Classification	Type
Dichloromethane	EC: 200-838-9 CAS: 75-09-2 Index: 602-004-00-3	≥90	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Carc. 2, H351	[1] [2]
terbufos (ISO)	EC: 235-963-8 CAS: 13071-79-9 Index: 015-139-00-2	<0.1	STOT SE 3, H336 Acute Tox. 2, H300 Acute Tox. 1, H310 Aquatic Acute 1, H400 (M=1000) Aquatic Chronic 1, H410 (M=1000)	[1]
DDT (ISO)	EC: 200-024-3 CAS: 50-29-3 Index: 602-045-00-7	<0.1	Acute Tox. 3, H301 Carc. 2, H351 STOT RE 1, H372 Aquatic Acute 1, H400 (M=1000)	[1]

EC - MS Semi-Volatiles Analyzer Checkout Mix

SECTION 3: Composition/information on ingredients

atrazine (ISO)	EC: 217-617-8 CAS: 1912-24-9 Index: 613-068-00-7	≤0.1	Aquatic Chronic 1, H410 (M=1000) Skin Sens. 1, H317 STOT RE 2, H373 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100)	[1]
endrin (ISO)	EC: 200-775-7 CAS: 72-20-8 Index: 602-051-00-X	<0.1	Acute Tox. 2, H300 Acute Tox. 3, H311 Aquatic Acute 1, H400 (M=100000000) Aquatic Chronic 1, H410 (M=100000000)	[1]
aldrin (ISO)	EC: 206-215-8 CAS: 309-00-2 Index: 602-048-00-3	<0.1	Acute Tox. 3, H301 Acute Tox. 3, H311 Carc. 2, H351 STOT RE 1, H372 Aquatic Acute 1, H400 (M=1000) Aquatic Chronic 1, H410 (M=1000)	[1]
simazine (ISO)	EC: 204-535-2 CAS: 122-34-9 Index: 612-088-00-3	<0.01	Carc. 2, H351 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=1000)	[1]
hexachlorocyclopentadiene	EC: 201-029-3 CAS: 77-47-4 Index: 602-078-00-7	<0.1	Acute Tox. 4, H302 Acute Tox. 3, H311 Acute Tox. 2, H330 Skin Corr. 1B, H314 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100)	[1]
dimethylnitrosoamine	EC: 200-549-8 CAS: 62-75-9 Index: 612-077-00-3	<0.1	Acute Tox. 3, H301 Acute Tox. 2, H330 Carc. 1B, H350 STOT RE 1, H372 Aquatic Chronic 2, H411	[1]
pentachlorophenol	EC: 201-778-6 CAS: 87-86-5 Index: 604-002-00-8	<0.01	Acute Tox. 3, H301 Acute Tox. 3, H311 Acute Tox. 2, H330 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Carc. 2, H351 STOT SE 3, H335 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=10)	[1]
1,4-dichlorobenzene	CAS: 3855-82-1 Index: 602-035-00-2	<0.1	Eye Irrit. 2, H319 Carc. 2, H351 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=1)	[1] [2]
mevinphos (ISO)	EC: 232-095-1 CAS: 7786-34-7 Index: 015-020-00-5	<0.1	Acute Tox. 2, H300 Acute Tox. 1, H310 Aquatic Acute 1, H400 (M=10000) Aquatic Chronic 1, H410 (M=10000)	[1]

GC - MS Semi-Volatiles Analyzer Checkout Mix

SECTION 3: Composition/information on ingredients

			See Section 16 for the full text of the H statements declared above.
--	--	--	---

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

Type

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: First aid measures

4.1 Description of first aid measures

- Eye contact** : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
- Inhalation** : Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If necessary, call a poison center or physician. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
- Skin contact** : Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse.
- Ingestion** : Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. If necessary, call a poison center or physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
- Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

4.2 Most important symptoms and effects, both acute and delayed

Over-exposure signs/symptoms

- Eye contact** : Adverse symptoms may include the following:
 pain or irritation
 watering
 redness
- Inhalation** : Adverse symptoms may include the following:
 nausea or vomiting
 headache
 drowsiness/fatigue
 dizziness/vertigo
 unconsciousness

EC - MS Semi-Volatiles Analyzer Checkout Mix

SECTION 4: First aid measures

- Skin contact** : Adverse symptoms may include the following:
irritation
redness
- Ingestion** : No specific data.

4.3 Indication of any immediate medical attention and special treatment needed

- Notes to physician** : In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
- Specific treatments** : No specific treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

- Suitable extinguishing media** : Use an extinguishing agent suitable for the surrounding fire.
- Unsuitable extinguishing media** : None known.

5.2 Special hazards arising from the substance or mixture

- Hazards from the substance or mixture** : In a fire or if heated, a pressure increase will occur and the container may burst. This material is very toxic to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.
- Hazardous combustion products** : Decomposition products may include the following materials:
carbon dioxide
carbon monoxide
halogenated compounds
carbonyl halides

5.3 Advice for firefighters

- Special protective actions for fire-fighters** : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
- Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to British standard BS EN 469 will provide a basic level of protection for chemical incidents.
- Additional information** : When heated, flammable vapours will be evolved.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

- For non-emergency personnel** : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
- For emergency responders** : If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

6.2 Environmental precautions

- : Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities. Collect spillage.

6.3 Methods and material for containment and cleaning up

GC - MS Semi-Volatiles Analyzer Checkout Mix

SECTION 6: Accidental release measures

Methods for cleaning up : Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

6.4 Reference to other sections : See Section 1 for emergency contact information.
See Section 8 for information on appropriate personal protective equipment.
See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Protective measures : Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Avoid breathing vapour or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Avoid release to the environment. Avoid contact with eyes, skin and clothing. Do not ingest. Empty containers retain product residue and can be hazardous. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Do not reuse container. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Avoid exposure - obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Refer to special instructions/safety data sheet.

Advice on general occupational hygiene : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

Storage : Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Seveso Directive - Reporting thresholds

Danger criteria

Category	Notification and MAPP threshold	Safety report threshold
1	100 tonnes	200 tonnes

7.3 Specific end use(s)

Recommendations : Industrial applications, Professional applications.

Industrial sector specific solutions : Not available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

GC - MS Semi-Volatiles Analyzer Checkout Mix

SECTION 8: Exposure controls/personal protection

Product/ingredient name	Exposure limit values
dichloromethane	EH40/2005 WELs (United Kingdom (UK), 1/2020) Absorbed through skin. STEL 15 minutes: 706 mg/m ³ . STEL 15 minutes: 200 ppm. TWA 8 hours: 100 ppm. TWA 8 hours: 353 mg/m ³ .
1,4-dichlorobenzene	EH40/2005 WELs (United Kingdom (UK), 1/2020) Absorbed through skin. STEL 15 minutes: 60 mg/m ³ . STEL 15 minutes: 10 ppm. TWA 8 hours: 2 ppm. TWA 8 hours: 12 mg/m ³ .

Biological exposure indices

Product/ingredient name	Exposure indices
dichloromethane	EH40/2005 BMGVs (United Kingdom (UK), 1/2020) BGV: 30 ppm, carbon monoxide [in end-tidal breath]. Sampling time: post shift.

Recommended monitoring procedures

: Reference should be made to monitoring standards, such as the following: British Standard BS EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) British Standard BS EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) British Standard BS EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

DNELs/DMELs

Product/ingredient name

Result

dichloromethane	DNEL - General population - Long term - Oral	0.06 mg/kg bw/day
	DMEL - General population - Short term - Inhalation	5 mg/m ³
	DNEL - General population - Long term - Dermal	5.82 mg/kg bw/day
	DNEL - Workers - Long term - Dermal	12 mg/kg bw/day
	DNEL - General population - Long term - Inhalation	44 mg/m ³
	DMEL - Workers - Short term - Inhalation	132.14 mg/m ³
hexachlorocyclopentadiene	DNEL - Workers - Long term - Inhalation	176 mg/m ³
	DNEL - General population - Long term - Inhalation	0.0084 mg/m ³
	DNEL - General population - Long term - Dermal	0.0139 mg/kg bw/day
	DNEL - Workers - Long term - Dermal	0.0278 mg/kg bw/day
	DNEL - Workers - Long term - Inhalation	0.0336 mg/m ³
	DNEL - General population - Long term - Oral	0.05 mg/kg bw/day
	DNEL - General population - Short term - Oral	0.1 mg/kg bw/day
	DNEL - Workers - Short term - Dermal	0.167 mg/kg bw/day
	DNEL - General population - Short term - Inhalation	0.72 mg/m ³
	DNEL - General population - Short term - Dermal	0.83 mg/kg bw/day

SECTION 8: Exposure controls/personal protection

	DNEL - Workers - Short term - Inhalation	1.44 mg/m ³
1,4-dichlorobenzene	DNEL - General population - Long term - Oral	0.7 mg/kg bw/day
	DNEL - General population - Long term - Dermal	0.7 mg/kg bw/day
	DNEL - Workers - Long term - Dermal	1.4 mg/kg bw/day
	DNEL - General population - Short term - Oral	3.5 mg/kg bw/day
	DNEL - General population - Short term - Dermal	3.5 mg/kg bw/day
	DNEL - Workers - Short term - Dermal	7 mg/kg bw/day
	DNEL - General population - Long term - Inhalation	8.2 mg/m ³
	DNEL - Workers - Long term - Inhalation	46.1 mg/m ³
	DNEL - General population - Short term - Inhalation	300 mg/m ³
	DNEL - Workers - Short term - Inhalation	300 mg/m ³

PNECs

Not available.

8.2 Exposure controls

Appropriate engineering controls : Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Individual protection measures

Hygiene measures : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.

Skin protection

Hand protection : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

Body protection : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Environmental exposure controls : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

9.1 Information on basic physical and chemical properties

Appearance

Physical state	: Liquid. [Clear.]
Colour	: Colourless.
Odour	: Chloroform.
Odour threshold	: Not available.
Melting point/freezing point	: -97°C
Initial boiling point and boiling range	: 40°C
Flammability	: Not applicable.
Lower and upper explosion limit/flammability limit	: Not available.
Flash point	: Not available.
Auto-ignition temperature	: 556.1°C
Decomposition temperature	: Not available.
pH	: Not available.
Viscosity	: Dynamic (room temperature): Not available. Kinematic (room temperature): Not available. Kinematic (40°C): Not available.

Solubility	Media	Result
	water	Insoluble

Partition coefficient: n-octanol/water : Not applicable.

Vapour pressure : 47.1 kPa (353.1 mm Hg)

Relative density : Not available.

Density : 1.32 g/cm³

Vapour density : 2.93 [Air = 1]

Particle characteristics

Median particle size : Not applicable.

9.2 Other information

9.2.1 Information with regard to physical hazard classes

Explosive properties : Not available.

Oxidising properties : Not available.

9.2.2 Other safety characteristics

Miscible with water : No.

Evaporation rate : 27.5 (butyl acetate = 1)

Physical/chemical properties comments : Not available.

GC - MS Semi-Volatiles Analyzer Checkout Mix

SECTION 10: Stability and reactivity

- 10.1 Reactivity** : No specific test data related to reactivity available for this product or its ingredients.
- 10.2 Chemical stability** : The product is stable.
- 10.3 Possibility of hazardous reactions** : Under normal conditions of storage and use, hazardous reactions will not occur.
- 10.4 Conditions to avoid** : No specific data.
- 10.5 Incompatible materials** : May react or be incompatible with oxidising materials.
Reactive or incompatible with the following materials: metals and alkalis. aluminium , Magnesium.
- 10.6 Hazardous decomposition products** : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product/ingredient name

Result

trichloromethane	Rat - Inhalation - LC50 Vapour	76000 mg/m ³ [4 hours]
terbufos (ISO)	Rat - Oral - LD50	1.6 mg/kg
	Rat - Dermal - LD50	7.4 mg/kg
	Rabbit - Dermal - LD50	1 mg/kg
DDT (ISO)	Rat - Oral - LD50	87 mg/kg
	Rabbit - Dermal - LD50	300 mg/kg
	Rat - Dermal - LD50	250 mg/kg
atrazine (ISO)	Rabbit - Dermal - LD50	7500 mg/kg
	Rat - Oral - LD50	672 mg/kg
	Rat - Dermal - LD50	3 g/kg
	Rat - Inhalation - LC50 Dusts and mists	5200 mg/m ³ [4 hours]
aldrin (ISO)	Rat - Dermal - LD50	98 mg/kg
	Rabbit - Dermal - LD50	15 mg/kg
	Rat - Oral - LD50	38 mg/kg
simazine (ISO)	Rat - Oral - LD50	971 mg/kg
	Rat - Dermal - LD50	>5 g/kg
	Rabbit - Dermal - LD50	>10200 mg/kg
	Rat - Inhalation - LC50 Dusts and mists	9800 mg/m ³ [4 hours]
hexachlorocyclopentadiene	Rat - Oral - LD50	200 mg/kg
	Rabbit - Dermal - LD50	430 mg/kg
	Rat - Inhalation - LC50 Vapour	1600 ppb [4 hours]
dimethylnitrosoamine	Rat - Oral - LD50	26 mg/kg
	Rat - Inhalation - LC50 Vapour	78 ppm [4 hours]
pentachlorophenol	Rat - Oral - LD50	27 mg/kg
	Rat - Dermal - LD50	26 mg/kg
1,4-dichlorobenzene	Rat - Oral - LD50	500 mg/kg
	Rat - Dermal - LD50	2000 mg/kg
	Rat - Inhalation - LC50 Dusts and mists	5000 mg/m ³ [4 hours]
mevinphos (ISO)	Rat - Oral - LD50	3 mg/kg
	Rat - Dermal - LD50	4200 µg/kg
	Rabbit - Dermal - LD50	4700 µg/kg
	Rat - Inhalation - LC50 Vapour	14 ppm [1 hours]

Conclusion/Summary : Not available.

[Product]

Acute toxicity estimates

EC - MS Semi-Volatiles Analyzer Checkout Mix

SECTION 11: Toxicological information

Product/ingredient name	Oral (mg/kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapours) (mg/l)	Inhalation (dusts and mists) (mg/l)
dichloromethane	N/A	N/A	N/A	76	N/A
terbufos (ISO)	5	1	N/A	N/A	N/A
DDT (ISO)	87	N/A	N/A	N/A	N/A
atrazine (ISO)	N/A	3000	N/A	N/A	5.2
endrin (ISO)	5	300	N/A	N/A	N/A
aldrin (ISO)	100	300	N/A	N/A	N/A
simazine (ISO)	N/A	N/A	N/A	N/A	9.8
hexachlorocyclopentadiene	500	430	N/A	0.5	N/A
dimethylnitrosoamine	100	N/A	N/A	0.5	N/A
pentachlorophenol	100	300	N/A	N/A	0.05
mevinphos (ISO)	5	4.2	N/A	N/A	N/A

Skin corrosion/irritation

Product/ingredient name

Result

dichloromethane	Rabbit - Skin - Moderate irritant	Duration of treatment/ exposure: 24 hours
atrazine (ISO)	Rabbit - Skin - Mild irritant	-
simazine (ISO)	Rabbit - Skin - Mild irritant	-
hexachlorocyclopentadiene	Rabbit - Skin - Severe irritant	Duration of treatment/ exposure: 24 hours
	Rabbit - Skin - Severe irritant	Duration of treatment/ exposure: 4 hours
pentachlorophenol	Rabbit - Skin - Mild irritant	Duration of treatment/ exposure: 24 hours

Conclusion/Summary [Product] : Repeated exposure may cause skin dryness or cracking.

Serious eye damage/eye irritation

Product/ingredient name

Result

dichloromethane	Rabbit - Eyes - Moderate irritant	-
atrazine (ISO)	Rabbit - Eyes - Severe irritant	-
simazine (ISO)	Rabbit - Eyes - Moderate irritant	-
hexachlorocyclopentadiene	Rabbit - Eyes - Severe irritant	Duration of treatment/ exposure: 5 minutes
pentachlorophenol	Rabbit - Eyes - Mild irritant	Duration of treatment/ exposure: 24 hours

Conclusion/Summary [Product] : Not available.

Respiratory corrosion/irritation

Conclusion/Summary [Product] : Not available.

Respiratory or skin sensitization

Skin

Conclusion/Summary [Product] : May cause skin sensitisation.

Respiratory

Conclusion/Summary [Product] : Not available.

Germ cell mutagenicity

SECTION 11: Toxicological information

Conclusion/Summary : Not available.
[Product]

Carcinogenicity

Conclusion/Summary : Not available.
[Product]

Reproductive toxicity

Conclusion/Summary : Not available.
[Product]

Specific target organ toxicity (single exposure)

Product/ingredient name	Result
dichloromethane	STOT SE 3, H336 (Narcotic effects)
pentachlorophenol	STOT SE 3, H335 (Respiratory tract irritation)

Specific target organ toxicity (repeated exposure)

Product/ingredient name	Result
DDT (ISO)	STOT RE 1, H372
atrazine (ISO)	STOT RE 2, H373
aldrin (ISO)	STOT RE 1, H372
dimethylnitrosoamine	STOT RE 1, H372

Aspiration hazard

Not available.

Information on likely routes of exposure : Routes of entry anticipated: Oral, Dermal, Inhalation, Eyes.

Potential acute health effects

Eye contact : Causes serious eye irritation.

Inhalation : Can cause central nervous system (CNS) depression. May cause drowsiness or dizziness.

Skin contact : Causes skin irritation.

Ingestion : Can cause central nervous system (CNS) depression.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact : Adverse symptoms may include the following:
 pain or irritation
 watering
 redness

Inhalation : Adverse symptoms may include the following:
 nausea or vomiting
 headache
 drowsiness/fatigue
 dizziness/vertigo
 unconsciousness

Skin contact : Adverse symptoms may include the following:
 irritation
 redness

Ingestion : No specific data.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Short term exposure

GC - MS Semi-Volatiles Analyzer Checkout Mix

SECTION 11: Toxicological information

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Long term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Potential chronic health effects

Conclusion/Summary [Product] : Not available.

General : No known significant effects or critical hazards.

Carcinogenicity : May cause cancer. Risk of cancer depends on duration and level of exposure.

Mutagenicity : No known significant effects or critical hazards.

Reproductive toxicity : No known significant effects or critical hazards.

Other information : Adverse symptoms may include the following: central nervous system depression, headache, nausea or vomiting, dizziness/vertigo, drowsiness/fatigue, carboxyhaemoglobinaemia

SECTION 12: Ecological information

12.1 Toxicity

Product/ingredient name

Result

1,1-dichloromethane	Acute - LC50 - Marine water Crustaceans - Daggerblade grass shrimp - <i>Palaemon pugio</i> - Juvenile (Fledgling, Hatchling, Weanling) Size: <20 mm 108.5 mg/l [48 hours] Effect: Mortality	-	-
	Acute - EC50 Algae - Green algae - <i>Chlamydomonas reinhardtii</i> - Exponential growth phase Age: 7 days 242 mg/l [72 hours] Effect: Population	-	-
	Acute - EC50 - Fresh water US EPA Fish - Fathead minnow - <i>Pimephales promelas</i> - Adult Size: 49 mm; Weight: 1.04 g 99 mg/l [96 hours] Effect: Intoxication	-	-
	Chronic - NOEC - Fresh water Algae - Green algae - <i>Raphidocelis subcapitata</i>	-	-

GC - MS Semi-Volatiles Analyzer Checkout Mix

SECTION 12: Ecological information

	56 mg/l [96 hours] Effect: Population		
terbufos (ISO)	Acute - EC50 - Fresh water US EPA Crustaceans - Water flea - <i>Ceriodaphnia dubia</i> - Neonate Age: <24 hours 0.121 µg/l [48 hours] Effect: Intoxication	-	-
	Acute - EC50 - Fresh water US EPA Algae - Diatom - <i>Nitzschia sp.</i> - Exponential growth phase 0.59 mg/l [96 hours] Effect: Population	-	-
	Chronic - NOEC - Fresh water US EPA Daphnia - Water flea - <i>Daphnia magna</i> 0.03 ppb [21 days] Effect: Mortality	-	-
	Acute - LC50 - Fresh water US EPA Fish - Bluegill - <i>Lepomis macrochirus</i> - Juvenile (Fledgling, Hatchling, Weanling) 0.77 ppb [96 hours] Effect: Mortality	-	-
	Chronic - NOEC US EPA Fish - Rainbow trout, donaldson trout - <i>Oncorhynchus mykiss</i> 0.64 ppb [95 days] Effect: Growth	-	-
	Chronic - NOEC - Fresh water Algae - Algae - <i>Algae</i> 10 µg/l [4 days] Effect: Population	-	-
DDT (ISO)	Acute - LC50 - Marine water Fish - Dwarf perch - <i>Micrometrus minimus</i> Size: 48 to 104 mm; Weight: 1.2 to 11 g 0.26 µg/l [96 hours] Effect: Mortality	-	-
	Acute - EC50 - Fresh	-	-

GC - MS Semi-Volatiles Analyzer Checkout Mix

SECTION 12: Ecological information

	water		
	Daphnia - Water flea - <i>Daphnia pulex</i>		
	0.4 µg/l [48 hours]		
	Effect: Mortality		
	Chronic - NOEC -	-	-
	Marine water		
	Algae - Green algae - <i>Dunaliella tertiolecta</i> -		
	Exponential growth phase		
	100 ppb [4 days]		
	Effect: Population		
	Chronic - NOEC - Fresh	-	-
	water		
	Daphnia - Water flea - <i>Daphnia magna</i> -		
	Neonate		
	Age: <24 hours		
	1 µg/l [21 days]		
	Effect: Reproduction		
atrazine (ISO)	Acute - EC50 - Fresh	-	-
	water		
	Daphnia - Water flea - <i>Daphnia pulex</i>		
	240 µg/l [48 hours]		
	Effect: Reproduction		
	Chronic - NOEC - Fresh	-	-
	water		
	Fish - Guppy - <i>Poecilia reticulata</i> - Adult		
	0.26 ppb [16 weeks]		
	Effect: Reproduction		
	Acute - LC50 - Fresh	-	-
	water		
	Fish - Carnatic Carp - <i>Barbodes carnaticus</i>		
	Weight: 95 to 100 g		
	1.25 ppm [96 hours]		
	Effect: Mortality		
	Chronic - NOEC - Fresh	-	-
	water		
	Crustaceans - Water flea - <i>Ceriodaphnia sp.</i>		
	25 µg/l [21 days]		
	Effect: Population		
	Acute - EC50 - Fresh	-	-
	water		
	Algae - Green algae - <i>Raphidocelis subcapitata</i>		
	Age: 7 to 14 days		
	0.004 mg/l [96 hours]		
	Effect: Cells		
	Chronic - NOEC - Fresh	-	-
	water		
	Algae - Green algae - <i>Raphidocelis subcapitata</i>		

GC - MS Semi-Volatiles Analyzer Checkout Mix

SECTION 12: Ecological information

	Age: 7 to 14 days 0.0005 mg/l [96 hours] Effect: Growth		
endrin (ISO)	Acute - LC50 - Fresh water Crustaceans - Aquatic sowbug - <i>Asellus aquaticus</i> - Juvenile (Fledgling, Hatchling, Weanling) Age: 21 days 0.0011 ng/l [48 hours] Effect: Mortality	-	-
	Acute - LC50 - Fresh water Fish - Chinook salmon - <i>Oncorhynchus tshawytscha</i> 0.048 µg/l [96 hours] Effect: Mortality	-	-
	Chronic - NOEC - Marine water Fish - Sheepshead minnow - <i>Cyprinodon variegatus</i> - Embryo Age: 2 hours 0.12 µg/l [4 weeks] Effect: Mortality	-	-
aldrin (ISO)	Acute - LC50 - Fresh water Fish - Walking catfish - <i>Clarias batrachus</i> 1.2 µg/l [96 hours] Effect: Mortality	-	-
	Acute - LC50 - Fresh water Crustaceans - Crab - <i>Paratelphusa jacquemontii</i> - Intermolt 0.21 µg/l [48 hours] Effect: Mortality	-	-
simazine (ISO)	Acute - EC50 - Fresh water Daphnia - Water flea - <i>Daphnia magna</i> - Instar 1000 µg/l [48 hours] Effect: Intoxication	-	-
	Acute - LC50 - Fresh water Fish - Striped bass - <i>Morone saxatilis</i> Size: 60 mm; Weight: 2.7 g 250 µg/l [96 hours] Effect: Mortality	-	-
	Acute - IC50 - Fresh water	-	-

GC - MS Semi-Volatiles Analyzer Checkout Mix

SECTION 12: Ecological information

	Algae - Green algae - <i>Selenastrum sp.</i> - Exponential growth phase 48.6 µg/l [72 hours] Effect: Population		
	Chronic - NOEC - Fresh water Fish - common carp - <i>Cyprinus carpio</i> Size: 22.23 cm; Weight: 297.38 g 0.06 µg/l [90 days] Effect: Morphology		
	Chronic - NOEC - Fresh water Aquatic plants - Pickerelweed - <i>Pontederia cordata</i> 0.01 mg/l [3 days] Effect: Physiology		
	Chronic - NOEC - Fresh water US EPA Daphnia - Water flea - <i>Daphnia magna</i> 2.5 ppm [21 days] Effect: No Effect Coded		
hexachlorocyclopentadiene	Acute - LC50 - Fresh water Daphnia - Water flea - <i>Daphnia magna</i> Age: <24 hours 0.039 mg/l [48 hours] Effect: Mortality		
	Acute - LC50 - Fresh water Fish - Fathead minnow - <i>Pimephales promelas</i> - Larvae Age: 1 days 7 µg/l [96 hours] Effect: Mortality		
	Chronic - NOEC - Fresh water Daphnia - Water flea - <i>Daphnia magna</i> 0.009 mg/l [21 days] Effect: Behavior		
dimethylnitrosoamine	Acute - LC50 - Fresh water Fish - Fathead minnow - <i>Pimephales promelas</i> 940 mg/l [96 hours] Effect: Mortality		
	Acute - EC50 - Fresh water		

SECTION 12: Ecological information

	Algae - Green algae - <i>Raphidocelis subcapitata</i> 4000 µg/l [96 hours] Effect: Growth		
pentachlorophenol	Chronic - NOEC - Fresh water Fish - Rainbow trout, donaldson trout - <i>Oncorhynchus mykiss</i> - Juvenile (Fledgling, Hatchling, Weanling) Weight: 29.83 g 10 µg/l [28 days] Effect: Cells	-	-
	Acute - LC50 - Fresh water Crustaceans - Scud - <i>Gammarus pulex</i> Size: 5 to 10 mm 5.6 µg/l [48 hours] Effect: Mortality	-	-
	Acute - EC50 - Marine water US EPA Algae - Diatom - <i>Skeletonema costatum</i> 20.3 ppb [4 days] Effect: Population	-	-
	Acute - LC50 - Fresh water ASTM Fish - Shortnose Sturgeon - <i>Acipenser brevirostrum</i> 11 µg/l [96 hours] Effect: Mortality	-	-
	Chronic - NOEC - Fresh water Daphnia - Water flea - <i>Daphnia magna</i> Age: <24 hours 1.8 µg/l [21 days] Effect: Reproduction	-	-
	Chronic - NOEC - Fresh water Algae - Green algae - <i>Raphidocelis subcapitata</i> 5 µg/l [96 hours] Effect: Growth	-	-
1,4-dichlorobenzene	Acute - EC50 - Fresh water OECD Daphnia - Water flea - <i>Daphnia magna</i> 0.7 mg/l [48 hours] Effect: Intoxication	-	-
	Acute - EC50 - Fresh water	-	-

GC - MS Semi-Volatiles Analyzer Checkout Mix

SECTION 12: Ecological information

water
 ASTM
 Fish - Rainbow trout,
 donaldson trout -
Oncorhynchus mykiss -
 Fingerling
 Weight: 2.1 g
 1.1 µg/l [96 hours]
 Effect: Behavior

Chronic - NOEC - Fresh water -
 Algae - Green algae -
Chlorella pyrenoidosa -
 Exponential growth
 phase
 5 mg/l [3 days]
 Effect: Biochemistry

Acute - EC50 - Fresh water -
 US EPA
 Algae - Green algae -
*Selenastrum
 capricornutum*
 1.6 mg/l [96 hours]
 Effect: Population

Chronic - NOEC - Fresh water -
 Daphnia - Water flea -
Daphnia magna
 Age: ≤24 hours
 0.3 mg/l [21 days]
 Effect: Reproduction

Chronic - NOEC - Fresh water -
 Fish - Flagfish -
Jordanella floridae - Fry
 Age: 1 weeks
 349 µg/l [28 days]
 Effect: Mortality

Acute - EC50 - Fresh water -
 Daphnia - Water flea -
Daphnia pulex - Larvae
 Age: 1
 0.16 µg/l [48 hours]
 Effect: Intoxication

Acute - LC50 - Fresh water -
 US EPA
 Fish - Rainbow trout,
 donaldson trout -
Oncorhynchus mykiss
 Weight: 0.51 g
 41.77 ppb [96 hours]
 Effect: Mortality

mevinphos (ISO)

Conclusion/Summary [Product] : Not available.

Ingredient name

Conclusion/Summary

GC - MS Semi-Volatiles Analyzer Checkout Mix

SECTION 12: Ecological information

Dichloromethane Harmful to aquatic organisms.

12.2 Persistence and degradability

Product/ingredient name	Result
Dichloromethane	OECD [Ready Biodegradability - Closed Bottle Test] >70% [28 days] - Readily Aerobic
atrazine (ISO)	- 9.86% [28 days] - Not readily

Conclusion/Summary [Product] : Not available.

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
Dichloromethane	-	-	Readily
atrazine (ISO)	-	-	Not readily
aldrin (ISO)	-	-	Not readily

12.3 Bioaccumulative potential

Product/ingredient name	LogP _{ow}	BCF	Potential
Dichloromethane	1.25	22.91	Low
terbufos (ISO)	4.48	-	High
DDT (ISO)	6.91	19498.45	High
atrazine (ISO)	2.59	7.94	Low
endrin (ISO)	5.2	7413.1	High
aldrin (ISO)	6.5	5495.41	High
simazine (ISO)	2.18	3.63	Low
hexachlorocyclopentadiene	5.04	-	High
dimethylnitrosoamine	-0.57	-	Low
pentachlorophenol	5.12	457.09	Low
1,4-dichlorobenzene	3.44	296	Low
mevinphos (ISO)	0.13	-	Low

12.4 Mobility in soil

Soil/water partition coefficient

Product/ingredient name	logKoc	Koc
Dichloromethane	1.44	27.5998
terbufos (ISO)	2.82	660.363
DDT (ISO)	5.31	203163
atrazine (ISO)	2.24	173.852
endrin (ISO)	4.08	12041.2
aldrin (ISO)	4.69	48966
simazine (ISO)	2.1	126.139
hexachlorocyclopentadiene	3.9	7890.3
dimethylnitrosoamine	0.81	6.44258
pentachlorophenol	4.3	19871.5

EC - MS Semi-Volatiles Analyzer Checkout Mix

SECTION 12: Ecological information

1,4-dichlorobenzene	2.65	447.497
mevinphos (ISO)	0.91	8.05956

Results of PMT and vPvM assessment

Product/ingredient name	PMT	P	M	T	vPvM	vP	vM
dichloromethane	No	No	Yes	No	No	No	Yes
terbufos (ISO)	No	No	No	No	No	No	No
DDT (ISO)	No	No	No	No	No	No	No
atrazine (ISO)	No	No	No	No	No	No	No
endrin (ISO)	No	No	No	Yes	No	No	No
aldrin (ISO)	No	No	No	No	No	No	No
simazine (ISO)	No	No	No	No	No	No	No
hexachlorocyclopentadiene	No	No	No	No	No	No	No
dimethylnitrosoamine	No	No	No	No	No	No	No
pentachlorophenol	No	No	No	No	No	No	No
1,4-dichlorobenzene	No	No	No	No	No	No	No
mevinphos (ISO)	No	No	Yes	No	No	No	Yes

Mobility : Not available.

Conclusion/Summary : The product does not meet the criteria to be considered as a PMT or vPvM.

12.5 Results of PBT and vPvB assessment

Regulation (EC) No. 1907/2006 [REACH]

Product/ingredient name	PBT	P	B	T	vPvB	vP	vB
dichloromethane	No	No	No	No	No	No	No
terbufos (ISO)	No	No	No	No	No	No	No
DDT (ISO)	No	No	No	No	No	No	No
atrazine (ISO)	No	No	No	No	No	No	No
endrin (ISO)	No	No	Yes	Yes	No	No	Yes
aldrin (ISO)	No	No	No	No	No	No	No
simazine (ISO)	No	No	No	No	No	No	No
hexachlorocyclopentadiene	No	No	No	No	No	No	No
dimethylnitrosoamine	No	No	No	No	No	No	No
pentachlorophenol	No	No	No	No	No	No	No
1,4-dichlorobenzene	No	No	No	No	No	No	No
mevinphos (ISO)	No	No	No	No	No	No	No

Regulation (EC) No. 1272/2008 [CLP]

Product/ingredient name	PBT	P	B	T	vPvB	vP	vB
dichloromethane	No	No	No	No	No	No	No
terbufos (ISO)	No	No	No	No	No	No	No
DDT (ISO)	No	No	No	No	No	No	No
atrazine (ISO)	No	No	No	No	No	No	No
endrin (ISO)	No	No	Yes	Yes	No	No	Yes
aldrin (ISO)	No	No	No	No	No	No	No
simazine (ISO)	No	No	No	No	No	No	No
hexachlorocyclopentadiene	No	No	No	No	No	No	No
dimethylnitrosoamine	No	No	No	No	No	No	No
pentachlorophenol	No	No	No	No	No	No	No
1,4-dichlorobenzene	No	No	No	No	No	No	No
mevinphos (ISO)	No	No	No	No	No	No	No

Conclusion/Summary : The product does not meet the criteria to be considered as a PBT or vPvB.

Regulation (EC) No. 1272/2008 [CLP]

12.6 Endocrine disrupting properties

Not available.

GC - MS Semi-Volatiles Analyzer Checkout Mix

SECTION 12: Ecological information

Conclusion/Summary [Product] : The product does not meet the criteria to be considered as having endocrine disrupting properties according to the criteria set out in either Regulation (EC) No. 1907/2006 or Regulation (EC) No 1272/2008.

12.7 Other adverse effects

No known significant effects or critical hazards.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Methods of disposal : The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.




Hazardous waste : The classification of the product may meet the criteria for a hazardous waste.

Packaging

Methods of disposal : The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

Special precautions : This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

	ADR/RID	IMDG	IATA
14.1 UN number	UN1593	UN1593	UN1593
14.2 UN proper shipping name	DICHLOROMETHANE solution	DICHLOROMETHANE solution	Dichloromethane solution
14.3 Transport hazard class(es)	6.1 	6.1 	6.1 
14.4 Packing group	III	III	III
14.5 Environmental hazards	Yes.	Yes.	Yes. The environmentally hazardous substance mark is not required.

Additional information

Remarks: De minimis quantities

ADR/RID : The environmentally hazardous substance mark is not required when transported in sizes of ≤5 L or ≤5 kg.
Hazard identification number 60
Limited quantity 5 L
Special provisions 516
Tunnel code (E)

IMDG : The marine pollutant mark is not required when transported in sizes of ≤5 L or ≤5 kg.
Emergency schedules F-A, S-A

GC - MS Semi-Volatiles Analyzer Checkout Mix

SECTION 14: Transport information

- IATA** : The environmentally hazardous substance mark may appear if required by other transportation regulations.
Quantity limitation Passenger and Cargo Aircraft: 60 L. Packaging instructions: 655. Cargo Aircraft Only: 220 L. Packaging instructions: 663. Limited Quantities - Passenger Aircraft: 2 L. Packaging instructions: Y642.
- 14.6 Special precautions for user** : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.
- 14.7 Transport in bulk according to IMO instruments** : Not available.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture UK (GB)/REACH

Annex XIV - List of substances subject to authorisation

Annex XIV

None of the components are listed.

Substances of very high concern

None of the components are listed.

Ozone depleting substances

Not listed.

Prior Informed Consent (PIC)

Not listed.

Persistent Organic Pollutants

Annex	Ingredient name	Status
Annex I - Part A	pentachlorophenol and its salts and esters	Listed

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

None of the components are listed / The components are not impacted by a restriction

Labelling : Restricted to professional users.

Seveso Directive

This product is controlled under the Seveso Directive.

Danger criteria

Category
1

EU regulations

- Industrial emissions (integrated pollution prevention and control) - Air** : Listed
- Industrial emissions (integrated pollution prevention and control) - Water** : Not listed

GC - MS Semi-Volatiles Analyzer Checkout Mix

SECTION 15: Regulatory information

15.2 Chemical safety assessment : This product contains substances for which Chemical Safety Assessments might still be required.

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Inventory list

United States : Not determined.

SECTION 16: Other information

Indicates information that has changed from previously issued version.

Abbreviations and acronyms :

- ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway
- ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road
- ATE = Acute Toxicity Estimate
- GB CLP = UK CLP (EC No 1272/2008) on the Classification, Labelling and Packaging of Substances and Mixtures as amended by (EU Exit) Regulations 2019 No. 720 and amendments
- DMEL = Derived Minimal Effect Level
- DNEL = Derived No Effect Level
- EUH statement = GB CLP-specific Hazard statement
- IATA = International Air Transport Association
- IMDG = International Maritime Dangerous Goods
- IMO = International Maritime Organization
- N/A = Not available
- PBT = Persistent, Bioaccumulative and Toxic
- PNEC = Predicted No Effect Concentration
- RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail
- RRN = REACH Registration Number
- SGG = Segregation Group
- vPvB = Very Persistent and Very Bioaccumulative

Procedure used to derive the classification

Classification	Justification
<ul style="list-style-type: none"> ☑ Skin Irrit. 2, H315 Eye Irrit. 2, H319 Carc. 1B, H350 STOT SE 3, H336 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 	<ul style="list-style-type: none"> Calculation method Calculation method Calculation method Calculation method Calculation method Calculation method

Full text of abbreviated H statements

GC - MS Semi-Volatiles Analyzer Checkout Mix

SECTION 16: Other information

H300	Fatal if swallowed.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H350	May cause cancer.
H351	Suspected of causing cancer.
H372	Causes damage to organs through prolonged or repeated exposure.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

Full text of classifications

Acute Tox. 1	ACUTE TOXICITY - Category 1
Acute Tox. 2	ACUTE TOXICITY - Category 2
Acute Tox. 3	ACUTE TOXICITY - Category 3
Acute Tox. 4	ACUTE TOXICITY - Category 4
Aquatic Acute 1	SHORT-TERM (ACUTE) AQUATIC HAZARD - Category 1
Aquatic Chronic 1	LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 1
Aquatic Chronic 2	LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 2
Carc. 1B	CARCINOGENICITY - Category 1B
Carc. 2	CARCINOGENICITY - Category 2
Eye Irrit. 2	SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2
Skin Corr. 1B	SKIN CORROSION/IRRITATION - Category 1B
Skin Irrit. 2	SKIN CORROSION/IRRITATION - Category 2
Skin Sens. 1	SKIN SENSITISATION - Category 1
STOT RE 1	SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE - Category 1
STOT RE 2	SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE - Category 2
STOT SE 3	SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE - Category 3

Date of issue/ Date of revision : 01/04/2025

Date of previous issue : 13/02/2023

Version : 5

Notice to reader

Disclaimer: The information contained in this document is based on Agilent’s state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.