

SAFETY DATA SHEET

RRHT Selectivity Method Development Kit - 4.6mm ID, Part Number 5190-1433

Section 1. Identification

This product is considered an article. This Safety Data Sheet is written based on the encapsulated substance or mixture in this article.

1.1 Product identifier

Product name	: RRHT Selectivity Method Development Kit - 4.6mm ID, Part Number 5190-1433		
Part no. (chemical kit)	: 5190-1433		
Part no.	: Eclipse Plus Ph-Hex	959941-912	
	: Eclipse Plus C18	959941-902	
	: Bonus-RP	827668-901	
Validation date	: 7/19/2022		

1.2 Relevant identified uses of the substance or mixture and uses advised against

Material uses	: Analytical chemistry. HPLC column Solvent volume: < 10 mL	
	: Eclipse Plus Ph-Hex	1.8 um, 4.6 x 50 mm 600 Bar
	: Eclipse Plus C18	1.8 um, 4.6 x 50 mm 600 Bar
	: Bonus-RP	1.8 um, 4.6 x 50 mm 600 Bar

1.3 Details of the supplier of the safety data sheet

Supplier/Manufacturer	: Agilent Technologies, Inc. 5301 Stevens Creek Blvd Santa Clara, CA 95051, USA 800-227-9770
------------------------------	---

1.4 Emergency telephone number

In case of emergency	: CHEMTREC®: 1-800-424-9300
-----------------------------	-----------------------------

Section 2. Hazards identification

This article, when used under reasonable conditions and in accordance with the directions for use, should not present a health hazard. The substance or mixture is encapsulated in the article. Only if released due to use or processing of the article in a manner not in accordance with the product's directions for use it may present potential health and safety hazards.

2.1 Classification of the substance or mixture

OSHA/HCS status	: Eclipse Plus Ph-Hex	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
	: Eclipse Plus C18	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
	: Bonus-RP	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Classification of the substance or mixture

Eclipse Plus Ph-Hex

H225	FLAMMABLE LIQUIDS - Category 2
H319	EYE IRRITATION - Category 2A
H373	SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 2

Eclipse Plus C18

H225	FLAMMABLE LIQUIDS - Category 2
H319	EYE IRRITATION - Category 2A
H373	SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 2

Section 2. Hazards identification

Bonus-RP

H225	FLAMMABLE LIQUIDS - Category 2
H319	EYE IRRITATION - Category 2A
H373	SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 2

2.2 GHS label elements

Hazard pictograms

: Eclipse Plus Ph-Hex



Eclipse Plus C18



Bonus-RP



Signal word

: Eclipse Plus Ph-Hex
Eclipse Plus C18
Bonus-RP

Danger
Danger
Danger

Hazard statements

: Eclipse Plus Ph-Hex

H225 - Highly flammable liquid and vapor.
H319 - Causes serious eye irritation.
H373 - May cause damage to organs through prolonged or repeated exposure. (blood system, central nervous system (CNS), kidneys, liver)

Eclipse Plus C18
H225 - Highly flammable liquid and vapor.
H319 - Causes serious eye irritation.
H373 - May cause damage to organs through prolonged or repeated exposure. (blood system, central nervous system (CNS), kidneys, liver)

Bonus-RP
H225 - Highly flammable liquid and vapor.
H319 - Causes serious eye irritation.
H373 - May cause damage to organs through prolonged or repeated exposure. (blood system, central nervous system (CNS), kidneys, liver)

Precautionary statements

Prevention

: Eclipse Plus Ph-Hex

P280 - Wear eye or face protection.
P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P241 - Use explosion-proof electrical, ventilating or lighting equipment.
P242 - Use non-sparking tools.
P243 - Take action to prevent static discharges.
P233 - Keep container tightly closed.
P260 - Do not breathe vapor.

Eclipse Plus C18
P280 - Wear eye or face protection.
P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P241 - Use explosion-proof electrical, ventilating or lighting equipment.
P242 - Use non-sparking tools.

Section 2. Hazards identification

	Bonus-RP	<p>P243 - Take action to prevent static discharges. P233 - Keep container tightly closed. P260 - Do not breathe vapor. P280 - Wear eye or face protection. P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P241 - Use explosion-proof electrical, ventilating or lighting equipment. P242 - Use non-sparking tools. P243 - Take action to prevent static discharges. P233 - Keep container tightly closed. P260 - Do not breathe vapor.</p>
Response	: Eclipse Plus Ph-Hex	<p>P314 - Get medical advice or attention if you feel unwell. P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists: Get medical advice or attention.</p>
	Eclipse Plus C18	<p>P314 - Get medical advice or attention if you feel unwell. P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists: Get medical advice or attention.</p>
	Bonus-RP	<p>P314 - Get medical advice or attention if you feel unwell. P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists: Get medical advice or attention.</p>
Storage	: Eclipse Plus Ph-Hex	<p>P403 + P235 - Store in a well-ventilated place. Keep cool.</p>
	Eclipse Plus C18	<p>P403 + P235 - Store in a well-ventilated place. Keep cool.</p>
	Bonus-RP	<p>P403 + P235 - Store in a well-ventilated place. Keep cool.</p>
Disposal	: Eclipse Plus Ph-Hex	<p>P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.</p>
	Eclipse Plus C18	<p>P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.</p>
	Bonus-RP	<p>P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.</p>
Supplemental label elements	: Eclipse Plus Ph-Hex	<p>None known.</p>
	Eclipse Plus C18	<p>None known.</p>
	Bonus-RP	<p>None known.</p>

2.3 Other hazards

Section 2. Hazards identification

Hazards not otherwise classified	: Eclipse Plus Ph-Hex	None known.
	Eclipse Plus C18	None known.
	Bonus-RP	None known.

Section 3. Composition/information on ingredients

This article, when used under reasonable conditions and in accordance with the directions for use, should not present a health hazard. The substance or mixture is encapsulated in the article. Only if released due to use or processing of the article in a manner not in accordance with the product's directions for use it may present potential health and safety hazards.

Substance/mixture	: Eclipse Plus Ph-Hex	Mixture (encapsulated in article)
	Eclipse Plus C18	Mixture (encapsulated in article)
	Bonus-RP	Mixture (encapsulated in article)

Ingredient name	%	CAS number
Eclipse Plus Ph-Hex Acetonitrile	≥10 - <22	75-05-8
Eclipse Plus C18 Acetonitrile	≥10 - <22	75-05-8
Bonus-RP Acetonitrile	≥10 - <22	75-05-8

Contains: Organosilane bonded silica gel

Note: To the best of our knowledge, the acute and chronic toxicological properties of bonded silica gels have not been investigated. This product contains synthetic amorphous silica, and should not be confused with crystalline silica such as quartz, cristobalite, or tridymite, or with diatomaceous earth or other naturally occurring forms of amorphous silica that frequently contain crystalline forms of silica.

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

4.1 Description of necessary first aid measures

Eye contact	: Eclipse Plus Ph-Hex	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
	Eclipse Plus C18	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
	Bonus-RP	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.

Section 4. First aid measures

Inhalation

: Eclipse Plus Ph-Hex

Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention following exposure or if feeling unwell. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

Eclipse Plus C18

Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention following exposure or if feeling unwell. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

Bonus-RP

Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention following exposure or if feeling unwell. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

Skin contact

: Eclipse Plus Ph-Hex

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at least 10 minutes. Get medical attention following exposure or if feeling unwell. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Eclipse Plus C18

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at least 10 minutes. Get medical attention following exposure or if feeling unwell. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Bonus-RP

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at least 10 minutes. Get

Section 4. First aid measures

Ingestion

: Eclipse Plus Ph-Hex

medical attention following exposure or if feeling unwell. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs.

Get medical attention following exposure or if feeling unwell. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs.

Get medical attention following exposure or if feeling unwell. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs.

Get medical attention following exposure or if feeling unwell. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Eclipse Plus C18

Bonus-RP

4.2 Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact

: Eclipse Plus Ph-Hex
Eclipse Plus C18
Bonus-RP

Causes serious eye irritation.

Causes serious eye irritation.

Causes serious eye irritation.

Inhalation

: Eclipse Plus Ph-Hex
Eclipse Plus C18
Bonus-RP

No known significant effects or critical hazards.

No known significant effects or critical hazards.

No known significant effects or critical hazards.

Skin contact

: Eclipse Plus Ph-Hex
Eclipse Plus C18
Bonus-RP

No known significant effects or critical hazards.

No known significant effects or critical hazards.

No known significant effects or critical hazards.

Section 4. First aid measures

Ingestion : Eclipse Plus Ph-Hex No known significant effects or critical hazards.
 Eclipse Plus C18 No known significant effects or critical hazards.
 Bonus-RP No known significant effects or critical hazards.

Over-exposure signs/symptoms

Eye contact : Eclipse Plus Ph-Hex Adverse symptoms may include the following:
 pain or irritation
 watering
 redness
 Eclipse Plus C18 Adverse symptoms may include the following:
 pain or irritation
 watering
 redness
 Bonus-RP Adverse symptoms may include the following:
 pain or irritation
 watering
 redness

Inhalation : Eclipse Plus Ph-Hex No specific data.
 Eclipse Plus C18 No specific data.
 Bonus-RP No specific data.

Skin contact : Eclipse Plus Ph-Hex No specific data.
 Eclipse Plus C18 No specific data.
 Bonus-RP No specific data.

Ingestion : Eclipse Plus Ph-Hex No specific data.
 Eclipse Plus C18 No specific data.
 Bonus-RP No specific data.

4.3 Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician : Eclipse Plus Ph-Hex In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
 Eclipse Plus C18 In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
 Bonus-RP In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

Specific treatments : Eclipse Plus Ph-Hex No specific treatment.
 Eclipse Plus C18 No specific treatment.
 Bonus-RP No specific treatment.

Protection of first-aiders : Eclipse Plus Ph-Hex No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
 Eclipse Plus C18 No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
 Bonus-RP No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media	: Eclipse Plus Ph-Hex Eclipse Plus C18 Bonus-RP	Use dry chemical, CO ₂ , water spray (fog) or foam. Use dry chemical, CO ₂ , water spray (fog) or foam. Use dry chemical, CO ₂ , water spray (fog) or foam.
Unsuitable extinguishing media	: Eclipse Plus Ph-Hex Eclipse Plus C18 Bonus-RP	Do not use water jet. Do not use water jet. Do not use water jet.

5.2 Special hazards arising from the substance or mixture

Specific hazards arising from the chemical	: Eclipse Plus Ph-Hex Eclipse Plus C18 Bonus-RP	Highly flammable liquid and vapor. Runoff to sewer may create fire or explosion hazard. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion. Highly flammable liquid and vapor. Runoff to sewer may create fire or explosion hazard. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion. Highly flammable liquid and vapor. Runoff to sewer may create fire or explosion hazard. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion.
Hazardous thermal decomposition products	: Eclipse Plus Ph-Hex Eclipse Plus C18 Bonus-RP	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides metal oxide/oxides cyanides Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides metal oxide/oxides cyanides Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides metal oxide/oxides cyanides

5.3 Advice for firefighters

Special protective actions for fire-fighters	: Eclipse Plus Ph-Hex Eclipse Plus C18	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire
---	---	---

Section 5. Fire-fighting measures

	Bonus-RP	area if this can be done without risk. Use water spray to keep fire-exposed containers cool. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.
Special protective equipment for fire-fighters	: Eclipse Plus Ph-Hex	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
	Eclipse Plus C18	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
	Bonus-RP	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	: Eclipse Plus Ph-Hex	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
	Eclipse Plus C18	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
	Bonus-RP	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

Section 6. Accidental release measures

For emergency responders	: Eclipse Plus Ph-Hex	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
	Eclipse Plus C18	
	Bonus-RP	
6.2 Environmental precautions	: Eclipse Plus Ph-Hex	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
	Eclipse Plus C18	
	Bonus-RP	
6.3 Methods and materials for containment and cleaning up		
Methods for cleaning up	: Eclipse Plus Ph-Hex	Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	Eclipse Plus C18	
	Bonus-RP	

Section 7. Handling and storage

7.1 Precautions for safe handling

Protective measures : Eclipse Plus Ph-Hex

Put on appropriate personal protective equipment (see Section 8). Do not breathe vapor or mist. Do not ingest. Avoid contact with eyes, skin and clothing. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not enter storage areas and confined spaces unless adequately ventilated. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use only non-sparking tools. Take precautionary measures against electrostatic discharges. Empty containers retain product residue and can be hazardous. Do not reuse container.

Eclipse Plus C18

Put on appropriate personal protective equipment (see Section 8). Do not breathe vapor or mist. Do not ingest. Avoid contact with eyes, skin and clothing. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not enter storage areas and confined spaces unless adequately ventilated. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use only non-sparking tools. Take precautionary measures against electrostatic discharges. Empty containers retain product residue and can be hazardous. Do not reuse container.

Bonus-RP

Put on appropriate personal protective equipment (see Section 8). Do not breathe vapor or mist. Do not ingest. Avoid contact with eyes, skin and clothing. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not enter storage areas and confined spaces unless adequately ventilated. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use only non-sparking tools. Take precautionary measures against electrostatic discharges. Empty containers retain product residue and can be hazardous. Do not reuse container.

Advice on general occupational hygiene : Eclipse Plus Ph-Hex

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Section 7. Handling and storage

Eclipse Plus C18

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Bonus-RP

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

: Eclipse Plus Ph-Hex

Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Eclipse Plus C18

Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Bonus-RP

Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Section 7. Handling and storage

7.3 Specific end use(s)

Recommendations	: Eclipse Plus Ph-Hex Eclipse Plus C18 Bonus-RP	Industrial applications, Professional applications. Industrial applications, Professional applications. Industrial applications, Professional applications.
Industrial sector specific solutions	: Eclipse Plus Ph-Hex Eclipse Plus C18 Bonus-RP	Not available. Not available. Not available.

Section 8. Exposure controls/personal protection

Since the hazardous ingredient in this article is encapsulated, the risk of exposure by inhalation, ingestion, skin contact and eyes contact is minimum.

8.1 Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
Eclipse Plus Ph-Hex Acetonitrile	ACGIH TLV (United States, 1/2021). Absorbed through skin. TWA: 20 ppm 8 hours. OSHA PEL 1989 (United States, 3/1989). TWA: 40 ppm 8 hours. TWA: 70 mg/m ³ 8 hours. STEL: 60 ppm 15 minutes. STEL: 105 mg/m ³ 15 minutes. NIOSH REL (United States, 10/2020). TWA: 20 ppm 10 hours. TWA: 34 mg/m ³ 10 hours. OSHA PEL (United States, 5/2018). TWA: 40 ppm 8 hours. TWA: 70 mg/m ³ 8 hours.
Eclipse Plus C18 Acetonitrile	ACGIH TLV (United States, 1/2021). Absorbed through skin. TWA: 20 ppm 8 hours. OSHA PEL 1989 (United States, 3/1989). TWA: 40 ppm 8 hours. TWA: 70 mg/m ³ 8 hours. STEL: 60 ppm 15 minutes. STEL: 105 mg/m ³ 15 minutes. NIOSH REL (United States, 10/2020). TWA: 20 ppm 10 hours. TWA: 34 mg/m ³ 10 hours. OSHA PEL (United States, 5/2018). TWA: 40 ppm 8 hours. TWA: 70 mg/m ³ 8 hours.
Bonus-RP Acetonitrile	ACGIH TLV (United States, 1/2021). Absorbed through skin. TWA: 20 ppm 8 hours. OSHA PEL 1989 (United States, 3/1989). TWA: 40 ppm 8 hours. TWA: 70 mg/m ³ 8 hours. STEL: 60 ppm 15 minutes. STEL: 105 mg/m ³ 15 minutes. NIOSH REL (United States, 10/2020).

Section 8. Exposure controls/personal protection

TWA: 20 ppm 10 hours.
 TWA: 34 mg/m³ 10 hours.
OSHA PEL (United States, 5/2018).
 TWA: 40 ppm 8 hours.
 TWA: 70 mg/m³ 8 hours.

8.2 Exposure controls

Appropriate engineering controls

: Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapor or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.

Environmental exposure controls

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.

Skin protection

Hand protection

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

Body protection

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. When there is a risk of ignition from static electricity, wear anti-static protective clothing. For the greatest protection from static discharges, clothing should include anti-static overalls, boots and gloves.

Other skin protection

: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection

: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties and safety characteristics

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

Appearance

Physical state	: Eclipse Plus Ph-Hex Eclipse Plus C18 Bonus-RP	Solid. (containing flammable liquid) Solid. (containing flammable liquid) Solid. (containing flammable liquid)
Color	: Eclipse Plus Ph-Hex Eclipse Plus C18 Bonus-RP	Not available. Not available. Not available.
Odor	: Eclipse Plus Ph-Hex Eclipse Plus C18 Bonus-RP	Not available. Not available. Not available.
Odor threshold	: Eclipse Plus Ph-Hex Eclipse Plus C18 Bonus-RP	Not available. Not available. Not available.
pH	: Eclipse Plus Ph-Hex Eclipse Plus C18 Bonus-RP	Not available. Not available. Not available.
Melting point/freezing point	: Eclipse Plus Ph-Hex Eclipse Plus C18 Bonus-RP	Not available. Not available. Not available.
Boiling point, initial boiling point, and boiling range	: Eclipse Plus Ph-Hex Eclipse Plus C18 Bonus-RP	Not available. Not available. Not available.
Flash point	: Eclipse Plus Ph-Hex Eclipse Plus C18 Bonus-RP	Closed cup: -18 to 23°C (-0.4 to 73.4°F) Closed cup: -18 to 23°C (-0.4 to 73.4°F) Closed cup: -18 to 23°C (-0.4 to 73.4°F)
Evaporation rate	: Eclipse Plus Ph-Hex Eclipse Plus C18 Bonus-RP	Not available. Not available. Not available.
Flammability	: Eclipse Plus Ph-Hex Eclipse Plus C18 Bonus-RP	Contains: Flammable liquid Contains: Flammable liquid Contains: Flammable liquid
Lower and upper explosion limit/flammability limit	: Eclipse Plus Ph-Hex Eclipse Plus C18 Bonus-RP	Not available. Not available. Not available.
Vapor pressure	: Eclipse Plus Ph-Hex Eclipse Plus C18 Bonus-RP	Not available. Not available. Not available.

Ingredient name	Vapor Pressure at 20°C			Vapor pressure at 50°C		
	mm Hg	kPa	Method	mm Hg	kPa	Method
Eclipse Plus Ph-Hex						
Acetonitrile	70.89	9.5				
water	23.8	3.2		92.258	12.3	
Eclipse Plus C18						
Acetonitrile	70.89	9.5				
water	23.8	3.2		92.258	12.3	
Bonus-RP						

Section 9. Physical and chemical properties and safety characteristics

Acetonitrile	70.89	9.5			
water	23.8	3.2		92.258	12.3

Relative vapor density	:	Eclipse Plus Ph-Hex	Not available.
		Eclipse Plus C18	Not available.
		Bonus-RP	Not available.
Relative density	:	Eclipse Plus Ph-Hex	Not available.
		Eclipse Plus C18	Not available.
		Bonus-RP	Not available.
Solubility	:	Eclipse Plus Ph-Hex	Mobile phase: Soluble Stationary phase: Insoluble
		Eclipse Plus C18	Mobile phase: Soluble Stationary phase: Insoluble
		Bonus-RP	Mobile phase: Soluble Stationary phase: Insoluble
Partition coefficient: n-octanol/water	:	Eclipse Plus Ph-Hex	Not applicable.
		Eclipse Plus C18	Not applicable.
		Bonus-RP	Not applicable.
Auto-ignition temperature	:	Eclipse Plus Ph-Hex	Not available.
		Eclipse Plus C18	Not available.
		Bonus-RP	Not available.

Ingredient name	°C	°F	Method
Eclipse Plus Ph-Hex			
Acetonitrile	524	975.2	
Eclipse Plus C18			
Acetonitrile	524	975.2	
Bonus-RP			
Acetonitrile	524	975.2	

Decomposition temperature	:	Eclipse Plus Ph-Hex	Not available.
		Eclipse Plus C18	Not available.
		Bonus-RP	Not available.
Viscosity	:	Eclipse Plus Ph-Hex	Not available.
		Eclipse Plus C18	Not available.
		Bonus-RP	Not available.

Particle characteristics

Median particle size	:	Eclipse Plus Ph-Hex	Not applicable.
		Eclipse Plus C18	Not applicable.
		Bonus-RP	Not applicable.

Section 10. Stability and reactivity

10.1 Reactivity	:	Eclipse Plus Ph-Hex	No specific test data related to reactivity available for this product or its ingredients.
		Eclipse Plus C18	No specific test data related to reactivity available for this product or its ingredients.
		Bonus-RP	No specific test data related to reactivity available for this product or its ingredients.
10.2 Chemical stability	:	Eclipse Plus Ph-Hex	The product is stable.
		Eclipse Plus C18	The product is stable.
		Bonus-RP	The product is stable.

Section 10. Stability and reactivity

10.3 Possibility of hazardous reactions	: Eclipse Plus Ph-Hex	Under normal conditions of storage and use, hazardous reactions will not occur.
	Eclipse Plus C18	Under normal conditions of storage and use, hazardous reactions will not occur.
	Bonus-RP	Under normal conditions of storage and use, hazardous reactions will not occur.
10.4 Conditions to avoid	: Eclipse Plus Ph-Hex	Avoid all possible sources of ignition (spark or flame). Do not pressurize, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition.
	Eclipse Plus C18	Avoid all possible sources of ignition (spark or flame). Do not pressurize, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition.
	Bonus-RP	Avoid all possible sources of ignition (spark or flame). Do not pressurize, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition.
10.5 Incompatible materials	: Eclipse Plus Ph-Hex	Reactive or incompatible with the following materials: oxidizing materials hydrogen fluoride
	Eclipse Plus C18	Reactive or incompatible with the following materials: oxidizing materials hydrogen fluoride
	Bonus-RP	Reactive or incompatible with the following materials: oxidizing materials hydrogen fluoride
10.6 Hazardous decomposition products	: Eclipse Plus Ph-Hex	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	Eclipse Plus C18	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	Bonus-RP	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Eclipse Plus Ph-Hex Acetonitrile	LC50 Inhalation Vapor LD50 Oral	Rat Rat	17100 ppm 2460 mg/kg	4 hours -
Eclipse Plus C18 Acetonitrile	LC50 Inhalation Vapor LD50 Oral	Rat Rat	17100 ppm 2460 mg/kg	4 hours -
Bonus-RP Acetonitrile	LC50 Inhalation Vapor	Rat	17100 ppm	4 hours

Section 11. Toxicological information

	LD50 Oral	Rat	2460 mg/kg	-
--	-----------	-----	------------	---

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Eclipse Plus Ph-Hex Acetonitrile	Eyes - Moderate irritant	Rabbit	-	24 hours 100 uL 500 mg	-
	Skin - Mild irritant	Rabbit	-		-
Eclipse Plus C18 Acetonitrile	Eyes - Moderate irritant	Rabbit	-	24 hours 100 uL 500 mg	-
	Skin - Mild irritant	Rabbit	-		-
Bonus-RP Acetonitrile	Eyes - Moderate irritant	Rabbit	-	24 hours 100 uL 500 mg	-
	Skin - Mild irritant	Rabbit	-		-

Sensitization

Not available.

Mutagenicity

Conclusion/Summary : Not available.

Carcinogenicity

Conclusion/Summary : Not available.

Reproductive toxicity

Conclusion/Summary : Not available.

Teratogenicity

Conclusion/Summary : Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Name	Category	Route of exposure	Target organs
Eclipse Plus Ph-Hex Acetonitrile	Category 2	-	blood system, central nervous system (CNS), kidneys, liver
Eclipse Plus C18 Acetonitrile	Category 2	-	blood system, central nervous system (CNS), kidneys, liver
Bonus-RP Acetonitrile	Category 2	-	blood system, central nervous system (CNS), kidneys, liver

Aspiration hazard

Not available.

Section 11. Toxicological information

Information on the likely routes of exposure	: Eclipse Plus Ph-Hex	Routes of entry anticipated: Oral, Dermal, Inhalation.
	Eclipse Plus C18	Routes of entry anticipated: Oral, Dermal, Inhalation.
	Bonus-RP	Routes of entry anticipated: Oral, Dermal, Inhalation.
<u>Potential acute health effects</u>		
Eye contact	: Eclipse Plus Ph-Hex	Causes serious eye irritation.
	Eclipse Plus C18	Causes serious eye irritation.
	Bonus-RP	Causes serious eye irritation.
Inhalation	: Eclipse Plus Ph-Hex	No known significant effects or critical hazards.
	Eclipse Plus C18	No known significant effects or critical hazards.
	Bonus-RP	No known significant effects or critical hazards.
Skin contact	: Eclipse Plus Ph-Hex	No known significant effects or critical hazards.
	Eclipse Plus C18	No known significant effects or critical hazards.
	Bonus-RP	No known significant effects or critical hazards.
Ingestion	: Eclipse Plus Ph-Hex	No known significant effects or critical hazards.
	Eclipse Plus C18	No known significant effects or critical hazards.
	Bonus-RP	No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact	: Eclipse Plus Ph-Hex	Adverse symptoms may include the following: pain or irritation watering redness
	Eclipse Plus C18	Adverse symptoms may include the following: pain or irritation watering redness
	Bonus-RP	Adverse symptoms may include the following: pain or irritation watering redness
Inhalation	: Eclipse Plus Ph-Hex	No specific data.
	Eclipse Plus C18	No specific data.
	Bonus-RP	No specific data.
Skin contact	: Eclipse Plus Ph-Hex	No specific data.
	Eclipse Plus C18	No specific data.
	Bonus-RP	No specific data.
Ingestion	: Eclipse Plus Ph-Hex	No specific data.
	Eclipse Plus C18	No specific data.
	Bonus-RP	No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate effects	: Not available.
Potential delayed effects	: Not available.

Long term exposure

Potential immediate effects	: Not available.
Potential delayed effects	: Not available.

Potential chronic health effects

Section 11. Toxicological information

General	: Eclipse Plus Ph-Hex Eclipse Plus C18 Bonus-RP	May cause damage to organs through prolonged or repeated exposure. May cause damage to organs through prolonged or repeated exposure. May cause damage to organs through prolonged or repeated exposure.
Carcinogenicity	: Eclipse Plus Ph-Hex Eclipse Plus C18 Bonus-RP	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
Mutagenicity	: Eclipse Plus Ph-Hex Eclipse Plus C18 Bonus-RP	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
Reproductive toxicity	: Eclipse Plus Ph-Hex Eclipse Plus C18 Bonus-RP	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Product/ingredient name	Oral (mg/kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapors) (mg/l)	Inhalation (dusts and mists) (mg/l)
Eclipse Plus Ph-Hex Eclipse Plus Ph-Hex Acetonitrile	2590.7 500	5699.5 1100	N/A N/A	57 11	N/A N/A
Eclipse Plus C18 Eclipse Plus C18 Acetonitrile	2590.7 500	5699.5 1100	N/A N/A	57 11	N/A N/A
Bonus-RP Bonus-RP Acetonitrile	2487.6 500	5472.6 1100	N/A N/A	54.7 11	N/A N/A

Section 12. Ecological information

12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
Eclipse Plus Ph-Hex Acetonitrile	Acute IC50 3685000 µg/l Fresh water	Aquatic plants - Lemna minor	96 hours
	Acute LC50 3600000 µg/l Fresh water	Daphnia - Daphnia magna	48 hours
	Acute LC50 1000000 µg/l Fresh water	Fish - Pimephales promelas	96 hours
	Chronic NOEC 1000000 µg/l Fresh water	Aquatic plants - Lemna minor	96 hours
	Chronic NOEC 160000 µg/l Fresh water	Daphnia - Daphnia magna	21 days
Eclipse Plus C18 Acetonitrile	Acute IC50 3685000 µg/l Fresh water	Aquatic plants - Lemna minor	96 hours
	Acute LC50 3600000 µg/l Fresh water	Daphnia - Daphnia magna	48 hours
	Acute LC50 1000000 µg/l Fresh water	Fish - Pimephales promelas	96 hours
	Chronic NOEC 1000000 µg/l Fresh water	Aquatic plants - Lemna minor	96 hours
	Chronic NOEC 160000 µg/l Fresh water	Daphnia - Daphnia magna	21 days
Bonus-RP Acetonitrile	Acute IC50 3685000 µg/l Fresh water	Aquatic plants - Lemna minor	96 hours

Section 12. Ecological information

	Acute LC50 3600000 µg/l Fresh water Acute LC50 1000000 µg/l Fresh water Chronic NOEC 1000000 µg/l Fresh water Chronic NOEC 160000 µg/l Fresh water	Daphnia - Daphnia magna Fish - Pimephales promelas Aquatic plants - Lemna minor Daphnia - Daphnia magna	48 hours 96 hours 96 hours 21 days
--	---	--	---

12.2 Persistence and degradability

Product/ingredient name	Test	Result	Dose	Inoculum
Eclipse Plus Ph-Hex Acetonitrile	OECD 310 Ready Biodegradability - CO ₂ in Sealed Vessels (Headspace Test)	70 % - Readily - 21 days	-	Activated sludge
Eclipse Plus C18 Acetonitrile	OECD 310 Ready Biodegradability - CO ₂ in Sealed Vessels (Headspace Test)	70 % - Readily - 21 days	-	Activated sludge
Bonus-RP Acetonitrile	OECD 310 Ready Biodegradability - CO ₂ in Sealed Vessels (Headspace Test)	70 % - Readily - 21 days	-	Activated sludge

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
Eclipse Plus Ph-Hex Acetonitrile	-	-	Readily
Eclipse Plus C18 Acetonitrile	-	-	Readily
Bonus-RP Acetonitrile	-	-	Readily

12.3 Bioaccumulative potential

Product/ingredient name	LogP _{ow}	BCF	Potential
Eclipse Plus Ph-Hex Acetonitrile	-0.34	3	low
Eclipse Plus C18 Acetonitrile	-0.34	3	low
Bonus-RP Acetonitrile	-0.34	3	low

12.4 Mobility in soil

Section 12. Ecological information

Soil/water partition coefficient (K_{oc}) : Not available.

12.5 Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

13.1 Waste treatment methods

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Vapor from product residues may create a highly flammable or explosive atmosphere inside the container. Do not cut, weld or grind used containers unless they have been cleaned thoroughly internally. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Toxic hazardous waste "U" List

Ingredient	CAS #	Status	Reference number
Eclipse Plus Ph-Hex Acetonitrile (I,T)	75-05-8	Listed	U003
Eclipse Plus C18 Acetonitrile (I,T)	75-05-8	Listed	U003
Bonus-RP Acetonitrile (I,T)	75-05-8	Listed	U003

Disposal should be in accordance with applicable regional, national and local laws and regulations. Local regulations may be more stringent than regional or national requirements.

The information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

Section 14. Transport information

This Safety Data Sheet is written based on the encapsulated substance or mixture in this article. Since the hazardous ingredient is encapsulated, the risk of exposure by inhalation, ingestion, skin contact and eyes contact is minimum.

DOT / TDG / Mexico / IMDG / IATA : Not regulated.

IATA

Additional information

Section 14. Transport information

Remarks : Special provisions

DOT: 47

TDG: 56

MX: 216

IATA: A46

IMDG: 216

Special precautions for user : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according to IMO instruments : Not available.

Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

U.S. Federal regulations : **TSCA 8(a) PAIR:** Acetonitrile
TSCA 8(a) CDR Exempt/Partial exemption: Not determined
Clean Water Act (CWA) 307: Acetonitrile

Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs) : Listed

Clean Air Act Section 602 Class I Substances : Not listed

Clean Air Act Section 602 Class II Substances : Not listed

DEA List I Chemicals (Precursor Chemicals) : Not listed

DEA List II Chemicals (Essential Chemicals) : Not listed

SARA 302/304

Composition/information on ingredients

No products were found.

SARA 304 RQ : Not applicable.

SARA 311/312

Classification	: Eclipse Plus Ph-Hex Eclipse Plus C18 Bonus-RP	FLAMMABLE LIQUIDS - Category 2 EYE IRRITATION - Category 2A FLAMMABLE LIQUIDS - Category 2 EYE IRRITATION - Category 2A FLAMMABLE LIQUIDS - Category 2 EYE IRRITATION - Category 2A
-----------------------	---	--

Composition/information on ingredients

Name	%	Classification
Eclipse Plus Ph-Hex		
Organosilane bonded silica gel	≥50 - ≤75	COMBUSTIBLE DUSTS
Acetonitrile	≥10 - <22	FLAMMABLE LIQUIDS - Category 2 ACUTE TOXICITY (oral) - Category 4 ACUTE TOXICITY (dermal) - Category 4 ACUTE TOXICITY (inhalation) - Category 4 EYE IRRITATION - Category 2A SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 2

Section 15. Regulatory information

Eclipse Plus C18 Organosilane bonded silica gel Acetonitrile	$\geq 50 - \leq 75$ $\geq 10 - < 22$	COMBUSTIBLE DUSTS FLAMMABLE LIQUIDS - Category 2 ACUTE TOXICITY (oral) - Category 4 ACUTE TOXICITY (dermal) - Category 4 ACUTE TOXICITY (inhalation) - Category 4 EYE IRRITATION - Category 2A SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 2
Bonus-RP Organosilane bonded silica gel Acetonitrile	$\geq 50 - \leq 75$ $\geq 10 - < 22$	COMBUSTIBLE DUSTS FLAMMABLE LIQUIDS - Category 2 ACUTE TOXICITY (oral) - Category 4 ACUTE TOXICITY (dermal) - Category 4 ACUTE TOXICITY (inhalation) - Category 4 EYE IRRITATION - Category 2A SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 2

SARA 313

	Product name	CAS number	%
Form R - Reporting requirements	Eclipse Plus Ph-Hex Acetonitrile	75-05-8	$\geq 10 - < 22$
	Eclipse Plus C18 Acetonitrile	75-05-8	$\geq 10 - < 22$
	Bonus-RP Acetonitrile	75-05-8	$\geq 10 - < 22$
Supplier notification	Eclipse Plus Ph-Hex Acetonitrile	75-05-8	$\geq 10 - < 22$
	Eclipse Plus C18 Acetonitrile	75-05-8	$\geq 10 - < 22$
	Bonus-RP Acetonitrile	75-05-8	$\geq 10 - < 22$

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations

- Massachusetts** : The following components are listed: ACETONITRILE
- New York** : The following components are listed: Acetonitrile; Ethanenitrile; Methyl cyanide
- New Jersey** : The following components are listed: ACETONITRILE; METHYL CYANIDE; CYANOMETHANE
- Pennsylvania** : The following components are listed: ACETONITRILE
- California Prop. 65**

This product does not require a Safe Harbor warning under California Prop. 65.

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Section 15. Regulatory information

Not listed.

[UNECE Aarhus Protocol on POPs and Heavy Metals](#)

Not listed.

[Inventory list](#)

Australia	: All components are listed or exempted.
Canada	: <input checked="" type="checkbox"/> All components are listed or exempted.
China	: All components are listed or exempted.
Europe	: All components are listed or exempted.
Japan	: Japan inventory (CSCL): All components are listed or exempted. Japan inventory (ISHL): All components are listed or exempted.
New Zealand	: All components are listed or exempted.
Philippines	: Not determined.
Republic of Korea	: <input checked="" type="checkbox"/> All components are listed or exempted.
Taiwan	: All components are listed or exempted.
Thailand	: Not determined.
Turkey	: All components are listed or exempted.
United States	: <input checked="" type="checkbox"/> All components are active or exempted.
Viet Nam	: Not determined.

Section 16. Other information

[Procedure used to derive the classification](#)

Classification	Justification
Eclipse Plus Ph-Hex FLAMMABLE LIQUIDS - Category 2 EYE IRRITATION - Category 2A SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 2	On basis of test data Calculation method Calculation method
Eclipse Plus C18 FLAMMABLE LIQUIDS - Category 2 EYE IRRITATION - Category 2A SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 2	On basis of test data Calculation method Calculation method
Bonus-RP FLAMMABLE LIQUIDS - Category 2 EYE IRRITATION - Category 2A SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 2	On basis of test data Calculation method Calculation method

[History](#)

Date of issue	: 07/19/2022
Date of previous issue	: 06/25/2019
Version	: 5

[Key to abbreviations](#)

: ATE = Acute Toxicity Estimate
: BCF = Bioconcentration Factor
: GHS = Globally Harmonized System of Classification and Labelling of Chemicals
: IATA = International Air Transport Association
: IBC = Intermediate Bulk Container
: IMDG = International Maritime Dangerous Goods
: LogPow = logarithm of the octanol/water partition coefficient
: MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
: N/A = Not available
: UN = United Nations

Section 16. Other information

✔ Indicates information that has changed from previously issued version.

[Notice to reader](#)

Disclaimer: The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.