

# SAFETY DATA SHEET



SureSelect XT2 Pre-Capture ILM Module Box 2, Part Number 5190-3940

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

**Product name** : SureSelect XT2 Pre-Capture ILM Module Box 2, Part Number 5190-3940  
**Part no. (chemical kit)** : 5190-3940  
**Part no.** : SureSelect RNase Block 5190-4383 / 5190-4386  
 SureSelect XT2 5190-4078 / 5190-4082 / 5190-4086  
 Hybridization Buffer  
 SureSelect XT2 5190-4079 / 5190-4083 / 5190-4087  
 Blocking Mix

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Material uses** : Analytical reagent.  
 SureSelect RNase Block 16 µl - 96 µl  
 SureSelect XT2 Hybridization Buffer 37 µl - 2220 µl  
 SureSelect XT2 Blocking Mix 9 µl - 540 µl

### 1.3 Details of the supplier of the safety data sheet

Agilent Technologies LDA UK Ltd.  
 5500 Lakeside Cheadle Royal Business Park,  
 Cheadle, Cheshire, SK8 3GR  
 United Kingdom  
 Tel: +44 (0) 345 712 5292  
**e-mail address of person responsible for this SDS** : pdl-msds\_author@agilent.com

### 1.4 Emergency telephone number

**Emergency telephone number (with hours of operation)** : CHEMTREC®: +(44)-870-8200418

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

**Product definition** : SureSelect RNase Block Mixture  
 SureSelect XT2 Mixture  
 Hybridization Buffer  
 SureSelect XT2 Blocking Mix Mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

**SureSelect XT2 Hybridization Buffer**  
 H319 SERIOUS EYE DAMAGE/EYE IRRITATION Category 2

**Ingredients of unknown toxicity** : SureSelect RNase Block Percentage of the mixture consisting of ingredient(s) of unknown acute inhalation toxicity: 30 - 60%  
 SureSelect XT2 Percentage of the mixture consisting of ingredient(s) of unknown acute dermal toxicity: 1 - 10%  
 Hybridization Buffer Percentage of the mixture consisting of ingredient(s) of unknown acute inhalation toxicity: 10 - 30%  
 Percentage of the mixture consisting of ingredient(s) of unknown acute oral toxicity: 1 - 10%

**Ingredients of unknown ecotoxicity** : SureSelect XT2 Contains 1.4% of components with unknown hazards to the aquatic environment  
 Hybridization Buffer

## SECTION 2: Hazards identification

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

### 2.2 Label elements

**Hazard pictograms** : SureSelect XT2  
Hybridization Buffer



**Signal word** : SureSelect RNase Block No signal word.  
SureSelect XT2 Warning  
Hybridization Buffer  
SureSelect XT2 Blocking No signal word.  
Mix

**Hazard statements** : SureSelect RNase Block No known significant effects or critical hazards.  
SureSelect XT2 H319 - Causes serious eye irritation.  
Hybridization Buffer  
SureSelect XT2 Blocking No known significant effects or critical hazards.  
Mix

### Precautionary statements

**Prevention** : SureSelect RNase Block Not applicable.  
SureSelect XT2 P280 - Wear eye or face protection.  
Hybridization Buffer  
SureSelect XT2 Blocking Not applicable.  
Mix

**Response** : SureSelect RNase Block Not applicable.  
SureSelect XT2 P305 + P351 + P338 - IF IN EYES: Rinse cautiously with  
Hybridization Buffer water for several minutes. Remove contact lenses, if  
present and easy to do. Continue rinsing.  
P337 + P313 - If eye irritation persists: Get medical advice  
or attention.  
SureSelect XT2 Blocking Not applicable.  
Mix

**Storage** : SureSelect RNase Block Not applicable.  
SureSelect XT2 Not applicable.  
Hybridization Buffer  
SureSelect XT2 Blocking Not applicable.  
Mix

**Disposal** : SureSelect RNase Block Not applicable.  
SureSelect XT2 Not applicable.  
Hybridization Buffer  
SureSelect XT2 Blocking Not applicable.  
Mix

**Hazardous ingredients** : SureSelect XT2 Not applicable.  
Hybridization Buffer

**Supplemental label elements** : SureSelect RNase Block Not applicable.  
SureSelect XT2 Not applicable.  
Hybridization Buffer  
SureSelect XT2 Blocking Not applicable.  
Mix

**Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles** : SureSelect RNase Block Not applicable.  
SureSelect XT2 Not applicable.  
Hybridization Buffer  
SureSelect XT2 Blocking Not applicable.  
Mix

### Special packaging requirements

**SureSelect XT2 Pre-Capture ILM Module Box 2, Part Number 5190-3940**

**SECTION 2: Hazards identification**

**Tactile warning of danger** : SureSelect RNase Block Not applicable.  
 SureSelect XT2 Not applicable.  
 Hybridization Buffer  
 SureSelect XT2 Blocking Mix Not applicable.

**2.3 Other hazards**

**Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII** : SureSelect RNase Block This mixture does not contain any substances that are assessed to be a PBT or a vPvB.  
 SureSelect XT2 This mixture does not contain any substances that are assessed to be a PBT or a vPvB.  
 Hybridization Buffer  
 SureSelect XT2 Blocking Mix This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

**Other hazards which do not result in classification** : SureSelect RNase Block None known.  
 SureSelect XT2 None known.  
 Hybridization Buffer  
 SureSelect XT2 Blocking Mix None known.

**SECTION 3: Composition/information on ingredients**

**3.1 Substances** : SureSelect RNase Block Mixture  
 SureSelect XT2 Hybridization Buffer Mixture  
 SureSelect XT2 Blocking Mix Mixture

Product/ingredient name	Identifiers	%	Regulation (EC) No. 1272/2008 [CLP]	Type
<b>SureSelect RNase Block</b> Glycerol	REACH #: Annex V EC: 200-289-5 CAS: 56-81-5	≥50 - ≤75	Not classified.	[2]
<b>SureSelect XT2 Hybridization Buffer</b> Sodium chloride	EC: 231-598-3 CAS: 7647-14-5	≤10	Eye Irrit. 2, H319	[1]
Sodium dodecyl sulphate	EC: 205-788-1 CAS: 151-21-3	≤3	Flam. Sol. 2, H228 Acute Tox. 4, H302 Acute Tox. 4, H332 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 3, H412 <b>See Section 16 for the full text of the H statements declared above.</b>	[1]

There are no additional ingredients present which, within the current knowledge of the supplier, are classified and contribute to the classification of the substance and hence require reporting in this section.

**Type**

- [1] Substance classified with a health or environmental hazard
- [2] Substance with a workplace exposure limit
- [3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII
- [4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII
- [5] Substance of equivalent concern
- [6] Additional disclosure due to company policy

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

<b>Eye contact</b>	: SureSelect RNase Block	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SureSelect XT2 Hybridization Buffer	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
	SureSelect XT2 Blocking Mix	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
<b>Inhalation</b>	: SureSelect RNase Block	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	SureSelect XT2 Hybridization Buffer	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
	SureSelect XT2 Blocking Mix	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
<b>Skin contact</b>	: SureSelect RNase Block	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	SureSelect XT2 Hybridization Buffer	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
	SureSelect XT2 Blocking Mix	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
<b>Ingestion</b>	: SureSelect RNase Block	Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
	SureSelect XT2 Hybridization Buffer	Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
	SureSelect XT2 Blocking Mix	Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

## SECTION 4: First aid measures

<b>Protection of first-aiders</b>	: SureSelect RNase Block SureSelect XT2 Hybridization Buffer  SureSelect XT2 Blocking Mix	No action shall be taken involving any personal risk or without suitable training. No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. No action shall be taken involving any personal risk or without suitable training.
-----------------------------------	---	--

### 4.2 Most important symptoms and effects, both acute and delayed

#### Potential acute health effects

<b>Eye contact</b>	: SureSelect RNase Block SureSelect XT2 Hybridization Buffer SureSelect XT2 Blocking Mix	No known significant effects or critical hazards. Causes serious eye irritation.  No known significant effects or critical hazards.
<b>Inhalation</b>	: SureSelect RNase Block SureSelect XT2 Hybridization Buffer SureSelect XT2 Blocking Mix	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
<b>Skin contact</b>	: SureSelect RNase Block SureSelect XT2 Hybridization Buffer SureSelect XT2 Blocking Mix	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
<b>Ingestion</b>	: SureSelect RNase Block SureSelect XT2 Hybridization Buffer SureSelect XT2 Blocking Mix	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.

#### Over-exposure signs/symptoms

<b>Eye contact</b>	: SureSelect RNase Block SureSelect XT2 Hybridization Buffer  SureSelect XT2 Blocking Mix	No specific data. Adverse symptoms may include the following:  pain or irritation watering redness No specific data.
<b>Inhalation</b>	: SureSelect RNase Block SureSelect XT2 Hybridization Buffer SureSelect XT2 Blocking Mix	No specific data. No specific data. No specific data.
<b>Skin contact</b>	: SureSelect RNase Block SureSelect XT2 Hybridization Buffer SureSelect XT2 Blocking Mix	No specific data. No specific data. No specific data.
<b>Ingestion</b>	: SureSelect RNase Block SureSelect XT2 Hybridization Buffer SureSelect XT2 Blocking Mix	No specific data. No specific data. No specific data.

### 4.3 Indication of any immediate medical attention and special treatment needed

## SECTION 4: First aid measures

<b>Notes to physician</b>	: SureSelect RNase Block	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	SureSelect XT2	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	Hybridization Buffer	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	SureSelect XT2 Blocking Mix	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
<b>Specific treatments</b>	: SureSelect RNase Block	No specific treatment.
	SureSelect XT2	No specific treatment.
	Hybridization Buffer	No specific treatment.
	SureSelect XT2 Blocking Mix	No specific treatment.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

<b>Suitable extinguishing media</b>	: SureSelect RNase Block	Use an extinguishing agent suitable for the surrounding fire.
	SureSelect XT2	Use an extinguishing agent suitable for the surrounding fire.
	Hybridization Buffer	Use an extinguishing agent suitable for the surrounding fire.
<b>Unsuitable extinguishing media</b>	: SureSelect XT2	Use an extinguishing agent suitable for the surrounding fire.
	Blocking Mix	
	SureSelect RNase Block	None known.
<b>Unsuitable extinguishing media</b>	: SureSelect XT2	None known.
	Hybridization Buffer	None known.
	SureSelect XT2	None known.
	Blocking Mix	None known.

### 5.2 Special hazards arising from the substance or mixture

<b>Hazards from the substance or mixture</b>	: <input checked="" type="checkbox"/> SureSelect RNase Block	In a fire or if heated, a pressure increase will occur and the container may burst.
	SureSelect XT2	In a fire or if heated, a pressure increase will occur and the container may burst.
	Hybridization Buffer	In a fire or if heated, a pressure increase will occur and the container may burst.
	SureSelect XT2	In a fire or if heated, a pressure increase will occur and the container may burst.
<b>Hazardous combustion products</b>	: SureSelect RNase Block	Decomposition products may include the following materials: carbon dioxide carbon monoxide
	SureSelect XT2	Decomposition products may include the following materials: carbon dioxide carbon monoxide sulfur oxides phosphorus oxides halogenated compounds metal oxide/oxides
	Hybridization Buffer	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides phosphorus oxides
<b>Hazardous combustion products</b>	: SureSelect XT2	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides phosphorus oxides
	Blocking Mix	

### 5.3 Advice for firefighters

<b>Special precautions for fire-fighters</b>	: SureSelect RNase Block	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	SureSelect XT2	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	Hybridization Buffer	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
<b>Special precautions for fire-fighters</b>	: SureSelect XT2	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	Blocking Mix	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

## SECTION 5: Firefighting measures

<b>Special protective equipment for fire-fighters</b>	: SureSelect RNase Block	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
	SureSelect XT2 Hybridization Buffer	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
	SureSelect XT2 Blocking Mix	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

<b>For non-emergency personnel</b>	: SureSelect RNase Block	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
	SureSelect XT2 Hybridization Buffer	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
	SureSelect XT2 Blocking Mix	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
<b>For emergency responders</b>	: SureSelect RNase Block	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
	SureSelect XT2 Hybridization Buffer	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
	SureSelect XT2 Blocking Mix	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
<b>6.2 Environmental precautions</b>	: SureSelect RNase Block	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
	SureSelect XT2 Hybridization Buffer	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
	SureSelect XT2 Blocking Mix	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution

## SECTION 6: Accidental release measures

(sewers, waterways, soil or air).

### 6.3 Methods and material for containment and cleaning up

<b>Methods for cleaning up</b>	: SureSelect RNase Block	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	SureSelect XT2 Hybridization Buffer	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	SureSelect XT2 Blocking Mix	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

**6.4 Reference to other sections** : See Section 1 for emergency contact information.  
See Section 8 for information on appropriate personal protective equipment.  
See Section 13 for additional waste treatment information.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

<b>Protective measures</b>	: SureSelect RNase Block	Put on appropriate personal protective equipment (see Section 8).
	SureSelect XT2 Hybridization Buffer	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapour or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
	SureSelect XT2 Blocking Mix	Put on appropriate personal protective equipment (see Section 8).
<b>Advice on general occupational hygiene</b>	: SureSelect RNase Block	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
	SureSelect XT2 Hybridization Buffer	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
	SureSelect XT2 Blocking Mix	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

### 7.2 Conditions for safe storage, including any incompatibilities

## SECTION 7: Handling and storage

<b>Storage</b>	: SureSelect RNase Block	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
	SureSelect XT2 Hybridization Buffer	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
	SureSelect XT2 Blocking Mix	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

### 7.3 Specific end use(s)

<b>Recommendations</b>	: SureSelect RNase Block SureSelect XT2 Hybridization Buffer SureSelect XT2 Blocking Mix	Industrial applications, Professional applications. Industrial applications, Professional applications. Industrial applications, Professional applications.
<b>Industrial sector specific solutions</b>	: <input checked="" type="checkbox"/> SureSelect RNase Block SureSelect XT2 Hybridization Buffer SureSelect XT2 Blocking Mix	Not available. Not available. Not available.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational exposure limits

Product/ingredient name	Exposure limit values
<input checked="" type="checkbox"/> SureSelect RNase Block Glycerol	<b>EH40/2005 WELs (United Kingdom (UK), 1/2020).</b> TWA: 10 mg/m <sup>3</sup> 8 hours. Form: Mist

<b>Recommended monitoring procedures</b>	: If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace
--	---

## SECTION 8: Exposure controls/personal protection

atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

### DNELs/DMELs

Product/ingredient name	Type	Exposure	Value	Population	Effects	
<b>SureSelect XT2 Hybridization Buffer</b> Sodium chloride	DNEL	Short term Oral	126.65 mg/kg bw/day	General population	Systemic	
	DNEL	Long term Oral	126.65 mg/kg bw/day	General population	Systemic	
	DNEL	Short term Dermal	126.65 mg/kg bw/day	General population	Systemic	
	DNEL	Long term Dermal	126.65 mg/kg bw/day	General population	Systemic	
	DNEL	Short term Dermal	295.52 mg/kg bw/day	Workers	Systemic	
	DNEL	Long term Dermal	295.52 mg/kg bw/day	Workers	Systemic	
	DNEL	Short term Inhalation	443.28 mg/m <sup>3</sup>	General population	Systemic	
	DNEL	Long term Inhalation	443.28 mg/m <sup>3</sup>	General population	Systemic	
	DNEL	Short term Inhalation	2068.62 mg/m <sup>3</sup>	Workers	Systemic	
	DNEL	Long term Inhalation	2068.62 mg/m <sup>3</sup>	Workers	Systemic	
	Sodium dodecyl sulphate	DNEL	Long term Oral	24 mg/kg bw/day	General population	Systemic
		DNEL	Long term Inhalation	85 mg/m <sup>3</sup>	General population	Systemic
		DNEL	Long term Inhalation	285 mg/m <sup>3</sup>	Workers	Systemic
		DNEL	Long term Dermal	2440 mg/kg bw/day	General population	Systemic
DNEL		Long term Dermal	4060 mg/kg bw/day	Workers	Systemic	

### PNECs

No PNECs available

### 8.2 Exposure controls

**Appropriate engineering controls** : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

#### Individual protection measures

**Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

**Eye/face protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.

#### Skin protection

**Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

## SECTION 8: Exposure controls/personal protection

- Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Respiratory protection** : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.
- Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

## SECTION 9: Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

### 9.1 Information on basic physical and chemical properties

#### Appearance

<b>Physical state</b>	SureSelect RNase Block	Liquid.
	SureSelect XT2	Liquid.
	Hybridization Buffer	
	SureSelect XT2 Blocking Mix	Liquid.
<b>Colour</b>	SureSelect RNase Block	Not available.
	SureSelect XT2	Not available.
	Hybridization Buffer	
	SureSelect XT2 Blocking Mix	Not available.
<b>Odour</b>	SureSelect RNase Block	Not available.
	SureSelect XT2	Not available.
	Hybridization Buffer	
	SureSelect XT2 Blocking Mix	Not available.
<b>Odour threshold</b>	SureSelect RNase Block	Not available.
	SureSelect XT2	Not available.
	Hybridization Buffer	
	SureSelect XT2 Blocking Mix	Not available.
<b>Melting point/freezing point</b>	SureSelect RNase Block	Not available.
	SureSelect XT2	Not available.
	Hybridization Buffer	
	SureSelect XT2 Blocking Mix	0°C
<b>Initial boiling point and boiling range</b>	SureSelect RNase Block	Not available.
	SureSelect XT2	Not available.
	Hybridization Buffer	
	SureSelect XT2 Blocking Mix	100°C (212°F)
<b>Flammability (solid, gas)</b>	SureSelect RNase Block	Not applicable.
	SureSelect XT2	Not applicable.
	Hybridization Buffer	
	SureSelect XT2 Blocking Mix	Not applicable.
<b>Upper/lower flammability or explosive limits</b>	SureSelect RNase Block	Not available.
	SureSelect XT2	Not available.
	Hybridization Buffer	
	SureSelect XT2 Blocking Mix	Not available.

**SureSelect XT2 Pre-Capture ILM Module Box 2, Part Number 5190-3940**

**SECTION 9: Physical and chemical properties**

**Flash point**

Ingredient name	Closed cup			Open cup		
	°C	°F	Method	°C	°F	Method
<b>SureSelect RNase Block</b> (R*,R*) -1,4-Dimercaptobutane- 2,3-diol	>110	>230				
Glycerol				177	350.6	
<b>SureSelect XT2 Hybridization Buffer</b>						
Acetic acid, (ethylenedinitrilo)tetra-, disodium salt, dihydrate	>100	>212				
Edetic acid	>100	>212	DIN 51758			
<b>SureSelect XT2 Blocking Mix</b>						
Edetic acid	>100	>212	DIN 51758			

**Auto-ignition temperature**

Ingredient name	°C	°F	Method
<b>SureSelect RNase Block</b>			
Glycerol	370	698	
4-(2-Hydroxyethyl)piperazin- 1-ylethanesulphonic acid	>400	>752	EU A.16
<b>SureSelect XT2 Hybridization Buffer</b>			
Sodium dodecyl sulphate	310.5	590.9	VDI 2263
Edetic acid	>400	>752	VDI 2263
<b>SureSelect XT2 Blocking Mix</b>			
Edetic acid	>400	>752	VDI 2263

**Decomposition temperature**

SureSelect RNase Block Not available.  
 SureSelect XT2 Hybridization Buffer Not available.  
 SureSelect XT2 Blocking Mix Not available.

**pH**

SureSelect RNase Block 7.6  
 SureSelect XT2 Hybridization Buffer 7.4  
 SureSelect XT2 Blocking Mix 7.5

**Viscosity**

SureSelect RNase Block Not available.  
 SureSelect XT2 Hybridization Buffer Not available.  
 SureSelect XT2 Blocking Mix Not available.

**Solubility(ies)**

SureSelect RNase Block Easily soluble in the following materials: cold water and hot water.  
 SureSelect XT2 Hybridization Buffer Easily soluble in the following materials: cold water and hot water.  
 SureSelect XT2 Blocking Mix Easily soluble in the following materials: cold water and hot water.

**Partition coefficient: n-octanol/water**

:

**SECTION 9: Physical and chemical properties**

SureSelect RNase Block Not applicable.  
 SureSelect XT2 Not applicable.  
 Hybridization Buffer  
 SureSelect XT2 Blocking Mix Not applicable.

**Vapour pressure**

Ingredient name	Vapour Pressure at 20°C			Vapour pressure at 50°C		
	mm Hg	kPa	Method	mm Hg	kPa	Method
<input checked="" type="checkbox"/> SureSelect RNase Block						
water	23.8	3.2		92.258	12.3	
Glycerol	0.000075	0.00001		0.0025	0.00033	
<b>SureSelect XT2 Hybridization Buffer</b>						
water	23.8	3.2		92.258	12.3	
Sodium dodecyl sulphate	≤0.0013501	≤0.00018				
<b>SureSelect XT2 Blocking Mix</b>						
water	23.8	3.2		92.258	12.3	
2-Amino-2-(hydroxymethyl)propane-1,3-diol hydrochloride	0.000027	0.0000036		0.000007501	0.000001	

**Evaporation rate**

SureSelect RNase Block Not available.  
 SureSelect XT2 Not available.  
 Hybridization Buffer  
 SureSelect XT2 Blocking Mix Not available.

**Relative density**

SureSelect RNase Block Not available.  
 SureSelect XT2 Not available.  
 Hybridization Buffer  
 SureSelect XT2 Blocking Mix Not available.

**Vapour density**

SureSelect RNase Block Not available.  
 SureSelect XT2 Not available.  
 Hybridization Buffer  
 SureSelect XT2 Blocking Mix Not available.

**Explosive properties**

SureSelect RNase Block Not available.  
 SureSelect XT2 Not available.  
 Hybridization Buffer  
 SureSelect XT2 Blocking Mix Not available.

**Oxidising properties**

SureSelect RNase Block Not available.  
 SureSelect XT2 Not available.  
 Hybridization Buffer  
 SureSelect XT2 Blocking Mix Not available.

**Particle characteristics**

**Median particle size**

SureSelect RNase Block Not applicable.  
 SureSelect XT2 Not applicable.  
 Hybridization Buffer  
 SureSelect XT2 Blocking Mix Not applicable.

**9.2 Other information**

No additional information.

## SECTION 10: Stability and reactivity

<b>10.1 Reactivity</b>	: SureSelect RNase Block SureSelect XT2 Hybridization Buffer SureSelect XT2 Blocking Mix	No specific test data related to reactivity available for this product or its ingredients. No specific test data related to reactivity available for this product or its ingredients. No specific test data related to reactivity available for this product or its ingredients.
<b>10.2 Chemical stability</b>	: SureSelect RNase Block SureSelect XT2 Hybridization Buffer SureSelect XT2 Blocking Mix	The product is stable. The product is stable. The product is stable.
<b>10.3 Possibility of hazardous reactions</b>	: SureSelect RNase Block SureSelect XT2 Hybridization Buffer SureSelect XT2 Blocking Mix	Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous reactions will not occur.
<b>10.4 Conditions to avoid</b>	: SureSelect RNase Block SureSelect XT2 Hybridization Buffer SureSelect XT2 Blocking Mix	No specific data. No specific data. No specific data.
<b>10.5 Incompatible materials</b>	: SureSelect RNase Block SureSelect XT2 Hybridization Buffer SureSelect XT2 Blocking Mix	May react or be incompatible with oxidising materials. May react or be incompatible with oxidising materials. May react or be incompatible with oxidising materials.
<b>10.6 Hazardous decomposition products</b>	: SureSelect RNase Block SureSelect XT2 Hybridization Buffer SureSelect XT2 Blocking Mix	Under normal conditions of storage and use, hazardous decomposition products should not be produced. Under normal conditions of storage and use, hazardous decomposition products should not be produced. Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
<b>SureSelect XT2 Hybridization Buffer</b>				
Sodium chloride	LD50 Oral	Rat	3000 mg/kg	-
Sodium dodecyl sulphate	LD50 Oral	Rat	1288 mg/kg	-

#### Acute toxicity estimates

Product/ingredient name	Oral (mg/kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapours) (mg/l)	Inhalation (dusts and mists) (mg/l)
<b>SureSelect XT2 Hybridization Buffer</b>					
SureSelect XT2 Hybridization Buffer	48548.8	N/A	N/A	N/A	50.7
Sodium chloride	3000	N/A	N/A	N/A	N/A
Sodium dodecyl sulphate	1288	N/A	N/A	N/A	1.5

#### Irritation/Corrosion

SureSelect XT2 Pre-Capture ILM Module Box 2, Part Number 5190-3940

## SECTION 11: Toxicological information

Product/ingredient name	Result	Species	Score	Exposure	Observation
SureSelect XT2 Hybridization Buffer Sodium chloride  Sodium dodecyl sulphate	Eyes - Moderate irritant	Rabbit	-	24 hours 100 mg	-
	Eyes - Moderate irritant	Rabbit	-	10 mg	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 mg	-
	Eyes - Mild irritant	Rabbit	-	250 ug	-
	Eyes - Moderate irritant	Rabbit	-	24 hours 100 mg	-
	Eyes - Moderate irritant Skin - Mild irritant	Rabbit Guinea pig	- -	10 mg 24 hours 25 mg	- -
	Skin - Moderate irritant	Mouse	-	24 hours 25 mg	-
	Skin - Mild irritant Skin - Moderate irritant	Rabbit Rabbit	- -	24 hours 50 mg 24 hours 25 mg	- -

### Sensitiser

Conclusion/Summary : Not available.

### Mutagenicity

Conclusion/Summary : Not available.

### Carcinogenicity

Conclusion/Summary : Not available.

### Reproductive toxicity

Conclusion/Summary : Not available.

### Teratogenicity

Conclusion/Summary : Not available.

### Specific target organ toxicity (single exposure)

Product/ingredient name	Category	Route of exposure	Target organs
SureSelect XT2 Hybridization Buffer Sodium dodecyl sulphate	Category 3	-	Respiratory tract irritation

### Specific target organ toxicity (repeated exposure)

Not available.

### Aspiration hazard

Not available.

### Information on likely routes of exposure

: SureSelect RNase Block SureSelect XT2 Hybridization Buffer  
 SureSelect XT2 Blocking Mix  
 Routes of entry anticipated: Oral, Dermal, Inhalation.  
 Routes of entry anticipated: Oral, Dermal, Inhalation.  
 Not available.

### Potential acute health effects

**Inhalation** : SureSelect RNase Block SureSelect XT2 Hybridization Buffer  
 SureSelect XT2 Blocking Mix  
 No known significant effects or critical hazards.  
 No known significant effects or critical hazards.  
 No known significant effects or critical hazards.

## SECTION 11: Toxicological information

<b>Ingestion</b>	: SureSelect RNase Block SureSelect XT2 Hybridization Buffer SureSelect XT2 Blocking Mix	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
<b>Skin contact</b>	: SureSelect RNase Block SureSelect XT2 Hybridization Buffer SureSelect XT2 Blocking Mix	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
<b>Eye contact</b>	: SureSelect RNase Block SureSelect XT2 Hybridization Buffer SureSelect XT2 Blocking Mix	No known significant effects or critical hazards. Causes serious eye irritation. No known significant effects or critical hazards.

### Symptoms related to the physical, chemical and toxicological characteristics

<b>Inhalation</b>	: SureSelect RNase Block SureSelect XT2 Hybridization Buffer SureSelect XT2 Blocking Mix	No specific data. No specific data. No specific data.
<b>Ingestion</b>	: SureSelect RNase Block SureSelect XT2 Hybridization Buffer SureSelect XT2 Blocking Mix	No specific data. No specific data. No specific data.
<b>Skin contact</b>	: SureSelect RNase Block SureSelect XT2 Hybridization Buffer SureSelect XT2 Blocking Mix	No specific data. No specific data. No specific data.
<b>Eye contact</b>	: SureSelect RNase Block SureSelect XT2 Hybridization Buffer  SureSelect XT2 Blocking Mix	No specific data. Adverse symptoms may include the following:  pain or irritation watering redness No specific data.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

#### Short term exposure

<b>Potential immediate effects</b>	: Not available.
<b>Potential delayed effects</b>	: Not available.

#### Long term exposure

<b>Potential immediate effects</b>	: Not available.
<b>Potential delayed effects</b>	: Not available.

### Potential chronic health effects

<b>General</b>	: SureSelect RNase Block SureSelect XT2 Hybridization Buffer SureSelect XT2 Blocking Mix	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
----------------	--	---

## SECTION 11: Toxicological information

<b>Carcinogenicity</b>	: SureSelect RNase Block SureSelect XT2 Hybridization Buffer SureSelect XT2 Blocking Mix	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
<b>Mutagenicity</b>	: SureSelect RNase Block SureSelect XT2 Hybridization Buffer SureSelect XT2 Blocking Mix	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
<b>Reproductive toxicity</b>	: SureSelect RNase Block SureSelect XT2 Hybridization Buffer SureSelect XT2 Blocking Mix	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
<b>Other information</b>	: SureSelect RNase Block SureSelect XT2 Hybridization Buffer SureSelect XT2 Blocking Mix	Adverse symptoms may include the following: May cause skin sensitisation. Not available. Not available.

## SECTION 12: Ecological information

### 12.1 Toxicity

Product/ingredient name	Result	Species	Exposure	
SureSelect XT2 Hybridization Buffer Sodium chloride	Acute EC50 2430000 µg/l Fresh water	Algae - Navicula seminulum	96 hours	
	Acute EC50 519.6 mg/l Fresh water	Crustaceans - Cypris subglobosa	48 hours	
	Acute EC50 402.6 mg/l Fresh water	Daphnia - Daphnia magna	48 hours	
	Acute IC50 6.87 g/L Fresh water	Aquatic plants - Lemna minor	96 hours	
	Acute LC50 1000000 µg/l Fresh water	Fish - Morone saxatilis - Larvae	96 hours	
	Chronic LC10 781 mg/l Fresh water	Crustaceans - Hyalella azteca - Juvenile (Fledgling, Hatchling, Weanling)	3 weeks	
	Chronic NOEC 6 g/L Fresh water	Aquatic plants - Lemna minor	96 hours	
	Chronic NOEC 0.314 g/L Fresh water	Daphnia - Daphnia pulex	21 days	
	Chronic NOEC 100 mg/l Fresh water	Fish - Gambusia holbrooki - Adult	8 weeks	
	Sodium dodecyl sulphate	Acute EC50 1200 µg/l Marine water	Algae - Skeletonema costatum	96 hours
		Acute LC50 900 µg/l Marine water	Crustaceans - Artemia salina - Adult	48 hours
		Acute LC50 1400 µg/l Fresh water	Daphnia - Daphnia pulex - Neonate	48 hours
		Acute LC50 590 µg/l Fresh water	Fish - Cirrhinus mrigala - Larvae	96 hours
		Chronic NOEC 1.25 mg/l Marine water	Algae - Ulva fasciata - Zoa	96 hours
Chronic NOEC 1 mg/l Fresh water		Crustaceans - Pseudosida ramosa - Neonate	21 days	
Chronic NOEC 3.2 mg/l Fresh water		Daphnia - Daphnia magna - Neonate	21 days	
Chronic NOEC >1357 µg/l Fresh water	Fish - Pimephales promelas	42 days		

### 12.2 Persistence and degradability

SureSelect XT2 Pre-Capture ILM Module Box 2, Part Number 5190-3940

## SECTION 12: Ecological information

Product/ingredient name	Test	Result	Dose	Inoculum
SureSelect XT2 Hybridization Buffer Sodium dodecyl sulphate	OECD 301B Ready Biodegradability - CO2 Evolution Test	95 % - Readily - 28 days	20 mg/l	Activated sludge

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
SureSelect XT2 Hybridization Buffer Sodium dodecyl sulphate	-	-	Readily

### 12.3 Bioaccumulative potential

Product/ingredient name	LogP <sub>ow</sub>	BCF	Potential
SureSelect XT2 Hybridization Buffer Sodium dodecyl sulphate	-2.03	-	low

### 12.4 Mobility in soil

Soil/water partition coefficient (K<sub>oc</sub>) : Not available.

Mobility : Not available.

### 12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

12.6 Other adverse effects : No known significant effects or critical hazards.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### Product

**Methods of disposal** : The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

**Hazardous waste** : Within the present knowledge of the supplier, this product is not regarded as hazardous waste, as defined by EU Directive 2008/98/EC.

#### Packaging

**Methods of disposal** : The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

**Special precautions** : This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

**SECTION 14: Transport information**

	ADR/RID	IMDG	IATA
14.1 UN number	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-
14.3 Transport hazard class(es)	-	-	-
14.4 Packing group	-	-	-
14.5 Environmental hazards	No.	No.	No.

Additional information

**14.6 Special precautions for user** : **Transport within user’s premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

**14.7 Transport in bulk according to IMO instruments** : Not available.

**SECTION 15: Regulatory information**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorisation

Annex XIV

None of the components are listed.

Substances of very high concern

None of the components are listed.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

**Label** : SureSelect RNase Block Not applicable.  
 SureSelect XT2 Hybridization Not applicable.  
 Buffer  
 SureSelect XT2 Blocking Mix Not applicable.

Other EU regulations

Ozone depleting substances (1005/2009/EU)

Not listed.

Prior Informed Consent (PIC) (649/2012/EU)

Not listed.

Persistent Organic Pollutants

Not listed.

Seveso Directive

This product is not controlled under the Seveso Directive.

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

## SECTION 15: Regulatory information

### Montreal Protocol

Not listed.

### Stockholm Convention on Persistent Organic Pollutants

Not listed.

### Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

### UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

### Inventory list

<b>Australia</b>	: Not determined.
<b>Canada</b>	: Not determined.
<b>China</b>	: All components are listed or exempted.
<b>Europe</b>	: All components are listed or exempted.
<b>Japan</b>	: <b>Japan inventory (CSCL):</b> Not determined. <b>Japan inventory (ISHL):</b> Not determined.
<b>New Zealand</b>	: Not determined.
<b>Philippines</b>	: Not determined.
<b>Republic of Korea</b>	: Not determined.
<b>Taiwan</b>	: All components are listed or exempted.
<b>Thailand</b>	: Not determined.
<b>Turkey</b>	: Not determined.
<b>United States</b>	: <input checked="" type="checkbox"/> All components are active or exempted.
<b>Viet Nam</b>	: Not determined.

**15.2 Chemical safety assessment** : This product contains substances for which Chemical Safety Assessments might still be required.

## SECTION 16: Other information

Indicates information that has changed from previously issued version.

<b>Abbreviations and acronyms</b>	: ATE = Acute Toxicity Estimate CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level EUH statement = CLP-specific Hazard statement N/A = Not available PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RRN = REACH Registration Number vPvB = Very Persistent and Very Bioaccumulative
-----------------------------------	---

### Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification	Justification
<b>SureSelect XT2 Hybridization Buffer</b> Eye Irrit. 2, H319	Calculation method

### Full text of abbreviated H statements

**SureSelect XT2 Pre-Capture ILM Module Box 2, Part Number 5190-3940**

**SECTION 16: Other information**

<p><b>SureSelect XT2 Hybridization Buffer</b>                  H228                  H302                  H315                  H318                  H319                  H332                  H335                  H400                  H412</p>	<p>Flammable solid.                  Harmful if swallowed.                  Causes skin irritation.                  Causes serious eye damage.                  Causes serious eye irritation.                  Harmful if inhaled.                  May cause respiratory irritation.                  Very toxic to aquatic life.                  Harmful to aquatic life with long lasting effects.</p>
---	--

**Full text of classifications [CLP/GHS]**

<p><b>SureSelect XT2 Hybridization Buffer</b>                  Acute Tox. 4                  Aquatic Acute 1                  Aquatic Chronic 3                  Eye Dam. 1                  Eye Irrit. 2                  Flam. Sol. 2                  Skin Irrit. 2                  STOT SE 3</p>	<p>ACUTE TOXICITY - Category 4                  SHORT-TERM (ACUTE) AQUATIC HAZARD - Category 1                  LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 3                  SERIOUS EYE DAMAGE/EYE IRRITATION - Category 1                  SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2                  FLAMMABLE SOLIDS - Category 2                  SKIN CORROSION/IRRITATION - Category 2                  SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE - Category 3</p>
---	---

**Date of issue/ Date of revision** : 02/06/2022

**Date of previous issue** : 24/10/2019

**Version** : 3

**Notice to reader**

**Disclaimer:** The information contained in this document is based on Agilent’s state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.