

SAFETY DATA SHEET

SureSelect XT2 Pre-Capture Box 1 - 60 Reactions, Part Number 5190-4077

Section 1. Identification

1.1 Product identifier

Product name	: SureSelect XT2 Pre-Capture Box 1 - 60 Reactions, Part Number 5190-4077		
Part no. (chemical kit)	: 5190-4077		
Part no.	SureSelect XT2 Binding Buffer	5190-4091	
	SureSelect XT2 Wash 1	5190-4092	
	SureSelect XT2 Wash 2	5190-4093	
Validation date	: 5/27/2020		

1.2 Relevant identified uses of the substance or mixture and uses advised against

Material uses	: Analytical reagent.		
	SureSelect XT2 Binding Buffer	48 ml	
	SureSelect XT2 Wash 1	12 ml	
	SureSelect XT2 Wash 2	72 ml	

1.3 Details of the supplier of the safety data sheet

Supplier/Manufacturer	: Agilent Technologies, Inc. 5301 Stevens Creek Blvd Santa Clara, CA 95051, USA 800-227-9770		
------------------------------	---	--	--

1.4 Emergency telephone number

In case of emergency	: CHEMTREC®: 1-800-424-9300
-----------------------------	-----------------------------

Section 2. Hazards identification

2.1 Classification of the substance or mixture

OSHA/HCS status	: SureSelect XT2 Binding Buffer	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
	: SureSelect XT2 Wash 1	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
	: SureSelect XT2 Wash 2	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.

Classification of the substance or mixture

Not classified.

2.2 GHS label elements

Signal word :

Section 2. Hazards identification

	SureSelect XT2 Binding Buffer	No signal word.
	SureSelect XT2 Wash 1	No signal word.
	SureSelect XT2 Wash 2	No signal word.
Hazard statements	: SureSelect XT2 Binding Buffer	No known significant effects or critical hazards.
	SureSelect XT2 Wash 1	No known significant effects or critical hazards.
	SureSelect XT2 Wash 2	No known significant effects or critical hazards.
Precautionary statements		
Prevention	: SureSelect XT2 Binding Buffer	Not applicable.
	SureSelect XT2 Wash 1	Not applicable.
	SureSelect XT2 Wash 2	Not applicable.
Response	: SureSelect XT2 Binding Buffer	Not applicable.
	SureSelect XT2 Wash 1	Not applicable.
	SureSelect XT2 Wash 2	Not applicable.
Storage	: SureSelect XT2 Binding Buffer	Not applicable.
	SureSelect XT2 Wash 1	Not applicable.
	SureSelect XT2 Wash 2	Not applicable.
Disposal	: SureSelect XT2 Binding Buffer	Not applicable.
	SureSelect XT2 Wash 1	Not applicable.
	SureSelect XT2 Wash 2	Not applicable.
Supplemental label elements	: SureSelect XT2 Binding Buffer	None known.
	SureSelect XT2 Wash 1	None known.
	SureSelect XT2 Wash 2	None known.
2.3 Other hazards		
Hazards not otherwise classified	: SureSelect XT2 Binding Buffer	None known.
	SureSelect XT2 Wash 1	None known.
	SureSelect XT2 Wash 2	None known.

Section 3. Composition/information on ingredients

Substance/mixture	: SureSelect XT2 Binding Buffer	Mixture
	SureSelect XT2 Wash 1	Mixture
	SureSelect XT2 Wash 2	Mixture

Ingredient name	%	CAS number
SureSelect XT2 Binding Buffer Sodium chloride	<10	7647-14-5
SureSelect XT2 Wash 1 Sodium dodecyl sulphate	≤0.3	151-21-3
SureSelect XT2 Wash 2 Sodium dodecyl sulphate	≤0.3	151-21-3

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

4.1 Description of necessary first aid measures

Eye contact	: SureSelect XT2 Binding Buffer	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SureSelect XT2 Wash 1	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SureSelect XT2 Wash 2	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	: SureSelect XT2 Binding Buffer	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	SureSelect XT2 Wash 1	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	SureSelect XT2 Wash 2	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Skin contact	: SureSelect XT2 Binding Buffer	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	SureSelect XT2 Wash 1	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	SureSelect XT2 Wash 2	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	: SureSelect XT2 Binding Buffer	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
	SureSelect XT2 Wash 1	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
	SureSelect XT2 Wash 2	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

4.2 Most important symptoms/effects, acute and delayed

Potential acute health effects

Section 4. First aid measures

Eye contact	: SureSelect XT2 Binding Buffer SureSelect XT2 Wash 1 SureSelect XT2 Wash 2	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
Inhalation	: SureSelect XT2 Binding Buffer SureSelect XT2 Wash 1 SureSelect XT2 Wash 2	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
Skin contact	: SureSelect XT2 Binding Buffer SureSelect XT2 Wash 1 SureSelect XT2 Wash 2	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
Ingestion	: SureSelect XT2 Binding Buffer SureSelect XT2 Wash 1 SureSelect XT2 Wash 2	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.

Over-exposure signs/symptoms

Eye contact	: SureSelect XT2 Binding Buffer SureSelect XT2 Wash 1 SureSelect XT2 Wash 2	No specific data. No specific data. No specific data.
Inhalation	: SureSelect XT2 Binding Buffer SureSelect XT2 Wash 1 SureSelect XT2 Wash 2	No specific data. No specific data. No specific data.
Skin contact	: SureSelect XT2 Binding Buffer SureSelect XT2 Wash 1 SureSelect XT2 Wash 2	No specific data. No specific data. No specific data.
Ingestion	: SureSelect XT2 Binding Buffer SureSelect XT2 Wash 1 SureSelect XT2 Wash 2	No specific data. No specific data. No specific data.

4.3 Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician	: SureSelect XT2 Binding Buffer SureSelect XT2 Wash 1 SureSelect XT2 Wash 2	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: SureSelect XT2 Binding Buffer SureSelect XT2 Wash 1 SureSelect XT2 Wash 2	No specific treatment. No specific treatment. No specific treatment.
Protection of first-aiders	: SureSelect XT2 Binding Buffer SureSelect XT2 Wash 1 SureSelect XT2 Wash 2	No action shall be taken involving any personal risk or without suitable training. No action shall be taken involving any personal risk or without suitable training. No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media	: SureSelect XT2 Binding Buffer	Use an extinguishing agent suitable for the surrounding fire.
	SureSelect XT2 Wash 1	Use an extinguishing agent suitable for the surrounding fire.
	SureSelect XT2 Wash 2	Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: SureSelect XT2 Binding Buffer	None known.
	SureSelect XT2 Wash 1	None known.
	SureSelect XT2 Wash 2	None known.

5.2 Special hazards arising from the substance or mixture

Specific hazards arising from the chemical	: SureSelect XT2 Binding Buffer	In a fire or if heated, a pressure increase will occur and the container may burst.
	SureSelect XT2 Wash 1	In a fire or if heated, a pressure increase will occur and the container may burst.
	SureSelect XT2 Wash 2	In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous thermal decomposition products	: SureSelect XT2 Binding Buffer	Decomposition products may include the following materials: halogenated compounds metal oxide/oxides
	SureSelect XT2 Wash 1	No specific data.
	SureSelect XT2 Wash 2	No specific data.

5.3 Advice for firefighters

Special protective actions for fire-fighters	: SureSelect XT2 Binding Buffer	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	SureSelect XT2 Wash 1	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	SureSelect XT2 Wash 2	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: SureSelect XT2 Binding Buffer	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
	SureSelect XT2 Wash 1	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
	SureSelect XT2 Wash 2	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	: SureSelect XT2 Binding Buffer	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
	SureSelect XT2 Wash 1	
	SureSelect XT2 Wash 2	
For emergency responders	: SureSelect XT2 Binding Buffer	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
	SureSelect XT2 Wash 1	
	SureSelect XT2 Wash 2	

6.2 Environmental precautions

: SureSelect XT2 Binding Buffer	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect XT2 Wash 1	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect XT2 Wash 2	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up	: SureSelect XT2 Binding Buffer	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	SureSelect XT2 Wash 1	Stop leak if without risk. Move containers from spill

Section 6. Accidental release measures

SureSelect XT2 Wash 2

area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Section 7. Handling and storage

7.1 Precautions for safe handling

Protective measures

: SureSelect XT2 Binding Buffer

Put on appropriate personal protective equipment (see Section 8).

SureSelect XT2 Wash 1

Put on appropriate personal protective equipment (see Section 8).

SureSelect XT2 Wash 2

Put on appropriate personal protective equipment (see Section 8).

Advice on general occupational hygiene

: SureSelect XT2 Binding Buffer

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

SureSelect XT2 Wash 1

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

SureSelect XT2 Wash 2

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

: SureSelect XT2 Binding Buffer

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

SureSelect XT2 Wash 1

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food

Section 7. Handling and storage

SureSelect XT2 Wash 2

and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

7.3 Specific end use(s)

Recommendations	: SureSelect XT2 Binding Buffer SureSelect XT2 Wash 1 SureSelect XT2 Wash 2	Industrial applications, Professional applications. Industrial applications, Professional applications. Industrial applications, Professional applications.
Industrial sector specific solutions	: SureSelect XT2 Binding Buffer SureSelect XT2 Wash 1 SureSelect XT2 Wash 2	Not applicable. Not applicable. Not applicable.

Section 8. Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
SureSelect XT2 Binding Buffer Sodium chloride	None.
SureSelect XT2 Wash 1 Sodium dodecyl sulphate	None.
SureSelect XT2 Wash 2 Sodium dodecyl sulphate	None.

8.2 Exposure controls

Appropriate engineering controls	: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
-------------------------	---

Section 8. Exposure controls/personal protection

- Eye/face protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
- Skin protection**
- Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
- Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Respiratory protection** : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state	: SureSelect XT2 Binding Buffer	Liquid.
	SureSelect XT2 Wash 1	Liquid.
	SureSelect XT2 Wash 2	Liquid.
Color	: SureSelect XT2 Binding Buffer	Not available.
	SureSelect XT2 Wash 1	Not available.
	SureSelect XT2 Wash 2	Not available.
Odor	: SureSelect XT2 Binding Buffer	Not available.
	SureSelect XT2 Wash 1	Not available.
	SureSelect XT2 Wash 2	Not available.
Odor threshold	: SureSelect XT2 Binding Buffer	Not available.
	SureSelect XT2 Wash 1	Not available.
	SureSelect XT2 Wash 2	Not available.
pH	: SureSelect XT2 Binding Buffer	7.5
	SureSelect XT2 Wash 1	7
	SureSelect XT2 Wash 2	7
Melting point	: SureSelect XT2 Binding Buffer	Not available.
	SureSelect XT2 Wash 1	0°C (32°F)
	SureSelect XT2 Wash 2	0°C (32°F)
Boiling point	: SureSelect XT2 Binding Buffer	Not available.
	SureSelect XT2 Wash 1	100°C (212°F)
	SureSelect XT2 Wash 2	100°C (212°F)
Flash point	: SureSelect XT2 Binding Buffer	Not available.
	SureSelect XT2 Wash 1	Not available.
	SureSelect XT2 Wash 2	Not available.
Evaporation rate	: SureSelect XT2 Binding Buffer	Not available.
	SureSelect XT2 Wash 1	Not available.
	SureSelect XT2 Wash 2	Not available.
Flammability (solid, gas)	: SureSelect XT2 Binding Buffer	Not applicable.
	SureSelect XT2 Wash 1	Not applicable.
	SureSelect XT2 Wash 2	Not applicable.

Section 9. Physical and chemical properties

Lower and upper explosive (flammable) limits	: SureSelect XT2 Binding Buffer	Not available.
	SureSelect XT2 Wash 1	Not available.
	SureSelect XT2 Wash 2	Not available.
Vapor pressure	: SureSelect XT2 Binding Buffer	Not available.
	SureSelect XT2 Wash 1	Not available.
	SureSelect XT2 Wash 2	Not available.
Vapor density	: SureSelect XT2 Binding Buffer	Not available.
	SureSelect XT2 Wash 1	Not available.
	SureSelect XT2 Wash 2	Not available.
Relative density	: SureSelect XT2 Binding Buffer	Not available.
	SureSelect XT2 Wash 1	Not available.
	SureSelect XT2 Wash 2	Not available.
Solubility	: SureSelect XT2 Binding Buffer	Easily soluble in the following materials: cold water and hot water.
	SureSelect XT2 Wash 1	Easily soluble in the following materials: cold water and hot water.
	SureSelect XT2 Wash 2	Easily soluble in the following materials: cold water and hot water.
Partition coefficient: n-octanol/water	: SureSelect XT2 Binding Buffer	Not available.
	SureSelect XT2 Wash 1	Not available.
	SureSelect XT2 Wash 2	Not available.
Auto-ignition temperature	: SureSelect XT2 Binding Buffer	Not available.
	SureSelect XT2 Wash 1	Not available.
	SureSelect XT2 Wash 2	Not available.
Decomposition temperature	: SureSelect XT2 Binding Buffer	Not available.
	SureSelect XT2 Wash 1	Not available.
	SureSelect XT2 Wash 2	Not available.
Viscosity	: SureSelect XT2 Binding Buffer	Not available.
	SureSelect XT2 Wash 1	Not available.
	SureSelect XT2 Wash 2	Not available.

Section 10. Stability and reactivity

10.1 Reactivity	: SureSelect XT2 Binding Buffer	No specific test data related to reactivity available for this product or its ingredients.
	SureSelect XT2 Wash 1	No specific test data related to reactivity available for this product or its ingredients.
	SureSelect XT2 Wash 2	No specific test data related to reactivity available for this product or its ingredients.
10.2 Chemical stability	: SureSelect XT2 Binding Buffer	The product is stable.
	SureSelect XT2 Wash 1	The product is stable.
	SureSelect XT2 Wash 2	The product is stable.
10.3 Possibility of hazardous reactions	: SureSelect XT2 Binding Buffer	Under normal conditions of storage and use, hazardous reactions will not occur.
	SureSelect XT2 Wash 1	Under normal conditions of storage and use, hazardous reactions will not occur.
	SureSelect XT2 Wash 2	Under normal conditions of storage and use, hazardous reactions will not occur.
10.4 Conditions to avoid	: SureSelect XT2 Binding Buffer	No specific data.
	SureSelect XT2 Wash 1	No specific data.
	SureSelect XT2 Wash 2	No specific data.

Section 10. Stability and reactivity

10.5 Incompatible materials	SureSelect XT2 Binding Buffer	May react or be incompatible with oxidizing materials.
	SureSelect XT2 Wash 1	May react or be incompatible with oxidizing materials.
	SureSelect XT2 Wash 2	May react or be incompatible with oxidizing materials.
10.6 Hazardous decomposition products	SureSelect XT2 Binding Buffer	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	SureSelect XT2 Wash 1	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	SureSelect XT2 Wash 2	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
SureSelect XT2 Binding Buffer Sodium chloride	LD50 Oral	Rat	3000 mg/kg	-
SureSelect XT2 Wash 1 Sodium dodecyl sulphate	LD50 Oral	Rat	1288 mg/kg	-
SureSelect XT2 Wash 2 Sodium dodecyl sulphate	LD50 Oral	Rat	1288 mg/kg	-

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
SureSelect XT2 Binding Buffer Sodium chloride	Eyes - Moderate irritant	Rabbit	-	24 hours 100 mg	-
	Eyes - Moderate irritant	Rabbit	-	10 mg	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 mg	-
SureSelect XT2 Wash 1 Sodium dodecyl sulphate	Eyes - Mild irritant	Rabbit	-	250 ug	-
	Eyes - Moderate irritant	Rabbit	-	24 hours 100 mg	-
	Eyes - Moderate irritant	Rabbit	-	10 mg	-
	Skin - Mild irritant	Guinea pig	-	24 hours 25 mg	-
	Skin - Moderate irritant	Mouse	-	24 hours 25 mg	-
	Skin - Mild irritant	Rabbit	-	24 hours 50 mg	-
SureSelect XT2 Wash 2	Skin - Moderate irritant	Rabbit	-	24 hours 25 mg	-

Section 11. Toxicological information

Sodium dodecyl sulphate	Eyes - Mild irritant	Rabbit	-	250 ug	-
	Eyes - Moderate irritant	Rabbit	-	24 hours 100 mg	-
	Eyes - Moderate irritant	Rabbit	-	10 mg	-
	Skin - Mild irritant	Guinea pig	-	24 hours 25 mg	-
	Skin - Moderate irritant	Mouse	-	24 hours 25 mg	-
	Skin - Mild irritant	Rabbit	-	24 hours 50 mg	-
	Skin - Moderate irritant	Rabbit	-	24 hours 25 mg	-

Sensitization

Not available.

Mutagenicity

Conclusion/Summary : Not available.

Carcinogenicity

Conclusion/Summary : Not available.

Reproductive toxicity

Conclusion/Summary : Not available.

Teratogenicity

Conclusion/Summary : Not available.

Specific target organ toxicity (single exposure)

Name	Category	Route of exposure	Target organs
SureSelect XT2 Wash 1 Sodium dodecyl sulphate	Category 3	-	Respiratory tract irritation
SureSelect XT2 Wash 2 Sodium dodecyl sulphate	Category 3	-	Respiratory tract irritation

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on the likely routes of exposure : SureSelect XT2 Binding Buffer Not available.
 SureSelect XT2 Wash 1 Not available.
 SureSelect XT2 Wash 2 Not available.

Potential acute health effects

Eye contact : SureSelect XT2 Binding Buffer No known significant effects or critical hazards.
 SureSelect XT2 Wash 1 No known significant effects or critical hazards.
 SureSelect XT2 Wash 2 No known significant effects or critical hazards.

Inhalation : SureSelect XT2 Binding Buffer No known significant effects or critical hazards.
 SureSelect XT2 Wash 1 No known significant effects or critical hazards.
 SureSelect XT2 Wash 2 No known significant effects or critical hazards.

Skin contact : SureSelect XT2 Binding Buffer No known significant effects or critical hazards.
 SureSelect XT2 Wash 1 No known significant effects or critical hazards.
 SureSelect XT2 Wash 2 No known significant effects or critical hazards.

Section 11. Toxicological information

Ingestion	: SureSelect XT2 Binding Buffer	No known significant effects or critical hazards.
	SureSelect XT2 Wash 1	No known significant effects or critical hazards.
	SureSelect XT2 Wash 2	No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact	: SureSelect XT2 Binding Buffer	No specific data.
	SureSelect XT2 Wash 1	No specific data.
	SureSelect XT2 Wash 2	No specific data.
Inhalation	: SureSelect XT2 Binding Buffer	No specific data.
	SureSelect XT2 Wash 1	No specific data.
	SureSelect XT2 Wash 2	No specific data.
Skin contact	: SureSelect XT2 Binding Buffer	No specific data.
	SureSelect XT2 Wash 1	No specific data.
	SureSelect XT2 Wash 2	No specific data.
Ingestion	: SureSelect XT2 Binding Buffer	No specific data.
	SureSelect XT2 Wash 1	No specific data.
	SureSelect XT2 Wash 2	No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Long term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Potential chronic health effects

General	: SureSelect XT2 Binding Buffer	No known significant effects or critical hazards.
	SureSelect XT2 Wash 1	No known significant effects or critical hazards.
	SureSelect XT2 Wash 2	No known significant effects or critical hazards.
Carcinogenicity	: SureSelect XT2 Binding Buffer	No known significant effects or critical hazards.
	SureSelect XT2 Wash 1	No known significant effects or critical hazards.
	SureSelect XT2 Wash 2	No known significant effects or critical hazards.
Mutagenicity	: SureSelect XT2 Binding Buffer	No known significant effects or critical hazards.
	SureSelect XT2 Wash 1	No known significant effects or critical hazards.
	SureSelect XT2 Wash 2	No known significant effects or critical hazards.
Teratogenicity	: SureSelect XT2 Binding Buffer	No known significant effects or critical hazards.
	SureSelect XT2 Wash 1	No known significant effects or critical hazards.
	SureSelect XT2 Wash 2	No known significant effects or critical hazards.
Developmental effects	: SureSelect XT2 Binding Buffer	No known significant effects or critical hazards.
	SureSelect XT2 Wash 1	No known significant effects or critical hazards.
	SureSelect XT2 Wash 2	No known significant effects or critical hazards.
Fertility effects	: SureSelect XT2 Binding Buffer	No known significant effects or critical hazards.
	SureSelect XT2 Wash 1	No known significant effects or critical hazards.
	SureSelect XT2 Wash 2	No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Section 11. Toxicological information

Product/ingredient name	Oral (mg/kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapors) (mg/l)	Inhalation (dusts and mists) (mg/l)
SureSelect XT2 Binding Buffer SureSelect XT2 Binding Buffer Sodium chloride	51724.1 3000	N/A N/A	N/A N/A	N/A N/A	N/A N/A
SureSelect XT2 Wash 1 Sodium dodecyl sulphate	1288	N/A	N/A	N/A	1.5
SureSelect XT2 Wash 2 Sodium dodecyl sulphate	1288	N/A	N/A	N/A	1.5

Section 12. Ecological information

12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
SureSelect XT2 Binding Buffer Sodium chloride	Acute EC50 4.74 g/L Fresh water Acute EC50 519.6 mg/l Fresh water Acute IC50 6.87 g/L Fresh water Acute LC50 1000000 µg/l Fresh water Chronic LC10 781 mg/l Fresh water Chronic NOEC 6 g/L Fresh water Chronic NOEC 0.314 g/L Fresh water Chronic NOEC 100 mg/l Fresh water	Algae - Chlamydomonas reinhardtii Crustaceans - Cypris subglobosa Aquatic plants - Lemna minor Fish - Morone saxatilis - Larvae Crustaceans - Hyalella azteca - Juvenile (Fledgling, Hatchling, Weanling) Aquatic plants - Lemna minor Daphnia - Daphnia pulex Fish - Gambusia holbrooki - Adult	96 hours 48 hours 96 hours 96 hours 3 weeks 96 hours 21 days 8 weeks
SureSelect XT2 Wash 1 Sodium dodecyl sulphate	Acute EC50 1200 µg/l Marine water Acute LC50 900 µg/l Marine water Acute LC50 1400 µg/l Fresh water Acute LC50 590 µg/l Fresh water Chronic NOEC 1.25 mg/l Marine water Chronic NOEC 1 mg/l Fresh water Chronic NOEC 3.2 mg/l Fresh water Chronic NOEC >1357 µg/l Fresh water	Algae - Skeletonema costatum Crustaceans - Artemia salina - Adult Daphnia - Daphnia pulex - Neonate Fish - Cirrhinus mrigala - Larvae Algae - Ulva fasciata - Zoea Crustaceans - Pseudosida ramosa - Neonate Daphnia - Daphnia magna - Neonate Fish - Pimephales promelas	96 hours 48 hours 48 hours 96 hours 96 hours 21 days 21 days 42 days
SureSelect XT2 Wash 2 Sodium dodecyl sulphate	Acute EC50 1200 µg/l Marine water Acute LC50 900 µg/l Marine water Acute LC50 1400 µg/l Fresh water Acute LC50 590 µg/l Fresh water Chronic NOEC 1.25 mg/l Marine water	Algae - Skeletonema costatum Crustaceans - Artemia salina - Adult Daphnia - Daphnia pulex - Neonate Fish - Cirrhinus mrigala - Larvae Algae - Ulva fasciata - Zoea	96 hours 48 hours 48 hours 96 hours 96 hours

Section 12. Ecological information

	Chronic NOEC 1 mg/l Fresh water	Crustaceans - Pseudosida ramosa - Neonate	21 days
	Chronic NOEC 3.2 mg/l Fresh water	Daphnia - Daphnia magna - Neonate	21 days
	Chronic NOEC >1357 µg/l Fresh water	Fish - Pimephales promelas	42 days

12.2 Persistence and degradability

Not available.

12.3 Bioaccumulative potential

Product/ingredient name	LogP _{ow}	BCF	Potential
SureSelect XT2 Wash 1 Sodium dodecyl sulphate	-2.03	-	low
SureSelect XT2 Wash 2 Sodium dodecyl sulphate	-2.03	-	low

12.4 Mobility in soil

Soil/water partition coefficient (K_{oc}) : Not available.

12.5 Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

13.1 Waste treatment methods

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Disposal should be in accordance with applicable regional, national and local laws and regulations. Local regulations may be more stringent than regional or national requirements.

The information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

Section 14. Transport information

DOT / TDG / Mexico / IMDG / IATA : Not regulated.

Special precautions for user : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according to IMO instruments : Not available.

Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

U.S. Federal regulations : **TSCA 8(a) CDR Exempt/Partial exemption:** Not determined
Clean Water Act (CWA) 311: Edetic acid

Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs) : Not listed

Clean Air Act Section 602 Class I Substances : Not listed

Clean Air Act Section 602 Class II Substances : Not listed

DEA List I Chemicals (Precursor Chemicals) : Not listed

DEA List II Chemicals (Essential Chemicals) : Not listed

SARA 302/304

Composition/information on ingredients

No products were found.

SARA 304 RQ : Not applicable.

SARA 311/312

Classification : SureSelect XT2 Binding Buffer Not applicable.
SureSelect XT2 Wash 1 Not applicable.
SureSelect XT2 Wash 2 Not applicable.

Composition/information on ingredients

Name	%	Classification
SureSelect XT2 Binding Buffer Sodium chloride	<10	EYE IRRITATION - Category 2A

State regulations

Massachusetts : None of the components are listed.

New York : None of the components are listed.

New Jersey : None of the components are listed.

Pennsylvania : None of the components are listed.

California Prop. 65

This product does not require a Safe Harbor warning under California Prop. 65.

Section 15. Regulatory information

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Inventory list

Australia	: All components are listed or exempted.
Canada	: All components are listed or exempted.
China	: All components are listed or exempted.
Europe	: All components are listed or exempted.
Japan	: Japan inventory (ENCS) : All components are listed or exempted. Japan inventory (ISHL) : All components are listed or exempted.
New Zealand	: All components are listed or exempted.
Philippines	: All components are listed or exempted.
Republic of Korea	: All components are listed or exempted.
Taiwan	: All components are listed or exempted.
Thailand	: Not determined.
Turkey	: Not determined.
United States	: <input checked="" type="checkbox"/> All components are active or exempted.
Viet Nam	: <input checked="" type="checkbox"/> All components are listed or exempted.

Section 16. Other information

History

Date of issue : 05/27/2020

Date of previous issue : 01/21/2018

Version : 6

Key to abbreviations

: ATE = Acute Toxicity Estimate
 BCF = Bioconcentration Factor
 GHS = Globally Harmonized System of Classification and Labelling of Chemicals
 IATA = International Air Transport Association
 IBC = Intermediate Bulk Container
 IMDG = International Maritime Dangerous Goods
 LogPow = logarithm of the octanol/water partition coefficient
 MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
 N/A = Not available
 UN = United Nations

Procedure used to derive the classification

Section 16. Other information

Classification	Justification
Not classified.	

✔ Indicates information that has changed from previously issued version.

Notice to reader

Disclaimer: The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.