

# SAFETY DATA SHEET



SureSelect S5500 Indexing Construction Kit - 1 x 16 Reactions, Part Number 5190-5455

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

### 1.1 Product identifier

<b>Product name</b>	: SureSelect S5500 Indexing Construction Kit - 1 x 16 Reactions, Part Number 5190-5455
<b>Part No. (Kit)</b>	: 5190-5455
<b>Part No.</b>	: SureSelect LTI5500 P1 5190-5458 SureSelect LTI5500 IA 5190-5459 SureSelect LTI Pre 5190-5460 Capture Primer SureSelect LT BC1 5972-3659 SureSelect LT BC2 5972-3660 SureSelect LT BC3 5972-3661 SureSelect LT BC4 5972-3662 SureSelect LT BC5 5972-3663 SureSelect LT BC6 5972-3664 SureSelect LT BC7 5972-3665 SureSelect LT BC8 5972-3666 SureSelect LT BC9 5972-3667 SureSelect LT BC10 5972-3668 SureSelect LT BC11 5972-3669 SureSelect LT BC12 5972-3670 SureSelect LT BC13 5972-3671 SureSelect LT BC14 5972-3672 SureSelect LT BC15 5972-3673 SureSelect LT BC16 5972-3674

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses	
Analytical reagent.	
SureSelect LTI5500 P1	0.083 ml
SureSelect LTI5500 IA	0.083 ml
SureSelect LTI Pre Capture Primer	0.071 ml
SureSelect LT BC1	0.005 ml
SureSelect LT BC2	0.005 ml
SureSelect LT BC3	0.005 ml
SureSelect LT BC4	0.005 ml
SureSelect LT BC5	0.005 ml
SureSelect LT BC6	0.005 ml
SureSelect LT BC7	0.005 ml
SureSelect LT BC8	0.005 ml
SureSelect LT BC9	0.005 ml
SureSelect LT BC10	0.005 ml
SureSelect LT BC11	0.005 ml
SureSelect LT BC12	0.005 ml
SureSelect LT BC13	0.005 ml
SureSelect LT BC14	0.005 ml
SureSelect LT BC15	0.005 ml
SureSelect LT BC16	0.005 ml

### 1.3 Details of the supplier of the safety data sheet

Agilent Technologies Manufacturing GmbH & Co. KG  
Hewlett-Packard-Str. 8  
76337 Waldbronn  
Germany  
0800 603 1000

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

e-mail address of person responsible for this SDS : pdl-msds\_author@agilent.com

### 1.4 Emergency telephone number

Emergency telephone number (with hours of operation) : CHEMTREC@: +(44)-870-8200418

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

Product definition	: SureSelect LTI5500 P1	Mixture
	SureSelect LTI5500 IA	Mixture
	SureSelect LTI Pre	Mixture
	Capture Primer	
	SureSelect LT BC1	Mixture
	SureSelect LT BC2	Mixture
	SureSelect LT BC3	Mixture
	SureSelect LT BC4	Mixture
	SureSelect LT BC5	Mixture
	SureSelect LT BC6	Mixture
	SureSelect LT BC7	Mixture
	SureSelect LT BC8	Mixture
	SureSelect LT BC9	Mixture
	SureSelect LT BC10	Mixture
	SureSelect LT BC11	Mixture
	SureSelect LT BC12	Mixture
	SureSelect LT BC13	Mixture
	SureSelect LT BC14	Mixture
	SureSelect LT BC15	Mixture
	SureSelect LT BC16	Mixture

### Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Not classified.

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

### 2.2 Label elements

Signal word	: SureSelect LTI5500 P1	No signal word.
	SureSelect LTI5500 IA	No signal word.
	SureSelect LTI Pre	No signal word.
	Capture Primer	
	SureSelect LT BC1	No signal word.
	SureSelect LT BC2	No signal word.
	SureSelect LT BC3	No signal word.
	SureSelect LT BC4	No signal word.
	SureSelect LT BC5	No signal word.
	SureSelect LT BC6	No signal word.
	SureSelect LT BC7	No signal word.
	SureSelect LT BC8	No signal word.
	SureSelect LT BC9	No signal word.
	SureSelect LT BC10	No signal word.
	SureSelect LT BC11	No signal word.
	SureSelect LT BC12	No signal word.
	SureSelect LT BC13	No signal word.
	SureSelect LT BC14	No signal word.
	SureSelect LT BC15	No signal word.
	SureSelect LT BC16	No signal word.

## SECTION 2: Hazards identification

<b>Hazard statements</b>	:	SureSelect LTI5500 P1	No known significant effects or critical hazards.
		SureSelect LTI5500 IA	No known significant effects or critical hazards.
		SureSelect LTI Pre Capture Primer	No known significant effects or critical hazards.
		SureSelect LT BC1	No known significant effects or critical hazards.
		SureSelect LT BC2	No known significant effects or critical hazards.
		SureSelect LT BC3	No known significant effects or critical hazards.
		SureSelect LT BC4	No known significant effects or critical hazards.
		SureSelect LT BC5	No known significant effects or critical hazards.
		SureSelect LT BC6	No known significant effects or critical hazards.
		SureSelect LT BC7	No known significant effects or critical hazards.
		SureSelect LT BC8	No known significant effects or critical hazards.
		SureSelect LT BC9	No known significant effects or critical hazards.
		SureSelect LT BC10	No known significant effects or critical hazards.
		SureSelect LT BC11	No known significant effects or critical hazards.
		SureSelect LT BC12	No known significant effects or critical hazards.
		SureSelect LT BC13	No known significant effects or critical hazards.
		SureSelect LT BC14	No known significant effects or critical hazards.
		SureSelect LT BC15	No known significant effects or critical hazards.
		SureSelect LT BC16	No known significant effects or critical hazards.

### Precautionary statements

<b>Prevention</b>	:	SureSelect LTI5500 P1	Not applicable.
		SureSelect LTI5500 IA	Not applicable.
		SureSelect LTI Pre Capture Primer	Not applicable.
		SureSelect LT BC1	Not applicable.
		SureSelect LT BC2	Not applicable.
		SureSelect LT BC3	Not applicable.
		SureSelect LT BC4	Not applicable.
		SureSelect LT BC5	Not applicable.
		SureSelect LT BC6	Not applicable.
		SureSelect LT BC7	Not applicable.
		SureSelect LT BC8	Not applicable.
		SureSelect LT BC9	Not applicable.
		SureSelect LT BC10	Not applicable.
		SureSelect LT BC11	Not applicable.
		SureSelect LT BC12	Not applicable.
		SureSelect LT BC13	Not applicable.
		SureSelect LT BC14	Not applicable.
		SureSelect LT BC15	Not applicable.
		SureSelect LT BC16	Not applicable.

<b>Response</b>	:	SureSelect LTI5500 P1	Not applicable.
		SureSelect LTI5500 IA	Not applicable.
		SureSelect LTI Pre Capture Primer	Not applicable.
		SureSelect LT BC1	Not applicable.
		SureSelect LT BC2	Not applicable.
		SureSelect LT BC3	Not applicable.
		SureSelect LT BC4	Not applicable.
		SureSelect LT BC5	Not applicable.
		SureSelect LT BC6	Not applicable.
		SureSelect LT BC7	Not applicable.
		SureSelect LT BC8	Not applicable.
		SureSelect LT BC9	Not applicable.
		SureSelect LT BC10	Not applicable.
		SureSelect LT BC11	Not applicable.
		SureSelect LT BC12	Not applicable.
		SureSelect LT BC13	Not applicable.
		SureSelect LT BC14	Not applicable.
		SureSelect LT BC15	Not applicable.
		SureSelect LT BC16	Not applicable.

**SECTION 2: Hazards identification**

<b>Storage</b>	:	SureSelect LTI5500 P1	Not applicable.
		SureSelect LTI5500 IA	Not applicable.
		SureSelect LTI Pre	Not applicable.
		Capture Primer	
		SureSelect LT BC1	Not applicable.
		SureSelect LT BC2	Not applicable.
		SureSelect LT BC3	Not applicable.
		SureSelect LT BC4	Not applicable.
		SureSelect LT BC5	Not applicable.
		SureSelect LT BC6	Not applicable.
		SureSelect LT BC7	Not applicable.
		SureSelect LT BC8	Not applicable.
		SureSelect LT BC9	Not applicable.
		SureSelect LT BC10	Not applicable.
		SureSelect LT BC11	Not applicable.
		SureSelect LT BC12	Not applicable.
		SureSelect LT BC13	Not applicable.
	SureSelect LT BC14	Not applicable.	
	SureSelect LT BC15	Not applicable.	
	SureSelect LT BC16	Not applicable.	
<b>Disposal</b>	:	SureSelect LTI5500 P1	Not applicable.
		SureSelect LTI5500 IA	Not applicable.
		SureSelect LTI Pre	Not applicable.
		Capture Primer	
		SureSelect LT BC1	Not applicable.
		SureSelect LT BC2	Not applicable.
		SureSelect LT BC3	Not applicable.
		SureSelect LT BC4	Not applicable.
		SureSelect LT BC5	Not applicable.
		SureSelect LT BC6	Not applicable.
		SureSelect LT BC7	Not applicable.
		SureSelect LT BC8	Not applicable.
		SureSelect LT BC9	Not applicable.
		SureSelect LT BC10	Not applicable.
		SureSelect LT BC11	Not applicable.
		SureSelect LT BC12	Not applicable.
		SureSelect LT BC13	Not applicable.
	SureSelect LT BC14	Not applicable.	
	SureSelect LT BC15	Not applicable.	
	SureSelect LT BC16	Not applicable.	
<b>Supplemental label elements</b>	:	SureSelect LTI5500 P1	Not applicable.
		SureSelect LTI5500 IA	Not applicable.
		SureSelect LTI Pre	Not applicable.
		Capture Primer	
		SureSelect LT BC1	Not applicable.
		SureSelect LT BC2	Not applicable.
		SureSelect LT BC3	Not applicable.
		SureSelect LT BC4	Not applicable.
		SureSelect LT BC5	Not applicable.
		SureSelect LT BC6	Not applicable.
		SureSelect LT BC7	Not applicable.
		SureSelect LT BC8	Not applicable.
		SureSelect LT BC9	Not applicable.
		SureSelect LT BC10	Not applicable.
		SureSelect LT BC11	Not applicable.
		SureSelect LT BC12	Not applicable.
		SureSelect LT BC13	Not applicable.
	SureSelect LT BC14	Not applicable.	
	SureSelect LT BC15	Not applicable.	
	SureSelect LT BC16	Not applicable.	

## SECTION 2: Hazards identification

<b>Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles</b>	<b>:</b> SureSelect LTI5500 P1	Not applicable.
	SureSelect LTI5500 IA	Not applicable.
	SureSelect LTI Pre	Not applicable.
	Capture Primer	
	SureSelect LT BC1	Not applicable.
	SureSelect LT BC2	Not applicable.
	SureSelect LT BC3	Not applicable.
	SureSelect LT BC4	Not applicable.
	SureSelect LT BC5	Not applicable.
	SureSelect LT BC6	Not applicable.
	SureSelect LT BC7	Not applicable.
	SureSelect LT BC8	Not applicable.
	SureSelect LT BC9	Not applicable.
	SureSelect LT BC10	Not applicable.
	SureSelect LT BC11	Not applicable.
	SureSelect LT BC12	Not applicable.
	SureSelect LT BC13	Not applicable.
SureSelect LT BC14	Not applicable.	
SureSelect LT BC15	Not applicable.	
SureSelect LT BC16	Not applicable.	

### Special packaging requirements

<b>Tactile warning of danger</b>	<b>:</b> SureSelect LTI5500 P1	Not applicable.
	SureSelect LTI5500 IA	Not applicable.
	SureSelect LTI Pre	Not applicable.
	Capture Primer	
	SureSelect LT BC1	Not applicable.
	SureSelect LT BC2	Not applicable.
	SureSelect LT BC3	Not applicable.
	SureSelect LT BC4	Not applicable.
	SureSelect LT BC5	Not applicable.
	SureSelect LT BC6	Not applicable.
	SureSelect LT BC7	Not applicable.
	SureSelect LT BC8	Not applicable.
	SureSelect LT BC9	Not applicable.
	SureSelect LT BC10	Not applicable.
	SureSelect LT BC11	Not applicable.
	SureSelect LT BC12	Not applicable.
	SureSelect LT BC13	Not applicable.
SureSelect LT BC14	Not applicable.	
SureSelect LT BC15	Not applicable.	
SureSelect LT BC16	Not applicable.	

### 2.3 Other hazards

<b>Other hazards which do not result in classification</b>	<b>:</b> SureSelect LTI5500 P1	None known.
	SureSelect LTI5500 IA	None known.
	SureSelect LTI Pre	None known.
	Capture Primer	
	SureSelect LT BC1	None known.
	SureSelect LT BC2	None known.
	SureSelect LT BC3	None known.
	SureSelect LT BC4	None known.
	SureSelect LT BC5	None known.
	SureSelect LT BC6	None known.
	SureSelect LT BC7	None known.
	SureSelect LT BC8	None known.
	SureSelect LT BC9	None known.
	SureSelect LT BC10	None known.
	SureSelect LT BC11	None known.
	SureSelect LT BC12	None known.
SureSelect LT BC13	None known.	
SureSelect LT BC14	None known.	
SureSelect LT BC15	None known.	

## SECTION 2: Hazards identification

SureSelect LT BC16 None known.

## SECTION 3: Composition/information on ingredients

<b>3.2 Mixtures</b>	:	SureSelect LTI5500 P1	Mixture
		SureSelect LTI5500 IA	Mixture
		SureSelect LTI Pre Capture Primer	Mixture
		SureSelect LT BC1	Mixture
		SureSelect LT BC2	Mixture
		SureSelect LT BC3	Mixture
		SureSelect LT BC4	Mixture
		SureSelect LT BC5	Mixture
		SureSelect LT BC6	Mixture
		SureSelect LT BC7	Mixture
		SureSelect LT BC8	Mixture
		SureSelect LT BC9	Mixture
		SureSelect LT BC10	Mixture
		SureSelect LT BC11	Mixture
		SureSelect LT BC12	Mixture
		SureSelect LT BC13	Mixture
		SureSelect LT BC14	Mixture
		SureSelect LT BC15	Mixture
		SureSelect LT BC16	Mixture

There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

### Type

- [1] Substance classified with a health or environmental hazard
- [2] Substance with a workplace exposure limit
- [3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII
- [4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII
- [5] Substance of equivalent concern

Occupational exposure limits, if available, are listed in Section 8.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

<b>Eye contact</b>	:	SureSelect LTI5500 P1	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
		SureSelect LTI5500 IA	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
		SureSelect LTI Pre Capture Primer	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
		SureSelect LT BC1	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
		SureSelect LT BC2	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
		SureSelect LT BC3	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
		SureSelect LT BC4	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
		SureSelect LT BC5	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
		SureSelect LT BC6	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove



**SECTION 4: First aid measures**

SureSelect LT BC7	any contact lenses. Get medical attention if irritation occurs. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
SureSelect LT BC8	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
SureSelect LT BC9	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
SureSelect LT BC10	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
SureSelect LT BC11	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
SureSelect LT BC12	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
SureSelect LT BC13	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
SureSelect LT BC14	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
SureSelect LT BC15	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
SureSelect LT BC16	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.

**Inhalation**

: SureSelect LTI5500 P1	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
SureSelect LTI5500 IA	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
SureSelect LTI Pre Capture Primer	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
SureSelect LT BC1	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
SureSelect LT BC2	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
SureSelect LT BC3	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
SureSelect LT BC4	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
SureSelect LT BC5	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
SureSelect LT BC6	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
SureSelect LT BC7	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
SureSelect LT BC8	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.

**SECTION 4: First aid measures**

SureSelect LT BC9	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
SureSelect LT BC10	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
SureSelect LT BC11	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
SureSelect LT BC12	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
SureSelect LT BC13	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
SureSelect LT BC14	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
SureSelect LT BC15	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
SureSelect LT BC16	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.

**Skin contact**

: SureSelect LTI5500 P1	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
SureSelect LTI5500 IA	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
SureSelect LTI Pre Capture Primer	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
SureSelect LT BC1	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
SureSelect LT BC2	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
SureSelect LT BC3	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
SureSelect LT BC4	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
SureSelect LT BC5	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
SureSelect LT BC6	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
SureSelect LT BC7	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
SureSelect LT BC8	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
SureSelect LT BC9	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
SureSelect LT BC10	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
SureSelect LT BC11	Flush contaminated skin with plenty of water. Remove



**SECTION 4: First aid measures**

		contaminated clothing and shoes. Get medical attention if symptoms occur.
	SureSelect LT BC12	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	SureSelect LT BC13	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	SureSelect LT BC14	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	SureSelect LT BC15	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	SureSelect LT BC16	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
<b>Ingestion</b>	: SureSelect LTI5500 P1	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
	SureSelect LTI5500 IA	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
	SureSelect LTI Pre Capture Primer	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
	SureSelect LT BC1	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
	SureSelect LT BC2	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
	SureSelect LT BC3	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
	SureSelect LT BC4	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
	SureSelect LT BC5	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical

**SECTION 4: First aid measures**

SureSelect LT BC6	personnel. Get medical attention if symptoms occur. Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect LT BC7	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect LT BC8	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect LT BC9	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect LT BC10	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect LT BC11	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect LT BC12	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect LT BC13	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect LT BC14	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect LT BC15	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect LT BC16	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is

**SECTION 4: First aid measures**

		conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
<b>Protection of first-aiders</b>	: SureSelect LTI5500 P1	No action shall be taken involving any personal risk or without suitable training.
	SureSelect LTI5500 IA	No action shall be taken involving any personal risk or without suitable training.
	SureSelect LTI Pre Capture Primer	No action shall be taken involving any personal risk or without suitable training.
	SureSelect LT BC1	No action shall be taken involving any personal risk or without suitable training.
	SureSelect LT BC2	No action shall be taken involving any personal risk or without suitable training.
	SureSelect LT BC3	No action shall be taken involving any personal risk or without suitable training.
	SureSelect LT BC4	No action shall be taken involving any personal risk or without suitable training.
	SureSelect LT BC5	No action shall be taken involving any personal risk or without suitable training.
	SureSelect LT BC6	No action shall be taken involving any personal risk or without suitable training.
	SureSelect LT BC7	No action shall be taken involving any personal risk or without suitable training.
	SureSelect LT BC8	No action shall be taken involving any personal risk or without suitable training.
	SureSelect LT BC9	No action shall be taken involving any personal risk or without suitable training.
	SureSelect LT BC10	No action shall be taken involving any personal risk or without suitable training.
	SureSelect LT BC11	No action shall be taken involving any personal risk or without suitable training.
	SureSelect LT BC12	No action shall be taken involving any personal risk or without suitable training.
	SureSelect LT BC13	No action shall be taken involving any personal risk or without suitable training.
	SureSelect LT BC14	No action shall be taken involving any personal risk or without suitable training.
	SureSelect LT BC15	No action shall be taken involving any personal risk or without suitable training.
	SureSelect LT BC16	No action shall be taken involving any personal risk or without suitable training.

**4.2 Most important symptoms and effects, both acute and delayed**

**Potential acute health effects**

<b>Eye contact</b>	: SureSelect LTI5500 P1	No known significant effects or critical hazards.
	SureSelect LTI5500 IA	No known significant effects or critical hazards.
	SureSelect LTI Pre Capture Primer	No known significant effects or critical hazards.
	SureSelect LT BC1	No known significant effects or critical hazards.
	SureSelect LT BC2	No known significant effects or critical hazards.
	SureSelect LT BC3	No known significant effects or critical hazards.
	SureSelect LT BC4	No known significant effects or critical hazards.
	SureSelect LT BC5	No known significant effects or critical hazards.
	SureSelect LT BC6	No known significant effects or critical hazards.
	SureSelect LT BC7	No known significant effects or critical hazards.
	SureSelect LT BC8	No known significant effects or critical hazards.
	SureSelect LT BC9	No known significant effects or critical hazards.
	SureSelect LT BC10	No known significant effects or critical hazards.
	SureSelect LT BC11	No known significant effects or critical hazards.
	SureSelect LT BC12	No known significant effects or critical hazards.
	SureSelect LT BC13	No known significant effects or critical hazards.
	SureSelect LT BC14	No known significant effects or critical hazards.
	SureSelect LT BC15	No known significant effects or critical hazards.

**SECTION 4: First aid measures**

	SureSelect LT BC16	No known significant effects or critical hazards.
<b>Inhalation</b>	: SureSelect LTI5500 P1	No known significant effects or critical hazards.
	SureSelect LTI5500 IA	No known significant effects or critical hazards.
	SureSelect LTI Pre	No known significant effects or critical hazards.
	Capture Primer	
	SureSelect LT BC1	No known significant effects or critical hazards.
	SureSelect LT BC2	No known significant effects or critical hazards.
	SureSelect LT BC3	No known significant effects or critical hazards.
	SureSelect LT BC4	No known significant effects or critical hazards.
	SureSelect LT BC5	No known significant effects or critical hazards.
	SureSelect LT BC6	No known significant effects or critical hazards.
	SureSelect LT BC7	No known significant effects or critical hazards.
	SureSelect LT BC8	No known significant effects or critical hazards.
	SureSelect LT BC9	No known significant effects or critical hazards.
	SureSelect LT BC10	No known significant effects or critical hazards.
	SureSelect LT BC11	No known significant effects or critical hazards.
	SureSelect LT BC12	No known significant effects or critical hazards.
	SureSelect LT BC13	No known significant effects or critical hazards.
	SureSelect LT BC14	No known significant effects or critical hazards.
	SureSelect LT BC15	No known significant effects or critical hazards.
	SureSelect LT BC16	No known significant effects or critical hazards.
<b>Skin contact</b>	: SureSelect LTI5500 P1	No known significant effects or critical hazards.
	SureSelect LTI5500 IA	No known significant effects or critical hazards.
	SureSelect LTI Pre	No known significant effects or critical hazards.
	Capture Primer	
	SureSelect LT BC1	No known significant effects or critical hazards.
	SureSelect LT BC2	No known significant effects or critical hazards.
	SureSelect LT BC3	No known significant effects or critical hazards.
	SureSelect LT BC4	No known significant effects or critical hazards.
	SureSelect LT BC5	No known significant effects or critical hazards.
	SureSelect LT BC6	No known significant effects or critical hazards.
	SureSelect LT BC7	No known significant effects or critical hazards.
	SureSelect LT BC8	No known significant effects or critical hazards.
	SureSelect LT BC9	No known significant effects or critical hazards.
	SureSelect LT BC10	No known significant effects or critical hazards.
	SureSelect LT BC11	No known significant effects or critical hazards.
	SureSelect LT BC12	No known significant effects or critical hazards.
	SureSelect LT BC13	No known significant effects or critical hazards.
	SureSelect LT BC14	No known significant effects or critical hazards.
	SureSelect LT BC15	No known significant effects or critical hazards.
	SureSelect LT BC16	No known significant effects or critical hazards.
<b>Ingestion</b>	: SureSelect LTI5500 P1	No known significant effects or critical hazards.
	SureSelect LTI5500 IA	No known significant effects or critical hazards.
	SureSelect LTI Pre	No known significant effects or critical hazards.
	Capture Primer	
	SureSelect LT BC1	No known significant effects or critical hazards.
	SureSelect LT BC2	No known significant effects or critical hazards.
	SureSelect LT BC3	No known significant effects or critical hazards.
	SureSelect LT BC4	No known significant effects or critical hazards.
	SureSelect LT BC5	No known significant effects or critical hazards.
	SureSelect LT BC6	No known significant effects or critical hazards.
	SureSelect LT BC7	No known significant effects or critical hazards.
	SureSelect LT BC8	No known significant effects or critical hazards.
	SureSelect LT BC9	No known significant effects or critical hazards.
	SureSelect LT BC10	No known significant effects or critical hazards.
	SureSelect LT BC11	No known significant effects or critical hazards.
	SureSelect LT BC12	No known significant effects or critical hazards.
	SureSelect LT BC13	No known significant effects or critical hazards.
	SureSelect LT BC14	No known significant effects or critical hazards.
	SureSelect LT BC15	No known significant effects or critical hazards.
	SureSelect LT BC16	No known significant effects or critical hazards.

**Over-exposure signs/symptoms**

**SECTION 4: First aid measures**

<b>Eye contact</b>	:	SureSelect LTI5500 P1	No specific data.
		SureSelect LTI5500 IA	No specific data.
		SureSelect LTI Pre	No specific data.
		Capture Primer	
		SureSelect LT BC1	No specific data.
		SureSelect LT BC2	No specific data.
		SureSelect LT BC3	No specific data.
		SureSelect LT BC4	No specific data.
		SureSelect LT BC5	No specific data.
		SureSelect LT BC6	No specific data.
		SureSelect LT BC7	No specific data.
		SureSelect LT BC8	No specific data.
		SureSelect LT BC9	No specific data.
		SureSelect LT BC10	No specific data.
		SureSelect LT BC11	No specific data.
		SureSelect LT BC12	No specific data.
	<b>Inhalation</b>	:	SureSelect LTI5500 P1
		SureSelect LTI5500 IA	No specific data.
		SureSelect LTI Pre	No specific data.
		Capture Primer	
		SureSelect LT BC1	No specific data.
		SureSelect LT BC2	No specific data.
		SureSelect LT BC3	No specific data.
		SureSelect LT BC4	No specific data.
		SureSelect LT BC5	No specific data.
		SureSelect LT BC6	No specific data.
		SureSelect LT BC7	No specific data.
		SureSelect LT BC8	No specific data.
		SureSelect LT BC9	No specific data.
		SureSelect LT BC10	No specific data.
		SureSelect LT BC11	No specific data.
		SureSelect LT BC12	No specific data.
<b>Skin contact</b>		:	SureSelect LTI5500 P1
		SureSelect LTI5500 IA	No specific data.
		SureSelect LTI Pre	No specific data.
		Capture Primer	
		SureSelect LT BC1	No specific data.
		SureSelect LT BC2	No specific data.
		SureSelect LT BC3	No specific data.
		SureSelect LT BC4	No specific data.
		SureSelect LT BC5	No specific data.
		SureSelect LT BC6	No specific data.
		SureSelect LT BC7	No specific data.
		SureSelect LT BC8	No specific data.
		SureSelect LT BC9	No specific data.
		SureSelect LT BC10	No specific data.
		SureSelect LT BC11	No specific data.
		SureSelect LT BC12	No specific data.
		SureSelect LT BC13	No specific data.
	SureSelect LT BC14	No specific data.	
	SureSelect LT BC15	No specific data.	
	SureSelect LT BC16	No specific data.	



**SECTION 4: First aid measures**

<b>Ingestion</b>	:	SureSelect LTI5500 P1	No specific data.
		SureSelect LTI5500 IA	No specific data.
		SureSelect LTI Pre	No specific data.
		Capture Primer	
		SureSelect LT BC1	No specific data.
		SureSelect LT BC2	No specific data.
		SureSelect LT BC3	No specific data.
		SureSelect LT BC4	No specific data.
		SureSelect LT BC5	No specific data.
		SureSelect LT BC6	No specific data.
		SureSelect LT BC7	No specific data.
		SureSelect LT BC8	No specific data.
		SureSelect LT BC9	No specific data.
		SureSelect LT BC10	No specific data.
		SureSelect LT BC11	No specific data.
		SureSelect LT BC12	No specific data.
		SureSelect LT BC13	No specific data.
		SureSelect LT BC14	No specific data.
		SureSelect LT BC15	No specific data.
		SureSelect LT BC16	No specific data.

**4.3 Indication of any immediate medical attention and special treatment needed**

<b>Notes to physician</b>	:	SureSelect LTI5500 P1	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
		SureSelect LTI5500 IA	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
		SureSelect LTI Pre	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
		Capture Primer	
		SureSelect LT BC1	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
		SureSelect LT BC2	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
		SureSelect LT BC3	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
		SureSelect LT BC4	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
		SureSelect LT BC5	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
		SureSelect LT BC6	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
		SureSelect LT BC7	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
		SureSelect LT BC8	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
		SureSelect LT BC9	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
		SureSelect LT BC10	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
		SureSelect LT BC11	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
		SureSelect LT BC12	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
		SureSelect LT BC13	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
		SureSelect LT BC14	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
		SureSelect LT BC15	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
		SureSelect LT BC16	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.



**SECTION 4: First aid measures**

<b>Specific treatments</b>	:	SureSelect LTI5500 P1	No specific treatment.
		SureSelect LTI5500 IA	No specific treatment.
		SureSelect LTI Pre	No specific treatment.
		Capture Primer	
		SureSelect LT BC1	No specific treatment.
		SureSelect LT BC2	No specific treatment.
		SureSelect LT BC3	No specific treatment.
		SureSelect LT BC4	No specific treatment.
		SureSelect LT BC5	No specific treatment.
		SureSelect LT BC6	No specific treatment.
		SureSelect LT BC7	No specific treatment.
		SureSelect LT BC8	No specific treatment.
		SureSelect LT BC9	No specific treatment.
		SureSelect LT BC10	No specific treatment.
		SureSelect LT BC11	No specific treatment.
		SureSelect LT BC12	No specific treatment.
		SureSelect LT BC13	No specific treatment.
		SureSelect LT BC14	No specific treatment.
		SureSelect LT BC15	No specific treatment.
		SureSelect LT BC16	No specific treatment.

**SECTION 5: Firefighting measures****5.1 Extinguishing media**

<b>Suitable extinguishing media</b>	:	SureSelect LTI5500 P1	Use an extinguishing agent suitable for the surrounding fire.
		SureSelect LTI5500 IA	Use an extinguishing agent suitable for the surrounding fire.
		SureSelect LTI Pre	Use an extinguishing agent suitable for the surrounding fire.
		Capture Primer	
		SureSelect LT BC1	Use an extinguishing agent suitable for the surrounding fire.
		SureSelect LT BC2	Use an extinguishing agent suitable for the surrounding fire.
		SureSelect LT BC3	Use an extinguishing agent suitable for the surrounding fire.
		SureSelect LT BC4	Use an extinguishing agent suitable for the surrounding fire.
		SureSelect LT BC5	Use an extinguishing agent suitable for the surrounding fire.
		SureSelect LT BC6	Use an extinguishing agent suitable for the surrounding fire.
		SureSelect LT BC7	Use an extinguishing agent suitable for the surrounding fire.
		SureSelect LT BC8	Use an extinguishing agent suitable for the surrounding fire.
		SureSelect LT BC9	Use an extinguishing agent suitable for the surrounding fire.
		SureSelect LT BC10	Use an extinguishing agent suitable for the surrounding fire.
		SureSelect LT BC11	Use an extinguishing agent suitable for the surrounding fire.
		SureSelect LT BC12	Use an extinguishing agent suitable for the surrounding fire.
		SureSelect LT BC13	Use an extinguishing agent suitable for the surrounding fire.
		SureSelect LT BC14	Use an extinguishing agent suitable for the surrounding fire.
		SureSelect LT BC15	Use an extinguishing agent suitable for the surrounding fire.
		SureSelect LT BC16	Use an extinguishing agent suitable for the surrounding fire.
<b>Unsuitable extinguishing media</b>	:	SureSelect LTI5500 P1	None known.
		SureSelect LTI5500 IA	None known.
		SureSelect LTI Pre	None known.
		Capture Primer	
		SureSelect LT BC1	None known.
		SureSelect LT BC2	None known.
		SureSelect LT BC3	None known.
		SureSelect LT BC4	None known.
		SureSelect LT BC5	None known.
		SureSelect LT BC6	None known.
		SureSelect LT BC7	None known.
		SureSelect LT BC8	None known.
		SureSelect LT BC9	None known.
		SureSelect LT BC10	None known.
		SureSelect LT BC11	None known.
		SureSelect LT BC12	None known.
		SureSelect LT BC13	None known.
		SureSelect LT BC14	None known.
		SureSelect LT BC15	None known.
		SureSelect LT BC16	None known.

**SECTION 5: Firefighting measures****5.2 Special hazards arising from the substance or mixture**

<b>Hazards from the substance or mixture</b>	: SureSelect LTI5500 P1	In a fire or if heated, a pressure increase will occur and the container may burst.
	SureSelect LTI5500 IA	In a fire or if heated, a pressure increase will occur and the container may burst.
	SureSelect LTI Pre Capture Primer	In a fire or if heated, a pressure increase will occur and the container may burst.
	SureSelect LT BC1	In a fire or if heated, a pressure increase will occur and the container may burst.
	SureSelect LT BC2	In a fire or if heated, a pressure increase will occur and the container may burst.
	SureSelect LT BC3	In a fire or if heated, a pressure increase will occur and the container may burst.
	SureSelect LT BC4	In a fire or if heated, a pressure increase will occur and the container may burst.
	SureSelect LT BC5	In a fire or if heated, a pressure increase will occur and the container may burst.
	SureSelect LT BC6	In a fire or if heated, a pressure increase will occur and the container may burst.
	SureSelect LT BC7	In a fire or if heated, a pressure increase will occur and the container may burst.
	SureSelect LT BC8	In a fire or if heated, a pressure increase will occur and the container may burst.
	SureSelect LT BC9	In a fire or if heated, a pressure increase will occur and the container may burst.
	SureSelect LT BC10	In a fire or if heated, a pressure increase will occur and the container may burst.
	SureSelect LT BC11	In a fire or if heated, a pressure increase will occur and the container may burst.
	SureSelect LT BC12	In a fire or if heated, a pressure increase will occur and the container may burst.
	SureSelect LT BC13	In a fire or if heated, a pressure increase will occur and the container may burst.
SureSelect LT BC14	In a fire or if heated, a pressure increase will occur and the container may burst.	
SureSelect LT BC15	In a fire or if heated, a pressure increase will occur and the container may burst.	
SureSelect LT BC16	In a fire or if heated, a pressure increase will occur and the container may burst.	
<b>Hazardous combustion products</b>	: SureSelect LTI5500 P1	No specific data.
	SureSelect LTI5500 IA	No specific data.
	SureSelect LTI Pre Capture Primer	No specific data.
	SureSelect LT BC1	No specific data.
	SureSelect LT BC2	No specific data.
	SureSelect LT BC3	No specific data.
	SureSelect LT BC4	No specific data.
	SureSelect LT BC5	No specific data.
	SureSelect LT BC6	No specific data.
	SureSelect LT BC7	No specific data.
	SureSelect LT BC8	No specific data.
	SureSelect LT BC9	No specific data.
	SureSelect LT BC10	No specific data.
	SureSelect LT BC11	No specific data.
	SureSelect LT BC12	No specific data.
	SureSelect LT BC13	No specific data.
SureSelect LT BC14	No specific data.	
SureSelect LT BC15	No specific data.	
SureSelect LT BC16	No specific data.	

**5.3 Advice for firefighters**

**SECTION 5: Firefighting measures**

<b>Special precautions for fire-fighters</b>	: SureSelect LTI5500 P1	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	SureSelect LTI5500 IA	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	SureSelect LTI Pre Capture Primer	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	SureSelect LT BC1	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	SureSelect LT BC2	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	SureSelect LT BC3	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	SureSelect LT BC4	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	SureSelect LT BC5	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	SureSelect LT BC6	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	SureSelect LT BC7	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	SureSelect LT BC8	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	SureSelect LT BC9	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	SureSelect LT BC10	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	SureSelect LT BC11	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	SureSelect LT BC12	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	SureSelect LT BC13	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	SureSelect LT BC14	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	SureSelect LT BC15	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	SureSelect LT BC16	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
<b>Special protective equipment for fire-fighters</b>	: SureSelect LTI5500 P1	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
	SureSelect LTI5500 IA	Fire-fighters should wear appropriate protective equipment

**SECTION 5: Firefighting measures**

	and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
SureSelect LTI Pre Capture Primer	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
SureSelect LT BC1	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
SureSelect LT BC2	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
SureSelect LT BC3	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
SureSelect LT BC4	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
SureSelect LT BC5	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
SureSelect LT BC6	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
SureSelect LT BC7	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
SureSelect LT BC8	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
SureSelect LT BC9	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a

**SECTION 5: Firefighting measures**

SureSelect LT BC10	basic level of protection for chemical incidents. Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
SureSelect LT BC11	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
SureSelect LT BC12	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
SureSelect LT BC13	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
SureSelect LT BC14	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
SureSelect LT BC15	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
SureSelect LT BC16	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures**

<b>For non-emergency personnel</b>	: SureSelect LTI5500 P1	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
	SureSelect LTI5500 IA	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
	SureSelect LTI Pre Capture Primer	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
	SureSelect LT BC1	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas.



**SECTION 6: Accidental release measures**

	Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
SureSelect LT BC2	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
SureSelect LT BC3	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
SureSelect LT BC4	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
SureSelect LT BC5	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
SureSelect LT BC6	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
SureSelect LT BC7	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
SureSelect LT BC8	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
SureSelect LT BC9	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
SureSelect LT BC10	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
SureSelect LT BC11	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
SureSelect LT BC12	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
SureSelect LT BC13	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
SureSelect LT BC14	No action shall be taken involving any personal risk or



**SECTION 6: Accidental release measures**

**For emergency responders**

		without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
	SureSelect LT BC15	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
	SureSelect LT BC16	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
	: SureSelect LTI5500 P1	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
	SureSelect LTI5500 IA	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
	SureSelect LTI Pre Capture Primer	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
	SureSelect LT BC1	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
	SureSelect LT BC2	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
	SureSelect LT BC3	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
	SureSelect LT BC4	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
	SureSelect LT BC5	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
	SureSelect LT BC6	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
	SureSelect LT BC7	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
	SureSelect LT BC8	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
	SureSelect LT BC9	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
	SureSelect LT BC10	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and

**SECTION 6: Accidental release measures**

	unsuitable materials. See also the information in "For non-emergency personnel".
SureSelect LT BC11	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SureSelect LT BC12	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SureSelect LT BC13	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SureSelect LT BC14	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SureSelect LT BC15	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SureSelect LT BC16	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

**6.2 Environmental precautions**

: SureSelect LTI5500 P1	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect LTI5500 IA	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect LTI Pre Capture Primer	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect LT BC1	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect LT BC2	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect LT BC3	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect LT BC4	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect LT BC5	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect LT BC6	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect LT BC7	Avoid dispersal of spilt material and runoff and contact with

**SECTION 6: Accidental release measures**

	soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect LT BC8	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect LT BC9	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect LT BC10	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect LT BC11	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect LT BC12	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect LT BC13	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect LT BC14	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect LT BC15	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect LT BC16	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

**6.3 Methods and material for containment and cleaning up**

<b>Methods for cleaning up</b>	: SureSelect LTI5500 P1	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	SureSelect LTI5500 IA	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	SureSelect LTI Pre Capture Primer	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	SureSelect LT BC1	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	SureSelect LT BC2	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively,

**SECTION 6: Accidental release measures**

	or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
SureSelect LT BC3	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
SureSelect LT BC4	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
SureSelect LT BC5	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
SureSelect LT BC6	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
SureSelect LT BC7	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
SureSelect LT BC8	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
SureSelect LT BC9	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
SureSelect LT BC10	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
SureSelect LT BC11	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
SureSelect LT BC12	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
SureSelect LT BC13	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
SureSelect LT BC14	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
SureSelect LT BC15	Stop leak if without risk. Move containers from spill area.

## SECTION 6: Accidental release measures

SureSelect LT BC16 Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.  
 Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

**6.4 Reference to other sections** : See Section 1 for emergency contact information.  
 See Section 8 for information on appropriate personal protective equipment.  
 See Section 13 for additional waste treatment information.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

**Protective measures** : SureSelect LTI5500 P1 Put on appropriate personal protective equipment (see Section 8).  
 SureSelect LTI5500 IA Put on appropriate personal protective equipment (see Section 8).  
 SureSelect LTI Pre Capture Primer Put on appropriate personal protective equipment (see Section 8).  
 SureSelect LT BC1 Put on appropriate personal protective equipment (see Section 8).  
 SureSelect LT BC2 Put on appropriate personal protective equipment (see Section 8).  
 SureSelect LT BC3 Put on appropriate personal protective equipment (see Section 8).  
 SureSelect LT BC4 Put on appropriate personal protective equipment (see Section 8).  
 SureSelect LT BC5 Put on appropriate personal protective equipment (see Section 8).  
 SureSelect LT BC6 Put on appropriate personal protective equipment (see Section 8).  
 SureSelect LT BC7 Put on appropriate personal protective equipment (see Section 8).  
 SureSelect LT BC8 Put on appropriate personal protective equipment (see Section 8).  
 SureSelect LT BC9 Put on appropriate personal protective equipment (see Section 8).  
 SureSelect LT BC10 Put on appropriate personal protective equipment (see Section 8).  
 SureSelect LT BC11 Put on appropriate personal protective equipment (see Section 8).  
 SureSelect LT BC12 Put on appropriate personal protective equipment (see Section 8).  
 SureSelect LT BC13 Put on appropriate personal protective equipment (see Section 8).  
 SureSelect LT BC14 Put on appropriate personal protective equipment (see Section 8).  
 SureSelect LT BC15 Put on appropriate personal protective equipment (see Section 8).  
 SureSelect LT BC16 Put on appropriate personal protective equipment (see Section 8).  
  
**Advice on general occupational hygiene** : SureSelect LTI5500 P1 Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.  
 SureSelect LTI5500 IA Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating,



**SECTION 7: Handling and storage**

SureSelect LTI Pre Capture Primer	drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
SureSelect LT BC1	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
SureSelect LT BC2	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
SureSelect LT BC3	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
SureSelect LT BC4	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
SureSelect LT BC5	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
SureSelect LT BC6	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
SureSelect LT BC7	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
SureSelect LT BC8	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
SureSelect LT BC9	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
SureSelect LT BC10	Eating, drinking and smoking should be prohibited in areas



**SECTION 7: Handling and storage**

	where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
SureSelect LT BC11	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
SureSelect LT BC12	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
SureSelect LT BC13	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
SureSelect LT BC14	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
SureSelect LT BC15	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
SureSelect LT BC16	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

**7.2 Conditions for safe storage, including any incompatibilities**

<b>Storage</b>	: SureSelect LTI5500 P1	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
	SureSelect LTI5500 IA	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
	SureSelect LTI Pre Capture Primer	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see

**SECTION 7: Handling and storage**

	Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
SureSelect LT BC1	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
SureSelect LT BC2	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
SureSelect LT BC3	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
SureSelect LT BC4	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
SureSelect LT BC5	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
SureSelect LT BC6	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
SureSelect LT BC7	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly

**SECTION 7: Handling and storage**

	closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
SureSelect LT BC8	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
SureSelect LT BC9	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
SureSelect LT BC10	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
SureSelect LT BC11	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
SureSelect LT BC12	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
SureSelect LT BC13	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
SureSelect LT BC14	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have

**SECTION 7: Handling and storage**

SureSelect LT BC15	been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
SureSelect LT BC16	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.

**7.3 Specific end use(s)**

**Recommendations**

: SureSelect LTI5500 P1	Industrial applications, Professional applications.
SureSelect LTI5500 IA	Industrial applications, Professional applications.
SureSelect LTI Pre Capture Primer	Industrial applications, Professional applications.
SureSelect LT BC1	Industrial applications, Professional applications.
SureSelect LT BC2	Industrial applications, Professional applications.
SureSelect LT BC3	Industrial applications, Professional applications.
SureSelect LT BC4	Industrial applications, Professional applications.
SureSelect LT BC5	Industrial applications, Professional applications.
SureSelect LT BC6	Industrial applications, Professional applications.
SureSelect LT BC7	Industrial applications, Professional applications.
SureSelect LT BC8	Industrial applications, Professional applications.
SureSelect LT BC9	Industrial applications, Professional applications.
SureSelect LT BC10	Industrial applications, Professional applications.
SureSelect LT BC11	Industrial applications, Professional applications.
SureSelect LT BC12	Industrial applications, Professional applications.
SureSelect LT BC13	Industrial applications, Professional applications.
SureSelect LT BC14	Industrial applications, Professional applications.
SureSelect LT BC15	Industrial applications, Professional applications.
SureSelect LT BC16	Industrial applications, Professional applications.

**Industrial sector specific solutions**

: SureSelect LTI5500 P1	Not applicable.
SureSelect LTI5500 IA	Not applicable.
SureSelect LTI Pre Capture Primer	Not applicable.
SureSelect LT BC1	Not applicable.
SureSelect LT BC2	Not applicable.
SureSelect LT BC3	Not applicable.
SureSelect LT BC4	Not applicable.
SureSelect LT BC5	Not applicable.
SureSelect LT BC6	Not applicable.
SureSelect LT BC7	Not applicable.
SureSelect LT BC8	Not applicable.
SureSelect LT BC9	Not applicable.
SureSelect LT BC10	Not applicable.
SureSelect LT BC11	Not applicable.
SureSelect LT BC12	Not applicable.
SureSelect LT BC13	Not applicable.
SureSelect LT BC14	Not applicable.
SureSelect LT BC15	Not applicable.

## SECTION 7: Handling and storage

SureSelect LT BC16 Not applicable.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational exposure limits

No exposure limit value known.

**Recommended monitoring procedures** : If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

#### DNELs/DMELs

No DNELs/DMELs available.

#### PNECs

No PNECs available

### 8.2 Exposure controls

**Appropriate engineering controls** : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

#### Individual protection measures

**Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

**Eye/face protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.

#### Skin protection

**Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

**Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Respiratory protection** : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

**Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.



**SECTION 9: Physical and chemical properties****9.1 Information on basic physical and chemical properties****Appearance****Physical state**

: SureSelect LTI5500 P1	Liquid.
SureSelect LTI5500 IA	Liquid.
SureSelect LTI Pre	Liquid.
Capture Primer	
SureSelect LT BC1	Liquid.
SureSelect LT BC2	Liquid.
SureSelect LT BC3	Liquid.
SureSelect LT BC4	Liquid.
SureSelect LT BC5	Liquid.
SureSelect LT BC6	Liquid.
SureSelect LT BC7	Liquid.
SureSelect LT BC8	Liquid.
SureSelect LT BC9	Liquid.
SureSelect LT BC10	Liquid.
SureSelect LT BC11	Liquid.
SureSelect LT BC12	Liquid.
SureSelect LT BC13	Liquid.
SureSelect LT BC14	Liquid.
SureSelect LT BC15	Liquid.
SureSelect LT BC16	Liquid.

**Colour**

: SureSelect LTI5500 P1	Not available.
SureSelect LTI5500 IA	Not available.
SureSelect LTI Pre	Not available.
Capture Primer	
SureSelect LT BC1	Not available.
SureSelect LT BC2	Not available.
SureSelect LT BC3	Not available.
SureSelect LT BC4	Not available.
SureSelect LT BC5	Not available.
SureSelect LT BC6	Not available.
SureSelect LT BC7	Not available.
SureSelect LT BC8	Not available.
SureSelect LT BC9	Not available.
SureSelect LT BC10	Not available.
SureSelect LT BC11	Not available.
SureSelect LT BC12	Not available.
SureSelect LT BC13	Not available.
SureSelect LT BC14	Not available.
SureSelect LT BC15	Not available.
SureSelect LT BC16	Not available.

**Odour**

: SureSelect LTI5500 P1	Not available.
SureSelect LTI5500 IA	Not available.
SureSelect LTI Pre	Not available.
Capture Primer	
SureSelect LT BC1	Not available.
SureSelect LT BC2	Not available.
SureSelect LT BC3	Not available.
SureSelect LT BC4	Not available.
SureSelect LT BC5	Not available.
SureSelect LT BC6	Not available.
SureSelect LT BC7	Not available.
SureSelect LT BC8	Not available.
SureSelect LT BC9	Not available.
SureSelect LT BC10	Not available.
SureSelect LT BC11	Not available.
SureSelect LT BC12	Not available.
SureSelect LT BC13	Not available.
SureSelect LT BC14	Not available.
SureSelect LT BC15	Not available.
SureSelect LT BC16	Not available.

**SECTION 9: Physical and chemical properties**

<b>Odour threshold</b>	: SureSelect LTI5500 P1	Not available.
	SureSelect LTI5500 IA	Not available.
	SureSelect LTI Pre	Not available.
	Capture Primer	
	SureSelect LT BC1	Not available.
	SureSelect LT BC2	Not available.
	SureSelect LT BC3	Not available.
	SureSelect LT BC4	Not available.
	SureSelect LT BC5	Not available.
	SureSelect LT BC6	Not available.
	SureSelect LT BC7	Not available.
	SureSelect LT BC8	Not available.
	SureSelect LT BC9	Not available.
	SureSelect LT BC10	Not available.
	SureSelect LT BC11	Not available.
	SureSelect LT BC12	Not available.
<b>pH</b>	: SureSelect LTI5500 P1	Not available.
	SureSelect LTI5500 IA	Not available.
	SureSelect LTI Pre	Not available.
	Capture Primer	
	SureSelect LT BC1	Not available.
	SureSelect LT BC2	Not available.
	SureSelect LT BC3	Not available.
	SureSelect LT BC4	Not available.
	SureSelect LT BC5	Not available.
	SureSelect LT BC6	Not available.
	SureSelect LT BC7	Not available.
	SureSelect LT BC8	Not available.
	SureSelect LT BC9	Not available.
	SureSelect LT BC10	Not available.
	SureSelect LT BC11	Not available.
	SureSelect LT BC12	Not available.
<b>Melting point/freezing point</b>	: SureSelect LTI5500 P1	0°C
	SureSelect LTI5500 IA	0°C
	SureSelect LTI Pre	0°C
	Capture Primer	
	SureSelect LT BC1	0°C
	SureSelect LT BC2	0°C
	SureSelect LT BC3	0°C
	SureSelect LT BC4	0°C
	SureSelect LT BC5	0°C
	SureSelect LT BC6	0°C
	SureSelect LT BC7	0°C
	SureSelect LT BC8	0°C
	SureSelect LT BC9	0°C
	SureSelect LT BC10	0°C
	SureSelect LT BC11	0°C
	SureSelect LT BC12	0°C

**SECTION 9: Physical and chemical properties**

<b>Initial boiling point and boiling range</b>	: SureSelect LTI5500 P1	100°C
	SureSelect LTI5500 IA	100°C
	SureSelect LTI Pre	100°C
	Capture Primer	
	SureSelect LT BC1	100°C
	SureSelect LT BC2	100°C
	SureSelect LT BC3	100°C
	SureSelect LT BC4	100°C
	SureSelect LT BC5	100°C
	SureSelect LT BC6	100°C
	SureSelect LT BC7	100°C
	SureSelect LT BC8	100°C
	SureSelect LT BC9	100°C
	SureSelect LT BC10	100°C
	SureSelect LT BC11	100°C
	SureSelect LT BC12	100°C
	SureSelect LT BC13	100°C
SureSelect LT BC14	100°C	
SureSelect LT BC15	100°C	
SureSelect LT BC16	100°C	
<b>Flash point</b>	: SureSelect LTI5500 P1	Not available.
	SureSelect LTI5500 IA	Not available.
	SureSelect LTI Pre	Not available.
	Capture Primer	
	SureSelect LT BC1	Not available.
	SureSelect LT BC2	Not available.
	SureSelect LT BC3	Not available.
	SureSelect LT BC4	Not available.
	SureSelect LT BC5	Not available.
	SureSelect LT BC6	Not available.
	SureSelect LT BC7	Not available.
	SureSelect LT BC8	Not available.
	SureSelect LT BC9	Not available.
	SureSelect LT BC10	Not available.
	SureSelect LT BC11	Not available.
	SureSelect LT BC12	Not available.
	SureSelect LT BC13	Not available.
SureSelect LT BC14	Not available.	
SureSelect LT BC15	Not available.	
SureSelect LT BC16	Not available.	
<b>Evaporation rate</b>	: SureSelect LTI5500 P1	Not available.
	SureSelect LTI5500 IA	Not available.
	SureSelect LTI Pre	Not available.
	Capture Primer	
	SureSelect LT BC1	Not available.
	SureSelect LT BC2	Not available.
	SureSelect LT BC3	Not available.
	SureSelect LT BC4	Not available.
	SureSelect LT BC5	Not available.
	SureSelect LT BC6	Not available.
	SureSelect LT BC7	Not available.
	SureSelect LT BC8	Not available.
	SureSelect LT BC9	Not available.
	SureSelect LT BC10	Not available.
	SureSelect LT BC11	Not available.
	SureSelect LT BC12	Not available.
	SureSelect LT BC13	Not available.
SureSelect LT BC14	Not available.	
SureSelect LT BC15	Not available.	
SureSelect LT BC16	Not available.	

**SECTION 9: Physical and chemical properties**

**Flammability (solid, gas)** : SureSelect LTI5500 P1 Not applicable.  
 SureSelect LTI5500 IA Not applicable.  
 SureSelect LTI Pre Not applicable.  
 Capture Primer  
 SureSelect LT BC1 Not applicable.  
 SureSelect LT BC2 Not applicable.  
 SureSelect LT BC3 Not applicable.  
 SureSelect LT BC4 Not applicable.  
 SureSelect LT BC5 Not applicable.  
 SureSelect LT BC6 Not applicable.  
 SureSelect LT BC7 Not applicable.  
 SureSelect LT BC8 Not applicable.  
 SureSelect LT BC9 Not applicable.  
 SureSelect LT BC10 Not applicable.  
 SureSelect LT BC11 Not applicable.  
 SureSelect LT BC12 Not applicable.  
 SureSelect LT BC13 Not applicable.  
 SureSelect LT BC14 Not applicable.  
 SureSelect LT BC15 Not applicable.  
 SureSelect LT BC16 Not applicable.

**Upper/lower flammability or explosive limits** : SureSelect LTI5500 P1 Not available.  
 SureSelect LTI5500 IA Not available.  
 SureSelect LTI Pre Not available.  
 Capture Primer  
 SureSelect LT BC1 Not available.  
 SureSelect LT BC2 Not available.  
 SureSelect LT BC3 Not available.  
 SureSelect LT BC4 Not available.  
 SureSelect LT BC5 Not available.  
 SureSelect LT BC6 Not available.  
 SureSelect LT BC7 Not available.  
 SureSelect LT BC8 Not available.  
 SureSelect LT BC9 Not available.  
 SureSelect LT BC10 Not available.  
 SureSelect LT BC11 Not available.  
 SureSelect LT BC12 Not available.  
 SureSelect LT BC13 Not available.  
 SureSelect LT BC14 Not available.  
 SureSelect LT BC15 Not available.  
 SureSelect LT BC16 Not available.

**Vapour pressure** : SureSelect LTI5500 P1 Not available.  
 SureSelect LTI5500 IA Not available.  
 SureSelect LTI Pre Not available.  
 Capture Primer  
 SureSelect LT BC1 Not available.  
 SureSelect LT BC2 Not available.  
 SureSelect LT BC3 Not available.  
 SureSelect LT BC4 Not available.  
 SureSelect LT BC5 Not available.  
 SureSelect LT BC6 Not available.  
 SureSelect LT BC7 Not available.  
 SureSelect LT BC8 Not available.  
 SureSelect LT BC9 Not available.  
 SureSelect LT BC10 Not available.  
 SureSelect LT BC11 Not available.  
 SureSelect LT BC12 Not available.  
 SureSelect LT BC13 Not available.  
 SureSelect LT BC14 Not available.  
 SureSelect LT BC15 Not available.  
 SureSelect LT BC16 Not available.

**SECTION 9: Physical and chemical properties**

<b>Vapour density</b>	:	SureSelect LTI5500 P1	Not available.
		SureSelect LTI5500 IA	Not available.
		SureSelect LTI Pre	Not available.
		Capture Primer	
		SureSelect LT BC1	Not available.
		SureSelect LT BC2	Not available.
		SureSelect LT BC3	Not available.
		SureSelect LT BC4	Not available.
		SureSelect LT BC5	Not available.
		SureSelect LT BC6	Not available.
		SureSelect LT BC7	Not available.
		SureSelect LT BC8	Not available.
		SureSelect LT BC9	Not available.
		SureSelect LT BC10	Not available.
		SureSelect LT BC11	Not available.
		SureSelect LT BC12	Not available.
		SureSelect LT BC13	Not available.
		SureSelect LT BC14	Not available.
		SureSelect LT BC15	Not available.
		SureSelect LT BC16	Not available.
<b>Relative density</b>	:	SureSelect LTI5500 P1	Not available.
		SureSelect LTI5500 IA	Not available.
		SureSelect LTI Pre	Not available.
		Capture Primer	
		SureSelect LT BC1	Not available.
		SureSelect LT BC2	Not available.
		SureSelect LT BC3	Not available.
		SureSelect LT BC4	Not available.
		SureSelect LT BC5	Not available.
		SureSelect LT BC6	Not available.
		SureSelect LT BC7	Not available.
		SureSelect LT BC8	Not available.
		SureSelect LT BC9	Not available.
		SureSelect LT BC10	Not available.
		SureSelect LT BC11	Not available.
		SureSelect LT BC12	Not available.
		SureSelect LT BC13	Not available.
		SureSelect LT BC14	Not available.
		SureSelect LT BC15	Not available.
		SureSelect LT BC16	Not available.
<b>Solubility(ies)</b>	:	SureSelect LTI5500 P1	Easily soluble in the following materials: cold water and hot water.
		SureSelect LTI5500 IA	Easily soluble in the following materials: cold water and hot water.
		SureSelect LTI Pre	Easily soluble in the following materials: cold water and hot water.
		Capture Primer	Easily soluble in the following materials: cold water and hot water.
		SureSelect LT BC1	Easily soluble in the following materials: cold water and hot water.
		SureSelect LT BC2	Easily soluble in the following materials: cold water and hot water.
		SureSelect LT BC3	Easily soluble in the following materials: cold water and hot water.
		SureSelect LT BC4	Easily soluble in the following materials: cold water and hot water.
		SureSelect LT BC5	Easily soluble in the following materials: cold water and hot water.
		SureSelect LT BC6	Easily soluble in the following materials: cold water and hot water.
		SureSelect LT BC7	Easily soluble in the following materials: cold water and hot water.
		SureSelect LT BC8	Easily soluble in the following materials: cold water and hot water.
		SureSelect LT BC9	Easily soluble in the following materials: cold water and hot water.



**SECTION 9: Physical and chemical properties**

	SureSelect LT BC10	hot water. Easily soluble in the following materials: cold water and hot water.
	SureSelect LT BC11	Easily soluble in the following materials: cold water and hot water.
	SureSelect LT BC12	Easily soluble in the following materials: cold water and hot water.
	SureSelect LT BC13	Easily soluble in the following materials: cold water and hot water.
	SureSelect LT BC14	Easily soluble in the following materials: cold water and hot water.
	SureSelect LT BC15	Easily soluble in the following materials: cold water and hot water.
	SureSelect LT BC16	Easily soluble in the following materials: cold water and hot water.
<b>Partition coefficient: n-octanol/water</b>	: SureSelect LTI5500 P1	Not available.
	SureSelect LTI5500 IA	Not available.
	SureSelect LTI Pre Capture Primer	Not available.
	SureSelect LT BC1	Not available.
	SureSelect LT BC2	Not available.
	SureSelect LT BC3	Not available.
	SureSelect LT BC4	Not available.
	SureSelect LT BC5	Not available.
	SureSelect LT BC6	Not available.
	SureSelect LT BC7	Not available.
	SureSelect LT BC8	Not available.
	SureSelect LT BC9	Not available.
	SureSelect LT BC10	Not available.
	SureSelect LT BC11	Not available.
	SureSelect LT BC12	Not available.
	SureSelect LT BC13	Not available.
	SureSelect LT BC14	Not available.
	SureSelect LT BC15	Not available.
	SureSelect LT BC16	Not available.
<b>Auto-ignition temperature</b>	: SureSelect LTI5500 P1	Not available.
	SureSelect LTI5500 IA	Not available.
	SureSelect LTI Pre Capture Primer	Not available.
	SureSelect LT BC1	Not available.
	SureSelect LT BC2	Not available.
	SureSelect LT BC3	Not available.
	SureSelect LT BC4	Not available.
	SureSelect LT BC5	Not available.
	SureSelect LT BC6	Not available.
	SureSelect LT BC7	Not available.
	SureSelect LT BC8	Not available.
	SureSelect LT BC9	Not available.
	SureSelect LT BC10	Not available.
	SureSelect LT BC11	Not available.
	SureSelect LT BC12	Not available.
	SureSelect LT BC13	Not available.
	SureSelect LT BC14	Not available.
	SureSelect LT BC15	Not available.
	SureSelect LT BC16	Not available.
<b>Decomposition temperature</b>	: SureSelect LTI5500 P1	Not available.
	SureSelect LTI5500 IA	Not available.
	SureSelect LTI Pre Capture Primer	Not available.
	SureSelect LT BC1	Not available.
	SureSelect LT BC2	Not available.
	SureSelect LT BC3	Not available.
	SureSelect LT BC4	Not available.

**SECTION 9: Physical and chemical properties**

	SureSelect LT BC5	Not available.
	SureSelect LT BC6	Not available.
	SureSelect LT BC7	Not available.
	SureSelect LT BC8	Not available.
	SureSelect LT BC9	Not available.
	SureSelect LT BC10	Not available.
	SureSelect LT BC11	Not available.
	SureSelect LT BC12	Not available.
	SureSelect LT BC13	Not available.
	SureSelect LT BC14	Not available.
	SureSelect LT BC15	Not available.
	SureSelect LT BC16	Not available.
<b>Viscosity</b>	: SureSelect LTI5500 P1	Not available.
	SureSelect LTI5500 IA	Not available.
	SureSelect LTI Pre	Not available.
	Capture Primer	
	SureSelect LT BC1	Not available.
	SureSelect LT BC2	Not available.
	SureSelect LT BC3	Not available.
	SureSelect LT BC4	Not available.
	SureSelect LT BC5	Not available.
	SureSelect LT BC6	Not available.
	SureSelect LT BC7	Not available.
	SureSelect LT BC8	Not available.
	SureSelect LT BC9	Not available.
	SureSelect LT BC10	Not available.
	SureSelect LT BC11	Not available.
	SureSelect LT BC12	Not available.
	SureSelect LT BC13	Not available.
	SureSelect LT BC14	Not available.
	SureSelect LT BC15	Not available.
	SureSelect LT BC16	Not available.
<b>Explosive properties</b>	: SureSelect LTI5500 P1	Not available.
	SureSelect LTI5500 IA	Not available.
	SureSelect LTI Pre	Not available.
	Capture Primer	
	SureSelect LT BC1	Not available.
	SureSelect LT BC2	Not available.
	SureSelect LT BC3	Not available.
	SureSelect LT BC4	Not available.
	SureSelect LT BC5	Not available.
	SureSelect LT BC6	Not available.
	SureSelect LT BC7	Not available.
	SureSelect LT BC8	Not available.
	SureSelect LT BC9	Not available.
	SureSelect LT BC10	Not available.
	SureSelect LT BC11	Not available.
	SureSelect LT BC12	Not available.
	SureSelect LT BC13	Not available.
	SureSelect LT BC14	Not available.
	SureSelect LT BC15	Not available.
	SureSelect LT BC16	Not available.
<b>Oxidising properties</b>	: SureSelect LTI5500 P1	Not available.
	SureSelect LTI5500 IA	Not available.
	SureSelect LTI Pre	Not available.
	Capture Primer	
	SureSelect LT BC1	Not available.
	SureSelect LT BC2	Not available.
	SureSelect LT BC3	Not available.
	SureSelect LT BC4	Not available.
	SureSelect LT BC5	Not available.
	SureSelect LT BC6	Not available.
	SureSelect LT BC7	Not available.

**SECTION 9: Physical and chemical properties**

SureSelect LT BC8	Not available.
SureSelect LT BC9	Not available.
SureSelect LT BC10	Not available.
SureSelect LT BC11	Not available.
SureSelect LT BC12	Not available.
SureSelect LT BC13	Not available.
SureSelect LT BC14	Not available.
SureSelect LT BC15	Not available.
SureSelect LT BC16	Not available.

**9.2 Other information**

No additional information.

**SECTION 10: Stability and reactivity**

<b>10.1 Reactivity</b>	:	SureSelect LTI5500 P1	No specific test data related to reactivity available for this product or its ingredients.
		SureSelect LTI5500 IA	No specific test data related to reactivity available for this product or its ingredients.
		SureSelect LTI Pre Capture Primer	No specific test data related to reactivity available for this product or its ingredients.
		SureSelect LT BC1	No specific test data related to reactivity available for this product or its ingredients.
		SureSelect LT BC2	No specific test data related to reactivity available for this product or its ingredients.
		SureSelect LT BC3	No specific test data related to reactivity available for this product or its ingredients.
		SureSelect LT BC4	No specific test data related to reactivity available for this product or its ingredients.
		SureSelect LT BC5	No specific test data related to reactivity available for this product or its ingredients.
		SureSelect LT BC6	No specific test data related to reactivity available for this product or its ingredients.
		SureSelect LT BC7	No specific test data related to reactivity available for this product or its ingredients.
		SureSelect LT BC8	No specific test data related to reactivity available for this product or its ingredients.
		SureSelect LT BC9	No specific test data related to reactivity available for this product or its ingredients.
		SureSelect LT BC10	No specific test data related to reactivity available for this product or its ingredients.
		SureSelect LT BC11	No specific test data related to reactivity available for this product or its ingredients.
		SureSelect LT BC12	No specific test data related to reactivity available for this product or its ingredients.
		SureSelect LT BC13	No specific test data related to reactivity available for this product or its ingredients.
		SureSelect LT BC14	No specific test data related to reactivity available for this product or its ingredients.
		SureSelect LT BC15	No specific test data related to reactivity available for this product or its ingredients.
		SureSelect LT BC16	No specific test data related to reactivity available for this product or its ingredients.
<b>10.2 Chemical stability</b>	:	SureSelect LTI5500 P1	The product is stable.
		SureSelect LTI5500 IA	The product is stable.
		SureSelect LTI Pre Capture Primer	The product is stable.
		SureSelect LT BC1	The product is stable.
		SureSelect LT BC2	The product is stable.
		SureSelect LT BC3	The product is stable.
		SureSelect LT BC4	The product is stable.
		SureSelect LT BC5	The product is stable.
		SureSelect LT BC6	The product is stable.

**SECTION 10: Stability and reactivity**

SureSelect LT BC7	The product is stable.
SureSelect LT BC8	The product is stable.
SureSelect LT BC9	The product is stable.
SureSelect LT BC10	The product is stable.
SureSelect LT BC11	The product is stable.
SureSelect LT BC12	The product is stable.
SureSelect LT BC13	The product is stable.
SureSelect LT BC14	The product is stable.
SureSelect LT BC15	The product is stable.
SureSelect LT BC16	The product is stable.

**10.3 Possibility of hazardous reactions**

: SureSelect LTI5500 P1	Under normal conditions of storage and use, hazardous reactions will not occur.
SureSelect LTI5500 IA	Under normal conditions of storage and use, hazardous reactions will not occur.
SureSelect LTI Pre Capture Primer	Under normal conditions of storage and use, hazardous reactions will not occur.
SureSelect LT BC1	Under normal conditions of storage and use, hazardous reactions will not occur.
SureSelect LT BC2	Under normal conditions of storage and use, hazardous reactions will not occur.
SureSelect LT BC3	Under normal conditions of storage and use, hazardous reactions will not occur.
SureSelect LT BC4	Under normal conditions of storage and use, hazardous reactions will not occur.
SureSelect LT BC5	Under normal conditions of storage and use, hazardous reactions will not occur.
SureSelect LT BC6	Under normal conditions of storage and use, hazardous reactions will not occur.
SureSelect LT BC7	Under normal conditions of storage and use, hazardous reactions will not occur.
SureSelect LT BC8	Under normal conditions of storage and use, hazardous reactions will not occur.
SureSelect LT BC9	Under normal conditions of storage and use, hazardous reactions will not occur.
SureSelect LT BC10	Under normal conditions of storage and use, hazardous reactions will not occur.
SureSelect LT BC11	Under normal conditions of storage and use, hazardous reactions will not occur.
SureSelect LT BC12	Under normal conditions of storage and use, hazardous reactions will not occur.
SureSelect LT BC13	Under normal conditions of storage and use, hazardous reactions will not occur.
SureSelect LT BC14	Under normal conditions of storage and use, hazardous reactions will not occur.
SureSelect LT BC15	Under normal conditions of storage and use, hazardous reactions will not occur.
SureSelect LT BC16	Under normal conditions of storage and use, hazardous reactions will not occur.

**10.4 Conditions to avoid**

: SureSelect LTI5500 P1	No specific data.
SureSelect LTI5500 IA	No specific data.
SureSelect LTI Pre Capture Primer	No specific data.
SureSelect LT BC1	No specific data.
SureSelect LT BC2	No specific data.
SureSelect LT BC3	No specific data.
SureSelect LT BC4	No specific data.
SureSelect LT BC5	No specific data.
SureSelect LT BC6	No specific data.
SureSelect LT BC7	No specific data.
SureSelect LT BC8	No specific data.
SureSelect LT BC9	No specific data.
SureSelect LT BC10	No specific data.

**SECTION 10: Stability and reactivity**

SureSelect LT BC11	No specific data.
SureSelect LT BC12	No specific data.
SureSelect LT BC13	No specific data.
SureSelect LT BC14	No specific data.
SureSelect LT BC15	No specific data.
SureSelect LT BC16	No specific data.

**10.5 Incompatible materials**

: SureSelect LTI5500 P1	May react or be incompatible with oxidising materials.
SureSelect LTI5500 IA	May react or be incompatible with oxidising materials.
SureSelect LTI Pre Capture Primer	May react or be incompatible with oxidising materials.
SureSelect LT BC1	May react or be incompatible with oxidising materials.
SureSelect LT BC2	May react or be incompatible with oxidising materials.
SureSelect LT BC3	May react or be incompatible with oxidising materials.
SureSelect LT BC4	May react or be incompatible with oxidising materials.
SureSelect LT BC5	May react or be incompatible with oxidising materials.
SureSelect LT BC6	May react or be incompatible with oxidising materials.
SureSelect LT BC7	May react or be incompatible with oxidising materials.
SureSelect LT BC8	May react or be incompatible with oxidising materials.
SureSelect LT BC9	May react or be incompatible with oxidising materials.
SureSelect LT BC10	May react or be incompatible with oxidising materials.
SureSelect LT BC11	May react or be incompatible with oxidising materials.
SureSelect LT BC12	May react or be incompatible with oxidising materials.
SureSelect LT BC13	May react or be incompatible with oxidising materials.
SureSelect LT BC14	May react or be incompatible with oxidising materials.
SureSelect LT BC15	May react or be incompatible with oxidising materials.
SureSelect LT BC16	May react or be incompatible with oxidising materials.

**10.6 Hazardous decomposition products**

: SureSelect LTI5500 P1	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
SureSelect LTI5500 IA	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
SureSelect LTI Pre Capture Primer	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
SureSelect LT BC1	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
SureSelect LT BC2	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
SureSelect LT BC3	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
SureSelect LT BC4	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
SureSelect LT BC5	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
SureSelect LT BC6	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
SureSelect LT BC7	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
SureSelect LT BC8	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
SureSelect LT BC9	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
SureSelect LT BC10	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
SureSelect LT BC11	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
SureSelect LT BC12	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
SureSelect LT BC13	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
SureSelect LT BC14	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
SureSelect LT BC15	Under normal conditions of storage and use, hazardous decomposition products should not be produced.



## SECTION 10: Stability and reactivity

SureSelect LT BC16

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

Not available.

#### Acute toxicity estimates

Not available.

#### Irritation/Corrosion

**Conclusion/Summary** : Not available.

#### Sensitiser

**Conclusion/Summary** : Not available.

#### Specific target organ toxicity (single exposure)

Not available.

#### Specific target organ toxicity (repeated exposure)

Not available.

#### Aspiration hazard

Not available.

#### Information on likely routes of exposure

: SureSelect LTI5500 P1	Not available.
SureSelect LTI5500 IA	Not available.
SureSelect LTI Pre Capture Primer	Not available.
SureSelect LT BC1	Not available.
SureSelect LT BC2	Not available.
SureSelect LT BC3	Not available.
SureSelect LT BC4	Not available.
SureSelect LT BC5	Not available.
SureSelect LT BC6	Not available.
SureSelect LT BC7	Not available.
SureSelect LT BC8	Not available.
SureSelect LT BC9	Not available.
SureSelect LT BC10	Not available.
SureSelect LT BC11	Not available.
SureSelect LT BC12	Not available.
SureSelect LT BC13	Not available.
SureSelect LT BC14	Not available.
SureSelect LT BC15	Not available.
SureSelect LT BC16	Not available.

#### Potential acute health effects

##### Inhalation

: SureSelect LTI5500 P1	No known significant effects or critical hazards.
SureSelect LTI5500 IA	No known significant effects or critical hazards.
SureSelect LTI Pre Capture Primer	No known significant effects or critical hazards.
SureSelect LT BC1	No known significant effects or critical hazards.
SureSelect LT BC2	No known significant effects or critical hazards.
SureSelect LT BC3	No known significant effects or critical hazards.
SureSelect LT BC4	No known significant effects or critical hazards.
SureSelect LT BC5	No known significant effects or critical hazards.
SureSelect LT BC6	No known significant effects or critical hazards.
SureSelect LT BC7	No known significant effects or critical hazards.
SureSelect LT BC8	No known significant effects or critical hazards.
SureSelect LT BC9	No known significant effects or critical hazards.
SureSelect LT BC10	No known significant effects or critical hazards.
SureSelect LT BC11	No known significant effects or critical hazards.
SureSelect LT BC12	No known significant effects or critical hazards.



**SECTION 11: Toxicological information**Symptoms related to the physical, chemical and toxicological characteristics

<b>Inhalation</b>	:	SureSelect LTI5500 P1	No specific data.
		SureSelect LTI5500 IA	No specific data.
		SureSelect LTI Pre	No specific data.
		Capture Primer	
		SureSelect LT BC1	No specific data.
		SureSelect LT BC2	No specific data.
		SureSelect LT BC3	No specific data.
		SureSelect LT BC4	No specific data.
		SureSelect LT BC5	No specific data.
		SureSelect LT BC6	No specific data.
		SureSelect LT BC7	No specific data.
		SureSelect LT BC8	No specific data.
		SureSelect LT BC9	No specific data.
		SureSelect LT BC10	No specific data.
		SureSelect LT BC11	No specific data.
		SureSelect LT BC12	No specific data.
	SureSelect LT BC13	No specific data.	
	SureSelect LT BC14	No specific data.	
	SureSelect LT BC15	No specific data.	
	SureSelect LT BC16	No specific data.	
<b>Ingestion</b>	:	SureSelect LTI5500 P1	No specific data.
		SureSelect LTI5500 IA	No specific data.
		SureSelect LTI Pre	No specific data.
		Capture Primer	
		SureSelect LT BC1	No specific data.
		SureSelect LT BC2	No specific data.
		SureSelect LT BC3	No specific data.
		SureSelect LT BC4	No specific data.
		SureSelect LT BC5	No specific data.
		SureSelect LT BC6	No specific data.
		SureSelect LT BC7	No specific data.
		SureSelect LT BC8	No specific data.
		SureSelect LT BC9	No specific data.
		SureSelect LT BC10	No specific data.
		SureSelect LT BC11	No specific data.
		SureSelect LT BC12	No specific data.
	SureSelect LT BC13	No specific data.	
	SureSelect LT BC14	No specific data.	
	SureSelect LT BC15	No specific data.	
	SureSelect LT BC16	No specific data.	
<b>Skin contact</b>	:	SureSelect LTI5500 P1	No specific data.
		SureSelect LTI5500 IA	No specific data.
		SureSelect LTI Pre	No specific data.
		Capture Primer	
		SureSelect LT BC1	No specific data.
		SureSelect LT BC2	No specific data.
		SureSelect LT BC3	No specific data.
		SureSelect LT BC4	No specific data.
		SureSelect LT BC5	No specific data.
		SureSelect LT BC6	No specific data.
		SureSelect LT BC7	No specific data.
		SureSelect LT BC8	No specific data.
		SureSelect LT BC9	No specific data.
		SureSelect LT BC10	No specific data.
		SureSelect LT BC11	No specific data.
		SureSelect LT BC12	No specific data.
	SureSelect LT BC13	No specific data.	
	SureSelect LT BC14	No specific data.	
	SureSelect LT BC15	No specific data.	
	SureSelect LT BC16	No specific data.	

**SECTION 11: Toxicological information**

<b>Eye contact</b>	: SureSelect LTI5500 P1	No specific data.
	SureSelect LTI5500 IA	No specific data.
	SureSelect LTI Pre Capture Primer	No specific data.
	SureSelect LT BC1	No specific data.
	SureSelect LT BC2	No specific data.
	SureSelect LT BC3	No specific data.
	SureSelect LT BC4	No specific data.
	SureSelect LT BC5	No specific data.
	SureSelect LT BC6	No specific data.
	SureSelect LT BC7	No specific data.
	SureSelect LT BC8	No specific data.
	SureSelect LT BC9	No specific data.
	SureSelect LT BC10	No specific data.
	SureSelect LT BC11	No specific data.
	SureSelect LT BC12	No specific data.
	SureSelect LT BC13	No specific data.
	SureSelect LT BC14	No specific data.
	SureSelect LT BC15	No specific data.
	SureSelect LT BC16	No specific data.

**Delayed and immediate effects as well as chronic effects from short and long-term exposure****Short term exposure**

**Potential immediate effects** : Not available.

**Potential delayed effects** : Not available.

**Long term exposure**

**Potential immediate effects** : Not available.

**Potential delayed effects** : Not available.

**Potential chronic health effects**

<b>General</b>	: SureSelect LTI5500 P1	No known significant effects or critical hazards.
	SureSelect LTI5500 IA	No known significant effects or critical hazards.
	SureSelect LTI Pre Capture Primer	No known significant effects or critical hazards.
	SureSelect LT BC1	No known significant effects or critical hazards.
	SureSelect LT BC2	No known significant effects or critical hazards.
	SureSelect LT BC3	No known significant effects or critical hazards.
	SureSelect LT BC4	No known significant effects or critical hazards.
	SureSelect LT BC5	No known significant effects or critical hazards.
	SureSelect LT BC6	No known significant effects or critical hazards.
	SureSelect LT BC7	No known significant effects or critical hazards.
	SureSelect LT BC8	No known significant effects or critical hazards.
	SureSelect LT BC9	No known significant effects or critical hazards.
	SureSelect LT BC10	No known significant effects or critical hazards.
	SureSelect LT BC11	No known significant effects or critical hazards.
	SureSelect LT BC12	No known significant effects or critical hazards.
	SureSelect LT BC13	No known significant effects or critical hazards.
	SureSelect LT BC14	No known significant effects or critical hazards.
	SureSelect LT BC15	No known significant effects or critical hazards.
	SureSelect LT BC16	No known significant effects or critical hazards.
<b>Carcinogenicity</b>	: SureSelect LTI5500 P1	No known significant effects or critical hazards.
	SureSelect LTI5500 IA	No known significant effects or critical hazards.
	SureSelect LTI Pre Capture Primer	No known significant effects or critical hazards.
	SureSelect LT BC1	No known significant effects or critical hazards.
	SureSelect LT BC2	No known significant effects or critical hazards.
	SureSelect LT BC3	No known significant effects or critical hazards.
	SureSelect LT BC4	No known significant effects or critical hazards.
	SureSelect LT BC5	No known significant effects or critical hazards.

**SECTION 11: Toxicological information**

	SureSelect LT BC6	No known significant effects or critical hazards.
	SureSelect LT BC7	No known significant effects or critical hazards.
	SureSelect LT BC8	No known significant effects or critical hazards.
	SureSelect LT BC9	No known significant effects or critical hazards.
	SureSelect LT BC10	No known significant effects or critical hazards.
	SureSelect LT BC11	No known significant effects or critical hazards.
	SureSelect LT BC12	No known significant effects or critical hazards.
	SureSelect LT BC13	No known significant effects or critical hazards.
	SureSelect LT BC14	No known significant effects or critical hazards.
	SureSelect LT BC15	No known significant effects or critical hazards.
	SureSelect LT BC16	No known significant effects or critical hazards.
<b>Mutagenicity</b>	: SureSelect LTI5500 P1	No known significant effects or critical hazards.
	SureSelect LTI5500 IA	No known significant effects or critical hazards.
	SureSelect LTI Pre	No known significant effects or critical hazards.
	Capture Primer	
	SureSelect LT BC1	No known significant effects or critical hazards.
	SureSelect LT BC2	No known significant effects or critical hazards.
	SureSelect LT BC3	No known significant effects or critical hazards.
	SureSelect LT BC4	No known significant effects or critical hazards.
	SureSelect LT BC5	No known significant effects or critical hazards.
	SureSelect LT BC6	No known significant effects or critical hazards.
	SureSelect LT BC7	No known significant effects or critical hazards.
	SureSelect LT BC8	No known significant effects or critical hazards.
	SureSelect LT BC9	No known significant effects or critical hazards.
	SureSelect LT BC10	No known significant effects or critical hazards.
	SureSelect LT BC11	No known significant effects or critical hazards.
	SureSelect LT BC12	No known significant effects or critical hazards.
	SureSelect LT BC13	No known significant effects or critical hazards.
	SureSelect LT BC14	No known significant effects or critical hazards.
	SureSelect LT BC15	No known significant effects or critical hazards.
	SureSelect LT BC16	No known significant effects or critical hazards.
<b>Teratogenicity</b>	: SureSelect LTI5500 P1	No known significant effects or critical hazards.
	SureSelect LTI5500 IA	No known significant effects or critical hazards.
	SureSelect LTI Pre	No known significant effects or critical hazards.
	Capture Primer	
	SureSelect LT BC1	No known significant effects or critical hazards.
	SureSelect LT BC2	No known significant effects or critical hazards.
	SureSelect LT BC3	No known significant effects or critical hazards.
	SureSelect LT BC4	No known significant effects or critical hazards.
	SureSelect LT BC5	No known significant effects or critical hazards.
	SureSelect LT BC6	No known significant effects or critical hazards.
	SureSelect LT BC7	No known significant effects or critical hazards.
	SureSelect LT BC8	No known significant effects or critical hazards.
	SureSelect LT BC9	No known significant effects or critical hazards.
	SureSelect LT BC10	No known significant effects or critical hazards.
	SureSelect LT BC11	No known significant effects or critical hazards.
	SureSelect LT BC12	No known significant effects or critical hazards.
	SureSelect LT BC13	No known significant effects or critical hazards.
	SureSelect LT BC14	No known significant effects or critical hazards.
	SureSelect LT BC15	No known significant effects or critical hazards.
	SureSelect LT BC16	No known significant effects or critical hazards.
<b>Developmental effects</b>	: SureSelect LTI5500 P1	No known significant effects or critical hazards.
	SureSelect LTI5500 IA	No known significant effects or critical hazards.
	SureSelect LTI Pre	No known significant effects or critical hazards.
	Capture Primer	
	SureSelect LT BC1	No known significant effects or critical hazards.
	SureSelect LT BC2	No known significant effects or critical hazards.
	SureSelect LT BC3	No known significant effects or critical hazards.
	SureSelect LT BC4	No known significant effects or critical hazards.
	SureSelect LT BC5	No known significant effects or critical hazards.
	SureSelect LT BC6	No known significant effects or critical hazards.
	SureSelect LT BC7	No known significant effects or critical hazards.
	SureSelect LT BC8	No known significant effects or critical hazards.
	SureSelect LT BC9	No known significant effects or critical hazards.



## SECTION 11: Toxicological information

	SureSelect LT BC10	No known significant effects or critical hazards.
	SureSelect LT BC11	No known significant effects or critical hazards.
	SureSelect LT BC12	No known significant effects or critical hazards.
	SureSelect LT BC13	No known significant effects or critical hazards.
	SureSelect LT BC14	No known significant effects or critical hazards.
	SureSelect LT BC15	No known significant effects or critical hazards.
	SureSelect LT BC16	No known significant effects or critical hazards.
<b>Fertility effects</b>	: SureSelect LTI5500 P1	No known significant effects or critical hazards.
	SureSelect LTI5500 IA	No known significant effects or critical hazards.
	SureSelect LTI Pre Capture Primer	No known significant effects or critical hazards.
	SureSelect LT BC1	No known significant effects or critical hazards.
	SureSelect LT BC2	No known significant effects or critical hazards.
	SureSelect LT BC3	No known significant effects or critical hazards.
	SureSelect LT BC4	No known significant effects or critical hazards.
	SureSelect LT BC5	No known significant effects or critical hazards.
	SureSelect LT BC6	No known significant effects or critical hazards.
	SureSelect LT BC7	No known significant effects or critical hazards.
	SureSelect LT BC8	No known significant effects or critical hazards.
	SureSelect LT BC9	No known significant effects or critical hazards.
	SureSelect LT BC10	No known significant effects or critical hazards.
	SureSelect LT BC11	No known significant effects or critical hazards.
	SureSelect LT BC12	No known significant effects or critical hazards.
	SureSelect LT BC13	No known significant effects or critical hazards.
	SureSelect LT BC14	No known significant effects or critical hazards.
	SureSelect LT BC15	No known significant effects or critical hazards.
	SureSelect LT BC16	No known significant effects or critical hazards.

## SECTION 12: Ecological information

### 12.1 Toxicity

**Conclusion/Summary** : Not available.

### 12.2 Persistence and degradability

Not available.

### 12.3 Bioaccumulative potential

Not available.

### 12.4 Mobility in soil

**Soil/water partition coefficient ( $K_{oc}$ )** : Not available.

**Mobility** : Not available.

### 12.5 Results of PBT and vPvB assessment

**PBT** : Not applicable.

**vPvB** : Not applicable.

**12.6 Other adverse effects** : No known significant effects or critical hazards.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### Product

**Methods of disposal** : The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

**Hazardous waste** : Within the present knowledge of the supplier, this product is not regarded as hazardous waste, as defined by EU Directive 2008/98/EC.

#### Packaging

**Methods of disposal** : The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

**Special precautions** : This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

## SECTION 14: Transport information

### Regulatory information

**ADR/RID / IMDG / IATA** : Not regulated.

**14.6 Special precautions for user** : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

**14.7 Transport in bulk according to Annex II of Marpol and the IBC Code** : Not available.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU Regulation (EC) No. 1907/2006 (REACH)

##### Annex XIV - List of substances subject to authorisation

##### Annex XIV

None of the components are listed.

##### Substances of very high concern

None of the components are listed.

<b>Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles</b>	<b>SureSelect LTI5500 P1</b>	Not applicable.
	<b>SureSelect LTI5500 IA</b>	Not applicable.
	<b>SureSelect LTI Pre Capture Primer</b>	Not applicable.
	<b>SureSelect LT BC1</b>	Not applicable.
	<b>SureSelect LT BC2</b>	Not applicable.
	<b>SureSelect LT BC3</b>	Not applicable.
	<b>SureSelect LT BC4</b>	Not applicable.
	<b>SureSelect LT BC5</b>	Not applicable.
	<b>SureSelect LT BC6</b>	Not applicable.
	<b>SureSelect LT BC7</b>	Not applicable.
	<b>SureSelect LT BC8</b>	Not applicable.
	<b>SureSelect LT BC9</b>	Not applicable.
	<b>SureSelect LT BC10</b>	Not applicable.
	<b>SureSelect LT BC11</b>	Not applicable.
	<b>SureSelect LT BC12</b>	Not applicable.
<b>SureSelect LT BC13</b>	Not applicable.	
<b>SureSelect LT BC14</b>	Not applicable.	
<b>SureSelect LT BC15</b>	Not applicable.	

**SECTION 15: Regulatory information**

SureSelect LT BC16

Not applicable.

**Other EU regulations****Europe inventory** : All components are listed or exempted.**Ozone depleting substances (1005/2009/EU)**

Not listed.

**Prior Informed Consent (PIC) (649/2012/EU)**

Not listed.

**Seveso Directive**

This product is not controlled under the Seveso Directive.

**International regulations****Chemical Weapon Convention List Schedules I, II & III Chemicals**

Not listed.

**Montreal Protocol (Annexes A, B, C, E)**

Not listed.

**Stockholm Convention on Persistent Organic Pollutants**

Not listed.

**Rotterdam Convention on Prior Informed Consent (PIC)**

Not listed.

**UNECE Aarhus Protocol on POPs and Heavy Metals**

Not listed.

**International lists****National inventory**

- Australia** : All components are listed or exempted.  
**Canada** : All components are listed or exempted.  
**China** : All components are listed or exempted.  
**Japan** : **Japan inventory (ENCS)**: All components are listed or exempted.  
**Japan inventory (ISHL)**: All components are listed or exempted.  
**Malaysia** : Not determined.  
**New Zealand** : All components are listed or exempted.  
**Philippines** : All components are listed or exempted.  
**Republic of Korea** : Not determined.  
**Taiwan** : All components are listed or exempted.  
**Turkey** : Not determined.  
**United States** : All components are listed or exempted.

**15.2 Chemical safety assessment** : This product contains substances for which Chemical Safety Assessments might still be required.**SECTION 16: Other information**

✔ Indicates information that has changed from previously issued version.

**Abbreviations and acronyms** : ATE = Acute Toxicity Estimate  
 CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]  
 DNEL = Derived No Effect Level  
 EUH statement = CLP-specific Hazard statement  
 PNEC = Predicted No Effect Concentration  
 RRN = REACH Registration Number

**Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]****Date of issue/Date of revision** : 29/08/2016**49/50**

**SECTION 16: Other information**

Classification	Justification
Not classified.	

Full text of abbreviated H statements

Not applicable.

Full text of classifications [CLP/GHS]

Not applicable.

**Date of issue/ Date of revision** : 29/08/2016

**Date of previous issue** : No previous validation.

**Version** : 1

Notice to reader

Disclaimer: The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.