

SAFETY DATA SHEET



SureSelect S5500 Indexing Construction Kit - 1 x 16 Reactions, Part Number 5190-5455

Section 1. Identification

1.1 Product identifier

Product name	: SureSelect S5500 Indexing Construction Kit - 1 x 16 Reactions, Part Number 5190-5455
Part No. (Chemical Kit)	: 5190-5455
Part No.	: SureSelect LTI5500 P1 5190-5458
	SureSelect LTI5500 IA 5190-5459
	SureSelect LTI Pre Capture Primer 5190-5460
	SureSelect LT BC1 5972-3659
	SureSelect LT BC2 5972-3660
	SureSelect LT BC3 5972-3661
	SureSelect LT BC4 5972-3662
	SureSelect LT BC5 5972-3663
	SureSelect LT BC6 5972-3664
	SureSelect LT BC7 5972-3665
	SureSelect LT BC8 5972-3666
	SureSelect LT BC9 5972-3667
	SureSelect LT BC10 5972-3668
	SureSelect LT BC11 5972-3669
	SureSelect LT BC12 5972-3670
	SureSelect LT BC13 5972-3671
	SureSelect LT BC14 5972-3672
	SureSelect LT BC15 5972-3673
	SureSelect LT BC16 5972-3674

Validation date : 08/29/2016

1.2 Relevant identified uses of the substance or mixture and uses advised against

Material uses	: Analytical reagent.
	☑ SureSelect LTI5500 P1 0.083 ml
	SureSelect LTI5500 IA 0.083 ml
	SureSelect LTI Pre Capture Primer 0.071 ml
	SureSelect LT BC1 0.005 ml
	SureSelect LT BC2 0.005 ml
	SureSelect LT BC3 0.005 ml
	SureSelect LT BC4 0.005 ml
	SureSelect LT BC5 0.005 ml
	SureSelect LT BC6 0.005 ml
	SureSelect LT BC7 0.005 ml
	SureSelect LT BC8 0.005 ml
	SureSelect LT BC9 0.005 ml
	SureSelect LT BC10 0.005 ml
	SureSelect LT BC11 0.005 ml
	SureSelect LT BC12 0.005 ml
	SureSelect LT BC13 0.005 ml
	SureSelect LT BC14 0.005 ml
	SureSelect LT BC15 0.005 ml
	SureSelect LT BC16 0.005 ml

1.3 Details of the supplier of the safety data sheet

Supplier/Manufacturer : Agilent Technologies, Inc.
 5301 Stevens Creek Blvd
 Santa Clara, CA 95051, USA
 800-227-9770

Section 1. Identification

1.4 Emergency telephone number

In case of emergency : CHEMTREC®: 1-800-424-9300

Section 2. Hazards identification

2.1 Classification of the substance or mixture

<p>OSHA/HCS status : SureSelect LTI5500 P1</p>	<p>While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.</p>
<p>SureSelect LTI5500 IA</p>	<p>While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.</p>
<p>SureSelect LTI Pre Capture Primer</p>	<p>While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.</p>
<p>SureSelect LT BC1</p>	<p>While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.</p>
<p>SureSelect LT BC2</p>	<p>While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.</p>
<p>SureSelect LT BC3</p>	<p>While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.</p>
<p>SureSelect LT BC4</p>	<p>While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.</p>
<p>SureSelect LT BC5</p>	<p>While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.</p>
<p>SureSelect LT BC6</p>	<p>While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to</p>

Section 2. Hazards identification

	the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
SureSelect LT BC7	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
SureSelect LT BC8	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
SureSelect LT BC9	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
SureSelect LT BC10	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
SureSelect LT BC11	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
SureSelect LT BC12	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
SureSelect LT BC13	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
SureSelect LT BC14	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
SureSelect LT BC15	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
SureSelect LT BC16	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.

Section 2. Hazards identification

1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.

Classification of the substance or mixture

Not classified.

2.2 GHS label elements

Signal word

☑ SureSelect LTI5500 P1	No signal word.
SureSelect LTI5500 IA	No signal word.
SureSelect LTI Pre Capture Primer	No signal word.
SureSelect LT BC1	No signal word.
SureSelect LT BC2	No signal word.
SureSelect LT BC3	No signal word.
SureSelect LT BC4	No signal word.
SureSelect LT BC5	No signal word.
SureSelect LT BC6	No signal word.
SureSelect LT BC7	No signal word.
SureSelect LT BC8	No signal word.
SureSelect LT BC9	No signal word.
SureSelect LT BC10	No signal word.
SureSelect LT BC11	No signal word.
SureSelect LT BC12	No signal word.
SureSelect LT BC13	No signal word.
SureSelect LT BC14	No signal word.
SureSelect LT BC15	No signal word.
SureSelect LT BC16	No signal word.

Hazard statements

☑ SureSelect LTI5500 P1	No known significant effects or critical hazards.
SureSelect LTI5500 IA	No known significant effects or critical hazards.
SureSelect LTI Pre Capture Primer	No known significant effects or critical hazards.
SureSelect LT BC1	No known significant effects or critical hazards.
SureSelect LT BC2	No known significant effects or critical hazards.
SureSelect LT BC3	No known significant effects or critical hazards.
SureSelect LT BC4	No known significant effects or critical hazards.
SureSelect LT BC5	No known significant effects or critical hazards.
SureSelect LT BC6	No known significant effects or critical hazards.
SureSelect LT BC7	No known significant effects or critical hazards.
SureSelect LT BC8	No known significant effects or critical hazards.
SureSelect LT BC9	No known significant effects or critical hazards.
SureSelect LT BC10	No known significant effects or critical hazards.
SureSelect LT BC11	No known significant effects or critical hazards.
SureSelect LT BC12	No known significant effects or critical hazards.
SureSelect LT BC13	No known significant effects or critical hazards.
SureSelect LT BC14	No known significant effects or critical hazards.
SureSelect LT BC15	No known significant effects or critical hazards.
SureSelect LT BC16	No known significant effects or critical hazards.

Precautionary statements

Prevention

☑ SureSelect LTI5500 P1	Not applicable.
SureSelect LTI5500 IA	Not applicable.
SureSelect LTI Pre Capture Primer	Not applicable.
SureSelect LT BC1	Not applicable.
SureSelect LT BC2	Not applicable.
SureSelect LT BC3	Not applicable.
SureSelect LT BC4	Not applicable.
SureSelect LT BC5	Not applicable.
SureSelect LT BC6	Not applicable.

Section 2. Hazards identification

	SureSelect LT BC7	Not applicable.
	SureSelect LT BC8	Not applicable.
	SureSelect LT BC9	Not applicable.
	SureSelect LT BC10	Not applicable.
	SureSelect LT BC11	Not applicable.
	SureSelect LT BC12	Not applicable.
	SureSelect LT BC13	Not applicable.
	SureSelect LT BC14	Not applicable.
	SureSelect LT BC15	Not applicable.
	SureSelect LT BC16	Not applicable.
Response	<input checked="" type="checkbox"/> SureSelect LTI5500 P1	Not applicable.
	SureSelect LTI5500 IA	Not applicable.
	SureSelect LTI Pre Capture Primer	Not applicable.
	SureSelect LT BC1	Not applicable.
	SureSelect LT BC2	Not applicable.
	SureSelect LT BC3	Not applicable.
	SureSelect LT BC4	Not applicable.
	SureSelect LT BC5	Not applicable.
	SureSelect LT BC6	Not applicable.
	SureSelect LT BC7	Not applicable.
	SureSelect LT BC8	Not applicable.
	SureSelect LT BC9	Not applicable.
	SureSelect LT BC10	Not applicable.
	SureSelect LT BC11	Not applicable.
	SureSelect LT BC12	Not applicable.
	SureSelect LT BC13	Not applicable.
	SureSelect LT BC14	Not applicable.
	SureSelect LT BC15	Not applicable.
	SureSelect LT BC16	Not applicable.
Storage	<input checked="" type="checkbox"/> SureSelect LTI5500 P1	Not applicable.
	SureSelect LTI5500 IA	Not applicable.
	SureSelect LTI Pre Capture Primer	Not applicable.
	SureSelect LT BC1	Not applicable.
	SureSelect LT BC2	Not applicable.
	SureSelect LT BC3	Not applicable.
	SureSelect LT BC4	Not applicable.
	SureSelect LT BC5	Not applicable.
	SureSelect LT BC6	Not applicable.
	SureSelect LT BC7	Not applicable.
	SureSelect LT BC8	Not applicable.
	SureSelect LT BC9	Not applicable.
	SureSelect LT BC10	Not applicable.
	SureSelect LT BC11	Not applicable.
	SureSelect LT BC12	Not applicable.
	SureSelect LT BC13	Not applicable.
	SureSelect LT BC14	Not applicable.
	SureSelect LT BC15	Not applicable.
	SureSelect LT BC16	Not applicable.
Disposal	<input checked="" type="checkbox"/> SureSelect LTI5500 P1	Not applicable.
	SureSelect LTI5500 IA	Not applicable.
	SureSelect LTI Pre Capture Primer	Not applicable.
	SureSelect LT BC1	Not applicable.
	SureSelect LT BC2	Not applicable.
	SureSelect LT BC3	Not applicable.
	SureSelect LT BC4	Not applicable.
	SureSelect LT BC5	Not applicable.
	SureSelect LT BC6	Not applicable.
	SureSelect LT BC7	Not applicable.

Section 2. Hazards identification

Supplemental label elements

SureSelect LT BC8	Not applicable.
SureSelect LT BC9	Not applicable.
SureSelect LT BC10	Not applicable.
SureSelect LT BC11	Not applicable.
SureSelect LT BC12	Not applicable.
SureSelect LT BC13	Not applicable.
SureSelect LT BC14	Not applicable.
SureSelect LT BC15	Not applicable.
SureSelect LT BC16	Not applicable.
<input checked="" type="checkbox"/> SureSelect LTI5500 P1	None known.
SureSelect LTI5500 IA	None known.
SureSelect LTI Pre Capture Primer	None known.
SureSelect LT BC1	None known.
SureSelect LT BC2	None known.
SureSelect LT BC3	None known.
SureSelect LT BC4	None known.
SureSelect LT BC5	None known.
SureSelect LT BC6	None known.
SureSelect LT BC7	None known.
SureSelect LT BC8	None known.
SureSelect LT BC9	None known.
SureSelect LT BC10	None known.
SureSelect LT BC11	None known.
SureSelect LT BC12	None known.
SureSelect LT BC13	None known.
SureSelect LT BC14	None known.
SureSelect LT BC15	None known.
SureSelect LT BC16	None known.

2.3 Other hazards

Hazards not otherwise classified

<input checked="" type="checkbox"/> SureSelect LTI5500 P1	None known.
SureSelect LTI5500 IA	None known.
SureSelect LTI Pre Capture Primer	None known.
SureSelect LT BC1	None known.
SureSelect LT BC2	None known.
SureSelect LT BC3	None known.
SureSelect LT BC4	None known.
SureSelect LT BC5	None known.
SureSelect LT BC6	None known.
SureSelect LT BC7	None known.
SureSelect LT BC8	None known.
SureSelect LT BC9	None known.
SureSelect LT BC10	None known.
SureSelect LT BC11	None known.
SureSelect LT BC12	None known.
SureSelect LT BC13	None known.
SureSelect LT BC14	None known.
SureSelect LT BC15	None known.
SureSelect LT BC16	None known.

Section 3. Composition/information on ingredients

Substance/mixture

<input checked="" type="checkbox"/> SureSelect LTI5500 P1	Mixture
SureSelect LTI5500 IA	Mixture
SureSelect LTI Pre Capture Primer	Mixture
SureSelect LT BC1	Mixture
SureSelect LT BC2	Mixture
SureSelect LT BC3	Mixture
SureSelect LT BC4	Mixture
SureSelect LT BC5	Mixture

Section 3. Composition/information on ingredients

SureSelect LT BC6	Mixture
SureSelect LT BC7	Mixture
SureSelect LT BC8	Mixture
SureSelect LT BC9	Mixture
SureSelect LT BC10	Mixture
SureSelect LT BC11	Mixture
SureSelect LT BC12	Mixture
SureSelect LT BC13	Mixture
SureSelect LT BC14	Mixture
SureSelect LT BC15	Mixture
SureSelect LT BC16	Mixture

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

4.1 Description of necessary first aid measures

Eye contact	: SureSelect LTI5500 P1	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SureSelect LTI5500 IA	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SureSelect LTI Pre Capture Primer	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SureSelect LT BC1	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SureSelect LT BC2	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SureSelect LT BC3	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SureSelect LT BC4	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SureSelect LT BC5	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SureSelect LT BC6	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SureSelect LT BC7	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids.

Section 4. First aid measures

Check for and remove any contact lenses. Get medical attention if irritation occurs.

SureSelect LT BC8

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.

SureSelect LT BC9

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.

SureSelect LT BC10

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.

SureSelect LT BC11

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.

SureSelect LT BC12

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.

SureSelect LT BC13

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.

SureSelect LT BC14

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.

SureSelect LT BC15

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.

SureSelect LT BC16

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.

Inhalation

: SureSelect LTI5500 P1

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.

SureSelect LTI5500 IA

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.

SureSelect LTI Pre Capture Primer

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.

SureSelect LT BC1

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.

SureSelect LT BC2

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.

SureSelect LT BC3

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.

SureSelect LT BC4

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.

Section 4. First aid measures

SureSelect LT BC5	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
SureSelect LT BC6	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
SureSelect LT BC7	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
SureSelect LT BC8	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
SureSelect LT BC9	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
SureSelect LT BC10	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
SureSelect LT BC11	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
SureSelect LT BC12	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
SureSelect LT BC13	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
SureSelect LT BC14	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
SureSelect LT BC15	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
SureSelect LT BC16	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Skin contact	
: SureSelect LTI5500 P1	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
SureSelect LTI5500 IA	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
SureSelect LTI Pre Capture Primer	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
SureSelect LT BC1	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
SureSelect LT BC2	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
SureSelect LT BC3	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
SureSelect LT BC4	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
SureSelect LT BC5	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get

Section 4. First aid measures

SureSelect LT BC6	medical attention if symptoms occur. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
SureSelect LT BC7	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
SureSelect LT BC8	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
SureSelect LT BC9	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
SureSelect LT BC10	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
SureSelect LT BC11	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
SureSelect LT BC12	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
SureSelect LT BC13	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
SureSelect LT BC14	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
SureSelect LT BC15	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
SureSelect LT BC16	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion : SureSelect LTI5500 P1	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect LTI5500 IA	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect LTI Pre Capture Primer	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect LT BC1	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small

Section 4. First aid measures

SureSelect LT BC2	quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur. Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect LT BC3	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect LT BC4	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect LT BC5	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect LT BC6	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect LT BC7	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect LT BC8	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect LT BC9	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Section 4. First aid measures

SureSelect LT BC10	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect LT BC11	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect LT BC12	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect LT BC13	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect LT BC14	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect LT BC15	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect LT BC16	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

4.2 Most important symptoms/effects, acute and delayed Potential acute health effects

Section 4. First aid measures

Ingestion	: SureSelect LTI5500 P1	No known significant effects or critical hazards.
	SureSelect LTI5500 IA	No known significant effects or critical hazards.
	SureSelect LTI Pre Capture Primer	No known significant effects or critical hazards.
	SureSelect LT BC1	No known significant effects or critical hazards.
	SureSelect LT BC2	No known significant effects or critical hazards.
	SureSelect LT BC3	No known significant effects or critical hazards.
	SureSelect LT BC4	No known significant effects or critical hazards.
	SureSelect LT BC5	No known significant effects or critical hazards.
	SureSelect LT BC6	No known significant effects or critical hazards.
	SureSelect LT BC7	No known significant effects or critical hazards.
	SureSelect LT BC8	No known significant effects or critical hazards.
	SureSelect LT BC9	No known significant effects or critical hazards.
	SureSelect LT BC10	No known significant effects or critical hazards.
	SureSelect LT BC11	No known significant effects or critical hazards.
	SureSelect LT BC12	No known significant effects or critical hazards.
	SureSelect LT BC13	No known significant effects or critical hazards.
SureSelect LT BC14	No known significant effects or critical hazards.	
SureSelect LT BC15	No known significant effects or critical hazards.	
SureSelect LT BC16	No known significant effects or critical hazards.	

Over-exposure signs/symptoms

Eye contact	: SureSelect LTI5500 P1	No specific data.
	SureSelect LTI5500 IA	No specific data.
	SureSelect LTI Pre Capture Primer	No specific data.
	SureSelect LT BC1	No specific data.
	SureSelect LT BC2	No specific data.
	SureSelect LT BC3	No specific data.
	SureSelect LT BC4	No specific data.
	SureSelect LT BC5	No specific data.
	SureSelect LT BC6	No specific data.
	SureSelect LT BC7	No specific data.
	SureSelect LT BC8	No specific data.
	SureSelect LT BC9	No specific data.
	SureSelect LT BC10	No specific data.
	SureSelect LT BC11	No specific data.
	SureSelect LT BC12	No specific data.
	SureSelect LT BC13	No specific data.
SureSelect LT BC14	No specific data.	
SureSelect LT BC15	No specific data.	
SureSelect LT BC16	No specific data.	

Inhalation	: SureSelect LTI5500 P1	No specific data.
	SureSelect LTI5500 IA	No specific data.
	SureSelect LTI Pre Capture Primer	No specific data.
	SureSelect LT BC1	No specific data.
	SureSelect LT BC2	No specific data.
	SureSelect LT BC3	No specific data.
	SureSelect LT BC4	No specific data.
	SureSelect LT BC5	No specific data.
	SureSelect LT BC6	No specific data.
	SureSelect LT BC7	No specific data.
	SureSelect LT BC8	No specific data.
	SureSelect LT BC9	No specific data.
	SureSelect LT BC10	No specific data.
	SureSelect LT BC11	No specific data.
	SureSelect LT BC12	No specific data.
	SureSelect LT BC13	No specific data.
SureSelect LT BC14	No specific data.	
SureSelect LT BC15	No specific data.	
SureSelect LT BC16	No specific data.	

Section 4. First aid measures

Skin contact	:	☑ SureSelect LTI5500 P1	No specific data.
		SureSelect LTI5500 IA	No specific data.
		SureSelect LTI Pre Capture Primer	No specific data.
		SureSelect LT BC1	No specific data.
		SureSelect LT BC2	No specific data.
		SureSelect LT BC3	No specific data.
		SureSelect LT BC4	No specific data.
		SureSelect LT BC5	No specific data.
		SureSelect LT BC6	No specific data.
		SureSelect LT BC7	No specific data.
		SureSelect LT BC8	No specific data.
		SureSelect LT BC9	No specific data.
		SureSelect LT BC10	No specific data.
		SureSelect LT BC11	No specific data.
		SureSelect LT BC12	No specific data.
		SureSelect LT BC13	No specific data.

Ingestion	:	☑ SureSelect LTI5500 P1	No specific data.
		SureSelect LTI5500 IA	No specific data.
		SureSelect LTI Pre Capture Primer	No specific data.
		SureSelect LT BC1	No specific data.
		SureSelect LT BC2	No specific data.
		SureSelect LT BC3	No specific data.
		SureSelect LT BC4	No specific data.
		SureSelect LT BC5	No specific data.
		SureSelect LT BC6	No specific data.
		SureSelect LT BC7	No specific data.
		SureSelect LT BC8	No specific data.
		SureSelect LT BC9	No specific data.
		SureSelect LT BC10	No specific data.
		SureSelect LT BC11	No specific data.
		SureSelect LT BC12	No specific data.
		SureSelect LT BC13	No specific data.
	SureSelect LT BC14	No specific data.	
	SureSelect LT BC15	No specific data.	
	SureSelect LT BC16	No specific data.	

4.3 Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician	:	☑ SureSelect LTI5500 P1	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
		SureSelect LTI5500 IA	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
		SureSelect LTI Pre Capture Primer	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
		SureSelect LT BC1	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
		SureSelect LT BC2	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
		SureSelect LT BC3	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

Section 4. First aid measures

SureSelect LT BC4	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
SureSelect LT BC5	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
SureSelect LT BC6	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
SureSelect LT BC7	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
SureSelect LT BC8	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
SureSelect LT BC9	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
SureSelect LT BC10	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
SureSelect LT BC11	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
SureSelect LT BC12	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
SureSelect LT BC13	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
SureSelect LT BC14	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
SureSelect LT BC15	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
SureSelect LT BC16	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

Specific treatments

☒ SureSelect LTI5500 P1	No specific treatment.
SureSelect LTI5500 IA	No specific treatment.
SureSelect LTI Pre Capture Primer	No specific treatment.
SureSelect LT BC1	No specific treatment.
SureSelect LT BC2	No specific treatment.
SureSelect LT BC3	No specific treatment.
SureSelect LT BC4	No specific treatment.
SureSelect LT BC5	No specific treatment.
SureSelect LT BC6	No specific treatment.
SureSelect LT BC7	No specific treatment.
SureSelect LT BC8	No specific treatment.
SureSelect LT BC9	No specific treatment.
SureSelect LT BC10	No specific treatment.
SureSelect LT BC11	No specific treatment.
SureSelect LT BC12	No specific treatment.
SureSelect LT BC13	No specific treatment.
SureSelect LT BC14	No specific treatment.
SureSelect LT BC15	No specific treatment.
SureSelect LT BC16	No specific treatment.

Section 4. First aid measures

Protection of first-aiders	: SureSelect LTI5500 P1	No action shall be taken involving any personal risk or without suitable training.
	SureSelect LTI5500 IA	No action shall be taken involving any personal risk or without suitable training.
	SureSelect LTI Pre Capture Primer	No action shall be taken involving any personal risk or without suitable training.
	SureSelect LT BC1	No action shall be taken involving any personal risk or without suitable training.
	SureSelect LT BC2	No action shall be taken involving any personal risk or without suitable training.
	SureSelect LT BC3	No action shall be taken involving any personal risk or without suitable training.
	SureSelect LT BC4	No action shall be taken involving any personal risk or without suitable training.
	SureSelect LT BC5	No action shall be taken involving any personal risk or without suitable training.
	SureSelect LT BC6	No action shall be taken involving any personal risk or without suitable training.
	SureSelect LT BC7	No action shall be taken involving any personal risk or without suitable training.
	SureSelect LT BC8	No action shall be taken involving any personal risk or without suitable training.
	SureSelect LT BC9	No action shall be taken involving any personal risk or without suitable training.
	SureSelect LT BC10	No action shall be taken involving any personal risk or without suitable training.
	SureSelect LT BC11	No action shall be taken involving any personal risk or without suitable training.
	SureSelect LT BC12	No action shall be taken involving any personal risk or without suitable training.
	SureSelect LT BC13	No action shall be taken involving any personal risk or without suitable training.
	SureSelect LT BC14	No action shall be taken involving any personal risk or without suitable training.
	SureSelect LT BC15	No action shall be taken involving any personal risk or without suitable training.
	SureSelect LT BC16	No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media	: SureSelect LTI5500 P1	Use an extinguishing agent suitable for the surrounding fire.
	SureSelect LTI5500 IA	Use an extinguishing agent suitable for the surrounding fire.
	SureSelect LTI Pre Capture Primer	Use an extinguishing agent suitable for the surrounding fire.
	SureSelect LT BC1	Use an extinguishing agent suitable for the surrounding fire.
	SureSelect LT BC2	Use an extinguishing agent suitable for the surrounding fire.
	SureSelect LT BC3	Use an extinguishing agent suitable for the surrounding fire.
	SureSelect LT BC4	Use an extinguishing agent suitable for the surrounding fire.
	SureSelect LT BC5	Use an extinguishing agent suitable for the surrounding fire.

Section 5. Fire-fighting measures

	SureSelect LT BC6	surrounding fire. Use an extinguishing agent suitable for the surrounding fire.
	SureSelect LT BC7	Use an extinguishing agent suitable for the surrounding fire.
	SureSelect LT BC8	Use an extinguishing agent suitable for the surrounding fire.
	SureSelect LT BC9	Use an extinguishing agent suitable for the surrounding fire.
	SureSelect LT BC10	Use an extinguishing agent suitable for the surrounding fire.
	SureSelect LT BC11	Use an extinguishing agent suitable for the surrounding fire.
	SureSelect LT BC12	Use an extinguishing agent suitable for the surrounding fire.
	SureSelect LT BC13	Use an extinguishing agent suitable for the surrounding fire.
	SureSelect LT BC14	Use an extinguishing agent suitable for the surrounding fire.
	SureSelect LT BC15	Use an extinguishing agent suitable for the surrounding fire.
	SureSelect LT BC16	Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: SureSelect LTI5500 P1	None known.
	SureSelect LTI5500 IA	None known.
	SureSelect LTI Pre Capture Primer	None known.
	SureSelect LT BC1	None known.
	SureSelect LT BC2	None known.
	SureSelect LT BC3	None known.
	SureSelect LT BC4	None known.
	SureSelect LT BC5	None known.
	SureSelect LT BC6	None known.
	SureSelect LT BC7	None known.
	SureSelect LT BC8	None known.
	SureSelect LT BC9	None known.
	SureSelect LT BC10	None known.
	SureSelect LT BC11	None known.
	SureSelect LT BC12	None known.
	SureSelect LT BC13	None known.
	SureSelect LT BC14	None known.
	SureSelect LT BC15	None known.
	SureSelect LT BC16	None known.

5.2 Special hazards arising from the substance or mixture

Specific hazards arising from the chemical	: SureSelect LTI5500 P1	In a fire or if heated, a pressure increase will occur and the container may burst.
	SureSelect LTI5500 IA	In a fire or if heated, a pressure increase will occur and the container may burst.
	SureSelect LTI Pre Capture Primer	In a fire or if heated, a pressure increase will occur and the container may burst.
	SureSelect LT BC1	In a fire or if heated, a pressure increase will occur and the container may burst.
	SureSelect LT BC2	In a fire or if heated, a pressure increase will occur and the container may burst.
	SureSelect LT BC3	In a fire or if heated, a pressure increase will occur and the container may burst.
	SureSelect LT BC4	In a fire or if heated, a pressure increase will occur and the container may burst.

Section 5. Fire-fighting measures

	SureSelect LT BC5	In a fire or if heated, a pressure increase will occur and the container may burst.
	SureSelect LT BC6	In a fire or if heated, a pressure increase will occur and the container may burst.
	SureSelect LT BC7	In a fire or if heated, a pressure increase will occur and the container may burst.
	SureSelect LT BC8	In a fire or if heated, a pressure increase will occur and the container may burst.
	SureSelect LT BC9	In a fire or if heated, a pressure increase will occur and the container may burst.
	SureSelect LT BC10	In a fire or if heated, a pressure increase will occur and the container may burst.
	SureSelect LT BC11	In a fire or if heated, a pressure increase will occur and the container may burst.
	SureSelect LT BC12	In a fire or if heated, a pressure increase will occur and the container may burst.
	SureSelect LT BC13	In a fire or if heated, a pressure increase will occur and the container may burst.
	SureSelect LT BC14	In a fire or if heated, a pressure increase will occur and the container may burst.
	SureSelect LT BC15	In a fire or if heated, a pressure increase will occur and the container may burst.
	SureSelect LT BC16	In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous thermal decomposition products	: SureSelect LTI5500 P1	No specific data.
	SureSelect LTI5500 IA	No specific data.
	SureSelect LTI Pre Capture Primer	No specific data.
	SureSelect LT BC1	No specific data.
	SureSelect LT BC2	No specific data.
	SureSelect LT BC3	No specific data.
	SureSelect LT BC4	No specific data.
	SureSelect LT BC5	No specific data.
	SureSelect LT BC6	No specific data.
	SureSelect LT BC7	No specific data.
	SureSelect LT BC8	No specific data.
	SureSelect LT BC9	No specific data.
	SureSelect LT BC10	No specific data.
	SureSelect LT BC11	No specific data.
	SureSelect LT BC12	No specific data.
	SureSelect LT BC13	No specific data.
	SureSelect LT BC14	No specific data.
	SureSelect LT BC15	No specific data.
	SureSelect LT BC16	No specific data.

5.3 Advice for firefighters

Special protective actions for fire-fighters

	: SureSelect LTI5500 P1	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	SureSelect LTI5500 IA	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	SureSelect LTI Pre Capture Primer	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	SureSelect LT BC1	Promptly isolate the scene by removing all persons

Section 5. Fire-fighting measures

	from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
SureSelect LT BC2	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
SureSelect LT BC3	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
SureSelect LT BC4	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
SureSelect LT BC5	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
SureSelect LT BC6	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
SureSelect LT BC7	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
SureSelect LT BC8	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
SureSelect LT BC9	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
SureSelect LT BC10	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
SureSelect LT BC11	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
SureSelect LT BC12	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
SureSelect LT BC13	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
SureSelect LT BC14	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
SureSelect LT BC15	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Section 5. Fire-fighting measures

Special protective equipment for fire-fighters

SureSelect LT BC16	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters : SureSelect LTI5500 P1	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
SureSelect LTI5500 IA	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
SureSelect LTI Pre Capture Primer	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
SureSelect LT BC1	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
SureSelect LT BC2	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
SureSelect LT BC3	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
SureSelect LT BC4	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
SureSelect LT BC5	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
SureSelect LT BC6	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
SureSelect LT BC7	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
SureSelect LT BC8	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
SureSelect LT BC9	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
SureSelect LT BC10	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
SureSelect LT BC11	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive

Section 5. Fire-fighting measures

SureSelect LT BC12	pressure mode. Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
SureSelect LT BC13	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
SureSelect LT BC14	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
SureSelect LT BC15	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
SureSelect LT BC16	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: SureSelect LTI5500 P1

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.

SureSelect LTI5500 IA

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.

SureSelect LTI Pre Capture Primer

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.

SureSelect LT BC1

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.

SureSelect LT BC2

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.

SureSelect LT BC3

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not

Section 6. Accidental release measures

SureSelect LT BC4	touch or walk through spilled material. Put on appropriate personal protective equipment. No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
SureSelect LT BC5	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
SureSelect LT BC6	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
SureSelect LT BC7	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
SureSelect LT BC8	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
SureSelect LT BC9	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
SureSelect LT BC10	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
SureSelect LT BC11	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
SureSelect LT BC12	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
SureSelect LT BC13	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and

Section 6. Accidental release measures

SureSelect LT BC14	unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
SureSelect LT BC15	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
SureSelect LT BC16	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
For emergency responders : SureSelect LTI5500 P1	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SureSelect LTI5500 IA	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SureSelect LTI Pre Capture Primer	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SureSelect LT BC1	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SureSelect LT BC2	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SureSelect LT BC3	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SureSelect LT BC4	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SureSelect LT BC5	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SureSelect LT BC6	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SureSelect LT BC7	If specialized clothing is required to deal with the spillage, take note of any information in Section 8

Section 6. Accidental release measures

SureSelect LT BC8	on suitable and unsuitable materials. See also the information in "For non-emergency personnel". If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SureSelect LT BC9	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SureSelect LT BC10	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SureSelect LT BC11	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SureSelect LT BC12	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SureSelect LT BC13	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SureSelect LT BC14	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SureSelect LT BC15	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SureSelect LT BC16	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

6.2 Environmental precautions

: SureSelect LTI5500 P1	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect LTI5500 IA	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect LTI Pre Capture Primer	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect LT BC1	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Section 6. Accidental release measures

SureSelect LT BC2	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect LT BC3	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect LT BC4	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect LT BC5	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect LT BC6	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect LT BC7	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect LT BC8	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect LT BC9	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect LT BC10	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect LT BC11	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect LT BC12	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect LT BC13	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers,

Section 6. Accidental release measures

SureSelect LT BC14	waterways, soil or air). Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect LT BC15	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect LT BC16	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up : SureSelect LTI5500 P1

SureSelect LTI5500 P1	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
SureSelect LTI5500 IA	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
SureSelect LTI Pre Capture Primer	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
SureSelect LT BC1	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
SureSelect LT BC2	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
SureSelect LT BC3	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
SureSelect LT BC4	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container.

Section 6. Accidental release measures

SureSelect LT BC5	<p>disposal container. Dispose of via a licensed waste disposal contractor.</p> <p>Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.</p>
SureSelect LT BC6	<p>Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.</p>
SureSelect LT BC7	<p>Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.</p>
SureSelect LT BC8	<p>Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.</p>
SureSelect LT BC9	<p>Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.</p>
SureSelect LT BC10	<p>Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.</p>
SureSelect LT BC11	<p>Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.</p>
SureSelect LT BC12	<p>Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.</p>
SureSelect LT BC13	<p>Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.</p>
SureSelect LT BC14	<p>Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an</p>

Section 6. Accidental release measures

SureSelect LT BC15	inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
SureSelect LT BC16	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Section 7. Handling and storage

7.1 Precautions for safe handling

Protective measures	: SureSelect LTI5500 P1	Put on appropriate personal protective equipment (see Section 8).
	SureSelect LTI5500 IA	Put on appropriate personal protective equipment (see Section 8).
	SureSelect LTI Pre Capture Primer	Put on appropriate personal protective equipment (see Section 8).
	SureSelect LT BC1	Put on appropriate personal protective equipment (see Section 8).
	SureSelect LT BC2	Put on appropriate personal protective equipment (see Section 8).
	SureSelect LT BC3	Put on appropriate personal protective equipment (see Section 8).
	SureSelect LT BC4	Put on appropriate personal protective equipment (see Section 8).
	SureSelect LT BC5	Put on appropriate personal protective equipment (see Section 8).
	SureSelect LT BC6	Put on appropriate personal protective equipment (see Section 8).
	SureSelect LT BC7	Put on appropriate personal protective equipment (see Section 8).
	SureSelect LT BC8	Put on appropriate personal protective equipment (see Section 8).
	SureSelect LT BC9	Put on appropriate personal protective equipment (see Section 8).
	SureSelect LT BC10	Put on appropriate personal protective equipment (see Section 8).
	SureSelect LT BC11	Put on appropriate personal protective equipment (see Section 8).
	SureSelect LT BC12	Put on appropriate personal protective equipment (see Section 8).
	SureSelect LT BC13	Put on appropriate personal protective equipment (see Section 8).
	SureSelect LT BC14	Put on appropriate personal protective equipment (see Section 8).
	SureSelect LT BC15	Put on appropriate personal protective equipment (see Section 8).
	SureSelect LT BC16	Put on appropriate personal protective equipment (see Section 8).

Section 7. Handling and storage

Advice on general occupational hygiene

: SureSelect LTI5500 P1

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

SureSelect LTI5500 IA

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

SureSelect LTI Pre Capture Primer

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

SureSelect LT BC1

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

SureSelect LT BC2

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

SureSelect LT BC3

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

SureSelect LT BC4

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

SureSelect LT BC5

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

SureSelect LT BC6

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face

Section 7. Handling and storage

SureSelect LT BC7	before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
SureSelect LT BC8	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
SureSelect LT BC9	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
SureSelect LT BC10	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
SureSelect LT BC11	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
SureSelect LT BC12	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
SureSelect LT BC13	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
SureSelect LT BC14	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8

Section 7. Handling and storage

	SureSelect LT BC15	for additional information on hygiene measures. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
	SureSelect LT BC16	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
<p>7.2 Conditions for safe storage, including any incompatibilities</p>	: SureSelect LTI5500 P1	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.
	SureSelect LTI5500 IA	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.
	SureSelect LTI Pre Capture Primer	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.
	SureSelect LT BC1	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.
	SureSelect LT BC2	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food

Section 7. Handling and storage

SureSelect LT BC3

and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

SureSelect LT BC4

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

SureSelect LT BC5

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

SureSelect LT BC6

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

SureSelect LT BC7

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

SureSelect LT BC8

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from

Section 7. Handling and storage

SureSelect LT BC9	<p>incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.</p> <p>Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.</p>
SureSelect LT BC10	<p>Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.</p>
SureSelect LT BC11	<p>Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.</p>
SureSelect LT BC12	<p>Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.</p>
SureSelect LT BC13	<p>Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.</p>
SureSelect LT BC14	<p>Store in accordance with local regulations. Store in original container protected from direct sunlight in a</p>

Section 7. Handling and storage

SureSelect LT BC15

dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

SureSelect LT BC16

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

7.3 Specific end use(s)

Recommendations

: SureSelect LTI5500 P1	Industrial applications, Professional applications.
SureSelect LTI5500 IA	Industrial applications, Professional applications.
SureSelect LTI Pre Capture Primer	Industrial applications, Professional applications.
SureSelect LT BC1	Industrial applications, Professional applications.
SureSelect LT BC2	Industrial applications, Professional applications.
SureSelect LT BC3	Industrial applications, Professional applications.
SureSelect LT BC4	Industrial applications, Professional applications.
SureSelect LT BC5	Industrial applications, Professional applications.
SureSelect LT BC6	Industrial applications, Professional applications.
SureSelect LT BC7	Industrial applications, Professional applications.
SureSelect LT BC8	Industrial applications, Professional applications.
SureSelect LT BC9	Industrial applications, Professional applications.
SureSelect LT BC10	Industrial applications, Professional applications.
SureSelect LT BC11	Industrial applications, Professional applications.
SureSelect LT BC12	Industrial applications, Professional applications.
SureSelect LT BC13	Industrial applications, Professional applications.
SureSelect LT BC14	Industrial applications, Professional applications.
SureSelect LT BC15	Industrial applications, Professional applications.
SureSelect LT BC16	Industrial applications, Professional applications.

Industrial sector specific solutions

: SureSelect LTI5500 P1	Not applicable.
SureSelect LTI5500 IA	Not applicable.
SureSelect LTI Pre Capture Primer	Not applicable.
SureSelect LT BC1	Not applicable.
SureSelect LT BC2	Not applicable.
SureSelect LT BC3	Not applicable.
SureSelect LT BC4	Not applicable.
SureSelect LT BC5	Not applicable.
SureSelect LT BC6	Not applicable.

Section 7. Handling and storage

SureSelect LT BC7	Not applicable.
SureSelect LT BC8	Not applicable.
SureSelect LT BC9	Not applicable.
SureSelect LT BC10	Not applicable.
SureSelect LT BC11	Not applicable.
SureSelect LT BC12	Not applicable.
SureSelect LT BC13	Not applicable.
SureSelect LT BC14	Not applicable.
SureSelect LT BC15	Not applicable.
SureSelect LT BC16	Not applicable.

Section 8. Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
None.	

8.2 Exposure controls

Appropriate engineering controls

: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Environmental exposure controls

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.

Skin protection

Hand protection

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Body protection

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection

: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection

: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

[9.1 Information on basic physical and chemical properties](#)

Appearance

Physical state	:	☑ SureSelect LTI5500 P1	Liquid.
		SureSelect LTI5500 IA	Liquid.
		SureSelect LTI Pre Capture Primer	Liquid.
		SureSelect LT BC1	Liquid.
		SureSelect LT BC2	Liquid.
		SureSelect LT BC3	Liquid.
		SureSelect LT BC4	Liquid.
		SureSelect LT BC5	Liquid.
		SureSelect LT BC6	Liquid.
		SureSelect LT BC7	Liquid.
		SureSelect LT BC8	Liquid.
		SureSelect LT BC9	Liquid.
		SureSelect LT BC10	Liquid.
		SureSelect LT BC11	Liquid.
		SureSelect LT BC12	Liquid.
		SureSelect LT BC13	Liquid.
		SureSelect LT BC14	Liquid.
	SureSelect LT BC15	Liquid.	
	SureSelect LT BC16	Liquid.	
Color	:	☑ SureSelect LTI5500 P1	Not available.
		SureSelect LTI5500 IA	Not available.
		SureSelect LTI Pre Capture Primer	Not available.
		SureSelect LT BC1	Not available.
		SureSelect LT BC2	Not available.
		SureSelect LT BC3	Not available.
		SureSelect LT BC4	Not available.
		SureSelect LT BC5	Not available.
		SureSelect LT BC6	Not available.
		SureSelect LT BC7	Not available.
		SureSelect LT BC8	Not available.
		SureSelect LT BC9	Not available.
		SureSelect LT BC10	Not available.
		SureSelect LT BC11	Not available.
		SureSelect LT BC12	Not available.
		SureSelect LT BC13	Not available.
		SureSelect LT BC14	Not available.
	SureSelect LT BC15	Not available.	
	SureSelect LT BC16	Not available.	
Odor	:	☑ SureSelect LTI5500 P1	Not available.
		SureSelect LTI5500 IA	Not available.
		SureSelect LTI Pre Capture Primer	Not available.
		SureSelect LT BC1	Not available.
		SureSelect LT BC2	Not available.
		SureSelect LT BC3	Not available.
		SureSelect LT BC4	Not available.
		SureSelect LT BC5	Not available.
		SureSelect LT BC6	Not available.
		SureSelect LT BC7	Not available.
		SureSelect LT BC8	Not available.
		SureSelect LT BC9	Not available.
		SureSelect LT BC10	Not available.
		SureSelect LT BC11	Not available.
	SureSelect LT BC12	Not available.	
	SureSelect LT BC13	Not available.	
	SureSelect LT BC14	Not available.	

Section 9. Physical and chemical properties

	SureSelect LT BC15	Not available.
	SureSelect LT BC16	Not available.
Odor threshold	: SureSelect LTI5500 P1	Not available.
	SureSelect LTI5500 IA	Not available.
	SureSelect LTI Pre Capture Primer	Not available.
	SureSelect LT BC1	Not available.
	SureSelect LT BC2	Not available.
	SureSelect LT BC3	Not available.
	SureSelect LT BC4	Not available.
	SureSelect LT BC5	Not available.
	SureSelect LT BC6	Not available.
	SureSelect LT BC7	Not available.
	SureSelect LT BC8	Not available.
	SureSelect LT BC9	Not available.
	SureSelect LT BC10	Not available.
	SureSelect LT BC11	Not available.
	SureSelect LT BC12	Not available.
	SureSelect LT BC13	Not available.
	SureSelect LT BC14	Not available.
	SureSelect LT BC15	Not available.
	SureSelect LT BC16	Not available.
pH	: SureSelect LTI5500 P1	Not available.
	SureSelect LTI5500 IA	Not available.
	SureSelect LTI Pre Capture Primer	Not available.
	SureSelect LT BC1	Not available.
	SureSelect LT BC2	Not available.
	SureSelect LT BC3	Not available.
	SureSelect LT BC4	Not available.
	SureSelect LT BC5	Not available.
	SureSelect LT BC6	Not available.
	SureSelect LT BC7	Not available.
	SureSelect LT BC8	Not available.
	SureSelect LT BC9	Not available.
	SureSelect LT BC10	Not available.
	SureSelect LT BC11	Not available.
	SureSelect LT BC12	Not available.
	SureSelect LT BC13	Not available.
	SureSelect LT BC14	Not available.
	SureSelect LT BC15	Not available.
	SureSelect LT BC16	Not available.
Melting point	: SureSelect LTI5500 P1	0°C (32°F)
	SureSelect LTI5500 IA	0°C (32°F)
	SureSelect LTI Pre Capture Primer	0°C (32°F)
	SureSelect LT BC1	0°C (32°F)
	SureSelect LT BC2	0°C (32°F)
	SureSelect LT BC3	0°C (32°F)
	SureSelect LT BC4	0°C (32°F)
	SureSelect LT BC5	0°C (32°F)
	SureSelect LT BC6	0°C (32°F)
	SureSelect LT BC7	0°C (32°F)
	SureSelect LT BC8	0°C (32°F)
	SureSelect LT BC9	0°C (32°F)
	SureSelect LT BC10	0°C (32°F)
	SureSelect LT BC11	0°C (32°F)
	SureSelect LT BC12	0°C (32°F)
	SureSelect LT BC13	0°C (32°F)
	SureSelect LT BC14	0°C (32°F)
	SureSelect LT BC15	0°C (32°F)

Section 9. Physical and chemical properties

	SureSelect LT BC16	0°C (32°F)
Boiling point	: SureSelect LTI5500 P1	100°C (212°F)
	SureSelect LTI5500 IA	100°C (212°F)
	SureSelect LTI Pre Capture Primer	100°C (212°F)
	SureSelect LT BC1	100°C (212°F)
	SureSelect LT BC2	100°C (212°F)
	SureSelect LT BC3	100°C (212°F)
	SureSelect LT BC4	100°C (212°F)
	SureSelect LT BC5	100°C (212°F)
	SureSelect LT BC6	100°C (212°F)
	SureSelect LT BC7	100°C (212°F)
	SureSelect LT BC8	100°C (212°F)
	SureSelect LT BC9	100°C (212°F)
	SureSelect LT BC10	100°C (212°F)
	SureSelect LT BC11	100°C (212°F)
	SureSelect LT BC12	100°C (212°F)
	SureSelect LT BC13	100°C (212°F)
	SureSelect LT BC14	100°C (212°F)
	SureSelect LT BC15	100°C (212°F)
	SureSelect LT BC16	100°C (212°F)
Flash point	: SureSelect LTI5500 P1	Not available.
	SureSelect LTI5500 IA	Not available.
	SureSelect LTI Pre Capture Primer	Not available.
	SureSelect LT BC1	Not available.
	SureSelect LT BC2	Not available.
	SureSelect LT BC3	Not available.
	SureSelect LT BC4	Not available.
	SureSelect LT BC5	Not available.
	SureSelect LT BC6	Not available.
	SureSelect LT BC7	Not available.
	SureSelect LT BC8	Not available.
	SureSelect LT BC9	Not available.
	SureSelect LT BC10	Not available.
	SureSelect LT BC11	Not available.
	SureSelect LT BC12	Not available.
	SureSelect LT BC13	Not available.
	SureSelect LT BC14	Not available.
	SureSelect LT BC15	Not available.
	SureSelect LT BC16	Not available.
Evaporation rate	: SureSelect LTI5500 P1	Not available.
	SureSelect LTI5500 IA	Not available.
	SureSelect LTI Pre Capture Primer	Not available.
	SureSelect LT BC1	Not available.
	SureSelect LT BC2	Not available.
	SureSelect LT BC3	Not available.
	SureSelect LT BC4	Not available.
	SureSelect LT BC5	Not available.
	SureSelect LT BC6	Not available.
	SureSelect LT BC7	Not available.
	SureSelect LT BC8	Not available.
	SureSelect LT BC9	Not available.
	SureSelect LT BC10	Not available.
	SureSelect LT BC11	Not available.
	SureSelect LT BC12	Not available.
	SureSelect LT BC13	Not available.
	SureSelect LT BC14	Not available.
	SureSelect LT BC15	Not available.
	SureSelect LT BC16	Not available.

Section 9. Physical and chemical properties

Flammability (solid, gas)	<input checked="" type="checkbox"/> SureSelect LTI5500 P1	Not applicable.
	SureSelect LTI5500 IA	Not applicable.
	SureSelect LTI Pre Capture Primer	Not applicable.
	SureSelect LT BC1	Not applicable.
	SureSelect LT BC2	Not applicable.
	SureSelect LT BC3	Not applicable.
	SureSelect LT BC4	Not applicable.
	SureSelect LT BC5	Not applicable.
	SureSelect LT BC6	Not applicable.
	SureSelect LT BC7	Not applicable.
	SureSelect LT BC8	Not applicable.
	SureSelect LT BC9	Not applicable.
	SureSelect LT BC10	Not applicable.
	SureSelect LT BC11	Not applicable.
	SureSelect LT BC12	Not applicable.
	SureSelect LT BC13	Not applicable.
	SureSelect LT BC14	Not applicable.
SureSelect LT BC15	Not applicable.	
SureSelect LT BC16	Not applicable.	
Lower and upper explosive (flammable) limits	<input checked="" type="checkbox"/> SureSelect LTI5500 P1	Not available.
	SureSelect LTI5500 IA	Not available.
	SureSelect LTI Pre Capture Primer	Not available.
	SureSelect LT BC1	Not available.
	SureSelect LT BC2	Not available.
	SureSelect LT BC3	Not available.
	SureSelect LT BC4	Not available.
	SureSelect LT BC5	Not available.
	SureSelect LT BC6	Not available.
	SureSelect LT BC7	Not available.
	SureSelect LT BC8	Not available.
	SureSelect LT BC9	Not available.
	SureSelect LT BC10	Not available.
	SureSelect LT BC11	Not available.
	SureSelect LT BC12	Not available.
	SureSelect LT BC13	Not available.
	SureSelect LT BC14	Not available.
SureSelect LT BC15	Not available.	
SureSelect LT BC16	Not available.	
Vapor pressure	<input checked="" type="checkbox"/> SureSelect LTI5500 P1	Not available.
	SureSelect LTI5500 IA	Not available.
	SureSelect LTI Pre Capture Primer	Not available.
	SureSelect LT BC1	Not available.
	SureSelect LT BC2	Not available.
	SureSelect LT BC3	Not available.
	SureSelect LT BC4	Not available.
	SureSelect LT BC5	Not available.
	SureSelect LT BC6	Not available.
	SureSelect LT BC7	Not available.
	SureSelect LT BC8	Not available.
	SureSelect LT BC9	Not available.
	SureSelect LT BC10	Not available.
	SureSelect LT BC11	Not available.
	SureSelect LT BC12	Not available.
	SureSelect LT BC13	Not available.
	SureSelect LT BC14	Not available.
SureSelect LT BC15	Not available.	
SureSelect LT BC16	Not available.	

Section 9. Physical and chemical properties

Vapor density	:	☒ SureSelect LTI5500 P1	Not available.
		SureSelect LTI5500 IA	Not available.
		SureSelect LTI Pre Capture Primer	Not available.
		SureSelect LT BC1	Not available.
		SureSelect LT BC2	Not available.
		SureSelect LT BC3	Not available.
		SureSelect LT BC4	Not available.
		SureSelect LT BC5	Not available.
		SureSelect LT BC6	Not available.
		SureSelect LT BC7	Not available.
		SureSelect LT BC8	Not available.
		SureSelect LT BC9	Not available.
		SureSelect LT BC10	Not available.
		SureSelect LT BC11	Not available.
		SureSelect LT BC12	Not available.
		SureSelect LT BC13	Not available.
		SureSelect LT BC14	Not available.
	SureSelect LT BC15	Not available.	
	SureSelect LT BC16	Not available.	
Relative density	:	☒ SureSelect LTI5500 P1	Not available.
		SureSelect LTI5500 IA	Not available.
		SureSelect LTI Pre Capture Primer	Not available.
		SureSelect LT BC1	Not available.
		SureSelect LT BC2	Not available.
		SureSelect LT BC3	Not available.
		SureSelect LT BC4	Not available.
		SureSelect LT BC5	Not available.
		SureSelect LT BC6	Not available.
		SureSelect LT BC7	Not available.
		SureSelect LT BC8	Not available.
		SureSelect LT BC9	Not available.
		SureSelect LT BC10	Not available.
		SureSelect LT BC11	Not available.
		SureSelect LT BC12	Not available.
		SureSelect LT BC13	Not available.
		SureSelect LT BC14	Not available.
	SureSelect LT BC15	Not available.	
	SureSelect LT BC16	Not available.	
Solubility	:	☒ SureSelect LTI5500 P1	Easily soluble in the following materials: cold water and hot water.
		SureSelect LTI5500 IA	Easily soluble in the following materials: cold water and hot water.
		SureSelect LTI Pre Capture Primer	Easily soluble in the following materials: cold water and hot water.
		SureSelect LT BC1	Easily soluble in the following materials: cold water and hot water.
		SureSelect LT BC2	Easily soluble in the following materials: cold water and hot water.
		SureSelect LT BC3	Easily soluble in the following materials: cold water and hot water.
		SureSelect LT BC4	Easily soluble in the following materials: cold water and hot water.
		SureSelect LT BC5	Easily soluble in the following materials: cold water and hot water.
		SureSelect LT BC6	Easily soluble in the following materials: cold water and hot water.
	SureSelect LT BC7	Easily soluble in the following materials: cold water and hot water.	

Section 9. Physical and chemical properties

	SureSelect LT BC8	Easily soluble in the following materials: cold water and hot water.
	SureSelect LT BC9	Easily soluble in the following materials: cold water and hot water.
	SureSelect LT BC10	Easily soluble in the following materials: cold water and hot water.
	SureSelect LT BC11	Easily soluble in the following materials: cold water and hot water.
	SureSelect LT BC12	Easily soluble in the following materials: cold water and hot water.
	SureSelect LT BC13	Easily soluble in the following materials: cold water and hot water.
	SureSelect LT BC14	Easily soluble in the following materials: cold water and hot water.
	SureSelect LT BC15	Easily soluble in the following materials: cold water and hot water.
	SureSelect LT BC16	Easily soluble in the following materials: cold water and hot water.
Partition coefficient: n-octanol/water	: SureSelect LTI5500 P1	Not available.
	SureSelect LTI5500 IA	Not available.
	SureSelect LTI Pre Capture Primer	Not available.
	SureSelect LT BC1	Not available.
	SureSelect LT BC2	Not available.
	SureSelect LT BC3	Not available.
	SureSelect LT BC4	Not available.
	SureSelect LT BC5	Not available.
	SureSelect LT BC6	Not available.
	SureSelect LT BC7	Not available.
	SureSelect LT BC8	Not available.
	SureSelect LT BC9	Not available.
	SureSelect LT BC10	Not available.
	SureSelect LT BC11	Not available.
	SureSelect LT BC12	Not available.
	SureSelect LT BC13	Not available.
	SureSelect LT BC14	Not available.
SureSelect LT BC15	Not available.	
SureSelect LT BC16	Not available.	
Auto-ignition temperature	: SureSelect LTI5500 P1	Not available.
	SureSelect LTI5500 IA	Not available.
	SureSelect LTI Pre Capture Primer	Not available.
	SureSelect LT BC1	Not available.
	SureSelect LT BC2	Not available.
	SureSelect LT BC3	Not available.
	SureSelect LT BC4	Not available.
	SureSelect LT BC5	Not available.
	SureSelect LT BC6	Not available.
	SureSelect LT BC7	Not available.
	SureSelect LT BC8	Not available.
	SureSelect LT BC9	Not available.
	SureSelect LT BC10	Not available.
	SureSelect LT BC11	Not available.
	SureSelect LT BC12	Not available.
	SureSelect LT BC13	Not available.
	SureSelect LT BC14	Not available.
SureSelect LT BC15	Not available.	
SureSelect LT BC16	Not available.	

Section 9. Physical and chemical properties

Decomposition temperature	: SureSelect LTI5500 P1	Not available.
	SureSelect LTI5500 IA	Not available.
	SureSelect LTI Pre Capture Primer	Not available.
	SureSelect LT BC1	Not available.
	SureSelect LT BC2	Not available.
	SureSelect LT BC3	Not available.
	SureSelect LT BC4	Not available.
	SureSelect LT BC5	Not available.
	SureSelect LT BC6	Not available.
	SureSelect LT BC7	Not available.
	SureSelect LT BC8	Not available.
	SureSelect LT BC9	Not available.
	SureSelect LT BC10	Not available.
	SureSelect LT BC11	Not available.
	SureSelect LT BC12	Not available.
	SureSelect LT BC13	Not available.
	SureSelect LT BC14	Not available.
SureSelect LT BC15	Not available.	
SureSelect LT BC16	Not available.	

Viscosity	: SureSelect LTI5500 P1	Not available.
	SureSelect LTI5500 IA	Not available.
	SureSelect LTI Pre Capture Primer	Not available.
	SureSelect LT BC1	Not available.
	SureSelect LT BC2	Not available.
	SureSelect LT BC3	Not available.
	SureSelect LT BC4	Not available.
	SureSelect LT BC5	Not available.
	SureSelect LT BC6	Not available.
	SureSelect LT BC7	Not available.
	SureSelect LT BC8	Not available.
	SureSelect LT BC9	Not available.
	SureSelect LT BC10	Not available.
	SureSelect LT BC11	Not available.
	SureSelect LT BC12	Not available.
	SureSelect LT BC13	Not available.
	SureSelect LT BC14	Not available.
SureSelect LT BC15	Not available.	
SureSelect LT BC16	Not available.	

Section 10. Stability and reactivity

10.1 Reactivity	: SureSelect LTI5500 P1	No specific test data related to reactivity available for this product or its ingredients.
	SureSelect LTI5500 IA	No specific test data related to reactivity available for this product or its ingredients.
	SureSelect LTI Pre Capture Primer	No specific test data related to reactivity available for this product or its ingredients.
	SureSelect LT BC1	No specific test data related to reactivity available for this product or its ingredients.
	SureSelect LT BC2	No specific test data related to reactivity available for this product or its ingredients.
	SureSelect LT BC3	No specific test data related to reactivity available for this product or its ingredients.
	SureSelect LT BC4	No specific test data related to reactivity available for this product or its ingredients.
	SureSelect LT BC5	No specific test data related to reactivity available for this product or its ingredients.
	SureSelect LT BC6	No specific test data related to reactivity available for this product or its ingredients.


Section 10. Stability and reactivity

SureSelect LT BC7	hazardous reactions will not occur.
SureSelect LT BC8	Under normal conditions of storage and use, hazardous reactions will not occur.
SureSelect LT BC9	Under normal conditions of storage and use, hazardous reactions will not occur.
SureSelect LT BC10	Under normal conditions of storage and use, hazardous reactions will not occur.
SureSelect LT BC11	Under normal conditions of storage and use, hazardous reactions will not occur.
SureSelect LT BC12	Under normal conditions of storage and use, hazardous reactions will not occur.
SureSelect LT BC13	Under normal conditions of storage and use, hazardous reactions will not occur.
SureSelect LT BC14	Under normal conditions of storage and use, hazardous reactions will not occur.
SureSelect LT BC15	Under normal conditions of storage and use, hazardous reactions will not occur.
SureSelect LT BC16	Under normal conditions of storage and use, hazardous reactions will not occur.

10.4 Conditions to avoid	:	☒ SureSelect LTI5500 P1	No specific data.
		SureSelect LTI5500 IA	No specific data.
		SureSelect LTI Pre Capture Primer	No specific data.
		SureSelect LT BC1	No specific data.
		SureSelect LT BC2	No specific data.
		SureSelect LT BC3	No specific data.
		SureSelect LT BC4	No specific data.
		SureSelect LT BC5	No specific data.
		SureSelect LT BC6	No specific data.
		SureSelect LT BC7	No specific data.
		SureSelect LT BC8	No specific data.
		SureSelect LT BC9	No specific data.
		SureSelect LT BC10	No specific data.
		SureSelect LT BC11	No specific data.
		SureSelect LT BC12	No specific data.
		SureSelect LT BC13	No specific data.
		SureSelect LT BC14	No specific data.
		SureSelect LT BC15	No specific data.
		SureSelect LT BC16	No specific data.

10.5 Incompatible materials	:	☒ SureSelect LTI5500 P1	May react or be incompatible with oxidizing materials.
		SureSelect LTI5500 IA	May react or be incompatible with oxidizing materials.
		SureSelect LTI Pre Capture Primer	May react or be incompatible with oxidizing materials.
		SureSelect LT BC1	May react or be incompatible with oxidizing materials.
		SureSelect LT BC2	May react or be incompatible with oxidizing materials.
		SureSelect LT BC3	May react or be incompatible with oxidizing materials.
		SureSelect LT BC4	May react or be incompatible with oxidizing materials.
		SureSelect LT BC5	May react or be incompatible with oxidizing materials.
		SureSelect LT BC6	May react or be incompatible with oxidizing materials.

Section 10. Stability and reactivity

	SureSelect LT BC7	materials. May react or be incompatible with oxidizing materials.
	SureSelect LT BC8	May react or be incompatible with oxidizing materials.
	SureSelect LT BC9	May react or be incompatible with oxidizing materials.
	SureSelect LT BC10	May react or be incompatible with oxidizing materials.
	SureSelect LT BC11	May react or be incompatible with oxidizing materials.
	SureSelect LT BC12	May react or be incompatible with oxidizing materials.
	SureSelect LT BC13	May react or be incompatible with oxidizing materials.
	SureSelect LT BC14	May react or be incompatible with oxidizing materials.
	SureSelect LT BC15	May react or be incompatible with oxidizing materials.
	SureSelect LT BC16	May react or be incompatible with oxidizing materials.
10.6 Hazardous decomposition products	 SureSelect LTI5500 P1	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	SureSelect LTI5500 IA	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	SureSelect LTI Pre Capture Primer	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	SureSelect LT BC1	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	SureSelect LT BC2	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	SureSelect LT BC3	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	SureSelect LT BC4	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	SureSelect LT BC5	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	SureSelect LT BC6	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	SureSelect LT BC7	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	SureSelect LT BC8	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	SureSelect LT BC9	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	SureSelect LT BC10	Under normal conditions of storage and use,

Section 10. Stability and reactivity

SureSelect LT BC11	hazardous decomposition products should not be produced. Under normal conditions of storage and use, hazardous decomposition products should not be produced.
SureSelect LT BC12	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
SureSelect LT BC13	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
SureSelect LT BC14	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
SureSelect LT BC15	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
SureSelect LT BC16	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Not available.

Irritation/Corrosion

Not available.

Sensitization

Not available.

Mutagenicity

Not available.

Carcinogenicity

Not available.

Reproductive toxicity

Not available.

Teratogenicity

Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Section 11. Toxicological information

Information on the likely routes of exposure	: SureSelect LTI5500 P1	Not available.
	SureSelect LTI5500 IA	Not available.
	SureSelect LTI Pre Capture Primer	Not available.
	SureSelect LT BC1	Not available.
	SureSelect LT BC2	Not available.
	SureSelect LT BC3	Not available.
	SureSelect LT BC4	Not available.
	SureSelect LT BC5	Not available.
	SureSelect LT BC6	Not available.
	SureSelect LT BC7	Not available.
	SureSelect LT BC8	Not available.
	SureSelect LT BC9	Not available.
	SureSelect LT BC10	Not available.
	SureSelect LT BC11	Not available.
	SureSelect LT BC12	Not available.
	SureSelect LT BC13	Not available.
	SureSelect LT BC14	Not available.
SureSelect LT BC15	Not available.	
SureSelect LT BC16	Not available.	

Potential acute health effects

Eye contact

: SureSelect LTI5500 P1	No known significant effects or critical hazards.
SureSelect LTI5500 IA	No known significant effects or critical hazards.
SureSelect LTI Pre Capture Primer	No known significant effects or critical hazards.
SureSelect LT BC1	No known significant effects or critical hazards.
SureSelect LT BC2	No known significant effects or critical hazards.
SureSelect LT BC3	No known significant effects or critical hazards.
SureSelect LT BC4	No known significant effects or critical hazards.
SureSelect LT BC5	No known significant effects or critical hazards.
SureSelect LT BC6	No known significant effects or critical hazards.
SureSelect LT BC7	No known significant effects or critical hazards.
SureSelect LT BC8	No known significant effects or critical hazards.
SureSelect LT BC9	No known significant effects or critical hazards.
SureSelect LT BC10	No known significant effects or critical hazards.
SureSelect LT BC11	No known significant effects or critical hazards.
SureSelect LT BC12	No known significant effects or critical hazards.
SureSelect LT BC13	No known significant effects or critical hazards.
SureSelect LT BC14	No known significant effects or critical hazards.
SureSelect LT BC15	No known significant effects or critical hazards.
SureSelect LT BC16	No known significant effects or critical hazards.

Inhalation

: SureSelect LTI5500 P1	No known significant effects or critical hazards.
SureSelect LTI5500 IA	No known significant effects or critical hazards.
SureSelect LTI Pre Capture Primer	No known significant effects or critical hazards.
SureSelect LT BC1	No known significant effects or critical hazards.
SureSelect LT BC2	No known significant effects or critical hazards.
SureSelect LT BC3	No known significant effects or critical hazards.
SureSelect LT BC4	No known significant effects or critical hazards.
SureSelect LT BC5	No known significant effects or critical hazards.
SureSelect LT BC6	No known significant effects or critical hazards.
SureSelect LT BC7	No known significant effects or critical hazards.
SureSelect LT BC8	No known significant effects or critical hazards.
SureSelect LT BC9	No known significant effects or critical hazards.
SureSelect LT BC10	No known significant effects or critical hazards.
SureSelect LT BC11	No known significant effects or critical hazards.
SureSelect LT BC12	No known significant effects or critical hazards.
SureSelect LT BC13	No known significant effects or critical hazards.
SureSelect LT BC14	No known significant effects or critical hazards.
SureSelect LT BC15	No known significant effects or critical hazards.
SureSelect LT BC16	No known significant effects or critical hazards.

Section 11. Toxicological information

Skin contact	:	☑ SureSelect LTI5500 P1	No known significant effects or critical hazards.
		SureSelect LTI5500 IA	No known significant effects or critical hazards.
		SureSelect LTI Pre Capture Primer	No known significant effects or critical hazards.
		SureSelect LT BC1	No known significant effects or critical hazards.
		SureSelect LT BC2	No known significant effects or critical hazards.
		SureSelect LT BC3	No known significant effects or critical hazards.
		SureSelect LT BC4	No known significant effects or critical hazards.
		SureSelect LT BC5	No known significant effects or critical hazards.
		SureSelect LT BC6	No known significant effects or critical hazards.
		SureSelect LT BC7	No known significant effects or critical hazards.
		SureSelect LT BC8	No known significant effects or critical hazards.
		SureSelect LT BC9	No known significant effects or critical hazards.
		SureSelect LT BC10	No known significant effects or critical hazards.
		SureSelect LT BC11	No known significant effects or critical hazards.
		SureSelect LT BC12	No known significant effects or critical hazards.
		SureSelect LT BC13	No known significant effects or critical hazards.
	SureSelect LT BC14	No known significant effects or critical hazards.	
	SureSelect LT BC15	No known significant effects or critical hazards.	
	SureSelect LT BC16	No known significant effects or critical hazards.	
Ingestion	:	☑ SureSelect LTI5500 P1	No known significant effects or critical hazards.
		SureSelect LTI5500 IA	No known significant effects or critical hazards.
		SureSelect LTI Pre Capture Primer	No known significant effects or critical hazards.
		SureSelect LT BC1	No known significant effects or critical hazards.
		SureSelect LT BC2	No known significant effects or critical hazards.
		SureSelect LT BC3	No known significant effects or critical hazards.
		SureSelect LT BC4	No known significant effects or critical hazards.
		SureSelect LT BC5	No known significant effects or critical hazards.
		SureSelect LT BC6	No known significant effects or critical hazards.
		SureSelect LT BC7	No known significant effects or critical hazards.
		SureSelect LT BC8	No known significant effects or critical hazards.
		SureSelect LT BC9	No known significant effects or critical hazards.
		SureSelect LT BC10	No known significant effects or critical hazards.
		SureSelect LT BC11	No known significant effects or critical hazards.
		SureSelect LT BC12	No known significant effects or critical hazards.
		SureSelect LT BC13	No known significant effects or critical hazards.
	SureSelect LT BC14	No known significant effects or critical hazards.	
	SureSelect LT BC15	No known significant effects or critical hazards.	
	SureSelect LT BC16	No known significant effects or critical hazards.	

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact	:	☑ SureSelect LTI5500 P1	No specific data.
		SureSelect LTI5500 IA	No specific data.
		SureSelect LTI Pre Capture Primer	No specific data.
		SureSelect LT BC1	No specific data.
		SureSelect LT BC2	No specific data.
		SureSelect LT BC3	No specific data.
		SureSelect LT BC4	No specific data.
		SureSelect LT BC5	No specific data.
		SureSelect LT BC6	No specific data.
		SureSelect LT BC7	No specific data.
		SureSelect LT BC8	No specific data.
		SureSelect LT BC9	No specific data.
		SureSelect LT BC10	No specific data.
		SureSelect LT BC11	No specific data.
		SureSelect LT BC12	No specific data.
		SureSelect LT BC13	No specific data.
	SureSelect LT BC14	No specific data.	
	SureSelect LT BC15	No specific data.	

Section 11. Toxicological information

	SureSelect LT BC16	No specific data.
Inhalation	: SureSelect LTI5500 P1	No specific data.
	SureSelect LTI5500 IA	No specific data.
	SureSelect LTI Pre Capture Primer	No specific data.
	SureSelect LT BC1	No specific data.
	SureSelect LT BC2	No specific data.
	SureSelect LT BC3	No specific data.
	SureSelect LT BC4	No specific data.
	SureSelect LT BC5	No specific data.
	SureSelect LT BC6	No specific data.
	SureSelect LT BC7	No specific data.
	SureSelect LT BC8	No specific data.
	SureSelect LT BC9	No specific data.
	SureSelect LT BC10	No specific data.
	SureSelect LT BC11	No specific data.
	SureSelect LT BC12	No specific data.
	SureSelect LT BC13	No specific data.
	SureSelect LT BC14	No specific data.
	SureSelect LT BC15	No specific data.
	SureSelect LT BC16	No specific data.
Skin contact	: SureSelect LTI5500 P1	No specific data.
	SureSelect LTI5500 IA	No specific data.
	SureSelect LTI Pre Capture Primer	No specific data.
	SureSelect LT BC1	No specific data.
	SureSelect LT BC2	No specific data.
	SureSelect LT BC3	No specific data.
	SureSelect LT BC4	No specific data.
	SureSelect LT BC5	No specific data.
	SureSelect LT BC6	No specific data.
	SureSelect LT BC7	No specific data.
	SureSelect LT BC8	No specific data.
	SureSelect LT BC9	No specific data.
	SureSelect LT BC10	No specific data.
	SureSelect LT BC11	No specific data.
	SureSelect LT BC12	No specific data.
	SureSelect LT BC13	No specific data.
	SureSelect LT BC14	No specific data.
	SureSelect LT BC15	No specific data.
	SureSelect LT BC16	No specific data.
Ingestion	: SureSelect LTI5500 P1	No specific data.
	SureSelect LTI5500 IA	No specific data.
	SureSelect LTI Pre Capture Primer	No specific data.
	SureSelect LT BC1	No specific data.
	SureSelect LT BC2	No specific data.
	SureSelect LT BC3	No specific data.
	SureSelect LT BC4	No specific data.
	SureSelect LT BC5	No specific data.
	SureSelect LT BC6	No specific data.
	SureSelect LT BC7	No specific data.
	SureSelect LT BC8	No specific data.
	SureSelect LT BC9	No specific data.
	SureSelect LT BC10	No specific data.
	SureSelect LT BC11	No specific data.
	SureSelect LT BC12	No specific data.
	SureSelect LT BC13	No specific data.
	SureSelect LT BC14	No specific data.
	SureSelect LT BC15	No specific data.
	SureSelect LT BC16	No specific data.

Section 11. Toxicological information

SureSelect LT BC7	No known significant effects or critical hazards.
SureSelect LT BC8	No known significant effects or critical hazards.
SureSelect LT BC9	No known significant effects or critical hazards.
SureSelect LT BC10	No known significant effects or critical hazards.
SureSelect LT BC11	No known significant effects or critical hazards.
SureSelect LT BC12	No known significant effects or critical hazards.
SureSelect LT BC13	No known significant effects or critical hazards.
SureSelect LT BC14	No known significant effects or critical hazards.
SureSelect LT BC15	No known significant effects or critical hazards.
SureSelect LT BC16	No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Not available.

Section 12. Ecological information

12.1 Toxicity

Not available.

12.2 Persistence and degradability

Not available.

12.3 Bioaccumulative potential

Not available.

12.4 Mobility in soil

Soil/water partition coefficient (K_{oc}) : Not available.

12.5 Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

13.1 Waste treatment methods

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 13. Disposal considerations

Disposal should be in accordance with applicable regional, national and local laws and regulations. Local regulations may be more stringent than regional or national requirements.

The information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

Section 14. Transport information

Regulatory information

DOT / IMDG / IATA : Not regulated.

Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

U.S. Federal regulations : **United States inventory (TSCA 8b)**: All components are listed or exempted.
Clean Water Act (CWA) 311: Edetic acid

Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs) : Not listed

Clean Air Act Section 602 Class I Substances : Not listed

Clean Air Act Section 602 Class II Substances : Not listed

DEA List I Chemicals (Precursor Chemicals) : Not listed

DEA List II Chemicals (Essential Chemicals) : Not listed

SARA 302/304

Composition/information on ingredients

No products were found.

SARA 304 RQ : Not applicable.

SARA 311/312

Classification : Not applicable.

Composition/information on ingredients

No products were found.

State regulations

Massachusetts : None of the components are listed.

New York : None of the components are listed.

New Jersey : None of the components are listed.

Pennsylvania : None of the components are listed.

California Prop. 65

No products were found.

International regulations

Section 15. Regulatory information

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol (Annexes A, B, C, E)

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Inventory list

Australia	: All components are listed or exempted.
Canada inventory	: All components are listed or exempted.
China	: <input checked="" type="checkbox"/> All components are listed or exempted.
Europe	: All components are listed or exempted.
Japan	: <input checked="" type="checkbox"/> Japan inventory (ENCS) : All components are listed or exempted. Japan inventory (ISHL) : All components are listed or exempted.
Malaysia	: <input checked="" type="checkbox"/> Not determined.
New Zealand	: <input checked="" type="checkbox"/> All components are listed or exempted.
Philippines	: <input checked="" type="checkbox"/> All components are listed or exempted.
Republic of Korea	: <input checked="" type="checkbox"/> Not determined.
Taiwan	: <input checked="" type="checkbox"/> All components are listed or exempted.
Turkey	: <input checked="" type="checkbox"/> Not determined.

Section 16. Other information

History

Date of issue : 08/29/2016

Date of previous issue : 08/08/2014.

Version : 3

Indicates information that has changed from previously issued version.

Notice to reader

Disclaimer: The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.