

SAFETY DATA SHEET



RRHD Eclipse Plus Method Development Kit, Part Number 5190-6153

SECTION 1: Identification of the substance/mixture and of the company/undertaking

This product is considered an article. This Safety Data Sheet is written based on the encapsulated substance or mixture in this article.

1.1 Product identifier

Product name : RRHD Eclipse Plus Method Development Kit, Part Number 5190-6153
Part No. (Kit) : 5190-6153
Part No. : RRHD Eclipse Plus C18 959757-902
RRHD Eclipse Plus C8 959757-906
RRHD Eclipse Plus Ph-Hex 959757-912

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses	
Analytical chemistry. Column	
RRHD Eclipse Plus C18	2.1 x 50 mm, 1.8 um Solvent Volume: 0.1 ml
RRHD Eclipse Plus C8	2.1 x 50 mm, 1.8 um Solvent Volume: 0.1 ml
RRHD Eclipse Plus Ph-Hex	2.1 x 50 mm, 1.8 um Solvent Volume: 0.1 ml

1.3 Details of the supplier of the safety data sheet

Agilent Technologies Manufacturing GmbH & Co. KG
Hewlett-Packard-Str. 8
76337 Waldbronn
Germany
0800 603 1000

e-mail address of person responsible for this SDS : pdl-msds_author@agilent.com

1.4 Emergency telephone number

Emergency telephone number (with hours of operation) : CHEMTREC®: +(44)-870-8200418

SECTION 2: Hazards identification

This article, when used under reasonable conditions and in accordance with the directions for use, should not present a health hazard. The substance or mixture is encapsulated in the article. Only if released due to use or processing of the article in a manner not in accordance with the product's directions for use it may present potential health and safety hazards.

2.1 Classification of the substance or mixture

Product definition : RRHD Eclipse Plus C18 Mixture (encapsulated in article)
RRHD Eclipse Plus C8 Mixture (encapsulated in article)
RRHD Eclipse Plus Ph-Hex Mixture (encapsulated in article)

[Classification according to Regulation \(EC\) No. 1272/2008 \[CLP/GHS\]](#)

SECTION 2: Hazards identification

RRHD Eclipse Plus C18

H225 FLAMMABLE LIQUIDS - Category 2
H319 SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2

RRHD Eclipse Plus C8

H225 FLAMMABLE LIQUIDS - Category 2
H319 SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2

RRHD Eclipse Plus Ph-Hex

H225 FLAMMABLE LIQUIDS - Category 2
H319 SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

Hazard pictograms



Signal word

: RRHD Eclipse Plus C18 Danger
RRHD Eclipse Plus C8 Danger
RRHD Eclipse Plus Ph-Hex Danger

Hazard statements

: RRHD Eclipse Plus C18 **GHS02** - Highly flammable liquid and vapour.
GHS07 - Causes serious eye irritation.

RRHD Eclipse Plus C8 **GHS02** - Highly flammable liquid and vapour.
GHS07 - Causes serious eye irritation.

RRHD Eclipse Plus Ph-Hex **GHS02** - Highly flammable liquid and vapour.
GHS07 - Causes serious eye irritation.

Precautionary statements

Prevention

: RRHD Eclipse Plus C18 P280 - Wear protective gloves. Wear eye or face protection.
P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P241 - Use explosion-proof electrical, ventilating, lighting and all material-handling equipment.

RRHD Eclipse Plus C8 P280 - Wear protective gloves. Wear eye or face protection.
P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P241 - Use explosion-proof electrical, ventilating, lighting and all material-handling equipment.

RRHD Eclipse Plus Ph-Hex P280 - Wear protective gloves. Wear eye or face protection.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P241 - Use explosion-proof electrical, ventilating, lighting and all material-handling equipment.

SECTION 2: Hazards identification

Response	: RRHD Eclipse Plus C18 RRHD Eclipse Plus C8 RRHD Eclipse Plus Ph-Hex	P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
Storage	: RRHD Eclipse Plus C18 RRHD Eclipse Plus C8 RRHD Eclipse Plus Ph-Hex	P235 - Keep cool. P235 - Keep cool. P235 - Keep cool.
Disposal	: RRHD Eclipse Plus C18 RRHD Eclipse Plus C8 RRHD Eclipse Plus Ph-Hex	P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations. P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations. P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.
Hazardous ingredients	: RRHD Eclipse Plus C18 RRHD Eclipse Plus C8 RRHD Eclipse Plus Ph-Hex	Not applicable. Not applicable. Not applicable.
Supplemental label elements	: RRHD Eclipse Plus C18 RRHD Eclipse Plus C8 RRHD Eclipse Plus Ph-Hex	Not applicable. Not applicable. Not applicable.
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	: RRHD Eclipse Plus C18 RRHD Eclipse Plus C8 RRHD Eclipse Plus Ph-Hex	Not applicable. Not applicable. Not applicable.
<u>Special packaging requirements</u>		
Tactile warning of danger	: RRHD Eclipse Plus C18 RRHD Eclipse Plus C8 RRHD Eclipse Plus Ph-Hex	Not applicable. Not applicable. Not applicable.
2.3 Other hazards		
Other hazards which do not result in classification	: RRHD Eclipse Plus C18 RRHD Eclipse Plus C8 RRHD Eclipse Plus Ph-Hex	None known. None known. None known.

SECTION 3: Composition/information on ingredients

This article, when used under reasonable conditions and in accordance with the directions for use, should not present a health hazard. The substance or mixture is encapsulated in the article. Only if released due to use or processing of the article in a manner not in accordance with the product's directions for use it may present potential health and safety hazards.

3.1 Substances	: RRHD Eclipse Plus C18 RRHD Eclipse Plus C8 RRHD Eclipse Plus Ph-Hex	Mixture (encapsulated in article) Mixture (encapsulated in article) Mixture (encapsulated in article)
-----------------------	---	---

SECTION 3: Composition/information on ingredients

Product/ingredient name	Identifiers	%	Regulation (EC) No. 1272/2008 [CLP]	Type
RRHD Eclipse Plus C18 Acetonitrile	EC: 200-835-2 CAS: 75-05-8 Index: 608-001-00-3	≥10 - <25	Flam. Liq. 2, H225 Acute Tox. 4, H302 Acute Tox. 4, H312 Acute Tox. 4, H332 Eye Irrit. 2, H319	[1] [2]
RRHD Eclipse Plus C8 Acetonitrile	EC: 200-835-2 CAS: 75-05-8 Index: 608-001-00-3	≥10 - <25	Flam. Liq. 2, H225 Acute Tox. 4, H302 Acute Tox. 4, H312 Acute Tox. 4, H332 Eye Irrit. 2, H319	[1] [2]
RRHD Eclipse Plus Ph-Hex Acetonitrile	EC: 200-835-2 CAS: 75-05-8 Index: 608-001-00-3	≥10 - <25	Flam. Liq. 2, H225 Acute Tox. 4, H302 Acute Tox. 4, H312 Acute Tox. 4, H332 Eye Irrit. 2, H319 See Section 16 for the full text of the H statements declared above.	[1] [2]

Contains: Organosilane bonded silica gel

Note: To the best of our knowledge, the acute and chronic toxicological properties of bonded silica gels have not been investigated. This product contains synthetic amorphous silica, and should not be confused with crystalline silica such as quartz, cristobalite, or tridymite, or with diatomaceous earth or other naturally occurring forms of amorphous silica that frequently contain crystalline forms of silica.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Type

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

[3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII

[4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII

[5] Substance of equivalent concern

SECTION 4: First aid measures

4.1 Description of first aid measures

Eye contact	: RRHD Eclipse Plus C18	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
	RRHD Eclipse Plus C8	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
	RRHD Eclipse Plus Ph-Hex	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.

SECTION 4: First aid measures

Inhalation	: RRHD Eclipse Plus C18	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
	RRHD Eclipse Plus C8	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
	RRHD Eclipse Plus Ph-Hex	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Skin contact	: RRHD Eclipse Plus C18	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
	RRHD Eclipse Plus C8	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
	RRHD Eclipse Plus Ph-Hex	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	: RRHD Eclipse Plus C18	Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt

SECTION 4: First aid measures

RRHD Eclipse Plus C8 or waistband.
Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

RRHD Eclipse Plus Ph-Hex
Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Protection of first-aiders : RRHD Eclipse Plus C18 No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
RRHD Eclipse Plus C8 No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
RRHD Eclipse Plus Ph-Hex No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

4.2 Most important symptoms and effects, both acute and delayed

Potential acute health effects

Eye contact : RRHD Eclipse Plus C18 Causes serious eye irritation.
RRHD Eclipse Plus C8 Causes serious eye irritation.
RRHD Eclipse Plus Ph-Hex Causes serious eye irritation.

Inhalation : RRHD Eclipse Plus C18 No known significant effects or critical hazards.
RRHD Eclipse Plus C8 No known significant effects or critical hazards.
RRHD Eclipse Plus Ph-Hex No known significant effects or critical hazards.

Skin contact : RRHD Eclipse Plus C18 No known significant effects or critical hazards.
RRHD Eclipse Plus C8 No known significant effects or critical hazards.
RRHD Eclipse Plus Ph-Hex No known significant effects or critical hazards.

Ingestion : RRHD Eclipse Plus C18 No known significant effects or critical hazards.
RRHD Eclipse Plus C8 No known significant effects or critical hazards.
RRHD Eclipse Plus Ph-Hex No known significant effects or critical hazards.

Over-exposure signs/symptoms

SECTION 4: First aid measures

Eye contact	: RRHD Eclipse Plus C18	Adverse symptoms may include the following: pain or irritation watering redness
	RRHD Eclipse Plus C8	Adverse symptoms may include the following: pain or irritation watering redness
	RRHD Eclipse Plus Ph-Hex	Adverse symptoms may include the following: pain or irritation watering redness
Inhalation	: RRHD Eclipse Plus C18	No specific data.
	RRHD Eclipse Plus C8	No specific data.
	RRHD Eclipse Plus Ph-Hex	No specific data.
Skin contact	: RRHD Eclipse Plus C18	No specific data.
	RRHD Eclipse Plus C8	No specific data.
	RRHD Eclipse Plus Ph-Hex	No specific data.
Ingestion	: RRHD Eclipse Plus C18	No specific data.
	RRHD Eclipse Plus C8	No specific data.
	RRHD Eclipse Plus Ph-Hex	No specific data.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician	: RRHD Eclipse Plus C18	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
	RRHD Eclipse Plus C8	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
	RRHD Eclipse Plus Ph-Hex	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	: RRHD Eclipse Plus C18	No specific treatment.
	RRHD Eclipse Plus C8	No specific treatment.
	RRHD Eclipse Plus Ph-Hex	No specific treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media	: RRHD Eclipse Plus C18	Use dry chemical, CO ₂ , water spray (fog) or foam.
	RRHD Eclipse Plus C8	Use dry chemical, CO ₂ , water spray (fog) or foam.
	RRHD Eclipse Plus Ph-Hex	Use dry chemical, CO ₂ , water spray (fog) or foam.
Unsuitable extinguishing media	: RRHD Eclipse Plus C18	Do not use water jet.
	RRHD Eclipse Plus C8	Do not use water jet.
	RRHD Eclipse Plus Ph-Hex	Do not use water jet.

5.2 Special hazards arising from the substance or mixture

Hazards from the substance or mixture	: RRHD Eclipse Plus C18	Highly flammable liquid and vapour. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion. Runoff to sewer may create fire or explosion hazard.
	RRHD Eclipse Plus C8	Highly flammable liquid and vapour. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion. Runoff to sewer

SECTION 5: Firefighting measures

	RRHD Eclipse Plus Ph-Hex	may create fire or explosion hazard. Highly flammable liquid and vapour. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion. Runoff to sewer may create fire or explosion hazard.
Hazardous combustion products	: RRHD Eclipse Plus C18	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides metal oxide/oxides cyanides
	RRHD Eclipse Plus C8	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides metal oxide/oxides cyanides
	RRHD Eclipse Plus Ph-Hex	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides metal oxide/oxides cyanides

5.3 Advice for firefighters

Special precautions for fire-fighters	: RRHD Eclipse Plus C18	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.
	RRHD Eclipse Plus C8	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.
	RRHD Eclipse Plus Ph-Hex	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.

Special protective equipment for fire-fighters	: RRHD Eclipse Plus C18	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
	RRHD Eclipse Plus C8	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
	RRHD Eclipse Plus Ph-Hex	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

For non-emergency personnel	: RRHD Eclipse Plus C18	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
	RRHD Eclipse Plus C8	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
	RRHD Eclipse Plus Ph-Hex	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	: RRHD Eclipse Plus C18	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
	RRHD Eclipse Plus C8	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
	RRHD Eclipse Plus Ph-Hex	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

6.2 Environmental precautions

: RRHD Eclipse Plus C18	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
RRHD Eclipse Plus C8	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
RRHD Eclipse Plus Ph-Hex	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	: RRHD Eclipse Plus C18	Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	RRHD Eclipse Plus C8	Stop leak if without risk. Move containers from spill area.

SECTION 6: Accidental release measures

RRHD Eclipse Plus Ph-Hex	<p>Use spark-proof tools and explosion-proof equipment. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.</p> <p>Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.</p>
--------------------------	---

6.4 Reference to other sections : See Section 1 for emergency contact information.
 See Section 8 for information on appropriate personal protective equipment.
 See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Protective measures	: RRHD Eclipse Plus C18	<p>Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapour or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not enter storage areas and confined spaces unless adequately ventilated. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use only non-sparking tools. Take precautionary measures against electrostatic discharges. Empty containers retain product residue and can be hazardous. Do not reuse container.</p>
	RRHD Eclipse Plus C8	<p>Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapour or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not enter storage areas and confined spaces unless adequately ventilated. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use only non-sparking tools. Take precautionary measures against electrostatic discharges. Empty containers retain product residue and can be hazardous. Do not reuse container.</p>
	RRHD Eclipse Plus Ph-Hex	<p>Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapour or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not enter storage areas and confined spaces unless adequately ventilated. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use only non-sparking tools. Take precautionary measures against electrostatic discharges. Empty containers retain product residue and can be hazardous. Do not reuse container.</p>

SECTION 7: Handling and storage

Advice on general occupational hygiene	: RRHD Eclipse Plus C18	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
	RRHD Eclipse Plus C8	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
	RRHD Eclipse Plus Ph-Hex	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

Storage	: RRHD Eclipse Plus C18	Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
	RRHD Eclipse Plus C8	Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
	RRHD Eclipse Plus Ph-Hex	Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.

Seveso Directive - Reporting thresholds (in tonnes)**Danger criteria**

SECTION 7: Handling and storage

Category	Notification and MAPP threshold	Safety report threshold
RRHD Eclipse Plus C18 P5c: Flammable liquids 2 and 3 not falling under P5a or P5b	5000	50000
RRHD Eclipse Plus C8 P5c: Flammable liquids 2 and 3 not falling under P5a or P5b	5000	50000
RRHD Eclipse Plus Ph-Hex P5c: Flammable liquids 2 and 3 not falling under P5a or P5b	5000	50000

7.3 Specific end use(s)

Recommendations	: RRHD Eclipse Plus C18	Industrial applications, Professional applications.
	RRHD Eclipse Plus C8	Industrial applications, Professional applications.
	RRHD Eclipse Plus Ph-Hex	Industrial applications, Professional applications.
Industrial sector specific solutions	: RRHD Eclipse Plus C18	Not applicable.
	RRHD Eclipse Plus C8	Not applicable.
	RRHD Eclipse Plus Ph-Hex	Not applicable.

SECTION 8: Exposure controls/personal protection

Since the hazardous ingredient in this article is encapsulated, the risk of exposure by inhalation, ingestion, skin contact and eyes contact is minimum.

8.1 Control parameters

Occupational exposure limits

Product/ingredient name	Exposure limit values
RRHD Eclipse Plus C18 Acetonitrile	EH40/2005 WELs (United Kingdom (UK), 12/2011). STEL: 102 mg/m ³ 15 minutes. STEL: 60 ppm 15 minutes. TWA: 40 ppm 8 hours. TWA: 68 mg/m ³ 8 hours.
RRHD Eclipse Plus C8 Acetonitrile	EH40/2005 WELs (United Kingdom (UK), 12/2011). STEL: 102 mg/m ³ 15 minutes. STEL: 60 ppm 15 minutes. TWA: 40 ppm 8 hours. TWA: 68 mg/m ³ 8 hours.
RRHD Eclipse Plus Ph-Hex Acetonitrile	EH40/2005 WELs (United Kingdom (UK), 12/2011). STEL: 102 mg/m ³ 15 minutes. STEL: 60 ppm 15 minutes. TWA: 40 ppm 8 hours. TWA: 68 mg/m ³ 8 hours.

Recommended monitoring procedures	: If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for
--	---

SECTION 8: Exposure controls/personal protection

methods for the determination of hazardous substances will also be required.

DNELs/DMELs

No DNELs/DMELs available.

PNECs

No PNECs available

8.2 Exposure controls

Appropriate engineering controls : Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapour or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.

Individual protection measures

Hygiene measures : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.

Skin protection

Hand protection : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

Body protection : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Environmental exposure controls : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties****Appearance**

Physical state : RRHD Eclipse Plus C18 Solid. (containing flammable liquid)
RRHD Eclipse Plus C8 Solid. (containing flammable liquid)
RRHD Eclipse Plus Ph-Hex Solid. (containing flammable liquid)

Colour : RRHD Eclipse Plus C18 White.
RRHD Eclipse Plus C8 White.
RRHD Eclipse Plus Ph-Hex White.

SECTION 9: Physical and chemical properties

Odour	: RRHD Eclipse Plus C18	Not available.
	RRHD Eclipse Plus C8	Not available.
	RRHD Eclipse Plus Ph-Hex	Not available.
Odour threshold	: RRHD Eclipse Plus C18	Not available.
	RRHD Eclipse Plus C8	Not available.
	RRHD Eclipse Plus Ph-Hex	Not available.
pH	: RRHD Eclipse Plus C18	Not available.
	RRHD Eclipse Plus C8	Not available.
	RRHD Eclipse Plus Ph-Hex	Not available.
Melting point/freezing point	: RRHD Eclipse Plus C18	Not available.
	RRHD Eclipse Plus C8	Not available.
	RRHD Eclipse Plus Ph-Hex	Not available.
Initial boiling point and boiling range	: RRHD Eclipse Plus C18	Not available.
	RRHD Eclipse Plus C8	Not available.
	RRHD Eclipse Plus Ph-Hex	Not available.
Flash point	: RRHD Eclipse Plus C18	Closed cup: -18 to 23°C
	RRHD Eclipse Plus C8	Closed cup: -18 to 23°C
	RRHD Eclipse Plus Ph-Hex	Closed cup: -18 to 23°C
Evaporation rate	: RRHD Eclipse Plus C18	Not available.
	RRHD Eclipse Plus C8	Not available.
	RRHD Eclipse Plus Ph-Hex	Not available.
Flammability (solid, gas)	: RRHD Eclipse Plus C18	Contains: Flammable liquid
	RRHD Eclipse Plus C8	Contains: Flammable liquid
	RRHD Eclipse Plus Ph-Hex	Contains: Flammable liquid
Upper/lower flammability or explosive limits	: RRHD Eclipse Plus C18	Not available.
	RRHD Eclipse Plus C8	Not available.
	RRHD Eclipse Plus Ph-Hex	Not available.
Vapour pressure	: RRHD Eclipse Plus C18	Not available.
	RRHD Eclipse Plus C8	Not available.
	RRHD Eclipse Plus Ph-Hex	Not available.
Vapour density	: RRHD Eclipse Plus C18	Not available.
	RRHD Eclipse Plus C8	Not available.
	RRHD Eclipse Plus Ph-Hex	Not available.
Relative density	: RRHD Eclipse Plus C18	Not available.
	RRHD Eclipse Plus C8	Not available.
	RRHD Eclipse Plus Ph-Hex	Not available.
Solubility(ies)	: RRHD Eclipse Plus C18	Mobile phase: Soluble Stationary phase: Insoluble
	RRHD Eclipse Plus C8	Mobile phase: Soluble Stationary phase: Insoluble
	RRHD Eclipse Plus Ph-Hex	Mobile phase: Soluble Stationary phase: Insoluble
Partition coefficient: n-octanol/water	: RRHD Eclipse Plus C18	Not available.
	RRHD Eclipse Plus C8	Not available.
	RRHD Eclipse Plus Ph-Hex	Not available.

SECTION 9: Physical and chemical properties

Auto-ignition temperature	:	RRHD Eclipse Plus C18	Not available.
		RRHD Eclipse Plus C8	Not available.
		RRHD Eclipse Plus Ph-Hex	Not available.
Decomposition temperature	:	RRHD Eclipse Plus C18	Not available.
		RRHD Eclipse Plus C8	Not available.
		RRHD Eclipse Plus Ph-Hex	Not available.
Viscosity	:	RRHD Eclipse Plus C18	Not available.
		RRHD Eclipse Plus C8	Not available.
		RRHD Eclipse Plus Ph-Hex	Not available.
Explosive properties	:	RRHD Eclipse Plus C18	Not available.
		RRHD Eclipse Plus C8	Not available.
		RRHD Eclipse Plus Ph-Hex	Not available.
Oxidising properties	:	RRHD Eclipse Plus C18	Not available.
		RRHD Eclipse Plus C8	Not available.
		RRHD Eclipse Plus Ph-Hex	Not available.

9.2 Other information

No additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity	:	RRHD Eclipse Plus C18	No specific test data related to reactivity available for this product or its ingredients.
		RRHD Eclipse Plus C8	No specific test data related to reactivity available for this product or its ingredients.
		RRHD Eclipse Plus Ph-Hex	No specific test data related to reactivity available for this product or its ingredients.
10.2 Chemical stability	:	RRHD Eclipse Plus C18	The product is stable.
		RRHD Eclipse Plus C8	The product is stable.
		RRHD Eclipse Plus Ph-Hex	The product is stable.
10.3 Possibility of hazardous reactions	:	RRHD Eclipse Plus C18	Under normal conditions of storage and use, hazardous reactions will not occur.
		RRHD Eclipse Plus C8	Under normal conditions of storage and use, hazardous reactions will not occur.
		RRHD Eclipse Plus Ph-Hex	Under normal conditions of storage and use, hazardous reactions will not occur.
10.4 Conditions to avoid	:	RRHD Eclipse Plus C18	Avoid all possible sources of ignition (spark or flame). Do not pressurise, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition.
		RRHD Eclipse Plus C8	Avoid all possible sources of ignition (spark or flame). Do not pressurise, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition.
		RRHD Eclipse Plus Ph-Hex	Avoid all possible sources of ignition (spark or flame). Do not pressurise, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition.

SECTION 10: Stability and reactivity

10.5 Incompatible materials	: RRHD Eclipse Plus C18	Reactive or incompatible with the following materials: oxidizing materials. Incompatible with hydrogen fluoride.
	RRHD Eclipse Plus C8	Reactive or incompatible with the following materials: oxidizing materials. Incompatible with hydrogen fluoride.
	RRHD Eclipse Plus Ph-Hex	Reactive or incompatible with the following materials: oxidizing materials. Incompatible with hydrogen fluoride.
10.6 Hazardous decomposition products	: RRHD Eclipse Plus C18	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	RRHD Eclipse Plus C8	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	RRHD Eclipse Plus Ph-Hex	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
RRHD Eclipse Plus C18 Acetonitrile	LC50 Inhalation Vapour	Rat	17100 ppm	4 hours
	LD50 Oral	Rat	2460 mg/kg	-
RRHD Eclipse Plus C8 Acetonitrile	LC50 Inhalation Vapour	Rat	17100 ppm	4 hours
	LD50 Oral	Rat	2460 mg/kg	-
RRHD Eclipse Plus Ph-Hex Acetonitrile	LC50 Inhalation Vapour	Rat	17100 ppm	4 hours
	LD50 Oral	Rat	2460 mg/kg	-

Acute toxicity estimates

Route	ATE value
RRHD Eclipse Plus C18 Oral Dermal Inhalation (vapours)	2463.1 mg/kg 5418.7 mg/kg 54.19 mg/l
RRHD Eclipse Plus C8 Oral Dermal Inhalation (vapours)	2463.1 mg/kg 5418.7 mg/kg 54.19 mg/l
RRHD Eclipse Plus Ph-Hex Oral Dermal Inhalation (vapours)	2688.2 mg/kg 5914 mg/kg 59.14 mg/l

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
RRHD Eclipse Plus C18 Acetonitrile	Eyes - Moderate irritant	Rabbit	-	24 hours 100 microliters	-
	Skin - Mild irritant	Rabbit	-	500 milligrams	-
RRHD Eclipse Plus C8 Acetonitrile	Eyes - Moderate irritant	Rabbit	-	24 hours 100 microliters	-
	Skin - Mild irritant	Rabbit	-	500 milligrams	-

SECTION 11: Toxicological information

RRHD Eclipse Plus Ph-Hex Acetonitrile	Eyes - Moderate irritant	Rabbit	-	24 hours 100 microliters 500 milligrams	-
	Skin - Mild irritant	Rabbit	-		-

Sensitiser

Conclusion/Summary : Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on likely routes of exposure : RRHD Eclipse Plus C18 Routes of entry anticipated: Oral, Dermal, Inhalation.
 RRHD Eclipse Plus C8 Routes of entry anticipated: Oral, Dermal, Inhalation.
 RRHD Eclipse Plus Ph-Hex Routes of entry anticipated: Oral, Dermal, Inhalation.

Potential acute health effects

Inhalation : RRHD Eclipse Plus C18 No known significant effects or critical hazards.
 RRHD Eclipse Plus C8 No known significant effects or critical hazards.
 RRHD Eclipse Plus Ph-Hex No known significant effects or critical hazards.

Ingestion : RRHD Eclipse Plus C18 No known significant effects or critical hazards.
 RRHD Eclipse Plus C8 No known significant effects or critical hazards.
 RRHD Eclipse Plus Ph-Hex No known significant effects or critical hazards.

Skin contact : RRHD Eclipse Plus C18 No known significant effects or critical hazards.
 RRHD Eclipse Plus C8 No known significant effects or critical hazards.
 RRHD Eclipse Plus Ph-Hex No known significant effects or critical hazards.

Eye contact : RRHD Eclipse Plus C18 Causes serious eye irritation.
 RRHD Eclipse Plus C8 Causes serious eye irritation.
 RRHD Eclipse Plus Ph-Hex Causes serious eye irritation.

Symptoms related to the physical, chemical and toxicological characteristics

Inhalation : RRHD Eclipse Plus C18 No specific data.
 RRHD Eclipse Plus C8 No specific data.
 RRHD Eclipse Plus Ph-Hex No specific data.

Ingestion : RRHD Eclipse Plus C18 No specific data.
 RRHD Eclipse Plus C8 No specific data.
 RRHD Eclipse Plus Ph-Hex No specific data.

Skin contact : RRHD Eclipse Plus C18 No specific data.
 RRHD Eclipse Plus C8 No specific data.
 RRHD Eclipse Plus Ph-Hex No specific data.

Eye contact : RRHD Eclipse Plus C18 Adverse symptoms may include the following:
 pain or irritation
 watering
 redness
 RRHD Eclipse Plus C8 Adverse symptoms may include the following:
 pain or irritation
 watering
 redness
 RRHD Eclipse Plus Ph-Hex Adverse symptoms may include the following:

SECTION 11: Toxicological information

Hex

pain or irritation
watering
redness

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Short term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Long term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Potential chronic health effects

General	: RRHD Eclipse Plus C18 RRHD Eclipse Plus C8 RRHD Eclipse Plus Ph-Hex	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
Carcinogenicity	: RRHD Eclipse Plus C18 RRHD Eclipse Plus C8 RRHD Eclipse Plus Ph-Hex	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
Mutagenicity	: RRHD Eclipse Plus C18 RRHD Eclipse Plus C8 RRHD Eclipse Plus Ph-Hex	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
Teratogenicity	: RRHD Eclipse Plus C18 RRHD Eclipse Plus C8 RRHD Eclipse Plus Ph-Hex	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
Developmental effects	: RRHD Eclipse Plus C18 RRHD Eclipse Plus C8 RRHD Eclipse Plus Ph-Hex	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
Fertility effects	: RRHD Eclipse Plus C18 RRHD Eclipse Plus C8 RRHD Eclipse Plus Ph-Hex	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.

SECTION 12: Ecological information

12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
RRHD Eclipse Plus C18 Acetonitrile	Acute IC50 3685000 µg/l Fresh water	Aquatic plants - Lemna minor	96 hours
	Acute LC50 3600000 µg/l Fresh water	Daphnia - Daphnia magna	48 hours
	Acute LC50 1000000 µg/l Fresh water	Fish - Pimephales promelas	96 hours
	Chronic NOEC 1000000 µg/l Fresh water	Aquatic plants - Lemna minor	96 hours
	Chronic NOEC 160000 µg/l Fresh water	Daphnia - Daphnia magna	21 days
RRHD Eclipse Plus C8 Acetonitrile	Acute IC50 3685000 µg/l Fresh water	Aquatic plants - Lemna minor	96 hours
	Acute LC50 3600000 µg/l Fresh water	Daphnia - Daphnia magna	48 hours
	Acute LC50 1000000 µg/l Fresh water	Fish - Pimephales promelas	96 hours
	Chronic NOEC 1000000 µg/l Fresh water	Aquatic plants - Lemna minor	96 hours

SECTION 12: Ecological information

RRHD Eclipse Plus Ph-Hex Acetonitrile	Chronic NOEC 160000 µg/l Fresh water	Daphnia - Daphnia magna	21 days
	Acute IC50 3685000 µg/l Fresh water	Aquatic plants - Lemna minor	96 hours
	Acute LC50 3600000 µg/l Fresh water	Daphnia - Daphnia magna	48 hours
	Acute LC50 1000000 µg/l Fresh water	Fish - Pimephales promelas	96 hours
	Chronic NOEC 1000000 µg/l Fresh water	Aquatic plants - Lemna minor	96 hours
	Chronic NOEC 160000 µg/l Fresh water	Daphnia - Daphnia magna	21 days

12.2 Persistence and degradability

Not available.

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
RRHD Eclipse Plus C18 Acetonitrile	-	-	Readily
RRHD Eclipse Plus C8 Acetonitrile	-	-	Readily
RRHD Eclipse Plus Ph-Hex Acetonitrile	-	-	Readily

12.3 Bioaccumulative potential

Product/ingredient name	LogP _{ow}	BCF	Potential
RRHD Eclipse Plus C18 Acetonitrile	-0.34	3	low
RRHD Eclipse Plus C8 Acetonitrile	-0.34	3	low
RRHD Eclipse Plus Ph-Hex Acetonitrile	-0.34	3	low

12.4 Mobility in soil

Soil/water partition coefficient (K_{oc}) : Not available.

Mobility : Not available.

12.5 Results of PBT and vPvB assessment

PBT : Not applicable.

vPvB : Not applicable.

12.6 Other adverse effects : No known significant effects or critical hazards.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Methods of disposal : The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

Hazardous waste : The classification of the product may meet the criteria for a hazardous waste.

Packaging

Date of issue/Date of revision : 30/03/2017

SECTION 13: Disposal considerations

- Methods of disposal** : The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.
- Special precautions** : This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

This Safety Data Sheet is written based on the encapsulated substance or mixture in this article. Since the hazardous ingredient is encapsulated, the risk of exposure by inhalation, ingestion, skin contact and eyes contact is minimum.

Regulatory information

ADR/RID / IMDG / IATA : Not regulated.

14.6 Special precautions for user : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code : Not available.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorisation

Annex XIV

None of the components are listed.

Substances of very high concern

None of the components are listed.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles : RRHD Eclipse Plus C18 Not applicable.
 RRHD Eclipse Plus C8 Not applicable.
 RRHD Eclipse Plus Ph-Hex Not applicable.

Other EU regulations

Europe inventory : All components are listed or exempted.

Industrial emissions : Listed

(integrated pollution prevention and control) - Air

Industrial emissions : Listed

(integrated pollution prevention and control) - Water

Ozone depleting substances (1005/2009/EU)

Not listed.

Prior Informed Consent (PIC) (649/2012/EU)

Not listed.

Seveso Directive

This product is not controlled under the Seveso Directive.

SECTION 15: Regulatory information

Danger criteria

Category

RRHD Eclipse Plus C18

P5c: Flammable liquids 2 and 3 not falling under P5a or P5b

RRHD Eclipse Plus C8

P5c: Flammable liquids 2 and 3 not falling under P5a or P5b

RRHD Eclipse Plus Ph-Hex

P5c: Flammable liquids 2 and 3 not falling under P5a or P5b

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol (Annexes A, B, C, E)

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

International lists

National inventory

Australia	: All components are listed or exempted.
Canada	: Not determined.
China	: All components are listed or exempted.
Japan	: Japan inventory (ENCS) : All components are listed or exempted. Japan inventory (ISHL) : All components are listed or exempted.
Malaysia	: All components are listed or exempted.
New Zealand	: Not determined.
Philippines	: Not determined.
Republic of Korea	: Not determined.
Taiwan	: All components are listed or exempted.
Turkey	: Not determined.
United States	: All components are listed or exempted.

15.2 Chemical safety assessment : This product contains substances for which Chemical Safety Assessments might still be required.

SECTION 16: Other information

☑ Indicates information that has changed from previously issued version.

Abbreviations and acronyms : ATE = Acute Toxicity Estimate
CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]
DNEL = Derived No Effect Level
EUH statement = CLP-specific Hazard statement
PNEC = Predicted No Effect Concentration
RRN = REACH Registration Number

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

SECTION 16: Other information

Classification	Justification
RRHD Eclipse Plus C18 Flam. Liq. 2, H225 Eye Irrit. 2, H319	On basis of test data Calculation method
RRHD Eclipse Plus C8 Flam. Liq. 2, H225 Eye Irrit. 2, H319	On basis of test data Calculation method
RRHD Eclipse Plus Ph-Hex Flam. Liq. 2, H225 Eye Irrit. 2, H319	On basis of test data Calculation method

Full text of abbreviated H statements

RRHD Eclipse Plus C18 H225 H302 H312 H319 H332	Highly flammable liquid and vapour. Harmful if swallowed. Harmful in contact with skin. Causes serious eye irritation. Harmful if inhaled.
RRHD Eclipse Plus C8 H225 H302 H312 H319 H332	Highly flammable liquid and vapour. Harmful if swallowed. Harmful in contact with skin. Causes serious eye irritation. Harmful if inhaled.
RRHD Eclipse Plus Ph-Hex H225 H302 H312 H319 H332	Highly flammable liquid and vapour. Harmful if swallowed. Harmful in contact with skin. Causes serious eye irritation. Harmful if inhaled.

Full text of classifications [CLP/GHS]

RRHD Eclipse Plus C18 Acute Tox. 4, H302 Acute Tox. 4, H312 Acute Tox. 4, H332 Eye Irrit. 2, H319 Flam. Liq. 2, H225	ACUTE TOXICITY (oral) - Category 4 ACUTE TOXICITY (dermal) - Category 4 ACUTE TOXICITY (inhalation) - Category 4 SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2 FLAMMABLE LIQUIDS - Category 2
RRHD Eclipse Plus C8 Acute Tox. 4, H302 Acute Tox. 4, H312 Acute Tox. 4, H332 Eye Irrit. 2, H319 Flam. Liq. 2, H225	ACUTE TOXICITY (oral) - Category 4 ACUTE TOXICITY (dermal) - Category 4 ACUTE TOXICITY (inhalation) - Category 4 SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2 FLAMMABLE LIQUIDS - Category 2
RRHD Eclipse Plus Ph-Hex Acute Tox. 4, H302 Acute Tox. 4, H312 Acute Tox. 4, H332 Eye Irrit. 2, H319 Flam. Liq. 2, H225	ACUTE TOXICITY (oral) - Category 4 ACUTE TOXICITY (dermal) - Category 4 ACUTE TOXICITY (inhalation) - Category 4 SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2 FLAMMABLE LIQUIDS - Category 2

Date of issue/ Date of revision : 30/03/2017

Date of previous issue : No previous validation.

Version : 1

Notice to reader

SECTION 16: Other information

Disclaimer: The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.