SAFETY DATA SHEET



SureSelect XT2 Target Enrichment Kit Box 1, Part Number 5190-7303

Section 1. Identification

1.1 Product identifier

Product name : SureSelect XT2 Target Enrichment Kit Box 1, Part Number 5190-7303

Part No. (Chemical Kit) : 5190-7303

Part No. : SureSelect XT2 Binding Buffer 5190-4088

SureSelect XT2 Wash 1 5190-4089 SureSelect XT2 Wash 2 5190-4090

Validation date : 1/3/2018

1.2 Relevant identified uses of the substance or mixture and uses advised against

Material uses : Analytical reagent.

SureSelect XT2 Binding Buffer 9.6 ml SureSelect XT2 Wash 1 2.4 ml SureSelect XT2 Wash 2 14.4 ml

1.3 Details of the supplier of the safety data sheet

Supplier/Manufacturer : Agilent Technologies, Inc.

5301 Stevens Creek Blvd Santa Clara, CA 95051, USA

800-227-9770

1.4 Emergency telephone number

In case of emergency : CHEMTREC®: 1-800-424-9300

Section 2. Hazards identification

2.1 Classification of the substance or mixture

OSHA/HCS status : SureSelect XT2 Binding While this material is not considered hazardous by the

Buffer OSHA Hazard Communication Standard (29 CFR 1910. 1200), this SDS contains valuable information critical to

the safe handling and proper use of the product. This SDS should be retained and available for employees and

other users of this product.

SureSelect XT2 Wash 1 While this material is not considered hazardous by the

OSHA Hazard Communication Standard (29 CFR 1910. 1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and

other users of this product.

SureSelect XT2 Wash 2 While this material is not considered hazardous by the

OSHA Hazard Communication Standard (29 CFR 1910. 1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and

other users of this product.

Classification of the substance or mixture

Not classified.

Ingredients of unknown : SureSelect XT2 Binding Buffer Percentage of the mixture consisting of ingredient

toxicity (s) of unknown inhalation toxicity: 1 - 10%

Date of issue: 01/03/2018 1/16

Section 2. Hazards identification

2.2 GHS label elements

Signal word SureSelect XT2 Binding Buffer No signal word. SureSelect XT2 Wash 1 No signal word. SureSelect XT2 Wash 2 No signal word.

Hazard statements SureSelect XT2 Binding Buffer No known significant effects or critical hazards. SureSelect XT2 Wash 1 No known significant effects or critical hazards. SureSelect XT2 Wash 2 No known significant effects or critical hazards.

Precautionary statements

Prevention : SureSelect XT2 Binding Buffer Not applicable. SureSelect XT2 Wash 1 Not applicable.

SureSelect XT2 Wash 2 Not applicable. : SureSelect XT2 Binding Buffer Not applicable.

Response SureSelect XT2 Wash 1 Not applicable. SureSelect XT2 Wash 2 Not applicable.

: SureSelect XT2 Binding Buffer Not applicable. **Storage** SureSelect XT2 Wash 1 Not applicable. SureSelect XT2 Wash 2 Not applicable.

Disposal SureSelect XT2 Binding Buffer Not applicable. SureSelect XT2 Wash 1

Not applicable. SureSelect XT2 Wash 2 Not applicable. : SureSelect XT2 Binding Buffer None known. SureSelect XT2 Wash 1 None known. SureSelect XT2 Wash 2 None known.

2.3 Other hazards

elements

Supplemental label

SureSelect XT2 Binding Buffer Hazards not otherwise None known. SureSelect XT2 Wash 1 classified None known.

SureSelect XT2 Wash 2 None known.

Section 3. Composition/information on ingredients

Substance/mixture SureSelect XT2 Binding Buffer Mixture SureSelect XT2 Wash 1 Mixture SureSelect XT2 Wash 2 Mixture

Ingredient name	%	CAS number
SureSelect XT2 Binding Buffer		
Sodium chloride	<10	7647-14-5

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

4.1 Description of necessary first aid measures

Eye contact : SureSelect XT2 Binding Buffer Immediately flush eyes with plenty of water,

> occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get

medical attention if irritation occurs.

SureSelect XT2 Wash 1 Immediately flush eyes with plenty of water,

occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get

medical attention if irritation occurs.

Date of issue: 01/03/2018 2/16

Section 4. First aid measures

SureSelect XT2 Wash 2 Immediately flush eyes with plenty of water,

occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get

medical attention if irritation occurs.

Inhalation : SureSelect XT2 Binding Buffer

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical

attention if symptoms occur.

SureSelect XT2 Wash 1 Remove victim to fresh air and keep at rest in a

position comfortable for breathing. Get medical

attention if symptoms occur.

SureSelect XT2 Wash 2 Remove victim to fresh air and keep at rest in a

position comfortable for breathing. Get medical

attention if symptoms occur.

Skin contact : SureSelect XT2 Binding Buffer Flush contaminated skin with plenty of water.

Remove contaminated clothing and shoes. Get

medical attention if symptoms occur.

SureSelect XT2 Wash 1 Flush contaminated skin with plenty of water.

Remove contaminated clothing and shoes. Get

medical attention if symptoms occur.

SureSelect XT2 Wash 2 Flush contaminated skin with plenty of water.

Remove contaminated clothing and shoes. Get

medical attention if symptoms occur.

Ingestion : SureSelect XT2 Binding Buffer Wash out mouth with water. Remove victim to

fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get

medical attention if symptoms occur.

SureSelect XT2 Wash 1 Wash out mouth with water. Remove victim to

fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small

quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get

medical attention if symptoms occur.

SureSelect XT2 Wash 2 Wash out mouth with water. Remove victim to

fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get

medical attention if symptoms occur.

4.2 Most important symptoms/effects, acute and delayed Potential acute health effects

Eye contact : SureSelect XT2 Binding Buffer

SureSelect XT2 Wash 1 SureSelect XT2 Wash 2 No known significant effects or critical hazards. No known significant effects or critical hazards.

No known significant effects or critical hazards.

Inhalation : SureSelect XT2 Binding Buffer

SureSelect XT2 Wash 1 SureSelect XT2 Wash 2 No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.

Skin contact : SureSelect XT2 Binding Buffer

SureSelect XT2 Wash 1 SureSelect XT2 Wash 2 No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.

Date of issue: 01/03/2018 **3/16**

Section 4. First aid measures

Ingestion SureSelect XT2 Binding Buffer No known significant effects or critical hazards. No known significant effects or critical hazards. SureSelect XT2 Wash 1 SureSelect XT2 Wash 2 No known significant effects or critical hazards.

Over-exposure signs/symptoms

Eye contact : SureSelect XT2 Binding Buffer No specific data.

SureSelect XT2 Wash 1 No specific data. SureSelect XT2 Wash 2 No specific data.

Inhalation : SureSelect XT2 Binding Buffer No specific data. SureSelect XT2 Wash 1 No specific data.

No specific data. SureSelect XT2 Wash 2

Skin contact SureSelect XT2 Binding Buffer No specific data. SureSelect XT2 Wash 1 No specific data. No specific data. SureSelect XT2 Wash 2

Ingestion : SureSelect XT2 Binding Buffer No specific data. SureSelect XT2 Wash 1 No specific data.

SureSelect XT2 Wash 2 No specific data.

4.3 Indication of immediate medical attention and special treatment needed, if necessary

: SureSelect XT2 Binding Buffer Notes to physician Treat symptomatically. Contact poison treatment

specialist immediately if large quantities have been

ingested or inhaled.

SureSelect XT2 Wash 1 Treat symptomatically. Contact poison treatment

specialist immediately if large quantities have been

ingested or inhaled.

SureSelect XT2 Wash 2 Treat symptomatically. Contact poison treatment

specialist immediately if large quantities have been

ingested or inhaled.

Specific treatments : SureSelect XT2 Binding Buffer No specific treatment.

SureSelect XT2 Wash 1 No specific treatment. SureSelect XT2 Wash 2 No specific treatment.

Protection of first-aiders : SureSelect XT2 Binding Buffer No action shall be taken involving any personal risk

or without suitable training.

SureSelect XT2 Wash 1 No action shall be taken involving any personal risk

or without suitable training.

No action shall be taken involving any personal risk SureSelect XT2 Wash 2

or without suitable training.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

: SureSelect XT2 Binding Buffer Use an extinguishing agent suitable for the

surrounding fire.

Use an extinguishing agent suitable for the SureSelect XT2 Wash 1

surrounding fire.

Use an extinguishing agent suitable for the SureSelect XT2 Wash 2

surrounding fire.

Unsuitable extinguishing

media

: SureSelect XT2 Binding Buffer SureSelect XT2 Wash 1

SureSelect XT2 Wash 2

None known. None known. None known.

5.2 Special hazards arising from the substance or mixture

Date of issue: 01/03/2018 4/16

Section 5. Fire-fighting measures

Specific hazards arising from the chemical

: SureSelect XT2 Binding Buffer

SureSelect XT2 Wash 1

In a fire or if heated, a pressure increase will occur

and the container may burst.

In a fire or if heated, a pressure increase will occur

and the container may burst.

SureSelect XT2 Wash 2 In a fire or if heated, a pressure increase will occur

and the container may burst.

Hazardous thermal decomposition products

: SureSelect XT2 Binding Buffer

Decomposition products may include the following

materials:

halogenated compounds metal oxide/oxides

SureSelect XT2 Wash 1 No specific data.
SureSelect XT2 Wash 2 No specific data.

5.3 Advice for firefighters

Special protective actions for fire-fighters

: SureSelect XT2 Binding Buffer

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or

without suitable training.

SureSelect XT2 Wash 1

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or

without suitable training.

SureSelect XT2 Wash 2

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or

without suitable training.

Special protective equipment for fire-fighters

: SureSelect XT2 Binding Buffer

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus

equipment and sell-contained breathing apparatus (SCBA) with a full face-piece operated in positive

pressure mode.

SureSelect XT2 Wash 1 Fire-fighters should wear appropriate protective

equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive

pressure mode.

SureSelect XT2 Wash 2

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive

pressure mode.

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: SureSelect XT2 Binding Buffer

No action shall be taken involving any personal risk or without suitable training. Evacuate

surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. No action shall be taken involving any personal

risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. No action shall be taken involving any personal

risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and

SureSelect XT2 Wash 2

SureSelect XT2 Wash 1

Date of issue: 01/03/2018 5/16

Section 6. Accidental release measures

For emergency responders: SureSelect XT2 Binding Buffer

SureSelect XT2 Wash 1

SureSelect XT2 Wash 2

6.2 Environmental precautions

: SureSelect XT2 Binding Buffer

SureSelect XT2 Wash 1

SureSelect XT2 Wash 2

Methods for cleaning up : SureSelect XT2 Binding Buffer

6.3 Methods and materials for containment and cleaning up

SureSelect XT2 Wash 1

SureSelect XT2 Wash 2

unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.

If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers,

waterways, soil or air).

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers,

waterways, soil or air).

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste

disposal contractor.

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Date of issue: 01/03/2018 6/16

Section 7. Handling and storage

7.1 Precautions for safe handling

Protective measures

: SureSelect XT2 Binding Buffer

Put on appropriate personal protective equipment (see Section 8).

SureSelect XT2 Wash 1

Put on appropriate personal protective equipment

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and

processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8

(see Section 8).

SureSelect XT2 Wash 2 Put on appropriate personal protective equipment

(see Section 8).

Advice on general occupational hygiene

7.2 Conditions for safe

storage, including any

incompatibilities

: SureSelect XT2 Binding Buffer

SureSelect XT2 Wash 1

SureSelect XT2 Wash 2

: SureSelect XT2 Binding Buffer

SureSelect XT2 Wash 1

SureSelect XT2 Wash 2

for additional information on hygiene measures. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed

until ready for use. Containers that have been

Date of issue: 01/03/2018 **7/16**

Section 7. Handling and storage

opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

7.3 Specific end use(s)

Recommendations

: SureSelect XT2 Binding Buffer SureSelect XT2 Wash 1 SureSelect XT2 Wash 2 Industrial applications, Professional applications. Industrial applications, Professional applications. Industrial applications, Professional applications.

Industrial sector specific solutions

: SureSelect XT2 Binding Buffer SureSelect XT2 Wash 1 SureSelect XT2 Wash 2 Not applicable. Not applicable. Not applicable.

Section 8. Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
SureSelect XT2 Binding Buffer	
Sodium chloride	None.

8.2 Exposure controls

Appropriate engineering controls

Environmental exposure controls

- : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
- : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.

Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with sideshields.

Skin protection

Hand protection

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Body protection

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection

: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Date of issue: 01/03/2018 8/16

Section 8. Exposure controls/personal protection

Respiratory protection

: Sased on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

-								
Α	n	n	$\overline{}$	•	2	n		^
$\overline{}$	v	v	ᆫ	a	ıα	•	U	┏.

Physical state	:	SureSelect XT2 Binding Buffer SureSelect XT2 Wash 1 SureSelect XT2 Wash 2	Liquid. Liquid. Liquid.
Color	:	SureSelect XT2 Binding Buffer SureSelect XT2 Wash 1 SureSelect XT2 Wash 2	Not available. Not available. Not available.
Odor	:	SureSelect XT2 Binding Buffer SureSelect XT2 Wash 1 SureSelect XT2 Wash 2	Not available. Not available. Not available.
Odor threshold	:	SureSelect XT2 Binding Buffer SureSelect XT2 Wash 1 SureSelect XT2 Wash 2	Not available. Not available. Not available.
pH	:	SureSelect XT2 Binding Buffer SureSelect XT2 Wash 1 SureSelect XT2 Wash 2	7.5 7 7
Melting point	:	SureSelect XT2 Binding Buffer SureSelect XT2 Wash 1 SureSelect XT2 Wash 2	Not available. 0°C (32°F) 0°C (32°F)
Boiling point	:	SureSelect XT2 Binding Buffer SureSelect XT2 Wash 1 SureSelect XT2 Wash 2	Not available. 100°C (212°F) 100°C (212°F)
Flash point	:	SureSelect XT2 Binding Buffer SureSelect XT2 Wash 1 SureSelect XT2 Wash 2	Not available. Not available. Not available.
Evaporation rate	:	SureSelect XT2 Binding Buffer SureSelect XT2 Wash 1 SureSelect XT2 Wash 2	Not available. Not available. Not available.
Flammability (solid, gas)	:	SureSelect XT2 Binding Buffer SureSelect XT2 Wash 1 SureSelect XT2 Wash 2	Not applicable. Not applicable. Not applicable.
Lower and upper explosive (flammable) limits	:	SureSelect XT2 Binding Buffer SureSelect XT2 Wash 1 SureSelect XT2 Wash 2	Not available. Not available. Not available.
Vapor pressure	:	SureSelect XT2 Binding Buffer SureSelect XT2 Wash 1 SureSelect XT2 Wash 2	Not available. Not available. Not available.
Vapor density	:	SureSelect XT2 Binding Buffer SureSelect XT2 Wash 1 SureSelect XT2 Wash 2	Not available. Not available. Not available.
Relative density	:	SureSelect XT2 Binding Buffer SureSelect XT2 Wash 1 SureSelect XT2 Wash 2	Not available. Not available. Not available.

Date of issue: 01/03/2018 **9/16**

Section 9. Physical and chemical properties

Solubility	: SureSelect XT2 Binding Buffer	Easily soluble in the following materials: cold water and hot water.
	SureSelect XT2 Wash 1	Easily soluble in the following materials: cold water and hot water.
	SureSelect XT2 Wash 2	Easily soluble in the following materials: cold water and hot water.
Partition coefficient: n- octanol/water	: SureSelect XT2 Binding Buffer SureSelect XT2 Wash 1 SureSelect XT2 Wash 2	Not available. Not available. Not available.
Auto-ignition temperature	: SureSelect XT2 Binding Buffer SureSelect XT2 Wash 1 SureSelect XT2 Wash 2	Not available. Not available. Not available.
Decomposition temperature	: SureSelect XT2 Binding Buffer SureSelect XT2 Wash 1 SureSelect XT2 Wash 2	Not available. Not available. Not available.
Viscosity	: SureSelect XT2 Binding Buffer SureSelect XT2 Wash 1 SureSelect XT2 Wash 2	Not available. Not available. Not available.

Section 10. Stability and reactivity

	- 3	•	
10.1 Reactivity	:	SureSelect XT2 Binding Buffer	No specific test data related to reactivity available for this product or its ingredients.
		SureSelect XT2 Wash 1	No specific test data related to reactivity available for this product or its ingredients.
		SureSelect XT2 Wash 2	No specific test data related to reactivity available for this product or its ingredients.
10.2 Chemical stability	:	SureSelect XT2 Binding Buffer	The product is stable.
		SureSelect XT2 Wash 1	The product is stable.
		SureSelect XT2 Wash 2	The product is stable.
10.3 Possibility of hazardous reactions	:	SureSelect XT2 Binding Buffer	Under normal conditions of storage and use, hazardous reactions will not occur.
nazardous reactions		SureSelect XT2 Wash 1	Under normal conditions of storage and use, hazardous reactions will not occur.
		SureSelect XT2 Wash 2	Under normal conditions of storage and use, hazardous reactions will not occur.
10.4 Conditions to avoid	:	SureSelect XT2 Binding Buffer	No specific data.
		SureSelect XT2 Wash 1	No specific data.
		SureSelect XT2 Wash 2	No specific data.
10.5 Incompatible materials	:	SureSelect XT2 Binding Buffer	May react or be incompatible with oxidizing materials.
		SureSelect XT2 Wash 1	May react or be incompatible with oxidizing materials.
		SureSelect XT2 Wash 2	May react or be incompatible with oxidizing materials.

Date of issue: 01/03/2018 **10/16**

SureSelect XT2 Target Enrichment Kit Box 1, Part Number 5190-7303

Section 10. Stability and reactivity

10.6 Hazardous decomposition products

: SureSelect XT2 Binding Buffer

Under normal conditions of storage and use,

hazardous decomposition products should not be

produced.

SureSelect XT2 Wash 1

Under normal conditions of storage and use,

hazardous decomposition products should not be

produced.

SureSelect XT2 Wash 2 Under normal conditions of storage and use,

hazardous decomposition products should not be

produced.

Section 11. Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
SureSelect XT2 Binding Buffer				
	LD50 Oral	Rat	3000 mg/kg	-

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
SureSelect XT2 Binding Buffer Sodium chloride	Eyes - Moderate irritant Eyes - Moderate irritant Skin - Mild irritant	Rabbit Rabbit Rabbit	-	24 hours 100 milligrams 10 milligrams 24 hours 500	-
	OKIT WING ITHLANC	rabbit		milligrams	

Sensitization

Not available.

Mutagenicity

Not available.

Carcinogenicity

Not available.

Reproductive toxicity

Not available.

Teratogenicity

Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on the likely routes of exposure

: SureSelect XT2 Binding Buffer SureSelect XT2 Wash 1 SureSelect XT2 Wash 2 Not available. Not available. Not available.

Date of issue: 01/03/2018 **11/16**

Section 11. Toxicological information

Potential acute health effects

Eve contact : SureSelect XT2 Binding Buffer No known significant effects or critical hazards.

> SureSelect XT2 Wash 1 No known significant effects or critical hazards. SureSelect XT2 Wash 2 No known significant effects or critical hazards.

SureSelect XT2 Binding Buffer No known significant effects or critical hazards. Inhalation

> SureSelect XT2 Wash 1 No known significant effects or critical hazards. SureSelect XT2 Wash 2 No known significant effects or critical hazards.

: SureSelect XT2 Binding Buffer No known significant effects or critical hazards. **Skin contact**

> SureSelect XT2 Wash 1 No known significant effects or critical hazards. SureSelect XT2 Wash 2 No known significant effects or critical hazards.

: SureSelect XT2 Binding Buffer No known significant effects or critical hazards. Ingestion

> SureSelect XT2 Wash 1 No known significant effects or critical hazards. SureSelect XT2 Wash 2 No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact : SureSelect XT2 Binding Buffer No specific data.

> SureSelect XT2 Wash 1 No specific data. SureSelect XT2 Wash 2 No specific data. : SureSelect XT2 Binding Buffer No specific data.

> SureSelect XT2 Wash 1 No specific data. SureSelect XT2 Wash 2 No specific data.

Skin contact SureSelect XT2 Binding Buffer No specific data. SureSelect XT2 Wash 1 No specific data.

SureSelect XT2 Wash 2 No specific data. : SureSelect XT2 Binding Buffer No specific data. SureSelect XT2 Wash 1 No specific data.

Ingestion SureSelect XT2 Wash 2 No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate : Not available.

effects

Inhalation

: Not available. Potential delayed effects

Long term exposure

Potential immediate : Not available.

effects

Potential delayed effects : Not available.

Potential chronic health effects

General : SureSelect XT2 Binding Buffer No known significant effects or critical hazards.

> SureSelect XT2 Wash 1 No known significant effects or critical hazards. SureSelect XT2 Wash 2 No known significant effects or critical hazards.

Carcinogenicity : SureSelect XT2 Binding Buffer No known significant effects or critical hazards.

SureSelect XT2 Wash 1 No known significant effects or critical hazards. SureSelect XT2 Wash 2 No known significant effects or critical hazards.

: SureSelect XT2 Binding Buffer No known significant effects or critical hazards. Mutagenicity

SureSelect XT2 Wash 1 No known significant effects or critical hazards. SureSelect XT2 Wash 2 No known significant effects or critical hazards.

No known significant effects or critical hazards. **Teratogenicity** : SureSelect XT2 Binding Buffer

No known significant effects or critical hazards. SureSelect XT2 Wash 1 No known significant effects or critical hazards. SureSelect XT2 Wash 2

: SureSelect XT2 Binding Buffer No known significant effects or critical hazards. **Developmental effects**

SureSelect XT2 Wash 1 No known significant effects or critical hazards. SureSelect XT2 Wash 2 No known significant effects or critical hazards.

Date of issue: 01/03/2018 12/16

Section 11. Toxicological information

Fertility effects

: SureSelect XT2 Binding Buffer SureSelect XT2 Wash 1 SureSelect XT2 Wash 2 No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Route	ATE value
SureSelect XT2 Binding Buffer Oral	F1724 1 mg/kg
Orai	51724.1 mg/kg

Section 12. Ecological information

12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
SureSelect XT2 Binding Buffer			
Sodium chloride	Acute EC50 4.74 g/L Fresh water	Algae - Chlamydomonas reinhardtii	96 hours
	Acute EC50 519.6 mg/l Fresh water Acute EC50 402600 μg/l Fresh water Acute IC50 6.87 g/L Fresh water Acute LC50 1000000 μg/l Fresh water Chronic LC10 781 mg/l Fresh water	Crustaceans - Cypris subglobosa Daphnia - Daphnia magna Aquatic plants - Lemna minor Fish - Morone saxatilis - Larvae Crustaceans - Hyalella azteca - Juvenile (Fledgling, Hatchling, Weanling)	48 hours 48 hours 96 hours 96 hours 3 weeks
	Chronic NOEC 6 g/L Fresh water Chronic NOEC 0.314 g/L Fresh water Chronic NOEC 100 mg/l Fresh water	Aquatic of Aquatic plants - Lemna minor Daphnia - Daphnia pulex Fish - Gambusia holbrooki - Adult	96 hours 21 days 8 weeks

12.2 Persistence and degradability

Not available.

12.3 Bioaccumulative potential

Not available.

12.4 Mobility in soil

Soil/water partition coefficient (Koc)

: Not available.

12.5 Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

13.1 Waste treatment methods

Date of issue: 01/03/2018 **13/16**

Section 13. Disposal considerations

Disposal methods

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Disposal should be in accordance with applicable regional, national and local laws and regulations. Local regulations may be more stringent than regional or national requirements.

The information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

Section 14. Transport information

DOT / TDG / Mexico / IMDG / IATA : Not regulated.

Special precautions for user : Transport within user's premises: always transport in closed containers that are

upright and secure. Ensure that persons transporting the product know what to do in the

event of an accident or spillage.

Transport in bulk according: Not available. to Annex II of MARPOL and

the IBC Code

Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

U.S. Federal regulations : TSCA 8(a) CDR Exempt/Partial exemption: Not determined

Clean Water Act (CWA) 311: Edetic acid

Clean Air Act Section 112

(b) Hazardous Air **Pollutants (HAPs)** : Not listed

Clean Air Act Section 602

Class I Substances

: Not listed

Clean Air Act Section 602

Class II Substances

: Not listed

DEA List I Chemicals

: Not listed

(Precursor Chemicals)

DEA List II Chemicals (Essential Chemicals) : Not listed

SARA 302/304

Composition/information on ingredients

Date of issue: 01/03/2018 14/16

Section 15. Regulatory information

No products were found.

SARA 304 RQ : Not applicable.

SARA 311/312

Classification : SureSelect XT2 Binding Buffer Not applicable.

SureSelect XT2 Wash 1 Not applicable.
SureSelect XT2 Wash 2 Not applicable.

Composition/information on ingredients

Name	%	Classification
SureSelect XT2 Binding Buffer		
Sodium chloride	<10	EYE IRRITATION - Category 2A

State regulations

Massachusetts: None of the components are listed.New York: None of the components are listed.New Jersey: None of the components are listed.Pennsylvania: None of the components are listed.

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol (Annexes A, B, C, E)

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Inventory list

Australia : All components are listed or exempted.

Canada : All components are listed or exempted.

China : All components are listed or exempted.

Europe : All components are listed or exempted.

Japan : Japan inventory (ENCS): All components are listed or exempted.

Japan inventory (ISHL): All components are listed or exempted.

Malaysia : Not determined.

New Zealand : All components are listed or exempted.
Philippines : All components are listed or exempted.
Republic of Korea : All components are listed or exempted.
Taiwan : All components are listed or exempted.

Thailand : Not determined.

Turkey : Not determined.

United States : All components are listed or exempted.

Viet Nam : Not determined.

Date of issue: 01/03/2018 **15/16**

Section 16. Other information

History

Date of issue : 01/03/2018

Date of previous issue : 11/25/2015.

Version : 3

▼ Indicates information that has changed from previously issued version.

Notice to reader

Disclaimer: The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

Date of issue: 01/03/2018 **16/16**