

Section 2. Hazards identification

Response	: SureSelect RNase Block	P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists: Get medical attention.
	SureSelect Hyb 3	Not applicable.
Storage	: SureSelect RNase Block	Not applicable.
	SureSelect Hyb 3	Not applicable.
Disposal	: SureSelect RNase Block	Not applicable.
	SureSelect Hyb 3	Not applicable.
Supplemental label elements	: SureSelect RNase Block	None known.
	SureSelect Hyb 3	None known.
2.3 Other hazards		
Hazards not otherwise classified	: SureSelect RNase Block	None known.
	SureSelect Hyb 3	None known.

Section 3. Composition/information on ingredients

Substance/mixture	: SureSelect RNase Block	Mixture
	SureSelect Hyb 3	Mixture

Ingredient name	%	CAS number
SureSelect RNase Block		
Glycerol	≥50 - ≤75	56-81-5

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

4.1 Description of necessary first aid measures

Eye contact	: SureSelect RNase Block	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. If irritation persists, get medical attention.
	SureSelect Hyb 3	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	: SureSelect RNase Block	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Section 4. First aid measures

	SureSelect Hyb 3	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Skin contact	: SureSelect RNase Block	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
	SureSelect Hyb 3	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	: SureSelect RNase Block	Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
	SureSelect Hyb 3	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

4.2 Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact	: SureSelect RNase Block SureSelect Hyb 3	Causes eye irritation. No known significant effects or critical hazards.
Inhalation	: SureSelect RNase Block SureSelect Hyb 3	No known significant effects or critical hazards. No known significant effects or critical hazards.
Skin contact	: SureSelect RNase Block SureSelect Hyb 3	No known significant effects or critical hazards. No known significant effects or critical hazards.
Ingestion	: SureSelect RNase Block SureSelect Hyb 3	No known significant effects or critical hazards. No known significant effects or critical hazards.

Over-exposure signs/symptoms

Eye contact	: SureSelect RNase Block	Adverse symptoms may include the following: irritation watering redness
	SureSelect Hyb 3	No specific data.

Section 4. First aid measures

Inhalation	: SureSelect RNase Block SureSelect Hyb 3	No specific data. No specific data.
Skin contact	: SureSelect RNase Block SureSelect Hyb 3	No specific data. No specific data.
Ingestion	: SureSelect RNase Block SureSelect Hyb 3	No specific data. No specific data.

4.3 Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician	: SureSelect RNase Block SureSelect Hyb 3	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	: SureSelect RNase Block SureSelect Hyb 3	No specific treatment. No specific treatment.
Protection of first-aiders	: SureSelect RNase Block SureSelect Hyb 3	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media	: SureSelect RNase Block SureSelect Hyb 3	Use an extinguishing agent suitable for the surrounding fire. Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: SureSelect RNase Block SureSelect Hyb 3	None known. None known.

5.2 Special hazards arising from the substance or mixture

Specific hazards arising from the chemical	: SureSelect RNase Block SureSelect Hyb 3	In a fire or if heated, a pressure increase will occur and the container may burst. In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous thermal decomposition products	: SureSelect RNase Block SureSelect Hyb 3	Decomposition products may include the following materials: carbon dioxide carbon monoxide Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides halogenated compounds carbonyl halides

5.3 Advice for firefighters

Section 5. Fire-fighting measures

Special protective actions for fire-fighters : SureSelect RNase Block

SureSelect Hyb 3

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters : SureSelect RNase Block

SureSelect Hyb 3

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel : SureSelect RNase Block

SureSelect Hyb 3

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.

For emergency responders : SureSelect RNase Block

SureSelect Hyb 3

If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

6.2 Environmental precautions : SureSelect RNase Block

SureSelect Hyb 3

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

6.3 Methods and materials for containment and cleaning up

Section 6. Accidental release measures

Methods for cleaning up	: SureSelect RNase Block	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	SureSelect Hyb 3	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Section 7. Handling and storage

7.1 Precautions for safe handling

Protective measures	: SureSelect RNase Block	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
	SureSelect Hyb 3	Put on appropriate personal protective equipment (see Section 8).
Advice on general occupational hygiene	: SureSelect RNase Block	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
	SureSelect Hyb 3	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

: SureSelect RNase Block	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
SureSelect Hyb 3	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been

Section 7. Handling and storage

opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

7.3 Specific end use(s)

Recommendations	: SureSelect RNase Block SureSelect Hyb 3	Industrial applications, Professional applications. Industrial applications, Professional applications.
Industrial sector specific solutions	: SureSelect RNase Block SureSelect Hyb 3	Not applicable. Not applicable.

Section 8. Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
SureSelect RNase Block Glycerol	<p>OSHA PEL 1989 (United States, 3/1989). TWA: 5 mg/m³ 8 hours. Form: Respirable fraction</p> <p>TWA: 10 mg/m³ 8 hours. Form: Total dust</p> <p>OSHA PEL (United States, 6/2016). TWA: 5 mg/m³ 8 hours. Form: Respirable fraction</p> <p>TWA: 15 mg/m³ 8 hours. Form: Total dust</p>

8.2 Exposure controls

Appropriate engineering controls	: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.
Skin protection	
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

Section 8. Exposure controls/personal protection

- Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Respiratory protection** : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state	: SureSelect RNase Block SureSelect Hyb 3	Liquid. Liquid.
Color	: SureSelect RNase Block SureSelect Hyb 3	Not available. Not available.
Odor	: SureSelect RNase Block SureSelect Hyb 3	Not available. Not available.
Odor threshold	: SureSelect RNase Block SureSelect Hyb 3	Not available. Not available.
pH	: SureSelect RNase Block SureSelect Hyb 3	7.6 Not available.
Melting point	: SureSelect RNase Block SureSelect Hyb 3	Not available. 0°C (32°F)
Boiling point	: SureSelect RNase Block SureSelect Hyb 3	Not available. 100°C (212°F)
Flash point	: SureSelect RNase Block SureSelect Hyb 3	Not available. Not available.
Evaporation rate	: SureSelect RNase Block SureSelect Hyb 3	Not available. Not available.
Flammability (solid, gas)	: SureSelect RNase Block SureSelect Hyb 3	Not applicable. Not applicable.
Lower and upper explosive (flammable) limits	: SureSelect RNase Block SureSelect Hyb 3	Not available. Not available.
Vapor pressure	: SureSelect RNase Block SureSelect Hyb 3	Not available. Not available.
Vapor density	: SureSelect RNase Block SureSelect Hyb 3	Not available. Not available.
Relative density	: SureSelect RNase Block SureSelect Hyb 3	Not available. Not available.
Solubility	: SureSelect RNase Block SureSelect Hyb 3	Soluble in the following materials: cold water and hot water. Easily soluble in the following materials: cold water and hot water.
Partition coefficient: n-octanol/water	: SureSelect RNase Block SureSelect Hyb 3	Not available. Not available.
Auto-ignition temperature	: SureSelect RNase Block SureSelect Hyb 3	Not available. Not available.
Decomposition temperature	: SureSelect RNase Block SureSelect Hyb 3	Not available. Not available.

Section 9. Physical and chemical properties

Viscosity : SureSelect RNase Block Not available.
SureSelect Hyb 3 Not available.

Section 10. Stability and reactivity

10.1 Reactivity : SureSelect RNase Block No specific test data related to reactivity available for this product or its ingredients.
SureSelect Hyb 3 No specific test data related to reactivity available for this product or its ingredients.

10.2 Chemical stability : SureSelect RNase Block The product is stable.
SureSelect Hyb 3 The product is stable.

10.3 Possibility of hazardous reactions : SureSelect RNase Block Under normal conditions of storage and use, hazardous reactions will not occur.
SureSelect Hyb 3 Under normal conditions of storage and use, hazardous reactions will not occur.

10.4 Conditions to avoid : SureSelect RNase Block No specific data.
SureSelect Hyb 3 No specific data.

10.5 Incompatible materials : SureSelect RNase Block May react or be incompatible with oxidizing materials.
SureSelect Hyb 3 May react or be incompatible with oxidizing materials.

10.6 Hazardous decomposition products : SureSelect RNase Block Under normal conditions of storage and use, hazardous decomposition products should not be produced.
SureSelect Hyb 3 Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
SureSelect RNase Block Glycerol	LD50 Oral	Rat	12600 mg/kg	-

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
SureSelect RNase Block Glycerol	Eyes - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-

Sensitization

Not available.

Mutagenicity

Conclusion/Summary : Not available.

Carcinogenicity

Section 11. Toxicological information

Conclusion/Summary : Not available.

Reproductive toxicity

Conclusion/Summary : Not available.

Teratogenicity

Conclusion/Summary : Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on the likely routes of exposure : SureSelect RNase Block
SureSelect Hyb 3

Routes of entry anticipated: Oral, Dermal, Inhalation.
Not available.

Potential acute health effects

Eye contact : SureSelect RNase Block
SureSelect Hyb 3

Causes eye irritation.
No known significant effects or critical hazards.

Inhalation : SureSelect RNase Block
SureSelect Hyb 3

No known significant effects or critical hazards.
No known significant effects or critical hazards.

Skin contact : SureSelect RNase Block
SureSelect Hyb 3

No known significant effects or critical hazards.
No known significant effects or critical hazards.

Ingestion : SureSelect RNase Block
SureSelect Hyb 3

No known significant effects or critical hazards.
No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact : SureSelect RNase Block

SureSelect Hyb 3

Adverse symptoms may include the following:
irritation
watering
redness
No specific data.

Inhalation : SureSelect RNase Block
SureSelect Hyb 3

No specific data.
No specific data.

Skin contact : SureSelect RNase Block
SureSelect Hyb 3

No specific data.
No specific data.

Ingestion : SureSelect RNase Block
SureSelect Hyb 3

No specific data.
No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Long term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Potential chronic health effects

Section 11. Toxicological information

General	: SureSelect RNase Block SureSelect Hyb 3	No known significant effects or critical hazards. No known significant effects or critical hazards.
Carcinogenicity	: SureSelect RNase Block SureSelect Hyb 3	No known significant effects or critical hazards. No known significant effects or critical hazards.
Mutagenicity	: SureSelect RNase Block SureSelect Hyb 3	No known significant effects or critical hazards. No known significant effects or critical hazards.
Teratogenicity	: SureSelect RNase Block SureSelect Hyb 3	No known significant effects or critical hazards. No known significant effects or critical hazards.
Developmental effects	: SureSelect RNase Block SureSelect Hyb 3	No known significant effects or critical hazards. No known significant effects or critical hazards.
Fertility effects	: SureSelect RNase Block SureSelect Hyb 3	No known significant effects or critical hazards. No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Not available.

Section 12. Ecological information

12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
SureSelect RNase Block Glycerol	Acute LC50 54000 mg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours

12.2 Persistence and degradability

Product/ingredient name	Test	Result	Dose	Inoculum
SureSelect RNase Block Glycerol	301D Ready Biodegradability - Closed Bottle Test	93 % - 30 days	-	-

12.3 Bioaccumulative potential

Product/ingredient name	LogP _{ow}	BCF	Potential
SureSelect RNase Block Glycerol	-1.76	-	low

12.4 Mobility in soil

Soil/water partition coefficient (K_{oc}) : Not available.

12.5 Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

13.1 Waste treatment methods

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Disposal should be in accordance with applicable regional, national and local laws and regulations. Local regulations may be more stringent than regional or national requirements.

The information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

Section 14. Transport information

DOT / TDG / Mexico / IMDG / IATA : Not regulated.

Special precautions for user : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according to Annex II of MARPOL and the IBC Code : Not available.

Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

U.S. Federal regulations : TSCA 8(a) CDR Exempt/Partial exemption: Not determined
 Clean Water Act (CWA) 311: Potassium hydroxide; Edetic acid

Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs) : Not listed

Clean Air Act Section 602 Class I Substances : Not listed

Clean Air Act Section 602 Class II Substances : Not listed

DEA List I Chemicals (Precursor Chemicals) : Not listed

Section 15. Regulatory information

DEA List II Chemicals (Essential Chemicals) : Not listed

SARA 302/304

Composition/information on ingredients

No products were found.

SARA 304 RQ : Not applicable.

SARA 311/312

Classification : SureSelect RNase Block EYE IRRITATION - Category 2B
 SureSelect Hyb 3 Not applicable.

Composition/information on ingredients

Name	%	Classification
<input checked="" type="checkbox"/> SureSelect RNase Block		
Glycerol	≥50 - ≤75	EYE IRRITATION - Category 2A

State regulations

Massachusetts : The following components are listed: GLYCERINE MIST
New York : None of the components are listed.
New Jersey : The following components are listed: GLYCERIN; 1,2,3-PROPANETRIOL
Pennsylvania : The following components are listed: 1,2,3-PROPANETRIOL

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol (Annexes A, B, C, E)

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Inventory list

Australia : Not determined.
Canada : At least one component is not listed in DSL but all such components are listed in NDSL.
China : All components are listed or exempted.
Europe : All components are listed or exempted.
Japan : **Japan inventory (ENCS)**: Not determined.
 Japan inventory (ISHL): Not determined.
Malaysia : Not determined.
New Zealand : All components are listed or exempted.
Philippines : Not determined.
Republic of Korea : Not determined.
Taiwan : All components are listed or exempted.
Thailand : Not determined.
Turkey : Not determined.

Section 15. Regulatory information

- United States** : All components are listed or exempted.
Viet Nam : Not determined.

Section 16. Other information

History

- Date of issue** : 02/14/2018
Date of previous issue : 07/15/2016
Version : 3

Procedure used to derive the classification

Classification	Justification
SureSelect RNase Block EYE IRRITATION - Category 2B	Calculation method

Indicates information that has changed from previously issued version.

Notice to reader

Disclaimer: The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.