

# SAFETY DATA SHEET



SureSelect XT2 Pre-Capture Box 1 - 12 Reactions, Part Number 5190-7336

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

**Product name** : SureSelect XT2 Pre-Capture Box 1 - 12 Reactions, Part Number 5190-7336  
**Part no. (chemical kit)** : 5190-7336  
**Part no.** : SureSelect XT2 Binding Buffer 5190-4088  
SureSelect XT2 Wash 1 5190-4089  
SureSelect XT2 Wash 2 5190-4090  
SureSelect XT2 Elution Buffer 5190-4206  
SureSelect XT2 Neutralization Buffer 5190-4207

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Material uses** : Analytical reagent.  
SureSelect XT2 Binding Buffer 9.6 ml  
SureSelect XT2 Wash 1 2.4 ml  
SureSelect XT2 Wash 2 14.4 ml  
SureSelect XT2 Elution Buffer 0.72 ml  
SureSelect XT2 Neutralization Buffer 0.72 ml

### 1.3 Details of the supplier of the safety data sheet

Agilent Technologies Manufacturing GmbH & Co. KG  
Hewlett-Packard-Str. 8  
76337 Waldbronn  
Germany  
0800 603 1000

**e-mail address of person responsible for this SDS** : pdl-msds\_author@agilent.com

### 1.4 Emergency telephone number

**Emergency telephone number (with hours of operation)** : CHEMTREC®: +(44)-870-8200418

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

**Product definition** : SureSelect XT2 Binding Buffer Mixture  
SureSelect XT2 Wash 1 Mixture  
SureSelect XT2 Wash 2 Mixture  
SureSelect XT2 Elution Buffer Mixture  
SureSelect XT2 Neutralization Buffer Mixture

**Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]**

## SECTION 2: Hazards identification

### SureSelect XT2 Elution Buffer

H290 CORROSIVE TO METALS - Category 1

### SureSelect XT2 Neutralization Buffer

H315 SKIN CORROSION/IRRITATION - Category 2  
H319 SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2

**Ingredients of unknown toxicity** : SureSelect XT2 Binding Buffer Percentage of the mixture consisting of ingredient(s) of unknown inhalation toxicity: 1 - 10%  
SureSelect XT2 Neutralization Buffer Percentage of the mixture consisting of ingredient(s) of unknown dermal toxicity: 10 - 30%

Percentage of the mixture consisting of ingredient(s) of unknown inhalation toxicity: 10 - 30%  
Percentage of the mixture consisting of ingredient(s) of unknown oral toxicity: 10 - 30%

**Ingredients of unknown ecotoxicity** : SureSelect XT2 Neutralization Buffer Percentage of the mixture consisting of ingredient(s) of unknown hazards to the aquatic environment: 15.8%

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

## 2.2 Label elements

### Hazard pictograms

: SureSelect XT2 Elution Buffer



SureSelect XT2 Neutralization Buffer



### Signal word

: SureSelect XT2 Binding Buffer No signal word.  
SureSelect XT2 Wash 1 No signal word.  
SureSelect XT2 Wash 2 No signal word.  
SureSelect XT2 Elution Buffer Warning  
SureSelect XT2 Neutralization Buffer Warning

### Hazard statements

: SureSelect XT2 Binding Buffer No known significant effects or critical hazards.  
SureSelect XT2 Wash 1 No known significant effects or critical hazards.  
SureSelect XT2 Wash 2 No known significant effects or critical hazards.  
SureSelect XT2 Elution Buffer H290 - May be corrosive to metals.  
SureSelect XT2 Neutralization Buffer H319 - Causes serious eye irritation.  
H315 - Causes skin irritation.

### Precautionary statements

#### Prevention

: SureSelect XT2 Binding Buffer Not applicable.  
SureSelect XT2 Wash 1 Not applicable.  
SureSelect XT2 Wash 2 Not applicable.  
SureSelect XT2 Elution Buffer P234 - Keep only in original packaging.  
SureSelect XT2 Neutralization Buffer P280 - Wear protective gloves. Wear eye or face protection.

## SECTION 2: Hazards identification

		P264 - Wash hands thoroughly after handling.
<b>Response</b>	: SureSelect XT2 Binding Buffer	Not applicable.
	SureSelect XT2 Wash 1	Not applicable.
	SureSelect XT2 Wash 2	Not applicable.
	SureSelect XT2 Elution Buffer	P390 - Absorb spillage to prevent material damage.
	SureSelect XT2 Neutralization Buffer	P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
<b>Storage</b>	: SureSelect XT2 Binding Buffer	Not applicable.
	SureSelect XT2 Wash 1	Not applicable.
	SureSelect XT2 Wash 2	Not applicable.
	SureSelect XT2 Elution Buffer	P406 - Store in corrosive resistant container with a resistant inner liner.
	SureSelect XT2 Neutralization Buffer	Not applicable.
<b>Disposal</b>	: SureSelect XT2 Binding Buffer	Not applicable.
	SureSelect XT2 Wash 1	Not applicable.
	SureSelect XT2 Wash 2	Not applicable.
	SureSelect XT2 Elution Buffer	Not applicable.
	SureSelect XT2 Neutralization Buffer	Not applicable.
<b>Hazardous ingredients</b>	: SureSelect XT2 Binding Buffer	Not applicable.
	SureSelect XT2 Neutralization Buffer	Not applicable.
<b>Supplemental label elements</b>	: SureSelect XT2 Binding Buffer	Safety data sheet available on request.
	SureSelect XT2 Wash 1	Not applicable.
	SureSelect XT2 Wash 2	Not applicable.
	SureSelect XT2 Elution Buffer	Not applicable.
	SureSelect XT2 Neutralization Buffer	Not applicable.
<b>Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles</b>	: SureSelect XT2 Binding Buffer	Not applicable.
	SureSelect XT2 Wash 1	Not applicable.
	SureSelect XT2 Wash 2	Not applicable.
	SureSelect XT2 Elution Buffer	Not applicable.
	SureSelect XT2 Neutralization Buffer	Not applicable.
<b>Special packaging requirements</b>		
<b>Tactile warning of danger</b>	: SureSelect XT2 Binding Buffer	Not applicable.
	SureSelect XT2 Wash 1	Not applicable.
	SureSelect XT2 Wash 2	Not applicable.
	SureSelect XT2 Elution Buffer	Not applicable.
	SureSelect XT2 Neutralization Buffer	Not applicable.

### 2.3 Other hazards

SureSelect XT2 Pre-Capture Box 1 - 12 Reactions, Part Number 5190-7336

## SECTION 2: Hazards identification

**Other hazards which do not result in classification** :

SureSelect XT2 Binding Buffer	None known.
SureSelect XT2 Wash 1	None known.
SureSelect XT2 Wash 2	None known.
SureSelect XT2 Elution Buffer	None known.
SureSelect XT2 Neutralization Buffer	None known.

## SECTION 3: Composition/information on ingredients

**3.1 Substances** :

SureSelect XT2 Binding Buffer	Mixture
SureSelect XT2 Wash 1	Mixture
SureSelect XT2 Wash 2	Mixture
SureSelect XT2 Elution Buffer	Mixture
SureSelect XT2 Neutralization Buffer	Mixture

Product/ingredient name	Identifiers	%	Regulation (EC) No. 1272/2008 [CLP]	Type
SureSelect XT2 Binding Buffer Sodium chloride	EC: 231-598-3 CAS: 7647-14-5	<10	Eye Irrit. 2, H319	[1]
SureSelect XT2 Neutralization Buffer 2-Amino-2-(hydroxymethyl) propane-1,3-diol hydrochloride	EC: 214-684-5 CAS: 1185-53-1	≥10 - <20	Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335  <b>See Section 16 for the full text of the H statements declared above.</b>	[1]

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

### Type

- [1] Substance classified with a health or environmental hazard
- [2] Substance with a workplace exposure limit
- [3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII
- [4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII
- [5] Substance of equivalent concern
- [6] Additional disclosure due to company policy

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

**Eye contact** :

SureSelect XT2 Binding Buffer	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
SureSelect XT2 Wash 1	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
SureSelect XT2 Wash 2	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
SureSelect XT2 Elution Buffer	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.
SureSelect XT2 Neutralization Buffer	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove

**Date of issue/Date of revision** : 06/03/2018

**SECTION 4: First aid measures**

**Inhalation**

: SureSelect XT2 Binding Buffer

any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.

SureSelect XT2 Wash 1

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.

SureSelect XT2 Wash 2

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.

SureSelect XT2 Elution Buffer

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.

SureSelect XT2 Neutralization Buffer

Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

**Skin contact**

: SureSelect XT2 Binding Buffer

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.

SureSelect XT2 Wash 1

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.

SureSelect XT2 Wash 2

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.

SureSelect XT2 Elution Buffer

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.

SureSelect XT2 Neutralization Buffer

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse.

**Ingestion**

: SureSelect XT2 Binding Buffer

Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

SureSelect XT2 Wash 1

Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not

**SECTION 4: First aid measures**

SureSelect XT2 Wash 2	induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur. Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect XT2 Elution Buffer	Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
SureSelect XT2 Neutralization Buffer	Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
<b>Protection of first-aiders</b> : SureSelect XT2 Binding Buffer	No action shall be taken involving any personal risk or without suitable training.
SureSelect XT2 Wash 1	No action shall be taken involving any personal risk or without suitable training.
SureSelect XT2 Wash 2	No action shall be taken involving any personal risk or without suitable training.
SureSelect XT2 Elution Buffer	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
SureSelect XT2 Neutralization Buffer	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

**4.2 Most important symptoms and effects, both acute and delayed**

Potential acute health effects

<b>Eye contact</b> :	SureSelect XT2 Binding Buffer	No known significant effects or critical hazards.
	SureSelect XT2 Wash 1	No known significant effects or critical hazards.
	SureSelect XT2 Wash 2	No known significant effects or critical hazards.
	SureSelect XT2 Elution Buffer	No known significant effects or critical hazards.
	SureSelect XT2 Neutralization Buffer	Causes serious eye irritation.

## SECTION 4: First aid measures

<b>Inhalation</b>	: SureSelect XT2 Binding Buffer SureSelect XT2 Wash 1 SureSelect XT2 Wash 2 SureSelect XT2 Elution Buffer SureSelect XT2 Neutralization Buffer	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
<b>Skin contact</b>	: SureSelect XT2 Binding Buffer SureSelect XT2 Wash 1 SureSelect XT2 Wash 2 SureSelect XT2 Elution Buffer SureSelect XT2 Neutralization Buffer	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. Causes skin irritation.
<b>Ingestion</b>	: SureSelect XT2 Binding Buffer SureSelect XT2 Wash 1 SureSelect XT2 Wash 2 SureSelect XT2 Elution Buffer SureSelect XT2 Neutralization Buffer	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.

### Over-exposure signs/symptoms

<b>Eye contact</b>	: SureSelect XT2 Binding Buffer SureSelect XT2 Wash 1 SureSelect XT2 Wash 2 SureSelect XT2 Elution Buffer SureSelect XT2 Neutralization Buffer	No specific data. No specific data. No specific data. No specific data. Adverse symptoms may include the following:  pain or irritation watering redness
<b>Inhalation</b>	: SureSelect XT2 Binding Buffer SureSelect XT2 Wash 1 SureSelect XT2 Wash 2 SureSelect XT2 Elution Buffer SureSelect XT2 Neutralization Buffer	No specific data. No specific data. No specific data. No specific data. No specific data.
<b>Skin contact</b>	: SureSelect XT2 Binding Buffer SureSelect XT2 Wash 1 SureSelect XT2 Wash 2 SureSelect XT2 Elution Buffer SureSelect XT2 Neutralization Buffer	No specific data. No specific data. No specific data. No specific data. Adverse symptoms may include the following:  irritation redness

**SureSelect XT2 Pre-Capture Box 1 - 12 Reactions, Part Number 5190-7336**

**SECTION 4: First aid measures**

<b>Ingestion</b>	:	SureSelect XT2 Binding Buffer SureSelect XT2 Wash 1 SureSelect XT2 Wash 2 SureSelect XT2 Elution Buffer SureSelect XT2 Neutralization Buffer	No specific data. No specific data. No specific data. No specific data. No specific data.
------------------	---	--	---

**4.3 Indication of any immediate medical attention and special treatment needed**

<b>Notes to physician</b>	:	SureSelect XT2 Binding Buffer SureSelect XT2 Wash 1 SureSelect XT2 Wash 2 SureSelect XT2 Elution Buffer SureSelect XT2 Neutralization Buffer	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
<b>Specific treatments</b>	:	SureSelect XT2 Binding Buffer SureSelect XT2 Wash 1 SureSelect XT2 Wash 2 SureSelect XT2 Elution Buffer SureSelect XT2 Neutralization Buffer	No specific treatment. No specific treatment. No specific treatment. No specific treatment. No specific treatment.

**SECTION 5: Firefighting measures**

**5.1 Extinguishing media**

<b>Suitable extinguishing media</b>	:	SureSelect XT2 Binding Buffer SureSelect XT2 Wash 1 SureSelect XT2 Wash 2 SureSelect XT2 Elution Buffer SureSelect XT2 Neutralization Buffer	Use an extinguishing agent suitable for the surrounding fire. Use an extinguishing agent suitable for the surrounding fire. Use an extinguishing agent suitable for the surrounding fire. Use an extinguishing agent suitable for the surrounding fire. Use an extinguishing agent suitable for the surrounding fire.
<b>Unsuitable extinguishing media</b>	:	SureSelect XT2 Binding Buffer SureSelect XT2 Wash 1 SureSelect XT2 Wash 2 SureSelect XT2 Elution Buffer SureSelect XT2 Neutralization Buffer	None known. None known. None known. None known. None known.

**5.2 Special hazards arising from the substance or mixture**

<b>Hazards from the substance or mixture</b>	:	SureSelect XT2 Binding Buffer SureSelect XT2 Wash 1 SureSelect XT2 Wash 2 SureSelect XT2 Elution Buffer SureSelect XT2	In a fire or if heated, a pressure increase will occur and the container may burst. In a fire or if heated, a pressure increase will occur and the container may burst. In a fire or if heated, a pressure increase will occur and the container may burst. In a fire or if heated, a pressure increase will occur and the container may burst. In a fire or if heated, a pressure increase will occur and the
--	---	--	--



## SECTION 5: Firefighting measures

<b>Hazardous combustion products</b>	Neutralization Buffer	container may burst.
	: SureSelect XT2 Binding Buffer	Decomposition products may include the following materials: halogenated compounds metal oxide/oxides
	SureSelect XT2 Wash 1	No specific data.
	SureSelect XT2 Wash 2	No specific data.
	SureSelect XT2 Elution Buffer	No specific data.
	SureSelect XT2 Neutralization Buffer	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides halogenated compounds

### 5.3 Advice for firefighters

<b>Special precautions for fire-fighters</b>	: SureSelect XT2 Binding Buffer	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	SureSelect XT2 Wash 1	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	SureSelect XT2 Wash 2	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	SureSelect XT2 Elution Buffer	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
<b>Special protective equipment for fire-fighters</b>	: SureSelect XT2 Neutralization Buffer	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	: SureSelect XT2 Binding Buffer	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
	SureSelect XT2 Wash 1	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
	SureSelect XT2 Wash 2	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
	SureSelect XT2 Elution Buffer	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
	SureSelect XT2 Neutralization Buffer	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves)

SureSelect XT2 Pre-Capture Box 1 - 12 Reactions, Part Number 5190-7336

## SECTION 5: Firefighting measures

conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

<input checked="" type="checkbox"/> SureSelect XT2 Binding Buffer	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
SureSelect XT2 Wash 1	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
SureSelect XT2 Wash 2	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
SureSelect XT2 Elution Buffer	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
SureSelect XT2 Neutralization Buffer	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

#### For emergency responders

: SureSelect XT2 Binding Buffer	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SureSelect XT2 Wash 1	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SureSelect XT2 Wash 2	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SureSelect XT2 Elution Buffer	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SureSelect XT2 Neutralization Buffer	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

## SECTION 6: Accidental release measures

<b>6.2 Environmental precautions</b>	: SureSelect XT2 Binding Buffer	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
	SureSelect XT2 Wash 1	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
	SureSelect XT2 Wash 2	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
	SureSelect XT2 Elution Buffer	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
	SureSelect XT2 Neutralization Buffer	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

### 6.3 Methods and material for containment and cleaning up

<b>Methods for cleaning up</b>	: <input checked="" type="checkbox"/> SureSelect XT2 Binding Buffer	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	SureSelect XT2 Wash 1	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	SureSelect XT2 Wash 2	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	SureSelect XT2 Elution Buffer	Stop leak if without risk. Move containers from spill area. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Absorb spillage to prevent material damage. Dispose of via a licensed waste disposal contractor.
	SureSelect XT2 Neutralization Buffer	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

<b>6.4 Reference to other sections</b>	: See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.
--	---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

<b>Protective measures</b>	SureSelect XT2 Binding Buffer	Put on appropriate personal protective equipment (see Section 8).
	SureSelect XT2 Wash 1	Put on appropriate personal protective equipment (see Section 8).
	SureSelect XT2 Wash 2	Put on appropriate personal protective equipment (see Section 8).
	SureSelect XT2 Elution Buffer	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapour or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Keep away from acids. Empty containers retain product residue and can be hazardous. Do not reuse container. Absorb spillage to prevent material damage.
	SureSelect XT2 Neutralization Buffer	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapour or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
<b>Advice on general occupational hygiene</b>	SureSelect XT2 Binding Buffer	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
	SureSelect XT2 Wash 1	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
	SureSelect XT2 Wash 2	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
	SureSelect XT2 Elution Buffer	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
	SureSelect XT2 Neutralization Buffer	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

### 7.2 Conditions for safe storage, including any incompatibilities

## SECTION 7: Handling and storage

### Storage

SureSelect XT2 Binding Buffer	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
SureSelect XT2 Wash 1	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
SureSelect XT2 Wash 2	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
SureSelect XT2 Elution Buffer	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store in corrosive resistant container with a resistant inner liner. Separate from acids. Keep away from metals. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
SureSelect XT2 Neutralization Buffer	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

### 7.3 Specific end use(s)

#### Recommendations

SureSelect XT2 Binding Buffer	Industrial applications, Professional applications.
SureSelect XT2 Wash 1	Industrial applications, Professional applications.
SureSelect XT2 Wash 2	Industrial applications, Professional applications.
SureSelect XT2 Elution Buffer	Industrial applications, Professional applications.
SureSelect XT2	Industrial applications, Professional applications.

## SECTION 7: Handling and storage

	Neutralization Buffer	
<b>Industrial sector specific solutions</b>	SureSelect XT2 Binding Buffer	Not applicable.
	SureSelect XT2 Wash 1	Not applicable.
	SureSelect XT2 Wash 2	Not applicable.
	SureSelect XT2 Elution Buffer	Not applicable.
	SureSelect XT2 Neutralization Buffer	Not applicable.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational exposure limits

No exposure limit value known.

**Recommended monitoring procedures** : If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

#### DNELs/DMELs

No DNELs/DMELs available.

#### PNECs

No PNECs available

### 8.2 Exposure controls

**Appropriate engineering controls** : If user operations generate dust, fumes, gas, vapour or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

#### Individual protection measures

**Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

**Eye/face protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles and/or face shield. If inhalation hazards exist, a full-face respirator may be required instead.

#### Skin protection

**Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

## SECTION 8: Exposure controls/personal protection

- Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Respiratory protection** : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.
- Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### Appearance

- Physical state** : SureSelect XT2 Liquid.  
Binding Buffer  
SureSelect XT2 Wash 1 Liquid.  
SureSelect XT2 Wash 2 Liquid.  
SureSelect XT2 Elution Liquid.  
Buffer  
SureSelect XT2 Liquid.  
Neutralization Buffer
- Colour** : SureSelect XT2 Not available.  
Binding Buffer  
SureSelect XT2 Wash 1 Not available.  
SureSelect XT2 Wash 2 Not available.  
SureSelect XT2 Elution Not available.  
Buffer  
SureSelect XT2 Not available.  
Neutralization Buffer
- Odour** : SureSelect XT2 Not available.  
Binding Buffer  
SureSelect XT2 Wash 1 Not available.  
SureSelect XT2 Wash 2 Not available.  
SureSelect XT2 Elution Not available.  
Buffer  
SureSelect XT2 Not available.  
Neutralization Buffer
- Odour threshold** : SureSelect XT2 Not available.  
Binding Buffer  
SureSelect XT2 Wash 1 Not available.  
SureSelect XT2 Wash 2 Not available.  
SureSelect XT2 Elution Not available.  
Buffer  
SureSelect XT2 Not available.  
Neutralization Buffer
- pH** : SureSelect XT2 7.5  
Binding Buffer  
SureSelect XT2 Wash 1 7  
SureSelect XT2 Wash 2 7  
SureSelect XT2 Elution 12.2 to 13.4  
Buffer  
SureSelect XT2 7.5  
Neutralization Buffer

## SECTION 9: Physical and chemical properties

<b>Melting point/freezing point</b>	: SureSelect XT2	Not available.
	Binding Buffer	
	SureSelect XT2 Wash 1	0°C
	SureSelect XT2 Wash 2	0°C
	SureSelect XT2 Elution Buffer	0°C
	SureSelect XT2 Neutralization Buffer	Not available.
<b>Initial boiling point and boiling range</b>	: SureSelect XT2	Not available.
	Binding Buffer	
	SureSelect XT2 Wash 1	100°C
	SureSelect XT2 Wash 2	100°C
	SureSelect XT2 Elution Buffer	100°C
	SureSelect XT2 Neutralization Buffer	Not available.
<b>Flash point</b>	: SureSelect XT2	Not available.
	Binding Buffer	
	SureSelect XT2 Wash 1	Not available.
	SureSelect XT2 Wash 2	Not available.
	SureSelect XT2 Elution Buffer	Not available.
	SureSelect XT2 Neutralization Buffer	Not available.
<b>Evaporation rate</b>	: SureSelect XT2	Not available.
	Binding Buffer	
	SureSelect XT2 Wash 1	Not available.
	SureSelect XT2 Wash 2	Not available.
	SureSelect XT2 Elution Buffer	Not available.
	SureSelect XT2 Neutralization Buffer	Not available.
<b>Flammability (solid, gas)</b>	: SureSelect XT2	Not applicable.
	Binding Buffer	
	SureSelect XT2 Wash 1	Not applicable.
	SureSelect XT2 Wash 2	Not applicable.
	SureSelect XT2 Elution Buffer	Not applicable.
	SureSelect XT2 Neutralization Buffer	Not applicable.
<b>Upper/lower flammability or explosive limits</b>	: SureSelect XT2	Not available.
	Binding Buffer	
	SureSelect XT2 Wash 1	Not available.
	SureSelect XT2 Wash 2	Not available.
	SureSelect XT2 Elution Buffer	Not available.
	SureSelect XT2 Neutralization Buffer	Not available.
<b>Vapour pressure</b>	: SureSelect XT2	Not available.
	Binding Buffer	
	SureSelect XT2 Wash 1	Not available.
	SureSelect XT2 Wash 2	Not available.
	SureSelect XT2 Elution Buffer	Not available.
	SureSelect XT2 Neutralization Buffer	Not available.



## SECTION 9: Physical and chemical properties

<b>Vapour density</b>	: SureSelect XT2 Binding Buffer SureSelect XT2 Wash 1 SureSelect XT2 Wash 2 SureSelect XT2 Elution Buffer SureSelect XT2 Neutralization Buffer	Not available. Not available. Not available. Not available. Not available. Not available.
<b>Relative density</b>	: SureSelect XT2 Binding Buffer SureSelect XT2 Wash 1 SureSelect XT2 Wash 2 SureSelect XT2 Elution Buffer SureSelect XT2 Neutralization Buffer	Not available. Not available. Not available. Not available. Not available. Not available.
<b>Solubility(ies)</b>	: SureSelect XT2 Binding Buffer SureSelect XT2 Wash 1 SureSelect XT2 Wash 2 SureSelect XT2 Elution Buffer SureSelect XT2 Neutralization Buffer	Easily soluble in the following materials: cold water and hot water. Easily soluble in the following materials: cold water and hot water. Easily soluble in the following materials: cold water and hot water. Easily soluble in the following materials: cold water and hot water. Easily soluble in the following materials: cold water and hot water.
<b>Partition coefficient: n-octanol/water</b>	: SureSelect XT2 Binding Buffer SureSelect XT2 Wash 1 SureSelect XT2 Wash 2 SureSelect XT2 Elution Buffer SureSelect XT2 Neutralization Buffer	Not available. Not available. Not available. Not available. Not available. Not available.
<b>Auto-ignition temperature</b>	: SureSelect XT2 Binding Buffer SureSelect XT2 Wash 1 SureSelect XT2 Wash 2 SureSelect XT2 Elution Buffer SureSelect XT2 Neutralization Buffer	Not available. Not available. Not available. Not available. Not available. Not available.
<b>Decomposition temperature</b>	: SureSelect XT2 Binding Buffer SureSelect XT2 Wash 1 SureSelect XT2 Wash 2 SureSelect XT2 Elution Buffer SureSelect XT2 Neutralization Buffer	Not available. Not available. Not available. Not available. Not available. Not available.
<b>Viscosity</b>	: SureSelect XT2 Binding Buffer SureSelect XT2 Wash 1 SureSelect XT2 Wash 2 SureSelect XT2 Elution Buffer SureSelect XT2 Neutralization Buffer	Not available. Not available. Not available. Not available. Not available. Not available.

**SureSelect XT2 Pre-Capture Box 1 - 12 Reactions, Part Number 5190-7336**

**SECTION 9: Physical and chemical properties**

<b>Explosive properties</b>	: SureSelect XT2	Not available.
	Binding Buffer	
	SureSelect XT2 Wash 1	Not available.
	SureSelect XT2 Wash 2	Not available.
	SureSelect XT2 Elution Buffer	Not available.
	SureSelect XT2	Not available.
	Neutralization Buffer	
<b>Oxidising properties</b>	: SureSelect XT2	Not available.
	Binding Buffer	
	SureSelect XT2 Wash 1	Not available.
	SureSelect XT2 Wash 2	Not available.
	SureSelect XT2 Elution Buffer	Not available.
	SureSelect XT2	Not available.
	Neutralization Buffer	

**9.2 Other information**

No additional information.

**SECTION 10: Stability and reactivity**

<b>10.1 Reactivity</b>	: SureSelect XT2 Binding Buffer	No specific test data related to reactivity available for this product or its ingredients.
	SureSelect XT2 Wash 1	No specific test data related to reactivity available for this product or its ingredients.
	SureSelect XT2 Wash 2	No specific test data related to reactivity available for this product or its ingredients.
	SureSelect XT2 Elution Buffer	No specific test data related to reactivity available for this product or its ingredients.
	SureSelect XT2	No specific test data related to reactivity available for this product or its ingredients.
	Neutralization Buffer	No specific test data related to reactivity available for this product or its ingredients.
<b>10.2 Chemical stability</b>	: SureSelect XT2 Binding Buffer	The product is stable.
	SureSelect XT2 Wash 1	The product is stable.
	SureSelect XT2 Wash 2	The product is stable.
	SureSelect XT2 Elution Buffer	The product is stable.
	SureSelect XT2	The product is stable.
	Neutralization Buffer	
<b>10.3 Possibility of hazardous reactions</b>	: SureSelect XT2 Binding Buffer	Under normal conditions of storage and use, hazardous reactions will not occur.
	SureSelect XT2 Wash 1	Under normal conditions of storage and use, hazardous reactions will not occur.
	SureSelect XT2 Wash 2	Under normal conditions of storage and use, hazardous reactions will not occur.
	SureSelect XT2 Elution Buffer	Under normal conditions of storage and use, hazardous reactions will not occur.
	SureSelect XT2	Under normal conditions of storage and use, hazardous reactions will not occur.
	Neutralization Buffer	Under normal conditions of storage and use, hazardous reactions will not occur.

SureSelect XT2 Pre-Capture Box 1 - 12 Reactions, Part Number 5190-7336

## SECTION 10: Stability and reactivity

<b>10.4 Conditions to avoid</b>	:	SureSelect XT2 Binding Buffer SureSelect XT2 Wash 1 SureSelect XT2 Wash 2 SureSelect XT2 Elution Buffer SureSelect XT2 Neutralization Buffer	No specific data. No specific data. No specific data. No specific data. No specific data.
<b>10.5 Incompatible materials</b>	:	SureSelect XT2 Binding Buffer SureSelect XT2 Wash 1 SureSelect XT2 Wash 2 SureSelect XT2 Elution Buffer  SureSelect XT2 Neutralization Buffer	May react or be incompatible with oxidising materials. May react or be incompatible with oxidising materials. May react or be incompatible with oxidising materials. Reactive or incompatible with the following materials:  acids metals May react or be incompatible with oxidising materials.
<b>10.6 Hazardous decomposition products</b>	:	SureSelect XT2 Binding Buffer SureSelect XT2 Wash 1  SureSelect XT2 Wash 2  SureSelect XT2 Elution Buffer SureSelect XT2 Neutralization Buffer	Under normal conditions of storage and use, hazardous decomposition products should not be produced. Under normal conditions of storage and use, hazardous decomposition products should not be produced. Under normal conditions of storage and use, hazardous decomposition products should not be produced. Under normal conditions of storage and use, hazardous decomposition products should not be produced. Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
SureSelect XT2 Binding Buffer Sodium chloride	LD50 Oral	Rat	3000 mg/kg	-

#### Acute toxicity estimates

Not available.

#### Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
SureSelect XT2 Binding Buffer Sodium chloride	Eyes - Moderate irritant	Rabbit	-	24 hours 100 milligrams	-
	Eyes - Moderate irritant	Rabbit	-	10 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-

#### Sensitiser

Conclusion/Summary : Not available.

#### Mutagenicity

Conclusion/Summary : Not available.

#### Carcinogenicity

Date of issue/Date of revision : 06/03/2018

19/26

SureSelect XT2 Pre-Capture Box 1 - 12 Reactions, Part Number 5190-7336

## SECTION 11: Toxicological information

**Conclusion/Summary** : Not available.

### Reproductive toxicity

**Conclusion/Summary** : Not available.

### Teratogenicity

**Conclusion/Summary** : Not available.

### Specific target organ toxicity (single exposure)

Product/ingredient name	Category	Route of exposure	Target organs
<b>SureSelect XT2 Neutralization Buffer</b> 2-Amino-2-(hydroxymethyl)propane-1,3-diol hydrochloride	Category 3	Not applicable.	Respiratory tract irritation

### Specific target organ toxicity (repeated exposure)

Not available.

### Aspiration hazard

Not available.

### Information on likely routes of exposure

SureSelect XT2 Binding Buffer Not available.  
 SureSelect XT2 Wash 1 Not available.  
 SureSelect XT2 Wash 2 Not available.  
 SureSelect XT2 Elution Buffer Routes of entry anticipated: Oral, Dermal, Inhalation.  
 SureSelect XT2 Neutralization Buffer Routes of entry anticipated: Oral, Dermal, Inhalation.

### Potential acute health effects

**Inhalation** : SureSelect XT2 Binding Buffer No known significant effects or critical hazards.  
 SureSelect XT2 Wash 1 No known significant effects or critical hazards.  
 SureSelect XT2 Wash 2 No known significant effects or critical hazards.  
 SureSelect XT2 Elution Buffer No known significant effects or critical hazards.  
 SureSelect XT2 Neutralization Buffer No known significant effects or critical hazards.

**Ingestion** :  SureSelect XT2 Binding Buffer No known significant effects or critical hazards.  
 SureSelect XT2 Wash 1 No known significant effects or critical hazards.  
 SureSelect XT2 Wash 2 No known significant effects or critical hazards.  
 SureSelect XT2 Elution Buffer No known significant effects or critical hazards.  
 SureSelect XT2 Neutralization Buffer No known significant effects or critical hazards.

**Skin contact** :  SureSelect XT2 Binding Buffer No known significant effects or critical hazards.  
 SureSelect XT2 Wash 1 No known significant effects or critical hazards.  
 SureSelect XT2 Wash 2 No known significant effects or critical hazards.  
 SureSelect XT2 Elution Buffer No known significant effects or critical hazards.  
 SureSelect XT2 Neutralization Buffer Causes skin irritation.

**Eye contact** :  SureSelect XT2 Binding Buffer No known significant effects or critical hazards.  
 SureSelect XT2 Wash 1 No known significant effects or critical hazards.  
 SureSelect XT2 Wash 2 No known significant effects or critical hazards.  
 SureSelect XT2 Elution Buffer No known significant effects or critical hazards.  
 SureSelect XT2 Causes serious eye irritation.

## SECTION 11: Toxicological information

### Neutralization Buffer

#### Symptoms related to the physical, chemical and toxicological characteristics

<b>Inhalation</b>	: SureSelect XT2 Binding Buffer SureSelect XT2 Wash 1 SureSelect XT2 Wash 2 SureSelect XT2 Elution Buffer SureSelect XT2 Neutralization Buffer	No specific data. No specific data. No specific data. No specific data. No specific data.
<b>Ingestion</b>	: <input checked="" type="checkbox"/> SureSelect XT2 Binding Buffer SureSelect XT2 Wash 1 SureSelect XT2 Wash 2 SureSelect XT2 Elution Buffer SureSelect XT2 Neutralization Buffer	No specific data. No specific data. No specific data. No specific data. No specific data.
<b>Skin contact</b>	: <input checked="" type="checkbox"/> SureSelect XT2 Binding Buffer SureSelect XT2 Wash 1 SureSelect XT2 Wash 2 SureSelect XT2 Elution Buffer SureSelect XT2 Neutralization Buffer	No specific data. No specific data. No specific data. No specific data. Adverse symptoms may include the following: irritation redness
<b>Eye contact</b>	: <input checked="" type="checkbox"/> SureSelect XT2 Binding Buffer SureSelect XT2 Wash 1 SureSelect XT2 Wash 2 SureSelect XT2 Elution Buffer SureSelect XT2 Neutralization Buffer	No specific data. No specific data. No specific data. No specific data. Adverse symptoms may include the following: pain or irritation watering redness

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

##### Short term exposure

**Potential immediate effects** : Not available.

**Potential delayed effects** : Not available.

##### Long term exposure

**Potential immediate effects** : Not available.

**Potential delayed effects** : Not available.

#### Potential chronic health effects

## SECTION 11: Toxicological information

<b>General</b>	: SureSelect XT2 Binding Buffer	No known significant effects or critical hazards.
	SureSelect XT2 Wash 1	No known significant effects or critical hazards.
	SureSelect XT2 Wash 2	No known significant effects or critical hazards.
	SureSelect XT2 Elution Buffer	No known significant effects or critical hazards.
	SureSelect XT2 Neutralization Buffer	No known significant effects or critical hazards.
<b>Carcinogenicity</b>	: SureSelect XT2 Binding Buffer	No known significant effects or critical hazards.
	SureSelect XT2 Wash 1	No known significant effects or critical hazards.
	SureSelect XT2 Wash 2	No known significant effects or critical hazards.
	SureSelect XT2 Elution Buffer	No known significant effects or critical hazards.
	SureSelect XT2 Neutralization Buffer	No known significant effects or critical hazards.
<b>Mutagenicity</b>	: SureSelect XT2 Binding Buffer	No known significant effects or critical hazards.
	SureSelect XT2 Wash 1	No known significant effects or critical hazards.
	SureSelect XT2 Wash 2	No known significant effects or critical hazards.
	SureSelect XT2 Elution Buffer	No known significant effects or critical hazards.
	SureSelect XT2 Neutralization Buffer	No known significant effects or critical hazards.
<b>Teratogenicity</b>	: SureSelect XT2 Binding Buffer	No known significant effects or critical hazards.
	SureSelect XT2 Wash 1	No known significant effects or critical hazards.
	SureSelect XT2 Wash 2	No known significant effects or critical hazards.
	SureSelect XT2 Elution Buffer	No known significant effects or critical hazards.
	SureSelect XT2 Neutralization Buffer	No known significant effects or critical hazards.
<b>Developmental effects</b>	: SureSelect XT2 Binding Buffer	No known significant effects or critical hazards.
	SureSelect XT2 Wash 1	No known significant effects or critical hazards.
	SureSelect XT2 Wash 2	No known significant effects or critical hazards.
	SureSelect XT2 Elution Buffer	No known significant effects or critical hazards.
	SureSelect XT2 Neutralization Buffer	No known significant effects or critical hazards.
<b>Fertility effects</b>	: SureSelect XT2 Binding Buffer	No known significant effects or critical hazards.
	SureSelect XT2 Wash 1	No known significant effects or critical hazards.
	SureSelect XT2 Wash 2	No known significant effects or critical hazards.
	SureSelect XT2 Elution Buffer	No known significant effects or critical hazards.
	SureSelect XT2 Neutralization Buffer	No known significant effects or critical hazards.

## SECTION 12: Ecological information

### 12.1 Toxicity

## SECTION 12: Ecological information

Product/ingredient name	Result	Species	Exposure
SureSelect XT2 Binding Buffer Sodium chloride	Acute EC50 4.74 g/L Fresh water	Algae - Chlamydomonas reinhardtii	96 hours
	Acute EC50 519.6 mg/l Fresh water	Crustaceans - Cypris subglobosa	48 hours
	Acute EC50 402600 µg/l Fresh water	Daphnia - Daphnia magna	48 hours
	Acute IC50 6.87 g/L Fresh water	Aquatic plants - Lemna minor	96 hours
	Acute LC50 1000000 µg/l Fresh water	Fish - Morone saxatilis - Larvae	96 hours
	Chronic LC10 781 mg/l Fresh water	Crustaceans - Hyalella azteca - Juvenile (Fledgling, Hatchling, Weanling)	3 weeks
	Chronic NOEC 6 g/L Fresh water	Aquatic plants - Lemna minor	96 hours
	Chronic NOEC 0.314 g/L Fresh water	Daphnia - Daphnia pulex	21 days
Chronic NOEC 100 mg/l Fresh water	Fish - Gambusia holbrooki - Adult	8 weeks	

### 12.2 Persistence and degradability

Not available.

### 12.3 Bioaccumulative potential

Not available.

### 12.4 Mobility in soil

**Soil/water partition coefficient ( $K_{oc}$ )** : Not available.

**Mobility** : Not available.

### 12.5 Results of PBT and vPvB assessment

**PBT** : Not applicable.

**vPvB** : Not applicable.

**12.6 Other adverse effects** : No known significant effects or critical hazards.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### Product

**Methods of disposal** : The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

**Hazardous waste** : The classification of the product may meet the criteria for a hazardous waste.

#### Packaging

**Methods of disposal** : The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

**Special precautions** : This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spill material and runoff and contact with soil, waterways, drains and sewers.

SureSelect XT2 Pre-Capture Box 1 - 12 Reactions, Part Number 5190-7336

## SECTION 14: Transport information

ADR/RID / IMDG / IATA : Not regulated.

**14.6 Special precautions for user** : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

**14.7 Transport in bulk according to Annex II of Marpol and the IBC Code** : Not available.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU Regulation (EC) No. 1907/2006 (REACH)

##### Annex XIV - List of substances subject to authorisation

###### Annex XIV

None of the components are listed.

###### Substances of very high concern

None of the components are listed.

<b>Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles</b>	<b>SureSelect XT2 Binding Buffer</b>	Not applicable.
	<b>SureSelect XT2 Wash 1</b>	Not applicable.
	<b>SureSelect XT2 Wash 2</b>	Not applicable.
	<b>SureSelect XT2 Elution Buffer</b>	Not applicable.
	<b>SureSelect XT2 Neutralization Buffer</b>	Not applicable.

#### Other EU regulations

##### Ozone depleting substances (1005/2009/EU)

Not listed.

##### Prior Informed Consent (PIC) (649/2012/EU)

Not listed.

##### Seveso Directive

This product is not controlled under the Seveso Directive.

#### International regulations

##### Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

##### Montreal Protocol (Annexes A, B, C, E)

Not listed.

##### Stockholm Convention on Persistent Organic Pollutants

Not listed.

##### Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

##### UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

#### Inventory list

**Australia** : All components are listed or exempted.

**Canada** : All components are listed or exempted.

**China** : All components are listed or exempted.

**Date of issue/Date of revision** : 06/03/2018



**SureSelect XT2 Pre-Capture Box 1 - 12 Reactions, Part Number 5190-7336**

## SECTION 15: Regulatory information

<b>Europe</b>	: All components are listed or exempted.
<b>Japan</b>	: <input checked="" type="checkbox"/> <b>Japan inventory (ENCS)</b> : All components are listed or exempted. <b>Japan inventory (ISHL)</b> : All components are listed or exempted.
<b>Malaysia</b>	: Not determined.
<b>New Zealand</b>	: All components are listed or exempted.
<b>Philippines</b>	: All components are listed or exempted.
<b>Republic of Korea</b>	: All components are listed or exempted.
<b>Taiwan</b>	: All components are listed or exempted.
<b>Thailand</b>	: <input checked="" type="checkbox"/> Not determined.
<b>Turkey</b>	: Not determined.
<b>United States</b>	: All components are listed or exempted.
<b>Viet Nam</b>	: <input checked="" type="checkbox"/> Not determined.

**15.2 Chemical safety assessment** : This product contains substances for which Chemical Safety Assessments might still be required.

## SECTION 16: Other information

Indicates information that has changed from previously issued version.

**Abbreviations and acronyms** : ATE = Acute Toxicity Estimate  
CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]  
DNEL = Derived No Effect Level  
EUH statement = CLP-specific Hazard statement  
PNEC = Predicted No Effect Concentration  
RRN = REACH Registration Number

### Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification	Justification
<input checked="" type="checkbox"/> <b>SureSelect XT2 Elution Buffer</b> Met. Corr. 1, H290	Expert judgment
<b>SureSelect XT2 Neutralization Buffer</b> Skin Irrit. 2, H315 Eye Irrit. 2, H319	Calculation method Calculation method

### Full text of abbreviated H statements

<input checked="" type="checkbox"/> <b>SureSelect XT2 Binding Buffer</b> H319	Causes serious eye irritation.
<b>SureSelect XT2 Elution Buffer</b> H290	May be corrosive to metals.
<b>SureSelect XT2 Neutralization Buffer</b> H315 H319 H335	Causes skin irritation. Causes serious eye irritation. May cause respiratory irritation.

### Full text of classifications [CLP/GHS]

SureSelect XT2 Pre-Capture Box 1 - 12 Reactions, Part Number 5190-7336

## SECTION 16: Other information

<b>SureSelect XT2 Binding Buffer</b> Eye Irrit. 2, H319	SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2
<b>SureSelect XT2 Elution Buffer</b> Met. Corr. 1, H290	CORROSIVE TO METALS - Category 1
<b>SureSelect XT2 Neutralization Buffer</b> Eye Irrit. 2, H319 Skin Irrit. 2, H315 STOT SE 3, H335	SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2 SKIN CORROSION/IRRITATION - Category 2 SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE (Respiratory tract irritation) - Category 3

**Date of issue/ Date of revision** : 06/03/2018

**Date of previous issue** : 05/02/2016

**Version** : 2

### Notice to reader

**Disclaimer:** The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.