

SAFETY DATA SHEET



SureSelect XT2 Block Mix and Primer Mix Kit, Part Number 5190-7472

Section 1. Identification

Product identifier : SureSelect XT2 Block Mix and Primer Mix Kit, Part Number 5190-7472
Part No. (Chemical Kit) : 5190-7472
Part No. : SureSelect XT2 Blocking Mix 5190-4087
 XT2 Primer Mix 5190-3804

Relevant identified uses of the substance or mixture and uses advised against

Analytical reagent.

SureSelect XT2 Blocking Mix 2.16 ml (2 x 1.08 ml)
 XT2 Primer Mix 0.32 ml (16 Reactions)

Supplier/Manufacturer : Agilent Technologies Australia Pty Ltd
 679 Springvale Road
 Mulgrave
 Victoria 3170, Australia
 1800 802 402

Emergency telephone number (with hours of operation) : CHEMTREC®: (61)-290372994

Section 2. Hazard(s) identification

Classification of the substance or mixture

Not classified.

SureSelect XT2 Blocking Mix	Percentage of the mixture consisting of ingredient(s) of unknown toxicity: 1%
XT2 Primer Mix	Not applicable.
SureSelect XT2 Blocking Mix	Percentage of the mixture consisting of ingredient(s) of unknown hazards to the aquatic environment: 1%
XT2 Primer Mix	Not applicable.

GHS label elements

Signal word : SureSelect XT2 Blocking Mix No signal word.
 XT2 Primer Mix No signal word.

Hazard statements : SureSelect XT2 Blocking Mix No known significant effects or critical hazards.
 XT2 Primer Mix No known significant effects or critical hazards.

Precautionary statements

Prevention : SureSelect XT2 Blocking Mix Not applicable.
 XT2 Primer Mix Not applicable.

Response : SureSelect XT2 Blocking Mix Not applicable.
 XT2 Primer Mix Not applicable.

Storage : SureSelect XT2 Blocking Mix Not applicable.
 XT2 Primer Mix Not applicable.

Disposal : SureSelect XT2 Blocking Mix Not applicable.
 XT2 Primer Mix Not applicable.

Supplemental label elements : SureSelect XT2 Blocking Mix Not applicable.
 XT2 Primer Mix Not applicable.

Other hazards which do not result in classification : SureSelect XT2 Blocking Mix None known.
 XT2 Primer Mix None known.

Section 3. Composition and ingredient information

Substance/mixture : SureSelect XT2 Blocking Mix Mixture
XT2 Primer Mix Mixture

CAS number/other identifiers

There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact	: SureSelect XT2 Blocking Mix	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	XT2 Primer Mix	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	: SureSelect XT2 Blocking Mix	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
	XT2 Primer Mix	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Skin contact	: SureSelect XT2 Blocking Mix	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	XT2 Primer Mix	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	: SureSelect XT2 Blocking Mix	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
	XT2 Primer Mix	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact	: SureSelect XT2 Blocking Mix XT2 Primer Mix	No known significant effects or critical hazards. No known significant effects or critical hazards.
Inhalation	: SureSelect XT2 Blocking Mix XT2 Primer Mix	No known significant effects or critical hazards. No known significant effects or critical hazards.
Skin contact	: SureSelect XT2 Blocking Mix XT2 Primer Mix	No known significant effects or critical hazards. No known significant effects or critical hazards.

Section 4. First aid measures

Ingestion : SureSelect XT2 Blocking Mix No known significant effects or critical hazards.
 XT2 Primer Mix No known significant effects or critical hazards.

Over-exposure signs/symptoms

Eye contact : SureSelect XT2 Blocking Mix No specific data.
 XT2 Primer Mix No specific data.

Inhalation : SureSelect XT2 Blocking Mix No specific data.
 XT2 Primer Mix No specific data.

Skin contact : SureSelect XT2 Blocking Mix No specific data.
 XT2 Primer Mix No specific data.

Ingestion : SureSelect XT2 Blocking Mix No specific data.
 XT2 Primer Mix No specific data.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician : SureSelect XT2 Blocking Mix In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
 XT2 Primer Mix Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

Specific treatments : SureSelect XT2 Blocking Mix No specific treatment.
 XT2 Primer Mix No specific treatment.

Protection of first-aiders : SureSelect XT2 Blocking Mix No action shall be taken involving any personal risk or without suitable training.
 XT2 Primer Mix No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

Section 5. Firefighting measures

Extinguishing media

Suitable extinguishing media : SureSelect XT2 Blocking Mix Use an extinguishing agent suitable for the surrounding fire.
 XT2 Primer Mix Use an extinguishing agent suitable for the surrounding fire.

Unsuitable extinguishing media : SureSelect XT2 Blocking Mix None known.
 XT2 Primer Mix None known.

Specific hazards arising from the chemical : SureSelect XT2 Blocking Mix In a fire or if heated, a pressure increase will occur and the container may burst.
 XT2 Primer Mix In a fire or if heated, a pressure increase will occur and the container may burst.

Hazardous thermal decomposition products : SureSelect XT2 Blocking Mix Decomposition products may include the following materials:
 carbon dioxide
 carbon monoxide
 nitrogen oxides
 phosphorus oxides
 XT2 Primer Mix No specific data.

Special protective actions for fire-fighters : SureSelect XT2 Blocking Mix Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
 XT2 Primer Mix Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or

Section 5. Firefighting measures

Special protective equipment for fire-fighters

- | | |
|-------------------------------|---|
| : SureSelect XT2 Blocking Mix | without suitable training.
Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |
| XT2 Primer Mix | Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

- | | |
|-------------------------------|---|
| : SureSelect XT2 Blocking Mix | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment. |
| XT2 Primer Mix | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment. |

For emergency responders

- | | |
|-------------------------------|---|
| : SureSelect XT2 Blocking Mix | If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
| XT2 Primer Mix | If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |

Environmental precautions

- | | |
|-------------------------------|---|
| : SureSelect XT2 Blocking Mix | Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |
| XT2 Primer Mix | Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |

Methods and material for containment and cleaning up

Methods for cleaning up

- | | |
|-------------------------------|---|
| : SureSelect XT2 Blocking Mix | Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |
| XT2 Primer Mix | Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |

Section 7. Handling and storage

Precautions for safe handling

Protective measures	: SureSelect XT2 Blocking Mix XT2 Primer Mix	Put on appropriate personal protective equipment (see Section 8). Put on appropriate personal protective equipment (see Section 8).
Advice on general occupational hygiene	: SureSelect XT2 Blocking Mix XT2 Primer Mix	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	: SureSelect XT2 Blocking Mix XT2 Primer Mix	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls and personal protection

Control parameters

Occupational exposure limits

None.

Appropriate engineering controls	: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

Section 8. Exposure controls and personal protection

- Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
- Eye/face protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
- Skin protection**
- Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
- Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Respiratory protection** : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

Appearance

- Physical state** : SureSelect XT2 Blocking Mix Liquid.
XT2 Primer Mix Liquid.
- Colour** : SureSelect XT2 Blocking Mix Not available.
XT2 Primer Mix Not available.
- Odour** : SureSelect XT2 Blocking Mix Not available.
XT2 Primer Mix Not available.
- Odour threshold** : SureSelect XT2 Blocking Mix Not available.
XT2 Primer Mix Not available.
- pH** : SureSelect XT2 Blocking Mix 7.5
XT2 Primer Mix 7.5
- Melting point** : SureSelect XT2 Blocking Mix 0°C (32°F)
XT2 Primer Mix 0°C (32°F)
- Boiling point** : SureSelect XT2 Blocking Mix 100°C (212°F)
XT2 Primer Mix 100°C (212°F)
- Flash point** : SureSelect XT2 Blocking Mix Not available.
XT2 Primer Mix Not available.
- Evaporation rate** : SureSelect XT2 Blocking Mix Not available.
XT2 Primer Mix Not available.
- Flammability (solid, gas)** : SureSelect XT2 Blocking Mix Not applicable.
XT2 Primer Mix Not applicable.
- Lower and upper explosive (flammable) limits** : SureSelect XT2 Blocking Mix Not available.
XT2 Primer Mix Not available.
- Vapour pressure** : SureSelect XT2 Blocking Mix Not available.
XT2 Primer Mix Not available.
- Vapour density** : SureSelect XT2 Blocking Mix Not available.
XT2 Primer Mix Not available.
- Relative density** : SureSelect XT2 Blocking Mix Not available.
XT2 Primer Mix Not available.

Section 9. Physical and chemical properties

Solubility	: SureSelect XT2 Blocking Mix XT2 Primer Mix	Easily soluble in the following materials: cold water and hot water. Easily soluble in the following materials: cold water and hot water.
Partition coefficient: n-octanol/water	: SureSelect XT2 Blocking Mix XT2 Primer Mix	Not available. Not available.
Auto-ignition temperature	: SureSelect XT2 Blocking Mix XT2 Primer Mix	Not available. Not available.
Decomposition temperature	: SureSelect XT2 Blocking Mix XT2 Primer Mix	Not available. Not available.
Viscosity	: SureSelect XT2 Blocking Mix XT2 Primer Mix	Not available. Not available.

Section 10. Stability and reactivity

Reactivity	: SureSelect XT2 Blocking Mix XT2 Primer Mix	No specific test data related to reactivity available for this product or its ingredients. No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: SureSelect XT2 Blocking Mix XT2 Primer Mix	The product is stable. The product is stable.
Possibility of hazardous reactions	: SureSelect XT2 Blocking Mix XT2 Primer Mix	Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: SureSelect XT2 Blocking Mix XT2 Primer Mix	No specific data. No specific data.
Incompatible materials	: SureSelect XT2 Blocking Mix XT2 Primer Mix	May react or be incompatible with oxidising materials. May react or be incompatible with oxidising materials.
Hazardous decomposition products	: SureSelect XT2 Blocking Mix XT2 Primer Mix	Under normal conditions of storage and use, hazardous decomposition products should not be produced. Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Not available.

Irritation/Corrosion

Not available.

Sensitisation

Not available.

Mutagenicity

Not available.

Carcinogenicity

Not available.

Reproductive toxicity

Section 11. Toxicological information

Not available.

Teratogenicity

Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on likely routes of exposure : SureSelect XT2 Blocking Mix Not available.
 XT2 Primer Mix Not available.

Potential acute health effects

Eye contact : SureSelect XT2 Blocking Mix No known significant effects or critical hazards.
 XT2 Primer Mix No known significant effects or critical hazards.

Inhalation : SureSelect XT2 Blocking Mix No known significant effects or critical hazards.
 XT2 Primer Mix No known significant effects or critical hazards.

Skin contact : SureSelect XT2 Blocking Mix No known significant effects or critical hazards.
 XT2 Primer Mix No known significant effects or critical hazards.

Ingestion : SureSelect XT2 Blocking Mix No known significant effects or critical hazards.
 XT2 Primer Mix No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact : SureSelect XT2 Blocking Mix No specific data.
 XT2 Primer Mix No specific data.

Inhalation : SureSelect XT2 Blocking Mix No specific data.
 XT2 Primer Mix No specific data.

Skin contact : SureSelect XT2 Blocking Mix No specific data.
 XT2 Primer Mix No specific data.

Ingestion : SureSelect XT2 Blocking Mix No specific data.
 XT2 Primer Mix No specific data.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Short term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Long term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Potential chronic health effects

Not available.

General : SureSelect XT2 Blocking Mix No known significant effects or critical hazards.
 XT2 Primer Mix No known significant effects or critical hazards.

Carcinogenicity : SureSelect XT2 Blocking Mix No known significant effects or critical hazards.
 XT2 Primer Mix No known significant effects or critical hazards.

Mutagenicity : SureSelect XT2 Blocking Mix No known significant effects or critical hazards.
 XT2 Primer Mix No known significant effects or critical hazards.

Section 11. Toxicological information

Teratogenicity	: SureSelect XT2 Blocking Mix XT2 Primer Mix	No known significant effects or critical hazards. No known significant effects or critical hazards.
Developmental effects	: SureSelect XT2 Blocking Mix XT2 Primer Mix	No known significant effects or critical hazards. No known significant effects or critical hazards.
Fertility effects	: SureSelect XT2 Blocking Mix XT2 Primer Mix	No known significant effects or critical hazards. No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Not available.

Section 12. Ecological information

Toxicity

Not available.

Persistence and degradability

Not available.

Bioaccumulative potential

Not available.

Mobility in soil

Soil/water partition coefficient (K_{oc}) : Not available.

Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

Regulatory information

ADG / IMDG / IATA : Not regulated as Dangerous Goods according to the ADG Code .

Special precautions for user : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Section 14. Transport information

Transport in bulk according to Annex II of Marpol and the IBC Code : Not available.

Section 15. Regulatory information

Standard Uniform Schedule of Medicine and Poisons

Not regulated.

Model Work Health and Safety Regulations - Scheduled Substances

No listed substance

Australia inventory (AICS) : All components are listed or exempted.

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol (Annexes A, B, C, E)

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Inform Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

International lists

National inventory

Canada	: All components are listed or exempted.
China	: <input checked="" type="checkbox"/> All components are listed or exempted.
Europe	: <input checked="" type="checkbox"/> All components are listed or exempted.
Japan	: <input checked="" type="checkbox"/> Japan inventory (ENCS): All components are listed or exempted. <input checked="" type="checkbox"/> Japan inventory (ISHL): All components are listed or exempted.
Malaysia	: <input checked="" type="checkbox"/> Not determined.
New Zealand	: <input checked="" type="checkbox"/> All components are listed or exempted.
Philippines	: <input checked="" type="checkbox"/> All components are listed or exempted.
Republic of Korea	: <input checked="" type="checkbox"/> All components are listed or exempted.
Taiwan	: <input checked="" type="checkbox"/> All components are listed or exempted.
Turkey	: <input checked="" type="checkbox"/> Not determined.
United States	: All components are listed or exempted.

Section 16. Any other relevant information

History

Date of issue/Date of revision : 30/03/2016

Date of previous issue : 23/06/2014.

Version : 2

Key to abbreviations : ADG = Australian Dangerous Goods
ATE = Acute Toxicity Estimate
BCF = Bioconcentration Factor
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
IATA = International Air Transport Association
IBC = Intermediate Bulk Container
IMDG = International Maritime Dangerous Goods

Section 16. Any other relevant information

LogPow = logarithm of the octanol/water partition coefficient
 MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
 NOHSC = National Occupational Health and Safety Commission
 SUSMP = Standard Uniform Schedule of Medicine and Poisons
 UN = United Nations

Procedure used to derive the classification

Classification	Justification
Not classified.	

References : Not available.

 Indicates information that has changed from previously issued version.

Notice to reader

Disclaimer: The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.