

SAFETY DATA SHEET



SureGuide CRISPR/Cas Complete Kit - 40 Reactions, Part Number 5190-7714

Section 1. Identification

1.1 Product identifier

Product name	: SureGuide CRISPR/Cas Complete Kit - 40 Reactions, Part Number 5190-7714	
Part No. (Chemical Kit)	: 5190-7714	
Part No.	: <input checked="" type="checkbox"/> EPC Treated Water	200420-58
	RNase Free Water	740000-42
	T7 Promoter Forward Primer	5190-7542
	Control Template	5190-7543
	DTT	5190-7544
	RNase Free DNase	5190-7545
	T7 RNA Polymerase	200339-51
	100 mM rATP	200339-52
	100 mM rGTP	200339-53
	100 mM rUTP	200339-54
	100 mM rCTP	200339-55
	5X RNAMaxx Transcription Buffer	200339-56
	Yeast Pyrophosphatase	200339-57
	RNase Block	200339-58
	Control DNA Target	5190-7536
	10X Cas9 Digestion Buffer	5190-7537
	Cas9 Nuclease	5190-7538
	Control gRNA	5190-7539
	gRNA Binding Buffer	5190-7546
	5X gRNA Wash Buffer	5190-7547
	gRNA Elution Buffer	5190-7548

Validation date : 10/17/2016

1.2 Relevant identified uses of the substance or mixture and uses advised against

Material uses	: Analytical reagent.	
	<input checked="" type="checkbox"/> EPC Treated Water	1 ml
	RNase Free Water	1.5 mL
	T7 Promoter Forward Primer	0.025 mL
	Control Template	0.05 ml
	DTT	0.05 mL
	RNase Free DNase	0.05 ml
	T7 RNA Polymerase	0.05 mL (50 µl 200 U/µl)
	100 mM rATP	0.05 ml
	100 mM rGTP	0.05 ml
	100 mM rUTP	0.05 ml
	100 mM rCTP	0.05 ml
	5X RNAMaxx Transcription Buffer	0.25 ml
	Yeast Pyrophosphatase	0.025 mL (25 µl 0.75 U/µl)
	RNase Block	0.05 ml
	Control DNA Target	0.04 mL (2 x 20 µl 50 ng/µl)
	10X Cas9 Digestion Buffer	0.04 mL (40 µl)
	Cas9 Nuclease	1.5 mL (20 reactions)
	Control gRNA	0.01 mL (10 µl)
	gRNA Binding Buffer	5 ml
	5X gRNA Wash Buffer	7 ml
	gRNA Elution Buffer	2.5 ml

1.3 Details of the supplier of the safety data sheet

Section 1. Identification

Supplier/Manufacturer : Agilent Technologies, Inc.
5301 Stevens Creek Blvd
Santa Clara, CA 95051, USA
800-227-9770

1.4 Emergency telephone number

In case of emergency : CHEMTREC®: 1-800-424-9300

Section 2. Hazards identification

2.1 Classification of the substance or mixture

OSHA/HCS status : <input checked="" type="checkbox"/> EPC Treated Water	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
RNase Free Water	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
T7 Promoter Forward Primer	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Control Template	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
DTT	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
RNase Free DNase	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
T7 RNA Polymerase	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
100 mM rATP	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
100 mM rGTP	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
100 mM rUTP	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This

Section 2. Hazards identification

	SDS should be retained and available for employees and other users of this product.
100 mM rCTP	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
5X RNAMaxx Transcription Buffer	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Yeast Pyrophosphatase	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
RNase Block	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Control DNA Target	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
10X Cas9 Digestion Buffer	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Cas9 Nuclease	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Control gRNA	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
gRNA Binding Buffer	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
5X gRNA Wash Buffer	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
gRNA Elution Buffer	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.

Classification of the substance or mixture

DTT

H315 SKIN IRRITATION - Category 2
H319 EYE IRRITATION - Category 2A

RNase Free DNase

H320 EYE IRRITATION - Category 2B

T7 RNA Polymerase

H320 EYE IRRITATION - Category 2B

Section 2. Hazards identification

Yeast Pyrophosphatase

H320 EYE IRRITATION - Category 2B

RNase Block

H320 EYE IRRITATION - Category 2B

10X Cas9 Digestion Buffer

H315 SKIN IRRITATION - Category 2

H319 EYE IRRITATION - Category 2A

Cas9 Nuclease

H320 EYE IRRITATION - Category 2B

H317 SKIN SENSITIZATION - Category 1

gRNA Binding Buffer

H302 ACUTE TOXICITY (oral) - Category 4

H332 ACUTE TOXICITY (inhalation) - Category 4

Ingredients of unknown toxicity

100 mM rGTP	Percentage of the mixture consisting of ingredient (s) of unknown toxicity: 1.3%
100 mM rUTP	Percentage of the mixture consisting of ingredient (s) of unknown toxicity: 4.8%
100 mM rCTP	Percentage of the mixture consisting of ingredient (s) of unknown toxicity: 4.8%

2.2 GHS label elements

Hazard pictograms



Signal word

DEPC Treated Water	No signal word.
RNase Free Water	No signal word.
T7 Promoter Forward Primer	No signal word.
Control Template	No signal word.
DTT	Warning
RNase Free DNase	Warning
T7 RNA Polymerase	Warning
100 mM rATP	No signal word.
100 mM rGTP	No signal word.
100 mM rUTP	No signal word.
100 mM rCTP	No signal word.
5X RNAMaxx Transcription Buffer	No signal word.
Yeast Pyrophosphatase	Warning
RNase Block	Warning
Control DNA Target	No signal word.
10X Cas9 Digestion Buffer	Warning
Cas9 Nuclease	Warning
Control gRNA	No signal word.
gRNA Binding Buffer	Warning
5X gRNA Wash Buffer	No signal word.
gRNA Elution Buffer	No signal word.

Hazard statements

Section 2. Hazards identification

<p>DEPC Treated Water RNase Free Water T7 Promoter Forward Primer Control Template DTT</p>	<p>No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. GHS SYMBOL - Exclamation mark - H319 - Causes serious eye irritation. H315 - Causes skin irritation. H320 - Causes eye irritation. H320 - Causes eye irritation.</p>
<p>RNase Free DNase T7 RNA Polymerase 100 mM rATP 100 mM rGTP 100 mM rUTP 100 mM rCTP 5X RNAMaxx Transcription Buffer Yeast Pyrophosphatase RNase Block Control DNA Target 10X Cas9 Digestion Buffer</p>	<p>No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. H320 - Causes eye irritation. H320 - Causes eye irritation. No known significant effects or critical hazards. GHS SYMBOL - Exclamation mark - H319 - Causes serious eye irritation. H315 - Causes skin irritation. H320 - Causes eye irritation.</p>
<p>Cas9 Nuclease</p>	<p>GHS SYMBOL - Exclamation mark - H317 - May cause an allergic skin reaction. No known significant effects or critical hazards.</p>
<p>Control gRNA gRNA Binding Buffer</p>	<p>GHS SYMBOL - Exclamation mark - H302 + H332 - Harmful if swallowed or if inhaled.</p>
<p>5X gRNA Wash Buffer gRNA Elution Buffer</p>	<p>No known significant effects or critical hazards. No known significant effects or critical hazards.</p>

Precautionary statements

Prevention

<p>DEPC Treated Water RNase Free Water T7 Promoter Forward Primer Control Template DTT</p>	<p>Not applicable. Not applicable. Not applicable. Not applicable. P280 - Wear protective gloves. Wear eye or face protection. P264 - Wash hands thoroughly after handling.</p>
<p>RNase Free DNase T7 RNA Polymerase 100 mM rATP 100 mM rGTP 100 mM rUTP 100 mM rCTP 5X RNAMaxx Transcription Buffer Yeast Pyrophosphatase RNase Block Control DNA Target 10X Cas9 Digestion Buffer</p>	<p>P264 - Wash hands thoroughly after handling. P264 - Wash hands thoroughly after handling. P264 - Wash hands thoroughly after handling. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. P264 - Wash hands thoroughly after handling. P264 - Wash hands thoroughly after handling. Not applicable. P280 - Wear protective gloves. Wear eye or face protection. P264 - Wash hands thoroughly after handling.</p>
<p>Cas9 Nuclease</p>	<p>P280 - Wear protective gloves. P261 - Avoid breathing vapor. P264 - Wash hands thoroughly after handling. P272 (OSHA) - Contaminated work clothing must not be allowed out of the workplace.</p>
<p>Control gRNA gRNA Binding Buffer</p>	<p>Not applicable. P271 - Use only outdoors or in a well-ventilated area. P261 - Avoid breathing vapor. P270 - Do not eat, drink or smoke when using this</p>

Section 2. Hazards identification

Response

<p>5X gRNA Wash Buffer gRNA Elution Buffer : <input checked="" type="checkbox"/> EPC Treated Water RNase Free Water T7 Promoter Forward Primer Control Template DTT</p>	<p>product. P264 - Wash hands thoroughly after handling. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. P302 + P352 + P362+P364 - IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash it before reuse. P332 + P313 - If skin irritation occurs: Get medical attention. P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists: Get medical attention.</p>
<p>RNase Free DNase</p>	<p>P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists: Get medical attention.</p>
<p>T7 RNA Polymerase</p>	<p>P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists: Get medical attention.</p>
<p>100 mM rATP 100 mM rGTP 100 mM rUTP 100 mM rCTP 5X RNAMaxx Transcription Buffer Yeast Pyrophosphatase</p>	<p>Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists: Get medical attention.</p>
<p>RNase Block</p>	<p>P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists: Get medical attention.</p>
<p>Control DNA Target 10X Cas9 Digestion Buffer</p>	<p>Not applicable. P302 + P352 + P362+P364 - IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash it before reuse. P332 + P313 - If skin irritation occurs: Get medical attention. P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists: Get medical</p>

Section 2. Hazards identification

	Cas9 Nuclease	attention. P302 + P352 + P363 - IF ON SKIN: Wash with plenty of soap and water. Wash contaminated clothing before reuse. P333 + P313 - If skin irritation or rash occurs: Get medical attention. P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists: Get medical attention.
	Control gRNA gRNA Binding Buffer	Not applicable. P304 + P340 + P312 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or physician if you feel unwell. P301 + P312 + P330 - IF SWALLOWED: Call a POISON CENTER or physician if you feel unwell. Rinse mouth.
Storage	5X gRNA Wash Buffer	Not applicable.
	gRNA Elution Buffer	Not applicable.
	: <input checked="" type="checkbox"/> EPC Treated Water	Not applicable.
	RNase Free Water	Not applicable.
	T7 Promoter Forward Primer	Not applicable.
	Control Template	Not applicable.
	DTT	Not applicable.
	RNase Free DNase	Not applicable.
	T7 RNA Polymerase	Not applicable.
	100 mM rATP	Not applicable.
	100 mM rGTP	Not applicable.
	100 mM rUTP	Not applicable.
	100 mM rCTP	Not applicable.
	5X RNAMaxx Transcription Buffer	Not applicable.
Yeast Pyrophosphatase	Not applicable.	
Disposal	RNase Block	Not applicable.
	Control DNA Target	Not applicable.
	10X Cas9 Digestion Buffer	Not applicable.
	Cas9 Nuclease	Not applicable.
	Control gRNA	Not applicable.
	gRNA Binding Buffer	Not applicable.
	5X gRNA Wash Buffer	Not applicable.
	gRNA Elution Buffer	Not applicable.
	: <input checked="" type="checkbox"/> EPC Treated Water	Not applicable.
	RNase Free Water	Not applicable.
	T7 Promoter Forward Primer	Not applicable.
	Control Template	Not applicable.
	DTT	Not applicable.
	RNase Free DNase	Not applicable.
T7 RNA Polymerase	Not applicable.	
100 mM rATP	Not applicable.	
100 mM rGTP	Not applicable.	
100 mM rUTP	Not applicable.	
100 mM rCTP	Not applicable.	
5X RNAMaxx Transcription Buffer	Not applicable.	
Yeast Pyrophosphatase	Not applicable.	
RNase Block	Not applicable.	
Control DNA Target	Not applicable.	
10X Cas9 Digestion Buffer	Not applicable.	

Section 2. Hazards identification

Supplemental label elements

Cas9 Nuclease	P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.
Control gRNA	Not applicable.
gRNA Binding Buffer	P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.
5X gRNA Wash Buffer	Not applicable.
gRNA Elution Buffer	Not applicable.
: <input checked="" type="checkbox"/> DEPC Treated Water	None known.
RNase Free Water	None known.
T7 Promoter Forward Primer	None known.
Control Template	None known.
DTT	None known.
RNase Free DNase	None known.
T7 RNA Polymerase	None known.
100 mM rATP	None known.
100 mM rGTP	None known.
100 mM rUTP	None known.
100 mM rCTP	None known.
5X RNAMaxx Transcription Buffer	None known.
Yeast Pyrophosphatase	None known.
RNase Block	None known.
Control DNA Target	None known.
10X Cas9 Digestion Buffer	None known.
Cas9 Nuclease	None known.
Control gRNA	None known.
gRNA Binding Buffer	None known.
5X gRNA Wash Buffer	None known.
gRNA Elution Buffer	None known.

2.3 Other hazards

Hazards not otherwise classified

: <input checked="" type="checkbox"/> DEPC Treated Water	None known.
RNase Free Water	None known.
T7 Promoter Forward Primer	None known.
Control Template	None known.
DTT	None known.
RNase Free DNase	None known.
T7 RNA Polymerase	None known.
100 mM rATP	None known.
100 mM rGTP	None known.
100 mM rUTP	None known.
100 mM rCTP	None known.
5X RNAMaxx Transcription Buffer	None known.
Yeast Pyrophosphatase	None known.
RNase Block	None known.
Control DNA Target	None known.
10X Cas9 Digestion Buffer	None known.
Cas9 Nuclease	None known.
Control gRNA	None known.
gRNA Binding Buffer	None known.
5X gRNA Wash Buffer	None known.
gRNA Elution Buffer	None known.

Section 3. Composition/information on ingredients

gRNA Binding Buffer Guanidinium thiocyanate	≥25 - ≤50	593-84-0
---	-----------	----------


Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.


Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

4.1 Description of necessary first aid measures

Eye contact	:  EPC Treated Water	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	RNase Free Water	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	T7 Promoter Forward Primer	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	Control Template	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	DTT	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
	RNase Free DNase	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. If irritation persists, get medical attention.
	T7 RNA Polymerase	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. If irritation persists, get medical attention.
	100 mM rATP	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	100 mM rGTP	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	100 mM rUTP	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	100 mM rCTP	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.

Section 4. First aid measures

5X RNAMaxx Transcription Buffer	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Yeast Pyrophosphatase	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. If irritation persists, get medical attention.
RNase Block	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. If irritation persists, get medical attention.
Control DNA Target	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
10X Cas9 Digestion Buffer	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
Cas9 Nuclease	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. If irritation persists, get medical attention.
Control gRNA	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
gRNA Binding Buffer	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.
5X gRNA Wash Buffer	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
gRNA Elution Buffer	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	
:  EPC Treated Water	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
RNase Free Water	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
T7 Promoter Forward Primer	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Control Template	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
DTT	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not

Section 4. First aid measures

	breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
RNase Free DNase	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
T7 RNA Polymerase	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
100 mM rATP	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
100 mM rGTP	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
100 mM rUTP	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
100 mM rCTP	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms

Section 4. First aid measures

	may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
5X RNAMaxx Transcription Buffer	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Yeast Pyrophosphatase	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
RNase Block	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Control DNA Target	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
10X Cas9 Digestion Buffer	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Cas9 Nuclease	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give

Section 4. First aid measures

mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Control gRNA

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.

gRNA Binding Buffer

Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If necessary, call a poison center or physician. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

5X gRNA Wash Buffer

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.

gRNA Elution Buffer

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.

Skin contact

:  EPC Treated Water

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.

RNase Free Water

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.

T7 Promoter Forward Primer

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.

Control Template

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.

DTT

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse.

RNase Free DNase

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.

T7 RNA Polymerase

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash

Section 4. First aid measures

	clothing before reuse. Clean shoes thoroughly before reuse.
100 mM rATP	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
100 mM rGTP	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
100 mM rUTP	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
100 mM rCTP	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
5X RNAMaxx Transcription Buffer	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Yeast Pyrophosphatase	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
RNase Block	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Control DNA Target	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
10X Cas9 Digestion Buffer	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Cas9 Nuclease	Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Control gRNA	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
gRNA Binding Buffer	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
5X gRNA Wash Buffer	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
gRNA Elution Buffer	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.

Section 4. First aid measures

Ingestion

: DEPC Treated Water

Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

RNase Free Water

Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

T7 Promoter Forward Primer

Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Control Template

Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

DTT

Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

RNase Free DNase

Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie,

Section 4. First aid measures

T7 RNA Polymerase	<p>belt or waistband.</p> <p>Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.</p>
100 mM rATP	<p>Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.</p>
100 mM rGTP	<p>Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.</p>
100 mM rUTP	<p>Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.</p>
100 mM rCTP	<p>Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.</p>
5X RNAMaxx Transcription Buffer	<p>Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.</p>
Yeast Pyrophosphatase	<p>Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless</p>

Section 4. First aid measures

	directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
RNase Block	Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Control DNA Target	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
10X Cas9 Digestion Buffer	Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Cas9 Nuclease	Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never

Section 4. First aid measures

Control gRNA	<p>give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.</p> <p>Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.</p>
gRNA Binding Buffer	<p>Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. If necessary, call a poison center or physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.</p>
5X gRNA Wash Buffer	<p>Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.</p>
gRNA Elution Buffer	<p>Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.</p>

4.2 Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact	: <input checked="" type="checkbox"/> EPC Treated Water RNase Free Water T7 Promoter Forward Primer Control Template DTT RNase Free DNase T7 RNA Polymerase 100 mM rATP 100 mM rGTP 100 mM rUTP 100 mM rCTP 5X RNAMaxx Transcription Buffer Yeast Pyrophosphatase RNase Block Control DNA Target	<p>No known significant effects or critical hazards.</p> <p>No known significant effects or critical hazards.</p> <p>No known significant effects or critical hazards.</p> <p>No known significant effects or critical hazards.</p> <p>Causes serious eye irritation.</p> <p>Causes eye irritation.</p> <p>Causes eye irritation.</p> <p>No known significant effects or critical hazards.</p> <p>No known significant effects or critical hazards.</p> <p>No known significant effects or critical hazards.</p> <p>No known significant effects or critical hazards.</p> <p>No known significant effects or critical hazards.</p> <p>Causes eye irritation.</p> <p>Causes eye irritation.</p> <p>No known significant effects or critical hazards.</p>
--------------------	--	---

Section 4. First aid measures

	10X Cas9 Digestion Buffer	Causes serious eye irritation.
	Cas9 Nuclease	Causes eye irritation.
	Control gRNA	No known significant effects or critical hazards.
	gRNA Binding Buffer	No known significant effects or critical hazards.
	5X gRNA Wash Buffer	No known significant effects or critical hazards.
	gRNA Elution Buffer	No known significant effects or critical hazards.
Inhalation	: <input checked="" type="checkbox"/> EPC Treated Water	No known significant effects or critical hazards.
	RNase Free Water	No known significant effects or critical hazards.
	T7 Promoter Forward Primer	No known significant effects or critical hazards.
	Control Template	No known significant effects or critical hazards.
	DTT	No known significant effects or critical hazards.
	RNase Free DNase	No known significant effects or critical hazards.
	T7 RNA Polymerase	No known significant effects or critical hazards.
	100 mM rATP	No known significant effects or critical hazards.
	100 mM rGTP	No known significant effects or critical hazards.
	100 mM rUTP	No known significant effects or critical hazards.
	100 mM rCTP	No known significant effects or critical hazards.
	5X RNAMaxx Transcription Buffer	No known significant effects or critical hazards.
	Yeast Pyrophosphatase	No known significant effects or critical hazards.
	RNase Block	No known significant effects or critical hazards.
	Control DNA Target	No known significant effects or critical hazards.
	10X Cas9 Digestion Buffer	No known significant effects or critical hazards.
	Cas9 Nuclease	No known significant effects or critical hazards.
	Control gRNA	No known significant effects or critical hazards.
	gRNA Binding Buffer	Harmful if inhaled.
	5X gRNA Wash Buffer	No known significant effects or critical hazards.
	gRNA Elution Buffer	No known significant effects or critical hazards.
Skin contact	: <input checked="" type="checkbox"/> EPC Treated Water	No known significant effects or critical hazards.
	RNase Free Water	No known significant effects or critical hazards.
	T7 Promoter Forward Primer	No known significant effects or critical hazards.
	Control Template	No known significant effects or critical hazards.
	DTT	Causes skin irritation.
	RNase Free DNase	No known significant effects or critical hazards.
	T7 RNA Polymerase	No known significant effects or critical hazards.
	100 mM rATP	No known significant effects or critical hazards.
	100 mM rGTP	No known significant effects or critical hazards.
	100 mM rUTP	No known significant effects or critical hazards.
	100 mM rCTP	No known significant effects or critical hazards.
	5X RNAMaxx Transcription Buffer	No known significant effects or critical hazards.
	Yeast Pyrophosphatase	No known significant effects or critical hazards.
	RNase Block	No known significant effects or critical hazards.
	Control DNA Target	No known significant effects or critical hazards.
	10X Cas9 Digestion Buffer	Causes skin irritation.
	Cas9 Nuclease	May cause an allergic skin reaction.
	Control gRNA	No known significant effects or critical hazards.
	gRNA Binding Buffer	No known significant effects or critical hazards.
	5X gRNA Wash Buffer	No known significant effects or critical hazards.
	gRNA Elution Buffer	No known significant effects or critical hazards.
Ingestion	: <input checked="" type="checkbox"/> EPC Treated Water	No known significant effects or critical hazards.
	RNase Free Water	No known significant effects or critical hazards.
	T7 Promoter Forward Primer	No known significant effects or critical hazards.
	Control Template	No known significant effects or critical hazards.
	DTT	No known significant effects or critical hazards.
	RNase Free DNase	No known significant effects or critical hazards.
	T7 RNA Polymerase	No known significant effects or critical hazards.
	100 mM rATP	No known significant effects or critical hazards.
	100 mM rGTP	No known significant effects or critical hazards.
	100 mM rUTP	No known significant effects or critical hazards.
	100 mM rCTP	No known significant effects or critical hazards.

Section 4. First aid measures

5X RNAMaxx Transcription Buffer	No known significant effects or critical hazards.
Yeast Pyrophosphatase	No known significant effects or critical hazards.
RNase Block	No known significant effects or critical hazards.
Control DNA Target	No known significant effects or critical hazards.
10X Cas9 Digestion Buffer	No known significant effects or critical hazards.
Cas9 Nuclease	No known significant effects or critical hazards.
Control gRNA	No known significant effects or critical hazards.
gRNA Binding Buffer	Harmful if swallowed.
5X gRNA Wash Buffer	No known significant effects or critical hazards.
gRNA Elution Buffer	No known significant effects or critical hazards.

Over-exposure signs/symptoms

Eye contact

<ul style="list-style-type: none"> ☑ EPC Treated Water RNase Free Water T7 Promoter Forward Primer Control Template DTT 	<ul style="list-style-type: none"> No specific data. No specific data. No specific data. No specific data. Adverse symptoms may include the following: pain or irritation watering redness
RNase Free DNase	Adverse symptoms may include the following: irritation watering redness
T7 RNA Polymerase	Adverse symptoms may include the following: irritation watering redness
<ul style="list-style-type: none"> 100 mM rATP 100 mM rGTP 100 mM rUTP 100 mM rCTP 5X RNAMaxx Transcription Buffer Yeast Pyrophosphatase 	<ul style="list-style-type: none"> No specific data. No specific data. No specific data. No specific data. No specific data. Adverse symptoms may include the following: irritation watering redness
RNase Block	Adverse symptoms may include the following: irritation watering redness
<ul style="list-style-type: none"> Control DNA Target 10X Cas9 Digestion Buffer 	<ul style="list-style-type: none"> No specific data. Adverse symptoms may include the following: pain or irritation watering redness
Cas9 Nuclease	Adverse symptoms may include the following: irritation watering redness
<ul style="list-style-type: none"> Control gRNA gRNA Binding Buffer 5X gRNA Wash Buffer gRNA Elution Buffer 	<ul style="list-style-type: none"> No specific data. No specific data. No specific data. No specific data.

Section 4. First aid measures

Inhalation

: <input checked="" type="checkbox"/>	EPC Treated Water	No specific data.
	RNase Free Water	No specific data.
	T7 Promoter Forward Primer	No specific data.
	Control Template	No specific data.
	DTT	No specific data.
	RNase Free DNase	No specific data.
	T7 RNA Polymerase	No specific data.
	100 mM rATP	No specific data.
	100 mM rGTP	No specific data.
	100 mM rUTP	No specific data.
	100 mM rCTP	No specific data.
	5X RNAMaxx Transcription Buffer	No specific data.
	Yeast Pyrophosphatase	No specific data.
	RNase Block	No specific data.
	Control DNA Target	No specific data.
	10X Cas9 Digestion Buffer	No specific data.
	Cas9 Nuclease	No specific data.
	Control gRNA	No specific data.
	gRNA Binding Buffer	No specific data.
	5X gRNA Wash Buffer	No specific data.
	gRNA Elution Buffer	No specific data.

Skin contact

: <input checked="" type="checkbox"/>	EPC Treated Water	No specific data.
	RNase Free Water	No specific data.
	T7 Promoter Forward Primer	No specific data.
	Control Template	No specific data.
	DTT	Adverse symptoms may include the following: irritation redness
	RNase Free DNase	No specific data.
	T7 RNA Polymerase	No specific data.
	100 mM rATP	No specific data.
	100 mM rGTP	No specific data.
	100 mM rUTP	No specific data.
	100 mM rCTP	No specific data.
	5X RNAMaxx Transcription Buffer	No specific data.
	Yeast Pyrophosphatase	No specific data.
	RNase Block	No specific data.
	Control DNA Target	No specific data.
	10X Cas9 Digestion Buffer	Adverse symptoms may include the following: irritation redness
	Cas9 Nuclease	Adverse symptoms may include the following: irritation redness
	Control gRNA	No specific data.
	gRNA Binding Buffer	No specific data.
	5X gRNA Wash Buffer	No specific data.
	gRNA Elution Buffer	No specific data.

Ingestion

: <input checked="" type="checkbox"/>	EPC Treated Water	No specific data.
	RNase Free Water	No specific data.
	T7 Promoter Forward Primer	No specific data.
	Control Template	No specific data.
	DTT	No specific data.
	RNase Free DNase	No specific data.
	T7 RNA Polymerase	No specific data.
	100 mM rATP	No specific data.
	100 mM rGTP	No specific data.
	100 mM rUTP	No specific data.
	100 mM rCTP	No specific data.

Section 4. First aid measures

5X RNAMaxx Transcription Buffer	No specific data.
Yeast Pyrophosphatase	No specific data.
RNase Block	No specific data.
Control DNA Target	No specific data.
10X Cas9 Digestion Buffer	No specific data.
Cas9 Nuclease	No specific data.
Control gRNA	No specific data.
gRNA Binding Buffer	No specific data.
5X gRNA Wash Buffer	No specific data.
gRNA Elution Buffer	No specific data.

4.3 Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician	:	☑EPC Treated Water	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
		RNase Free Water	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
		T7 Promoter Forward Primer	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
		Control Template	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
		DTT	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
		RNase Free DNase	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
		T7 RNA Polymerase	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
		100 mM rATP	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
		100 mM rGTP	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
		100 mM rUTP	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
		100 mM rCTP	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
		5X RNAMaxx Transcription Buffer	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
		Yeast Pyrophosphatase	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
		RNase Block	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been

Section 4. First aid measures

	Control DNA Target	ingested or inhaled. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	10X Cas9 Digestion Buffer	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
	Cas9 Nuclease	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	Control gRNA	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	gRNA Binding Buffer	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
	5X gRNA Wash Buffer	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	gRNA Elution Buffer	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: <input checked="" type="checkbox"/> EPC Treated Water	No specific treatment.
	RNase Free Water	No specific treatment.
	T7 Promoter Forward Primer	No specific treatment.
	Control Template	No specific treatment.
	DTT	No specific treatment.
	RNase Free DNase	No specific treatment.
	T7 RNA Polymerase	No specific treatment.
	100 mM rATP	No specific treatment.
	100 mM rGTP	No specific treatment.
	100 mM rUTP	No specific treatment.
	100 mM rCTP	No specific treatment.
	5X RNAMaxx Transcription Buffer	No specific treatment.
	Yeast Pyrophosphatase	No specific treatment.
	RNase Block	No specific treatment.
	Control DNA Target	No specific treatment.
	10X Cas9 Digestion Buffer	No specific treatment.
	Cas9 Nuclease	No specific treatment.
	Control gRNA	No specific treatment.
	gRNA Binding Buffer	No specific treatment.
	5X gRNA Wash Buffer	No specific treatment.
	gRNA Elution Buffer	No specific treatment.
Protection of first-aiders	: <input checked="" type="checkbox"/> EPC Treated Water	No action shall be taken involving any personal risk or without suitable training.
	RNase Free Water	No action shall be taken involving any personal risk or without suitable training.
	T7 Promoter Forward Primer	No action shall be taken involving any personal risk or without suitable training.
	Control Template	No action shall be taken involving any personal risk or without suitable training.
	DTT	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
	RNase Free DNase	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to

Section 4. First aid measures


	the person providing aid to give mouth-to-mouth resuscitation.
T7 RNA Polymerase	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
100 mM rATP	No action shall be taken involving any personal risk or without suitable training.
100 mM rGTP	No action shall be taken involving any personal risk or without suitable training.
100 mM rUTP	No action shall be taken involving any personal risk or without suitable training.
100 mM rCTP	No action shall be taken involving any personal risk or without suitable training.
5X RNAMaxx Transcription Buffer	No action shall be taken involving any personal risk or without suitable training.
Yeast Pyrophosphatase	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
RNase Block	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
Control DNA Target	No action shall be taken involving any personal risk or without suitable training.
10X Cas9 Digestion Buffer	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
Cas9 Nuclease	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.
Control gRNA	No action shall be taken involving any personal risk or without suitable training.
gRNA Binding Buffer	No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
5X gRNA Wash Buffer	No action shall be taken involving any personal risk or without suitable training.
gRNA Elution Buffer	No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)


Section 5. Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

:  EPC Treated Water	Use an extinguishing agent suitable for the surrounding fire.
RNase Free Water	Use an extinguishing agent suitable for the surrounding fire.
T7 Promoter Forward Primer	Use an extinguishing agent suitable for the surrounding fire.
Control Template	Use an extinguishing agent suitable for the surrounding fire.
DTT	Use an extinguishing agent suitable for the surrounding fire.
RNase Free DNase	Use an extinguishing agent suitable for the surrounding fire.
T7 RNA Polymerase	Use an extinguishing agent suitable for the surrounding fire.
100 mM rATP	Use an extinguishing agent suitable for the surrounding fire.
100 mM rGTP	Use an extinguishing agent suitable for the surrounding fire.
100 mM rUTP	Use an extinguishing agent suitable for the surrounding fire.
100 mM rCTP	Use an extinguishing agent suitable for the surrounding fire.
5X RNAMaxx Transcription Buffer	Use an extinguishing agent suitable for the surrounding fire.
Yeast Pyrophosphatase	Use an extinguishing agent suitable for the surrounding fire.
RNase Block	Use an extinguishing agent suitable for the surrounding fire.
Control DNA Target	Use an extinguishing agent suitable for the surrounding fire.
10X Cas9 Digestion Buffer	Use an extinguishing agent suitable for the surrounding fire.
Cas9 Nuclease	Use an extinguishing agent suitable for the surrounding fire.
Control gRNA	Use an extinguishing agent suitable for the surrounding fire.
gRNA Binding Buffer	Use an extinguishing agent suitable for the surrounding fire.
5X gRNA Wash Buffer	Use an extinguishing agent suitable for the surrounding fire.
gRNA Elution Buffer	Use an extinguishing agent suitable for the surrounding fire.

Unsuitable extinguishing media

:  EPC Treated Water	None known.
RNase Free Water	None known.
T7 Promoter Forward Primer	None known.
Control Template	None known.
DTT	None known.
RNase Free DNase	None known.
T7 RNA Polymerase	None known.
100 mM rATP	None known.
100 mM rGTP	None known.
100 mM rUTP	None known.
100 mM rCTP	None known.
5X RNAMaxx Transcription Buffer	None known.
Yeast Pyrophosphatase	None known.
RNase Block	None known.
Control DNA Target	None known.

Section 5. Fire-fighting measures

10X Cas9 Digestion Buffer	None known.
Cas9 Nuclease	None known.
Control gRNA	None known.
gRNA Binding Buffer	None known.
5X gRNA Wash Buffer	None known.
gRNA Elution Buffer	None known.

5.2 Special hazards arising from the substance or mixture

Specific hazards arising from the chemical

☑ EPC Treated Water	In a fire or if heated, a pressure increase will occur and the container may burst.
RNase Free Water	In a fire or if heated, a pressure increase will occur and the container may burst.
T7 Promoter Forward Primer	In a fire or if heated, a pressure increase will occur and the container may burst.
Control Template	In a fire or if heated, a pressure increase will occur and the container may burst.
DTT	In a fire or if heated, a pressure increase will occur and the container may burst.
RNase Free DNase	In a fire or if heated, a pressure increase will occur and the container may burst.
T7 RNA Polymerase	In a fire or if heated, a pressure increase will occur and the container may burst.
100 mM rATP	In a fire or if heated, a pressure increase will occur and the container may burst.
100 mM rGTP	In a fire or if heated, a pressure increase will occur and the container may burst.
100 mM rUTP	In a fire or if heated, a pressure increase will occur and the container may burst.
100 mM rCTP	In a fire or if heated, a pressure increase will occur and the container may burst.
5X RNAMaxx Transcription Buffer	In a fire or if heated, a pressure increase will occur and the container may burst.
Yeast Pyrophosphatase	In a fire or if heated, a pressure increase will occur and the container may burst.
RNase Block	In a fire or if heated, a pressure increase will occur and the container may burst.
Control DNA Target	In a fire or if heated, a pressure increase will occur and the container may burst.
10X Cas9 Digestion Buffer	In a fire or if heated, a pressure increase will occur and the container may burst.
Cas9 Nuclease	In a fire or if heated, a pressure increase will occur and the container may burst.
Control gRNA	In a fire or if heated, a pressure increase will occur and the container may burst.
gRNA Binding Buffer	In a fire or if heated, a pressure increase will occur and the container may burst.
5X gRNA Wash Buffer	In a fire or if heated, a pressure increase will occur and the container may burst.
gRNA Elution Buffer	In a fire or if heated, a pressure increase will occur and the container may burst.

Hazardous thermal decomposition products

☑ EPC Treated Water	No specific data.
RNase Free Water	No specific data.
T7 Promoter Forward Primer	No specific data.
Control Template	No specific data.
DTT	Decomposition products may include the following materials: carbon dioxide carbon monoxide

Section 5. Fire-fighting measures


RNase Free DNase	sulfur oxides Decomposition products may include the following materials: carbon dioxide carbon monoxide
T7 RNA Polymerase	Decomposition products may include the following materials: carbon dioxide carbon monoxide
100 mM rATP	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides phosphorus oxides metal oxide/oxides
100 mM rGTP	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides phosphorus oxides metal oxide/oxides
100 mM rUTP	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides phosphorus oxides metal oxide/oxides
100 mM rCTP	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides phosphorus oxides metal oxide/oxides
5X RNAMaxx Transcription Buffer	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides halogenated compounds metal oxide/oxides
Yeast Pyrophosphatase	Decomposition products may include the following materials: carbon dioxide carbon monoxide
RNase Block	Decomposition products may include the following materials: carbon dioxide carbon monoxide
Control DNA Target	No specific data.
10X Cas9 Digestion Buffer	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides halogenated compounds

Section 5. Fire-fighting measures


Cas9 Nuclease	metal oxide/oxides Decomposition products may include the following materials: carbon dioxide carbon monoxide halogenated compounds metal oxide/oxides
Control gRNA gRNA Binding Buffer	No specific data. Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides sulfur oxides
5X gRNA Wash Buffer gRNA Elution Buffer	No specific data. No specific data.

5.3 Advice for firefighters

Special protective actions for fire-fighters

:  EPC Treated Water	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
RNase Free Water	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
T7 Promoter Forward Primer	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Control Template	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
DTT	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
RNase Free DNase	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
T7 RNA Polymerase	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
100 mM rATP	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
100 mM rGTP	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
100 mM rUTP	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Section 5. Fire-fighting measures

100 mM rCTP	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
5X RNAMaxx Transcription Buffer	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Yeast Pyrophosphatase	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
RNase Block	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Control DNA Target	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
10X Cas9 Digestion Buffer	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Cas9 Nuclease	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Control gRNA	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
gRNA Binding Buffer	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
5X gRNA Wash Buffer	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
gRNA Elution Buffer	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters :  EPC Treated Water	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
RNase Free Water	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
T7 Promoter Forward Primer	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
Control Template	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive

Section 5. Fire-fighting measures

DTT	pressure mode. Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
RNase Free DNase	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
T7 RNA Polymerase	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
100 mM rATP	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
100 mM rGTP	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
100 mM rUTP	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
100 mM rCTP	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
5X RNAMaxx Transcription Buffer	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
Yeast Pyrophosphatase	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
RNase Block	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
Control DNA Target	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
10X Cas9 Digestion Buffer	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
Cas9 Nuclease	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
Control gRNA	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
gRNA Binding Buffer	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus

Section 5. Fire-fighting measures

5X gRNA Wash Buffer	(SCBA) with a full face-piece operated in positive pressure mode. Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
gRNA Elution Buffer	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	: <input checked="" type="checkbox"/> EPC Treated Water	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
RNase Free Water		No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
T7 Promoter Forward Primer		No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
Control Template		No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
DTT		No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
RNase Free DNase		No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
T7 RNA Polymerase		No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and

Section 6. Accidental release measures

100 mM rATP	<p>unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.</p> <p>No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.</p>
100 mM rGTP	<p>No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.</p> <p>No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.</p>
100 mM rUTP	<p>No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.</p> <p>No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.</p>
100 mM rCTP	<p>No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.</p> <p>No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.</p>
5X RNAMaxx Transcription Buffer	<p>No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.</p> <p>No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.</p>
Yeast Pyrophosphatase	<p>No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.</p> <p>No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.</p>
RNase Block	<p>No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.</p> <p>No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.</p>
Control DNA Target	<p>No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on</p>

Section 6. Accidental release measures


10X Cas9 Digestion Buffer	appropriate personal protective equipment. No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
Cas9 Nuclease	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
Control gRNA	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
gRNA Binding Buffer	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
5X gRNA Wash Buffer	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
gRNA Elution Buffer	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
For emergency responders : ☑EPC Treated Water	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
RNase Free Water	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
T7 Promoter Forward Primer	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Control Template	If specialized clothing is required to deal with the

Section 6. Accidental release measures

DTT	spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
RNase Free DNase	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
T7 RNA Polymerase	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
100 mM rATP	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
100 mM rGTP	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
100 mM rUTP	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
100 mM rCTP	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
5X RNAMaxx Transcription Buffer	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Yeast Pyrophosphatase	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
RNase Block	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Control DNA Target	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
10X Cas9 Digestion Buffer	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Cas9 Nuclease	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Control gRNA	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

Section 6. Accidental release measures

6.2 Environmental precautions

gRNA Binding Buffer	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
5X gRNA Wash Buffer	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
gRNA Elution Buffer	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
6.2 Environmental precautions :  EPC Treated Water	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
RNase Free Water	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
T7 Promoter Forward Primer	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Control Template	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
DTT	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
RNase Free DNase	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
T7 RNA Polymerase	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
100 mM rATP	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
100 mM rGTP	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
100 mM rUTP	Avoid dispersal of spilled material and runoff and

Section 6. Accidental release measures

	contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
100 mM rCTP	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
5X RNAMaxx Transcription Buffer	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Yeast Pyrophosphatase	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
RNase Block	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Control DNA Target	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
10X Cas9 Digestion Buffer	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Cas9 Nuclease	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Control gRNA	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
gRNA Binding Buffer	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
5X gRNA Wash Buffer	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
gRNA Elution Buffer	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Section 6. Accidental release measures

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up :  EPC Treated Water

RNase Free Water

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

T7 Promoter Forward Primer

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Control Template

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

DTT

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

RNase Free DNase

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

T7 RNA Polymerase

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

100 mM rATP

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

100 mM rGTP

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

100 mM rUTP

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Section 6. Accidental release measures

100 mM rCTP	<p>Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.</p> <p>Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.</p>
5X RNAMaxx Transcription Buffer	<p>Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.</p>
Yeast Pyrophosphatase	<p>Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.</p>
RNase Block	<p>Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.</p>
Control DNA Target	<p>Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.</p>
10X Cas9 Digestion Buffer	<p>Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.</p>
Cas9 Nuclease	<p>Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.</p>
Control gRNA	<p>Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.</p>
gRNA Binding Buffer	<p>Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.</p>
5X gRNA Wash Buffer	<p>Stop leak if without risk. Move containers from spill</p>

Section 6. Accidental release measures

gRNA Elution Buffer	<p>area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.</p> <p>Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.</p>
---------------------	---

Section 7. Handling and storage

7.1 Precautions for safe handling

Protective measures	: <input checked="" type="checkbox"/> EPC Treated Water	Put on appropriate personal protective equipment (see Section 8).
	RNase Free Water	Put on appropriate personal protective equipment (see Section 8).
	T7 Promoter Forward Primer	Put on appropriate personal protective equipment (see Section 8).
	Control Template	Put on appropriate personal protective equipment (see Section 8).
	DTT	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
	RNase Free DNase	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
	T7 RNA Polymerase	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
	100 mM rATP	Put on appropriate personal protective equipment (see Section 8).
	100 mM rGTP	Put on appropriate personal protective equipment (see Section 8).
	100 mM rUTP	Put on appropriate personal protective equipment (see Section 8).
	100 mM rCTP	Put on appropriate personal protective equipment (see Section 8).
	5X RNAMaxx Transcription Buffer	Put on appropriate personal protective equipment (see Section 8).
	Yeast Pyrophosphatase	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with

Section 7. Handling and storage

eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

RNase Block

Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Control DNA Target

Put on appropriate personal protective equipment (see Section 8).

10X Cas9 Digestion Buffer

Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Cas9 Nuclease

Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Control gRNA

Put on appropriate personal protective equipment (see Section 8).

gRNA Binding Buffer

Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

5X gRNA Wash Buffer

Put on appropriate personal protective equipment (see Section 8).

gRNA Elution Buffer

Put on appropriate personal protective equipment (see Section 8).

Advice on general occupational hygiene

:  EPC Treated Water

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

RNase Free Water

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and

Section 7. Handling and storage

T7 Promoter Forward Primer	processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Control Template	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
DTT	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
RNase Free DNase	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
T7 RNA Polymerase	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
100 mM rATP	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
100 mM rGTP	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
100 mM rUTP	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment

Section 7. Handling and storage

100 mM rCTP	before entering eating areas. See also Section 8 for additional information on hygiene measures. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
5X RNAMaxx Transcription Buffer	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Yeast Pyrophosphatase	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
RNase Block	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Control DNA Target	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
10X Cas9 Digestion Buffer	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Cas9 Nuclease	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Control gRNA	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
gRNA Binding Buffer	Eating, drinking and smoking should be prohibited

Section 7. Handling and storage

in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

5X gRNA Wash Buffer

gRNA Elution Buffer

7.2 Conditions for safe storage, including any incompatibilities

:  EPC Treated Water

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

RNase Free Water

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

T7 Promoter Forward Primer

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Control Template

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled

Section 7. Handling and storage

DTT	<p>containers. Use appropriate containment to avoid environmental contamination.</p> <p>Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.</p>
RNase Free DNase	<p>Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.</p>
T7 RNA Polymerase	<p>Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.</p>
100 mM rATP	<p>Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.</p>
100 mM rGTP	<p>Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.</p>
100 mM rUTP	<p>Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright</p>

Section 7. Handling and storage

100 mM rCTP	<p>to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.</p> <p>Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.</p>
5X RNAMaxx Transcription Buffer	<p>Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.</p>
Yeast Pyrophosphatase	<p>Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.</p>
RNase Block	<p>Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.</p>
Control DNA Target	<p>Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.</p>
10X Cas9 Digestion Buffer	<p>Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been</p>

Section 7. Handling and storage

Cas9 Nuclease

opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Control gRNA

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

gRNA Binding Buffer

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

5X gRNA Wash Buffer

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

gRNA Elution Buffer

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

[7.3 Specific end use\(s\)](#)

Section 8. Exposure controls/personal protection

<p>Glycerol</p>	<p>OSHA PEL 1989 (United States, 3/1989). TWA: 5 mg/m³ 8 hours. Form: Respirable fraction TWA: 10 mg/m³ 8 hours. Form: Total dust OSHA PEL (United States, 2/2013). TWA: 5 mg/m³ 8 hours. Form: Respirable fraction TWA: 15 mg/m³ 8 hours. Form: Total dust</p>
<p>T7 RNA Polymerase Glycerol</p>	<p>OSHA PEL 1989 (United States, 3/1989). TWA: 5 mg/m³ 8 hours. Form: Respirable fraction TWA: 10 mg/m³ 8 hours. Form: Total dust OSHA PEL (United States, 2/2013). TWA: 5 mg/m³ 8 hours. Form: Respirable fraction TWA: 15 mg/m³ 8 hours. Form: Total dust</p>
<p>5X RNAMaxx Transcription Buffer 2-Amino-2-(hydroxymethyl)propane-1,3-diol hydrochloride Sodium chloride</p>	<p>None. None.</p>
<p>Yeast Pyrophosphatase Glycerol</p>	<p>OSHA PEL 1989 (United States, 3/1989). TWA: 5 mg/m³ 8 hours. Form: Respirable fraction TWA: 10 mg/m³ 8 hours. Form: Total dust OSHA PEL (United States, 2/2013). TWA: 5 mg/m³ 8 hours. Form: Respirable fraction TWA: 15 mg/m³ 8 hours. Form: Total dust</p>
<p>RNase Block Glycerol</p>	<p>OSHA PEL 1989 (United States, 3/1989). TWA: 5 mg/m³ 8 hours. Form: Respirable fraction TWA: 10 mg/m³ 8 hours. Form: Total dust OSHA PEL (United States, 2/2013). TWA: 5 mg/m³ 8 hours. Form: Respirable fraction TWA: 15 mg/m³ 8 hours. Form: Total dust</p>
<p>10X Cas9 Digestion Buffer 2-Amino-2-(hydroxymethyl)propane-1,3-diol hydrochloride Sodium chloride</p>	<p>None. None.</p>
<p>Cas9 Nuclease Glycerol</p> <p>Potassium chloride</p>	<p>OSHA PEL 1989 (United States, 3/1989). TWA: 5 mg/m³ 8 hours. Form: Respirable fraction TWA: 10 mg/m³ 8 hours. Form: Total dust OSHA PEL (United States, 2/2013). TWA: 5 mg/m³ 8 hours. Form: Respirable fraction TWA: 15 mg/m³ 8 hours. Form: Total dust</p> <p>None.</p>

Section 8. Exposure controls/personal protection

2-Mercaptoethanol gRNA Binding Buffer Guanidinium thiocyanate	AIHA WEEL (United States, 10/2011). Absorbed through skin. TWA: 0.2 ppm 8 hours. None.
--	---

8.2 Exposure controls

Appropriate engineering controls

: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Environmental exposure controls

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.

Skin protection

Hand protection

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

Body protection

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection

: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection

: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Section 9. Physical and chemical properties

Physical state	:	☑EPC Treated Water	Liquid.
		RNase Free Water	Liquid.
		T7 Promoter Forward Primer	Liquid.
		Control Template	Liquid.
		DTT	Liquid.
		RNase Free DNase	Liquid.
		T7 RNA Polymerase	Liquid.
		100 mM rATP	Liquid.
		100 mM rGTP	Liquid.
		100 mM rUTP	Liquid.
		100 mM rCTP	Liquid.
		5X RNAMaxx Transcription Buffer	Liquid.
		Yeast Pyrophosphatase	Liquid.
		RNase Block	Liquid.
		Control DNA Target	Liquid.
		10X Cas9 Digestion Buffer	Liquid.
		Cas9 Nuclease	Liquid.
		Control gRNA	Liquid.
		gRNA Binding Buffer	Liquid.
		5X gRNA Wash Buffer	Liquid.
	gRNA Elution Buffer	Liquid.	
Color	:	☑EPC Treated Water	Not available.
		RNase Free Water	Colorless.
		T7 Promoter Forward Primer	Not available.
		Control Template	Not available.
		DTT	Not available.
		RNase Free DNase	Not available.
		T7 RNA Polymerase	Not available.
		100 mM rATP	Not available.
		100 mM rGTP	Not available.
		100 mM rUTP	Not available.
		100 mM rCTP	Not available.
		5X RNAMaxx Transcription Buffer	Not available.
		Yeast Pyrophosphatase	Not available.
		RNase Block	Not available.
		Control DNA Target	Not available.
		10X Cas9 Digestion Buffer	Not available.
		Cas9 Nuclease	Not available.
		Control gRNA	Not available.
		gRNA Binding Buffer	Not available.
		5X gRNA Wash Buffer	Not available.
	gRNA Elution Buffer	Not available.	
Odor	:	☑EPC Treated Water	Not available.
		RNase Free Water	Odorless.
		T7 Promoter Forward Primer	Not available.
		Control Template	Not available.
		DTT	Not available.
		RNase Free DNase	Not available.
		T7 RNA Polymerase	Not available.
		100 mM rATP	Not available.
		100 mM rGTP	Not available.
		100 mM rUTP	Not available.
		100 mM rCTP	Not available.
		5X RNAMaxx Transcription Buffer	Not available.
		Yeast Pyrophosphatase	Not available.
		RNase Block	Not available.
		Control DNA Target	Not available.
		10X Cas9 Digestion Buffer	Not available.
		Cas9 Nuclease	Not available.

Section 9. Physical and chemical properties

	Control gRNA	Not available.
	gRNA Binding Buffer	Not available.
	5X gRNA Wash Buffer	Not available.
	gRNA Elution Buffer	Not available.
Odor threshold	: <input checked="" type="checkbox"/> EPC Treated Water	Not available.
	RNase Free Water	Not available.
	T7 Promoter Forward Primer	Not available.
	Control Template	Not available.
	DTT	Not available.
	RNase Free DNase	Not available.
	T7 RNA Polymerase	Not available.
	100 mM rATP	Not available.
	100 mM rGTP	Not available.
	100 mM rUTP	Not available.
	100 mM rCTP	Not available.
	5X RNAMaxx Transcription Buffer	Not available.
	Yeast Pyrophosphatase	Not available.
	RNase Block	Not available.
	Control DNA Target	Not available.
	10X Cas9 Digestion Buffer	Not available.
	Cas9 Nuclease	Not available.
	Control gRNA	Not available.
	gRNA Binding Buffer	Not available.
	5X gRNA Wash Buffer	Not available.
	gRNA Elution Buffer	Not available.
pH	: <input checked="" type="checkbox"/> EPC Treated Water	Not available.
	RNase Free Water	7
	T7 Promoter Forward Primer	7
	Control Template	7
	DTT	10
	RNase Free DNase	7.5
	T7 RNA Polymerase	7.7
	100 mM rATP	8
	100 mM rGTP	8
	100 mM rUTP	8
	100 mM rCTP	8
	5X RNAMaxx Transcription Buffer	10
	Yeast Pyrophosphatase	7.5
	RNase Block	7.6
	Control DNA Target	8
	10X Cas9 Digestion Buffer	7
	Cas9 Nuclease	7
	Control gRNA	7
	gRNA Binding Buffer	7
	5X gRNA Wash Buffer	6.5
	gRNA Elution Buffer	7.5
Melting point	: <input checked="" type="checkbox"/> EPC Treated Water	0°C (32°F)
	RNase Free Water	0°C (32°F)
	T7 Promoter Forward Primer	0°C (32°F)
	Control Template	0°C (32°F)
	DTT	Not available.
	RNase Free DNase	Not available.
	T7 RNA Polymerase	Not available.
	100 mM rATP	0°C (32°F)
	100 mM rGTP	0°C (32°F)
	100 mM rUTP	0°C (32°F)
	100 mM rCTP	0°C (32°F)
	5X RNAMaxx Transcription Buffer	Not available.
	Yeast Pyrophosphatase	Not available.

Section 9. Physical and chemical properties

	RNase Block	Not available.
	Control DNA Target	0°C (32°F)
	10X Cas9 Digestion Buffer	Not available.
	Cas9 Nuclease	Not available.
	Control gRNA	0°C (32°F)
	gRNA Binding Buffer	Not available.
	5X gRNA Wash Buffer	0°C (32°F)
	gRNA Elution Buffer	0°C (32°F)
Boiling point	: <input checked="" type="checkbox"/> EPC Treated Water	100°C (212°F)
	RNase Free Water	100°C (212°F)
	T7 Promoter Forward Primer	100°C (212°F)
	Control Template	100°C (212°F)
	DTT	Not available.
	RNase Free DNase	Not available.
	T7 RNA Polymerase	Not available.
	100 mM rATP	100°C (212°F)
	100 mM rGTP	100°C (212°F)
	100 mM rUTP	100°C (212°F)
	100 mM rCTP	100°C (212°F)
	5X RNAMaxx Transcription Buffer	Not available.
	Yeast Pyrophosphatase	Not available.
	RNase Block	Not available.
	Control DNA Target	100°C (212°F)
	10X Cas9 Digestion Buffer	Not available.
	Cas9 Nuclease	Not available.
	Control gRNA	100°C (212°F)
	gRNA Binding Buffer	Not available.
	5X gRNA Wash Buffer	100°C (212°F)
	gRNA Elution Buffer	100°C (212°F)
Flash point	: <input checked="" type="checkbox"/> EPC Treated Water	Not available.
	RNase Free Water	Not applicable.
	T7 Promoter Forward Primer	Not available.
	Control Template	Not available.
	DTT	Not available.
	RNase Free DNase	Not available.
	T7 RNA Polymerase	Not available.
	100 mM rATP	Not available.
	100 mM rGTP	Not available.
	100 mM rUTP	Not available.
	100 mM rCTP	Not available.
	5X RNAMaxx Transcription Buffer	Not available.
	Yeast Pyrophosphatase	Not available.
	RNase Block	Not available.
	Control DNA Target	Not available.
	10X Cas9 Digestion Buffer	Not available.
	Cas9 Nuclease	Not available.
	Control gRNA	Not available.
	gRNA Binding Buffer	Not available.
	5X gRNA Wash Buffer	Not available.
	gRNA Elution Buffer	Not available.
Evaporation rate	: <input checked="" type="checkbox"/> EPC Treated Water	Not available.
	RNase Free Water	Not available.
	T7 Promoter Forward Primer	Not available.
	Control Template	Not available.
	DTT	Not available.
	RNase Free DNase	Not available.
	T7 RNA Polymerase	Not available.
	100 mM rATP	Not available.
	100 mM rGTP	Not available.

Section 9. Physical and chemical properties

	100 mM rUTP	Not available.
	100 mM rCTP	Not available.
	5X RNAMaxx Transcription Buffer	Not available.
	Yeast Pyrophosphatase	Not available.
	RNase Block	Not available.
	Control DNA Target	Not available.
	10X Cas9 Digestion Buffer	Not available.
	Cas9 Nuclease	Not available.
	Control gRNA	Not available.
	gRNA Binding Buffer	Not available.
	5X gRNA Wash Buffer	Not available.
	gRNA Elution Buffer	Not available.
Flammability (solid, gas)	<input checked="" type="checkbox"/> EPC Treated Water	Not applicable.
	RNase Free Water	Not applicable.
	T7 Promoter Forward Primer	Not applicable.
	Control Template	Not applicable.
	DTT	Not applicable.
	RNase Free DNase	Not applicable.
	T7 RNA Polymerase	Not applicable.
	100 mM rATP	Not applicable.
	100 mM rGTP	Not applicable.
	100 mM rUTP	Not applicable.
	100 mM rCTP	Not applicable.
	5X RNAMaxx Transcription Buffer	Not applicable.
	Yeast Pyrophosphatase	Not applicable.
	RNase Block	Not applicable.
	Control DNA Target	Not applicable.
	10X Cas9 Digestion Buffer	Not applicable.
	Cas9 Nuclease	Not applicable.
	Control gRNA	Not applicable.
	gRNA Binding Buffer	Not applicable.
	5X gRNA Wash Buffer	Not applicable.
	gRNA Elution Buffer	Not applicable.
Lower and upper explosive (flammable) limits	<input checked="" type="checkbox"/> EPC Treated Water	Not available.
	RNase Free Water	Not available.
	T7 Promoter Forward Primer	Not available.
	Control Template	Not available.
	DTT	Not available.
	RNase Free DNase	Not available.
	T7 RNA Polymerase	Not available.
	100 mM rATP	Not available.
	100 mM rGTP	Not available.
	100 mM rUTP	Not available.
	100 mM rCTP	Not available.
	5X RNAMaxx Transcription Buffer	Not available.
	Yeast Pyrophosphatase	Not available.
	RNase Block	Not available.
	Control DNA Target	Not available.
	10X Cas9 Digestion Buffer	Not available.
	Cas9 Nuclease	Not available.
	Control gRNA	Not available.
	gRNA Binding Buffer	Not available.
	5X gRNA Wash Buffer	Not available.
	gRNA Elution Buffer	Not available.

Section 9. Physical and chemical properties

Vapor pressure	:	☑EPC Treated Water	Not available.
		RNase Free Water	3.2 kPa (23.8 mm Hg) [room temperature]
		T7 Promoter Forward Primer	Not available.
		Control Template	Not available.
		DTT	Not available.
		RNase Free DNase	Not available.
		T7 RNA Polymerase	Not available.
		100 mM rATP	Not available.
		100 mM rGTP	Not available.
		100 mM rUTP	Not available.
		100 mM rCTP	Not available.
		5X RNAMaxx Transcription Buffer	Not available.
		Yeast Pyrophosphatase	Not available.
		RNase Block	Not available.
		Control DNA Target	Not available.
		10X Cas9 Digestion Buffer	Not available.
		Cas9 Nuclease	Not available.
		Control gRNA	Not available.
		gRNA Binding Buffer	Not available.
		5X gRNA Wash Buffer	Not available.
	gRNA Elution Buffer	Not available.	
Vapor density	:	☑EPC Treated Water	Not available.
		RNase Free Water	0.62 [Air = 1]
		T7 Promoter Forward Primer	Not available.
		Control Template	Not available.
		DTT	Not available.
		RNase Free DNase	Not available.
		T7 RNA Polymerase	Not available.
		100 mM rATP	Not available.
		100 mM rGTP	Not available.
		100 mM rUTP	Not available.
		100 mM rCTP	Not available.
		5X RNAMaxx Transcription Buffer	Not available.
		Yeast Pyrophosphatase	Not available.
		RNase Block	Not available.
		Control DNA Target	Not available.
		10X Cas9 Digestion Buffer	Not available.
		Cas9 Nuclease	Not available.
		Control gRNA	Not available.
		gRNA Binding Buffer	Not available.
		5X gRNA Wash Buffer	Not available.
	gRNA Elution Buffer	Not available.	
Relative density	:	☑EPC Treated Water	Not available.
		RNase Free Water	1
		T7 Promoter Forward Primer	Not available.
		Control Template	Not available.
		DTT	Not available.
		RNase Free DNase	Not available.
		T7 RNA Polymerase	Not available.
		100 mM rATP	Not available.
		100 mM rGTP	Not available.
		100 mM rUTP	Not available.
		100 mM rCTP	Not available.
		5X RNAMaxx Transcription Buffer	Not available.
		Yeast Pyrophosphatase	Not available.
		RNase Block	Not available.
		Control DNA Target	Not available.
		10X Cas9 Digestion Buffer	Not available.
		Cas9 Nuclease	Not available.

Section 9. Physical and chemical properties

	Control gRNA	Not available.
	gRNA Binding Buffer	Not available.
	5X gRNA Wash Buffer	Not available.
	gRNA Elution Buffer	Not available.
Solubility	: <input checked="" type="checkbox"/> EPC Treated Water	Easily soluble in the following materials: cold water and hot water.
	RNase Free Water	Easily soluble in the following materials: cold water and hot water.
	T7 Promoter Forward Primer	Easily soluble in the following materials: cold water and hot water.
	Control Template	Easily soluble in the following materials: cold water and hot water.
	DTT	Easily soluble in the following materials: cold water and hot water.
	RNase Free DNase	Soluble in the following materials: cold water and hot water.
	T7 RNA Polymerase	Soluble in the following materials: cold water and hot water.
	100 mM rATP	Easily soluble in the following materials: cold water and hot water.
	100 mM rGTP	Easily soluble in the following materials: cold water and hot water.
	100 mM rUTP	Easily soluble in the following materials: cold water and hot water.
	100 mM rCTP	Easily soluble in the following materials: cold water and hot water.
	5X RNAMaxx Transcription Buffer	Easily soluble in the following materials: cold water and hot water.
	Yeast Pyrophosphatase	Soluble in the following materials: cold water and hot water.
	RNase Block	Soluble in the following materials: cold water and hot water.
	Control DNA Target	Easily soluble in the following materials: cold water and hot water.
	10X Cas9 Digestion Buffer	Soluble in the following materials: cold water and hot water.
	Cas9 Nuclease	Soluble in the following materials: cold water and hot water.
	Control gRNA	Easily soluble in the following materials: cold water and hot water.
	gRNA Binding Buffer	Soluble in the following materials: cold water and hot water.
	5X gRNA Wash Buffer	Easily soluble in the following materials: cold water and hot water.
	gRNA Elution Buffer	Easily soluble in the following materials: cold water and hot water.
Partition coefficient: n-octanol/water	: <input checked="" type="checkbox"/> EPC Treated Water	Not available.
	RNase Free Water	-1.38
	T7 Promoter Forward Primer	Not available.
	Control Template	Not available.
	DTT	Not available.
	RNase Free DNase	Not available.
	T7 RNA Polymerase	Not available.
	100 mM rATP	Not available.
	100 mM rGTP	Not available.
	100 mM rUTP	Not available.
	100 mM rCTP	Not available.
	5X RNAMaxx Transcription Buffer	Not available.
	Yeast Pyrophosphatase	Not available.

Section 9. Physical and chemical properties

	RNase Block	Not available.
	Control DNA Target	Not available.
	10X Cas9 Digestion Buffer	Not available.
	Cas9 Nuclease	Not available.
	Control gRNA	Not available.
	gRNA Binding Buffer	Not available.
	5X gRNA Wash Buffer	Not available.
	gRNA Elution Buffer	Not available.
Auto-ignition temperature	: <input checked="" type="checkbox"/> EPC Treated Water	Not available.
	RNase Free Water	Not applicable.
	T7 Promoter Forward Primer	Not available.
	Control Template	Not available.
	DTT	Not available.
	RNase Free DNase	Not available.
	T7 RNA Polymerase	Not available.
	100 mM rATP	Not available.
	100 mM rGTP	Not available.
	100 mM rUTP	Not available.
	100 mM rCTP	Not available.
	5X RNAMaxx Transcription Buffer	Not available.
	Yeast Pyrophosphatase	Not available.
	RNase Block	Not available.
	Control DNA Target	Not available.
	10X Cas9 Digestion Buffer	Not available.
	Cas9 Nuclease	Not available.
	Control gRNA	Not available.
	gRNA Binding Buffer	Not available.
	5X gRNA Wash Buffer	Not available.
	gRNA Elution Buffer	Not available.
Decomposition temperature	: <input checked="" type="checkbox"/> EPC Treated Water	Not available.
	RNase Free Water	>1200°C (>2192°F)
	T7 Promoter Forward Primer	Not available.
	Control Template	Not available.
	DTT	Not available.
	RNase Free DNase	Not available.
	T7 RNA Polymerase	Not available.
	100 mM rATP	Not available.
	100 mM rGTP	Not available.
	100 mM rUTP	Not available.
	100 mM rCTP	Not available.
	5X RNAMaxx Transcription Buffer	Not available.
	Yeast Pyrophosphatase	Not available.
	RNase Block	Not available.
	Control DNA Target	Not available.
	10X Cas9 Digestion Buffer	Not available.
	Cas9 Nuclease	Not available.
	Control gRNA	Not available.
	gRNA Binding Buffer	Not available.
	5X gRNA Wash Buffer	Not available.
	gRNA Elution Buffer	Not available.
Viscosity	: <input checked="" type="checkbox"/> EPC Treated Water	Not available.
	RNase Free Water	Not available.
	T7 Promoter Forward Primer	Not available.
	Control Template	Not available.
	DTT	Not available.
	RNase Free DNase	Not available.
	T7 RNA Polymerase	Not available.
	100 mM rATP	Not available.
	100 mM rGTP	Not available.

Section 9. Physical and chemical properties

100 mM rUTP	Not available.
100 mM rCTP	Not available.
5X RNAMaxx Transcription Buffer	Not available.
Yeast Pyrophosphatase	Not available.
RNase Block	Not available.
Control DNA Target	Not available.
10X Cas9 Digestion Buffer	Not available.
Cas9 Nuclease	Not available.
Control gRNA	Not available.
gRNA Binding Buffer	Not available.
5X gRNA Wash Buffer	Not available.
gRNA Elution Buffer	Not available.

Section 10. Stability and reactivity

10.1 Reactivity

: <input checked="" type="checkbox"/> EPC Treated Water	No specific test data related to reactivity available for this product or its ingredients.
RNase Free Water	No specific test data related to reactivity available for this product or its ingredients.
T7 Promoter Forward Primer	No specific test data related to reactivity available for this product or its ingredients.
Control Template	No specific test data related to reactivity available for this product or its ingredients.
DTT	No specific test data related to reactivity available for this product or its ingredients.
RNase Free DNase	No specific test data related to reactivity available for this product or its ingredients.
T7 RNA Polymerase	No specific test data related to reactivity available for this product or its ingredients.
100 mM rATP	No specific test data related to reactivity available for this product or its ingredients.
100 mM rGTP	No specific test data related to reactivity available for this product or its ingredients.
100 mM rUTP	No specific test data related to reactivity available for this product or its ingredients.
100 mM rCTP	No specific test data related to reactivity available for this product or its ingredients.
5X RNAMaxx Transcription Buffer	No specific test data related to reactivity available for this product or its ingredients.
Yeast Pyrophosphatase	No specific test data related to reactivity available for this product or its ingredients.
RNase Block	No specific test data related to reactivity available for this product or its ingredients.
Control DNA Target	No specific test data related to reactivity available for this product or its ingredients.
10X Cas9 Digestion Buffer	No specific test data related to reactivity available for this product or its ingredients.
Cas9 Nuclease	No specific test data related to reactivity available for this product or its ingredients.
Control gRNA	No specific test data related to reactivity available for this product or its ingredients.
gRNA Binding Buffer	No specific test data related to reactivity available for this product or its ingredients.
5X gRNA Wash Buffer	No specific test data related to reactivity available for this product or its ingredients.
gRNA Elution Buffer	No specific test data related to reactivity available for this product or its ingredients.

Section 10. Stability and reactivity

	10X Cas9 Digestion Buffer	materials. May react or be incompatible with oxidizing materials.
	Cas9 Nuclease	May react or be incompatible with oxidizing materials.
	Control gRNA	May react or be incompatible with oxidizing materials.
	gRNA Binding Buffer	May react or be incompatible with oxidizing materials.
	5X gRNA Wash Buffer	May react or be incompatible with oxidizing materials.
	gRNA Elution Buffer	May react or be incompatible with oxidizing materials.
10.6 Hazardous decomposition products	:  EPC Treated Water	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	RNase Free Water	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	T7 Promoter Forward Primer	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	Control Template	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	DTT	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	RNase Free DNase	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	T7 RNA Polymerase	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	100 mM rATP	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	100 mM rGTP	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	100 mM rUTP	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	100 mM rCTP	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	5X RNAMaxx Transcription Buffer	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	Yeast Pyrophosphatase	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	RNase Block	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	Control DNA Target	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 10. Stability and reactivity

10X Cas9 Digestion Buffer	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Cas9 Nuclease	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Control gRNA	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
gRNA Binding Buffer	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
5X gRNA Wash Buffer	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
gRNA Elution Buffer	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
RNase Free DNase Glycerol	LD50 Oral	Rat	12600 mg/kg	-
T7 RNA Polymerase Glycerol	LD50 Oral	Rat	12600 mg/kg	-
5X RNAMaxx Transcription Buffer Sodium chloride	LD50 Oral	Rat	3000 mg/kg	-
Yeast Pyrophosphatase Glycerol	LD50 Oral	Rat	12600 mg/kg	-
RNase Block Glycerol	LD50 Oral	Rat	12600 mg/kg	-
10X Cas9 Digestion Buffer Sodium chloride	LD50 Oral	Rat	3000 mg/kg	-
Cas9 Nuclease Glycerol	LD50 Oral	Rat	12600 mg/kg	-
Potassium chloride	LD50 Oral	Rat	2600 mg/kg	-
2-Mercaptoethanol	LD50 Dermal	Rabbit	200 mg/kg	-
	LD50 Oral	Rat	244 mg/kg	-

Irritation/Corrosion

Section 11. Toxicological information

Product/ingredient name	Result	Species	Score	Exposure	Observation
RNase Free DNase Glycerol	Eyes - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
T7 RNA Polymerase Glycerol	Eyes - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
5X RNAMaxx Transcription Buffer Sodium chloride	Eyes - Moderate irritant	Rabbit	-	24 hours 100 milligrams	-
	Eyes - Moderate irritant	Rabbit	-	10 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
Yeast Pyrophosphatase Glycerol	Eyes - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
RNase Block Glycerol	Eyes - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
10X Cas9 Digestion Buffer Sodium chloride	Eyes - Moderate irritant	Rabbit	-	24 hours 100 milligrams	-
	Eyes - Moderate irritant	Rabbit	-	10 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
Cas9 Nuclease Glycerol	Eyes - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
Potassium chloride	Eyes - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
2-Mercaptoethanol	Eyes - Severe irritant	Rabbit	-	2 milligrams	-

Sensitization

Not available.

Mutagenicity

Not available.

Carcinogenicity

Not available.

Section 11. Toxicological information

Reproductive toxicity

Not available.

Teratogenicity

Not available.

Specific target organ toxicity (single exposure)

Name	Category	Route of exposure	Target organs
DTT (R*,R*)-1,4-Dimercaptobutane-2,3-diol	Category 3	Not applicable.	Respiratory tract irritation
5X RNAMaxx Transcription Buffer 2-Amino-2-(hydroxymethyl)propane-1,3-diol hydrochloride	Category 3	Not applicable.	Respiratory tract irritation
10X Cas9 Digestion Buffer 2-Amino-2-(hydroxymethyl)propane-1,3-diol hydrochloride	Category 3	Not applicable.	Respiratory tract irritation
Cas9 Nuclease 2-Mercaptoethanol	Category 3	Not applicable.	Respiratory tract irritation

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on the likely routes of exposure

<ul style="list-style-type: none"> <input checked="" type="checkbox"/> EPC Treated Water <input type="checkbox"/> RNase Free Water <input type="checkbox"/> T7 Promoter Forward Primer <input type="checkbox"/> Control Template <input type="checkbox"/> DTT <input type="checkbox"/> RNase Free DNase <input type="checkbox"/> T7 RNA Polymerase <input type="checkbox"/> 100 mM rATP <input type="checkbox"/> 100 mM rGTP <input type="checkbox"/> 100 mM rUTP <input type="checkbox"/> 100 mM rCTP <input type="checkbox"/> 5X RNAMaxx Transcription Buffer <input type="checkbox"/> Yeast Pyrophosphatase <input type="checkbox"/> RNase Block <input type="checkbox"/> Control DNA Target <input type="checkbox"/> 10X Cas9 Digestion Buffer <input type="checkbox"/> Cas9 Nuclease <input type="checkbox"/> Control gRNA 	<ul style="list-style-type: none"> Not available. Not available. Not available. Not available. Routes of entry anticipated: Oral, Dermal, Inhalation. Routes of entry anticipated: Oral, Dermal, Inhalation. Routes of entry anticipated: Oral, Dermal, Inhalation. Not available. Not available. Not available. Not available. Routes of entry anticipated: Oral, Dermal, Inhalation. Routes of entry anticipated: Oral, Dermal, Inhalation. Routes of entry anticipated: Oral, Dermal, Inhalation. Not available. Routes of entry anticipated: Oral, Dermal, Inhalation. Routes of entry anticipated: Oral, Dermal, Inhalation. Not available.
---	--

Section 11. Toxicological information

	100 mM rCTP	No known significant effects or critical hazards.
	5X RNAMaxx Transcription Buffer	No known significant effects or critical hazards.
	Yeast Pyrophosphatase	No known significant effects or critical hazards.
	RNase Block	No known significant effects or critical hazards.
	Control DNA Target	No known significant effects or critical hazards.
	10X Cas9 Digestion Buffer	Causes skin irritation.
	Cas9 Nuclease	May cause an allergic skin reaction.
	Control gRNA	No known significant effects or critical hazards.
	gRNA Binding Buffer	No known significant effects or critical hazards.
	5X gRNA Wash Buffer	No known significant effects or critical hazards.
	gRNA Elution Buffer	No known significant effects or critical hazards.
Ingestion	: <input checked="" type="checkbox"/> EPC Treated Water	No known significant effects or critical hazards.
	RNase Free Water	No known significant effects or critical hazards.
	T7 Promoter Forward Primer	No known significant effects or critical hazards.
	Control Template	No known significant effects or critical hazards.
	DTT	No known significant effects or critical hazards.
	RNase Free DNase	No known significant effects or critical hazards.
	T7 RNA Polymerase	No known significant effects or critical hazards.
	100 mM rATP	No known significant effects or critical hazards.
	100 mM rGTP	No known significant effects or critical hazards.
	100 mM rUTP	No known significant effects or critical hazards.
	100 mM rCTP	No known significant effects or critical hazards.
	5X RNAMaxx Transcription Buffer	No known significant effects or critical hazards.
	Yeast Pyrophosphatase	No known significant effects or critical hazards.
	RNase Block	No known significant effects or critical hazards.
	Control DNA Target	No known significant effects or critical hazards.
	10X Cas9 Digestion Buffer	No known significant effects or critical hazards.
	Cas9 Nuclease	No known significant effects or critical hazards.
	Control gRNA	No known significant effects or critical hazards.
	gRNA Binding Buffer	Harmful if swallowed.
	5X gRNA Wash Buffer	No known significant effects or critical hazards.
	gRNA Elution Buffer	No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact	: <input checked="" type="checkbox"/> EPC Treated Water	No specific data.
	RNase Free Water	No specific data.
	T7 Promoter Forward Primer	No specific data.
	Control Template	No specific data.
	DTT	Adverse symptoms may include the following: pain or irritation watering redness
	RNase Free DNase	Adverse symptoms may include the following: irritation watering redness
	T7 RNA Polymerase	Adverse symptoms may include the following: irritation watering redness
	100 mM rATP	No specific data.
	100 mM rGTP	No specific data.
	100 mM rUTP	No specific data.
	100 mM rCTP	No specific data.
	5X RNAMaxx Transcription Buffer	No specific data.
	Yeast Pyrophosphatase	Adverse symptoms may include the following: irritation

Section 11. Toxicological information

	Cas9 Nuclease	irritation redness Adverse symptoms may include the following: irritation redness
Ingestion	Control gRNA	No specific data.
	gRNA Binding Buffer	No specific data.
	5X gRNA Wash Buffer	No specific data.
	gRNA Elution Buffer	No specific data.
	: <input checked="" type="checkbox"/> EPC Treated Water	No specific data.
	RNase Free Water	No specific data.
	T7 Promoter Forward Primer	No specific data.
	Control Template	No specific data.
	DTT	No specific data.
	RNase Free DNase	No specific data.
	T7 RNA Polymerase	No specific data.
	100 mM rATP	No specific data.
	100 mM rGTP	No specific data.
	100 mM rUTP	No specific data.
	100 mM rCTP	No specific data.
	5X RNAMaxx Transcription Buffer	No specific data.
	Yeast Pyrophosphatase	No specific data.
	RNase Block	No specific data.
	Control DNA Target	No specific data.
	10X Cas9 Digestion Buffer	No specific data.
Cas9 Nuclease	No specific data.	
Control gRNA	No specific data.	
gRNA Binding Buffer	No specific data.	
5X gRNA Wash Buffer	No specific data.	
gRNA Elution Buffer	No specific data.	

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Long term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Potential chronic health effects

General	: <input checked="" type="checkbox"/> EPC Treated Water	No known significant effects or critical hazards.
	RNase Free Water	No known significant effects or critical hazards.
	T7 Promoter Forward Primer	No known significant effects or critical hazards.
	Control Template	No known significant effects or critical hazards.
	DTT	No known significant effects or critical hazards.
	RNase Free DNase	No known significant effects or critical hazards.
	T7 RNA Polymerase	No known significant effects or critical hazards.
	100 mM rATP	No known significant effects or critical hazards.
	100 mM rGTP	No known significant effects or critical hazards.
	100 mM rUTP	No known significant effects or critical hazards.
	100 mM rCTP	No known significant effects or critical hazards.
	5X RNAMaxx Transcription Buffer	No known significant effects or critical hazards.
	Yeast Pyrophosphatase	No known significant effects or critical hazards.
RNase Block	No known significant effects or critical hazards.	

Section 11. Toxicological information

	Control DNA Target	No known significant effects or critical hazards.
	10X Cas9 Digestion Buffer	No known significant effects or critical hazards.
	Cas9 Nuclease	Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.
	Control gRNA	No known significant effects or critical hazards.
	gRNA Binding Buffer	No known significant effects or critical hazards.
	5X gRNA Wash Buffer	No known significant effects or critical hazards.
	gRNA Elution Buffer	No known significant effects or critical hazards.
Carcinogenicity	: <input checked="" type="checkbox"/> EPC Treated Water	No known significant effects or critical hazards.
	RNase Free Water	No known significant effects or critical hazards.
	T7 Promoter Forward Primer	No known significant effects or critical hazards.
	Control Template	No known significant effects or critical hazards.
	DTT	No known significant effects or critical hazards.
	RNase Free DNase	No known significant effects or critical hazards.
	T7 RNA Polymerase	No known significant effects or critical hazards.
	100 mM rATP	No known significant effects or critical hazards.
	100 mM rGTP	No known significant effects or critical hazards.
	100 mM rUTP	No known significant effects or critical hazards.
	100 mM rCTP	No known significant effects or critical hazards.
	5X RNAMaxx Transcription Buffer	No known significant effects or critical hazards.
	Yeast Pyrophosphatase	No known significant effects or critical hazards.
	RNase Block	No known significant effects or critical hazards.
	Control DNA Target	No known significant effects or critical hazards.
	10X Cas9 Digestion Buffer	No known significant effects or critical hazards.
	Cas9 Nuclease	No known significant effects or critical hazards.
	Control gRNA	No known significant effects or critical hazards.
	gRNA Binding Buffer	No known significant effects or critical hazards.
	5X gRNA Wash Buffer	No known significant effects or critical hazards.
	gRNA Elution Buffer	No known significant effects or critical hazards.
Mutagenicity	: <input checked="" type="checkbox"/> EPC Treated Water	No known significant effects or critical hazards.
	RNase Free Water	No known significant effects or critical hazards.
	T7 Promoter Forward Primer	No known significant effects or critical hazards.
	Control Template	No known significant effects or critical hazards.
	DTT	No known significant effects or critical hazards.
	RNase Free DNase	No known significant effects or critical hazards.
	T7 RNA Polymerase	No known significant effects or critical hazards.
	100 mM rATP	No known significant effects or critical hazards.
	100 mM rGTP	No known significant effects or critical hazards.
	100 mM rUTP	No known significant effects or critical hazards.
	100 mM rCTP	No known significant effects or critical hazards.
	5X RNAMaxx Transcription Buffer	No known significant effects or critical hazards.
	Yeast Pyrophosphatase	No known significant effects or critical hazards.
	RNase Block	No known significant effects or critical hazards.
	Control DNA Target	No known significant effects or critical hazards.
	10X Cas9 Digestion Buffer	No known significant effects or critical hazards.
	Cas9 Nuclease	No known significant effects or critical hazards.
	Control gRNA	No known significant effects or critical hazards.
	gRNA Binding Buffer	No known significant effects or critical hazards.
	5X gRNA Wash Buffer	No known significant effects or critical hazards.
	gRNA Elution Buffer	No known significant effects or critical hazards.

Section 11. Toxicological information

Cas9 Nuclease	No known significant effects or critical hazards.
Control gRNA	No known significant effects or critical hazards.
gRNA Binding Buffer	No known significant effects or critical hazards.
5X gRNA Wash Buffer	No known significant effects or critical hazards.
gRNA Elution Buffer	No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Route	ATE value
DTT Oral	4310.3 mg/kg
5X RNAMaxx Transcription Buffer Oral	205479.5 mg/kg
10X Cas9 Digestion Buffer Oral	150000 mg/kg
Cas9 Nuclease Oral	73446.3 mg/kg
gRNA Binding Buffer Oral	1063.8 mg/kg
Dermal	2340.4 mg/kg
Inhalation (dusts and mists)	3.191 mg/l

Other information

DTT	Not available.
EPC Treated Water	Not available.
RNase Free Water	Not available.
T7 Promoter Forward Primer	Not available.
Control Template	Not available.
DTT	Not available.
RNase Free DNase	Not available.
T7 RNA Polymerase	Not available.
100 mM rATP	Not available.
100 mM rGTP	Not available.
100 mM rUTP	Not available.
100 mM rCTP	Not available.
5X RNAMaxx Transcription Buffer	Not available.
Yeast Pyrophosphatase	Not available.
RNase Block	Not available.
Control DNA Target	Not available.
10X Cas9 Digestion Buffer	Not available.
Cas9 Nuclease	Not available.
Control gRNA	Not available.
gRNA Binding Buffer	Not available.
5X gRNA Wash Buffer	Not available.
gRNA Elution Buffer	Not available.

Section 12. Ecological information

12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
DTT (R*,R*)-1, 4-Dimercaptobutane-2,3-diol	Acute LC50 27000 to 30000 µg/l Fresh water	Daphnia - Daphnia magna	48 hours
RNase Free DNase Glycerol	Acute LC50 54000 mg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours
T7 RNA Polymerase Glycerol	Acute LC50 54000 mg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours
5X RNAMaxx Transcription Buffer Sodium chloride	Acute EC50 2430000 µg/l Fresh water Acute EC50 519.6 mg/l Fresh water Acute IC50 6.87 g/L Fresh water Acute LC50 1661 mg/l Fresh water Acute LC50 1000000 µg/l Fresh water Chronic LC10 781 mg/l Fresh water Chronic NOEC 6 g/L Fresh water Chronic NOEC 0.314 g/L Fresh water Chronic NOEC 100 mg/l Fresh water	Algae - Navicula seminulum Crustaceans - Cypris subglobosa Aquatic plants - Lemna minor Daphnia - Daphnia magna Fish - Morone saxatilis - Larvae Crustaceans - Hyalella azteca - Juvenile (Fledgling, Hatchling, Weanling) Aquatic plants - Lemna minor Daphnia - Daphnia pulex Fish - Gambusia holbrooki - Adult	96 hours 48 hours 96 hours 48 hours 96 hours 3 weeks 96 hours 21 days 8 weeks
Yeast Pyrophosphatase Glycerol	Acute LC50 54000 mg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours
RNase Block Glycerol	Acute LC50 54000 mg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours
10X Cas9 Digestion Buffer Sodium chloride	Acute EC50 2430000 µg/l Fresh water Acute EC50 519.6 mg/l Fresh water Acute IC50 6.87 g/L Fresh water Acute LC50 1661 mg/l Fresh water Acute LC50 1000000 µg/l Fresh water Chronic LC10 781 mg/l Fresh water Chronic NOEC 6 g/L Fresh water Chronic NOEC 0.314 g/L Fresh water Chronic NOEC 100 mg/l Fresh water	Algae - Navicula seminulum Crustaceans - Cypris subglobosa Aquatic plants - Lemna minor Daphnia - Daphnia magna Fish - Morone saxatilis - Larvae Crustaceans - Hyalella azteca - Juvenile (Fledgling, Hatchling, Weanling) Aquatic plants - Lemna minor Daphnia - Daphnia pulex Fish - Gambusia holbrooki - Adult	96 hours 48 hours 96 hours 48 hours 96 hours 3 weeks 96 hours 21 days 8 weeks
Cas9 Nuclease Glycerol Potassium chloride	Acute LC50 54000 mg/l Fresh water Acute EC50 1337000 µg/l Fresh water Acute EC50 9.24 g/L Fresh water Acute EC50 141460 µg/l Fresh water Acute LC50 12.77 mg/l Fresh water Acute LC50 880000 µg/l Fresh water	Fish - Oncorhynchus mykiss Algae - Navicula seminulum Algae - Desmodesmus subspicatus Daphnia - Daphnia magna Crustaceans - Pseudosida ramosa - Neonate Fish - Pimephales promelas	96 hours 96 hours 72 hours 48 hours 48 hours 96 hours

12.2 Persistence and degradability

Section 12. Ecological information

Product/ingredient name	Test	Result	Dose	Inoculum
DEPC Treated Water Water	-	100 % - 28 days	-	-
RNase Free Water Water	-	100 % - 28 days	-	-

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
DEPC Treated Water Water	-	-	Readily
RNase Free Water Water	-	-	Readily

12.3 Bioaccumulative potential

Product/ingredient name	LogP _{ow}	BCF	Potential
DEPC Treated Water Water	-1.38	-	low
RNase Free Water Water	-1.38	-	low
RNase Free DNase Glycerol	-1.76	-	low
T7 RNA Polymerase Glycerol	-1.76	-	low
Yeast Pyrophosphatase Glycerol	-1.76	-	low
RNase Block Glycerol	-1.76	-	low
Cas9 Nuclease Glycerol	-1.76	-	low
Potassium chloride	-0.46	-	low
2-Mercaptoethanol	-0.056	-	low

12.4 Mobility in soil

Soil/water partition coefficient (K_{oc}) : Not available.

12.5 Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

13.1 Waste treatment methods

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Disposal should be in accordance with applicable regional, national and local laws and regulations. Local regulations may be more stringent than regional or national requirements.

The information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

Section 14. Transport information

Regulatory information

DOT / IMDG / IATA : Not regulated.

Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

U.S. Federal regulations : **TSCA 8(a) PAIR**: octamethylcyclotetrasiloxane; Poly(oxy-1,2-ethanediyl), .alpha.-[(1,1,3,3-tetramethylbutyl)phenyl]-.omega.-hydroxy-; Polyoxyethylene octyl phenyl ether
United States inventory (TSCA 8b): Not determined.
Clean Water Act (CWA) 311: Edetic acid

Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs) : Not listed

Clean Air Act Section 602 Class I Substances : Not listed

Clean Air Act Section 602 Class II Substances : Not listed

DEA List I Chemicals (Precursor Chemicals) : Not listed

DEA List II Chemicals (Essential Chemicals) : Not listed

SARA 302/304

Composition/information on ingredients

No products were found.

SARA 304 RQ : Not applicable.

SARA 311/312

Section 15. Regulatory information

Classification : Immediate (acute) health hazard

Composition/information on ingredients

Name	%	Fire hazard	Sudden release of pressure	Reactive	Immediate (acute) health hazard	Delayed (chronic) health hazard
DTT (R*,R*)-1,4-Dimercaptobutane-2,3-diol	≥10 - <20	No.	No.	No.	Yes.	No.
RNase Free DNase Glycerol	≥50 - ≤75	No.	No.	No.	Yes.	No.
T7 RNA Polymerase Glycerol	≥50 - ≤75	No.	No.	No.	Yes.	No.
5X RNAMaxx Transcription Buffer 2-Amino-2-(hydroxymethyl)propane-1,3-diol hydrochloride	≤5	No.	No.	No.	Yes.	No.
Sodium chloride	≤3	No.	No.	No.	Yes.	No.
Yeast Pyrophosphatase Glycerol	≥50 - ≤75	No.	No.	No.	Yes.	No.
RNase Block Glycerol	≥50 - ≤75	No.	No.	No.	Yes.	No.
10X Cas9 Digestion Buffer 2-Amino-2-(hydroxymethyl)propane-1,3-diol hydrochloride	≥10 - <20	No.	No.	No.	Yes.	No.
Sodium chloride	≤3	No.	No.	No.	Yes.	No.
Cas9 Nuclease Glycerol	≥50 - ≤75	No.	No.	No.	Yes.	No.
Potassium chloride	≤5	No.	No.	No.	Yes.	No.
2-Mercaptoethanol	≤0.3	Yes.	No.	No.	Yes.	No.
gRNA Binding Buffer Guanidinium thiocyanate	≥25 - ≤50	No.	No.	No.	Yes.	No.

State regulations

- Massachusetts** : The following components are listed: GLYCERINE MIST
- New York** : None of the components are listed.
- New Jersey** : The following components are listed: GLYCERIN; 1,2,3-PROPANETRIOL
- Pennsylvania** : The following components are listed: 1,2,3-PROPANETRIOL

California Prop. 65

No products were found.

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol (Annexes A, B, C, E)

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Section 15. Regulatory information

Not listed.

[Rotterdam Convention on Prior Informed Consent \(PIC\)](#)

Not listed.

[UNECE Aarhus Protocol on POPs and Heavy Metals](#)

Not listed.

[Inventory list](#)

Australia	: Not determined.
Canada inventory	: Not determined.
China	: Not determined.
Europe	: All components are listed or exempted.
Japan	: <input checked="" type="checkbox"/> Japan inventory (ENCS) : Not determined. Japan inventory (ISHL) : Not determined.
Malaysia	: Not determined.
New Zealand	: Not determined.
Philippines	: Not determined.
Republic of Korea	: Not determined.
Taiwan	: All components are listed or exempted.
Turkey	: <input checked="" type="checkbox"/> Not determined.

Section 16. Other information

[History](#)

Date of issue	: 10/17/2016
Date of previous issue	: 10/02/2015.
Version	: 3

Indicates information that has changed from previously issued version.

[Notice to reader](#)

Disclaimer: The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.