

SAFETY DATA SHEET

HaloPlex Exome ILM Box 1-16 reactions, Part Number 5190-8062

Section 1. Identification

Product identifier	: HaloPlex Exome ILM Box 1-16 reactions, Part Number 5190-8062	
Part no. (chemical kit)	: 5190-8062	
Part no.	<ul style="list-style-type: none"> : RE Buffer SSC Buffer BSA Solution DNA Ligase Ligation Solution Wash Solution Capture Solution Primer 1 Primer 2 HaloPlex Indexing Primer A01 - H02 Hybridization Solution Enrichment Control DNA HaloPlex Probe 8-Strip Enzyme Strip 1 Enzyme Strip 2 	<ul style="list-style-type: none"> 5190-4980 5190-5342 5190-5347 5190-4979 5190-4976 5190-4977 5190-4978 5190-5340 5190-5341 Various* 5190-5345 5190-5339 5190-6284 5190-5343 5190-5344

Relevant identified uses of the substance or mixture and uses advised against

Material uses	: Analytical reagent.	
	<ul style="list-style-type: none"> RE Buffer SSC Buffer BSA Solution DNA Ligase Ligation Solution Wash Solution Capture Solution Primer 1 Primer 2 HaloPlex Indexing Primer A01 - H02 Hybridization Solution Enrichment Control DNA HaloPlex Probe 8-Strip Enzyme Strip 1 Enzyme Strip 2 	<ul style="list-style-type: none"> 0.8 ml (16 reactions) 2.2 ml (16 reactions) 0.03 ml (16 reactions) 0.05 ml (16 reactions) 0.96 ml (16 reactions) 2.2 ml (16 reactions) 0.8 ml (16 reactions) 0.04 ml (16 reactions) 0.04 ml (16 reactions) 0.028 ml (16 reactions) 1.1 ml (16 reactions) 0.02 ml (16 reactions) 0.016 ml (16 reactions) 0.016 ml (16 reactions) 0.016 ml (16 reactions)

Supplier/Manufacturer : Agilent Technologies Australia Pty Ltd
679 Springvale Road
Mulgrave
Victoria 3170, Australia
1800 802 402

Emergency telephone number (with hours of operation) : CHEMTREC®: +(61)-290372994

Note * : * HaloPlex Indexing Primer A01-H02: 5190-8066, 5190-8067, 5190-8068, 5190-8069, 5190-8070, 5190-8071, 5190-8072, 5190-8073, 5190-8074, 5190-8075, 5190-8076, 5190-8077, 5190-8078, 5190-8079, 5190-8080, 5190-8081

Section 2. Hazard(s) identification

Classification of the substance or mixture

Wash Solution

H360 REPRODUCTIVE TOXICITY (Unborn child) - Category 1B
 H361 REPRODUCTIVE TOXICITY (Fertility) - Category 2
 H373 SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE - Category 2

Hybridization Solution

H319 SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2A
 H360 REPRODUCTIVE TOXICITY (Unborn child) - Category 1B
 H361 REPRODUCTIVE TOXICITY (Fertility) - Category 2
 H373 SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE - Category 2

<p>RE Buffer</p> <p>BSA Solution</p> <p>DNA Ligase</p> <p>Ligation Solution</p> <p>Wash Solution</p> <p>Capture Solution</p> <p>Hybridization Solution</p> <p>Enzyme Strip 1</p> <p>Enzyme Strip 2</p> <p>BSA Solution</p>	<p>Percentage of the mixture consisting of ingredient(s) of unknown dermal toxicity: 1 - 10%</p> <p>Percentage of the mixture consisting of ingredient(s) of unknown inhalation toxicity: 1 - 10%</p> <p>Percentage of the mixture consisting of ingredient(s) of unknown dermal toxicity: 1 - 10%</p> <p>Percentage of the mixture consisting of ingredient(s) of unknown inhalation toxicity: 1 - 10%</p> <p>Percentage of the mixture consisting of ingredient(s) of unknown oral toxicity: 1 - 10%</p> <p>Percentage of the mixture consisting of ingredient(s) of unknown inhalation toxicity: 30 - 60%</p> <p>Percentage of the mixture consisting of ingredient(s) of unknown inhalation toxicity: 1 - 10%</p> <p>Percentage of the mixture consisting of ingredient(s) of unknown inhalation toxicity: 1 - 10%</p> <p>Percentage of the mixture consisting of ingredient(s) of unknown inhalation toxicity: 10 - 30%</p> <p>Percentage of the mixture consisting of ingredient(s) of unknown inhalation toxicity: 30 - 60%</p> <p>Percentage of the mixture consisting of ingredient(s) of unknown inhalation toxicity: 30 - 60%</p> <p>Percentage of the mixture consisting of ingredient(s) of unknown hazards to the aquatic environment: 1%</p>
--	---

GHS label elements

Hazard pictograms

<p>Wash Solution</p> <p>Hybridization Solution</p>	<p></p> <p></p> <p></p>
--	-------------------------

Signal word

<p>RE Buffer</p> <p>SSC Buffer</p> <p>BSA Solution</p> <p>DNA Ligase</p> <p>Ligation Solution</p> <p>Wash Solution</p> <p>Capture Solution</p> <p>Primer 1</p> <p>Primer 2</p> <p>HaloPlex Indexing Primer A01 - H02</p> <p>Hybridization Solution</p>	<p>No signal word.</p> <p>No signal word.</p> <p>No signal word.</p> <p>No signal word.</p> <p>No signal word.</p> <p>DANGER</p> <p>No signal word.</p> <p>No signal word.</p> <p>No signal word.</p> <p>No signal word.</p> <p>DANGER</p>
--	--

Section 2. Hazard(s) identification

	Enrichment Control DNA	No signal word.
	HaloPlex Probe 8-Strip	No signal word.
	Enzyme Strip 1	No signal word.
	Enzyme Strip 2	No signal word.
Hazard statements	: RE Buffer	No known significant effects or critical hazards.
	SSC Buffer	No known significant effects or critical hazards.
	BSA Solution	No known significant effects or critical hazards.
	DNA Ligase	No known significant effects or critical hazards.
	Ligation Solution	No known significant effects or critical hazards.
	Wash Solution	H360 - May damage the unborn child. H361 - Suspected of damaging fertility. H373 - May cause damage to organs through prolonged or repeated exposure.
	Capture Solution	No known significant effects or critical hazards.
	Primer 1	No known significant effects or critical hazards.
	Primer 2	No known significant effects or critical hazards.
	HaloPlex Indexing Primer A01 - H02	No known significant effects or critical hazards.
	Hybridization Solution	H319 - Causes serious eye irritation. H360 - May damage the unborn child. H361 - Suspected of damaging fertility. H373 - May cause damage to organs through prolonged or repeated exposure.
	Enrichment Control DNA	No known significant effects or critical hazards.
	HaloPlex Probe 8-Strip	No known significant effects or critical hazards.
	Enzyme Strip 1	No known significant effects or critical hazards.
	Enzyme Strip 2	No known significant effects or critical hazards.
Precautionary statements		
Prevention	: RE Buffer	Not applicable.
	SSC Buffer	Not applicable.
	BSA Solution	Not applicable.
	DNA Ligase	Not applicable.
	Ligation Solution	Not applicable.
	Wash Solution	P201 - Obtain special instructions before use. P202 - Do not handle until all safety precautions have been read and understood. P281 - Use personal protective equipment as required. P260 - Do not breathe vapour.
	Capture Solution	Not applicable.
	Primer 1	Not applicable.
	Primer 2	Not applicable.
	HaloPlex Indexing Primer A01 - H02	Not applicable.
	Hybridization Solution	P201 - Obtain special instructions before use. P202 - Do not handle until all safety precautions have been read and understood. P281 - Use personal protective equipment as required. P280 - Wear eye or face protection. P260 - Do not breathe vapour. P264 - Wash hands thoroughly after handling.
	Enrichment Control DNA	Not applicable.
	HaloPlex Probe 8-Strip	Not applicable.
	Enzyme Strip 1	Not applicable.
	Enzyme Strip 2	Not applicable.

Section 2. Hazard(s) identification

Response	:	RE Buffer	Not applicable.
		SSC Buffer	Not applicable.
		BSA Solution	Not applicable.
		DNA Ligase	Not applicable.
		Ligation Solution	Not applicable.
		Wash Solution	P314 - Get medical attention if you feel unwell. P308 + P313 - IF exposed or concerned: Get medical attention.
		Capture Solution	Not applicable.
		Primer 1	Not applicable.
		Primer 2	Not applicable.
		HaloPlex Indexing Primer A01 - H02	Not applicable.
		Hybridization Solution	P314 - Get medical attention if you feel unwell. P308 + P313 - IF exposed or concerned: Get medical attention. P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists: Get medical attention.
		Enrichment Control DNA	Not applicable.
		HaloPlex Probe 8-Strip	Not applicable.
		Enzyme Strip 1	Not applicable.
	Enzyme Strip 2	Not applicable.	
Storage	:	RE Buffer	Not applicable.
		SSC Buffer	Not applicable.
		BSA Solution	Not applicable.
		DNA Ligase	Not applicable.
		Ligation Solution	Not applicable.
		Wash Solution	P405 - Store locked up.
		Capture Solution	Not applicable.
		Primer 1	Not applicable.
		Primer 2	Not applicable.
		HaloPlex Indexing Primer A01 - H02	Not applicable.
		Hybridization Solution	P405 - Store locked up.
		Enrichment Control DNA	Not applicable.
		HaloPlex Probe 8-Strip	Not applicable.
		Enzyme Strip 1	Not applicable.
	Enzyme Strip 2	Not applicable.	
Disposal	:	RE Buffer	Not applicable.
		SSC Buffer	Not applicable.
		BSA Solution	Not applicable.
		DNA Ligase	Not applicable.
		Ligation Solution	Not applicable.
		Wash Solution	P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.
		Capture Solution	Not applicable.
		Primer 1	Not applicable.
		Primer 2	Not applicable.
		HaloPlex Indexing Primer A01 - H02	Not applicable.
		Hybridization Solution	P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.
		Enrichment Control DNA	Not applicable.
		HaloPlex Probe 8-Strip	Not applicable.
		Enzyme Strip 1	Not applicable.
	Enzyme Strip 2	Not applicable.	

Section 2. Hazard(s) identification

Supplemental label elements

Additional warning phrases	:	<input checked="" type="checkbox"/> RE Buffer	Not applicable.
		SSC Buffer	Not applicable.
		BSA Solution	Not applicable.
		DNA Ligase	Not applicable.
		Ligation Solution	Not applicable.
		Wash Solution	Not applicable.
		Capture Solution	Not applicable.
		Primer 1	Not applicable.
		Primer 2	Not applicable.
		HaloPlex Indexing Primer A01 - H02	Not applicable.
		Hybridization Solution	Not applicable.
		Enrichment Control DNA	Not applicable.
		HaloPlex Probe 8-Strip	Not applicable.
		Enzyme Strip 1	Not applicable.
		Enzyme Strip 2	Not applicable.

Other hazards which do not result in classification	:	<input checked="" type="checkbox"/> RE Buffer	None known.
		SSC Buffer	None known.
		BSA Solution	None known.
		DNA Ligase	None known.
		Ligation Solution	None known.
		Wash Solution	None known.
		Capture Solution	None known.
		Primer 1	None known.
		Primer 2	None known.
		HaloPlex Indexing Primer A01 - H02	None known.
		Hybridization Solution	None known.
		Enrichment Control DNA	None known.
		HaloPlex Probe 8-Strip	None known.
		Enzyme Strip 1	None known.
		Enzyme Strip 2	None known.

Section 3. Composition and ingredient information

Substance/mixture	:	<input checked="" type="checkbox"/> RE Buffer	Mixture
		SSC Buffer	Mixture
		BSA Solution	Mixture
		DNA Ligase	Mixture
		Ligation Solution	Mixture
		Wash Solution	Mixture
		Capture Solution	Mixture
		Primer 1	Mixture
		Primer 2	Mixture
		HaloPlex Indexing Primer A01 - H02	Mixture
		Hybridization Solution	Mixture
		Enrichment Control DNA	Mixture
		HaloPlex Probe 8-Strip	Mixture
		Enzyme Strip 1	Mixture
		Enzyme Strip 2	Mixture

CAS number/other identifiers

Section 3. Composition and ingredient information

Ingredient name	% (w/w)	CAS number
BSA Solution Glycerol	≤10	56-81-5
DNA Ligase Glycerol	≥30 - ≤60	56-81-5
Ligation Solution Glycerol	≤10	56-81-5
Wash Solution Formamide	≥10 - ≤30	75-12-7
Hybridization Solution Formamide Sodium chloride	≥30 - ≤60 ≥10 - ≤30	75-12-7 7647-14-5
Enzyme Strip 1 Glycerol	≥30 - ≤60	56-81-5
Enzyme Strip 2 Glycerol	≥30 - ≤60	56-81-5

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact	: RE Buffer	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SSC Buffer	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	BSA Solution	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	DNA Ligase	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	Ligation Solution	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	Wash Solution	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention following exposure or if feeling unwell.
	Capture Solution	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	Primer 1	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids.

Section 4. First aid measures

Primer 2	Check for and remove any contact lenses. Get medical attention if irritation occurs. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
HaloPlex Indexing Primer A01 - H02	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Hybridization Solution	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
Enrichment Control DNA	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
HaloPlex Probe 8-Strip	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Enzyme Strip 1	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Enzyme Strip 2	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	
: RE Buffer	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
SSC Buffer	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
BSA Solution	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
DNA Ligase	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Ligation Solution	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Wash Solution	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Capture Solution	Remove victim to fresh air and keep at rest in a

Section 4. First aid measures

		position comfortable for breathing. Get medical attention if symptoms occur.
	Primer 1	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	Primer 2	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	HaloPlex Indexing Primer A01 - H02	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	Hybridization Solution	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
	Enrichment Control DNA	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	HaloPlex Probe 8-Strip	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	Enzyme Strip 1	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	Enzyme Strip 2	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Skin contact	: RE Buffer	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	SSC Buffer	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	BSA Solution	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	DNA Ligase	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	Ligation Solution	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	Wash Solution	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse.
	Capture Solution	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	Primer 1	Flush contaminated skin with plenty of water.

Section 4. First aid measures

Primer 2	Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Flush contaminated skin with plenty of water.
HaloPlex Indexing Primer A01 - H02	Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Flush contaminated skin with plenty of water.
Hybridization Solution	Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse. Flush contaminated skin with plenty of water.
Enrichment Control DNA	Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Flush contaminated skin with plenty of water.
HaloPlex Probe 8-Strip	Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Flush contaminated skin with plenty of water.
Enzyme Strip 1	Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Flush contaminated skin with plenty of water.
Enzyme Strip 2	Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Flush contaminated skin with plenty of water.
Ingestion	
: RE Buffer	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SSC Buffer	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
BSA Solution	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
DNA Ligase	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Ligation Solution	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Wash Solution	Wash out mouth with water. Remove dentures if any.

Section 4. First aid measures

	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Capture Solution	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Primer 1	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Primer 2	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
HaloPlex Indexing Primer A01 - H02	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Hybridization Solution	Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Enrichment Control DNA	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical

Section 4. First aid measures

HaloPlex Probe 8-Strip

attention if symptoms occur.
Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Enzyme Strip 1

Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Enzyme Strip 2

Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact

: RE Buffer
SSC Buffer
BSA Solution
DNA Ligase
Ligation Solution
Wash Solution
Capture Solution
Primer 1
Primer 2
HaloPlex Indexing Primer A01 - H02
Hybridization Solution
Enrichment Control DNA
HaloPlex Probe 8-Strip
Enzyme Strip 1
Enzyme Strip 2

No known significant effects or critical hazards.
No known significant effects or critical hazards.
No known significant effects or critical hazards.
No known significant effects or critical hazards.
No known significant effects or critical hazards.
No known significant effects or critical hazards.
No known significant effects or critical hazards.
No known significant effects or critical hazards.
No known significant effects or critical hazards.
No known significant effects or critical hazards.
No known significant effects or critical hazards.
No known significant effects or critical hazards.

Causes serious eye irritation.
No known significant effects or critical hazards.
No known significant effects or critical hazards.
No known significant effects or critical hazards.
No known significant effects or critical hazards.

Inhalation

: RE Buffer
SSC Buffer
BSA Solution
DNA Ligase
Ligation Solution
Wash Solution
Capture Solution
Primer 1
Primer 2
HaloPlex Indexing Primer A01 - H02
Hybridization Solution
Enrichment Control DNA
HaloPlex Probe 8-Strip
Enzyme Strip 1
Enzyme Strip 2

No known significant effects or critical hazards.
No known significant effects or critical hazards.
No known significant effects or critical hazards.
No known significant effects or critical hazards.
No known significant effects or critical hazards.
No known significant effects or critical hazards.
No known significant effects or critical hazards.
No known significant effects or critical hazards.
No known significant effects or critical hazards.
No known significant effects or critical hazards.

No known significant effects or critical hazards.
No known significant effects or critical hazards.
No known significant effects or critical hazards.
No known significant effects or critical hazards.
No known significant effects or critical hazards.

Section 4. First aid measures

Skin contact	:	RE Buffer	No known significant effects or critical hazards.
		SSC Buffer	No known significant effects or critical hazards.
		BSA Solution	No known significant effects or critical hazards.
		DNA Ligase	No known significant effects or critical hazards.
		Ligation Solution	No known significant effects or critical hazards.
		Wash Solution	No known significant effects or critical hazards.
		Capture Solution	No known significant effects or critical hazards.
		Primer 1	No known significant effects or critical hazards.
		Primer 2	No known significant effects or critical hazards.
		HaloPlex Indexing Primer A01 - H02	No known significant effects or critical hazards.
		Hybridization Solution	No known significant effects or critical hazards.
		Enrichment Control DNA	No known significant effects or critical hazards.
		HaloPlex Probe 8-Strip	No known significant effects or critical hazards.
		Enzyme Strip 1	No known significant effects or critical hazards.
		Enzyme Strip 2	No known significant effects or critical hazards.
		Ingestion	:
SSC Buffer	No known significant effects or critical hazards.		
BSA Solution	No known significant effects or critical hazards.		
DNA Ligase	No known significant effects or critical hazards.		
Ligation Solution	No known significant effects or critical hazards.		
Wash Solution	No known significant effects or critical hazards.		
Capture Solution	No known significant effects or critical hazards.		
Primer 1	No known significant effects or critical hazards.		
Primer 2	No known significant effects or critical hazards.		
HaloPlex Indexing Primer A01 - H02	No known significant effects or critical hazards.		
Hybridization Solution	No known significant effects or critical hazards.		
Enrichment Control DNA	No known significant effects or critical hazards.		
HaloPlex Probe 8-Strip	No known significant effects or critical hazards.		
Enzyme Strip 1	No known significant effects or critical hazards.		
Enzyme Strip 2	No known significant effects or critical hazards.		
<u>Over-exposure signs/symptoms</u>			
Eye contact	:	RE Buffer	No specific data.
		SSC Buffer	No specific data.
		BSA Solution	No specific data.
		DNA Ligase	No specific data.
		Ligation Solution	No specific data.
		Wash Solution	No specific data.
		Capture Solution	No specific data.
		Primer 1	No specific data.
		Primer 2	No specific data.
		HaloPlex Indexing Primer A01 - H02	No specific data.
		Hybridization Solution	Adverse symptoms may include the following: pain or irritation watering redness
		Enrichment Control DNA	No specific data.
		HaloPlex Probe 8-Strip	No specific data.
		Enzyme Strip 1	No specific data.
		Enzyme Strip 2	No specific data.
		Inhalation	:
SSC Buffer	No specific data.		
BSA Solution	No specific data.		
DNA Ligase	No specific data.		
Ligation Solution	No specific data.		
Wash Solution	Adverse symptoms may include the following: reduced foetal weight increase in foetal deaths skeletal malformations		

Section 4. First aid measures

	Capture Solution	No specific data.
	Primer 1	No specific data.
	Primer 2	No specific data.
	HaloPlex Indexing Primer A01 - H02	No specific data.
	Hybridization Solution	Adverse symptoms may include the following: reduced foetal weight increase in foetal deaths skeletal malformations
	Enrichment Control DNA	No specific data.
	HaloPlex Probe 8-Strip	No specific data.
	Enzyme Strip 1	No specific data.
	Enzyme Strip 2	No specific data.
Skin contact	: RE Buffer	No specific data.
	SSC Buffer	No specific data.
	BSA Solution	No specific data.
	DNA Ligase	No specific data.
	Ligation Solution	No specific data.
	Wash Solution	Adverse symptoms may include the following: reduced foetal weight increase in foetal deaths skeletal malformations
	Capture Solution	No specific data.
	Primer 1	No specific data.
	Primer 2	No specific data.
	HaloPlex Indexing Primer A01 - H02	No specific data.
	Hybridization Solution	Adverse symptoms may include the following: reduced foetal weight increase in foetal deaths skeletal malformations
	Enrichment Control DNA	No specific data.
	HaloPlex Probe 8-Strip	No specific data.
	Enzyme Strip 1	No specific data.
	Enzyme Strip 2	No specific data.
Ingestion	: RE Buffer	No specific data.
	SSC Buffer	No specific data.
	BSA Solution	No specific data.
	DNA Ligase	No specific data.
	Ligation Solution	No specific data.
	Wash Solution	Adverse symptoms may include the following: reduced foetal weight increase in foetal deaths skeletal malformations
	Capture Solution	No specific data.
	Primer 1	No specific data.
	Primer 2	No specific data.
	HaloPlex Indexing Primer A01 - H02	No specific data.
	Hybridization Solution	Adverse symptoms may include the following: reduced foetal weight increase in foetal deaths skeletal malformations
	Enrichment Control DNA	No specific data.
	HaloPlex Probe 8-Strip	No specific data.
	Enzyme Strip 1	No specific data.
	Enzyme Strip 2	No specific data.

Indication of immediate medical attention and special treatment needed, if necessary

Section 4. First aid measures

Notes to physician	: RE Buffer	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	SSC Buffer	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	BSA Solution	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
	DNA Ligase	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	Ligation Solution	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	Wash Solution	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
	Capture Solution	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	Primer 1	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	Primer 2	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	HaloPlex Indexing Primer A01 - H02	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	Hybridization Solution	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
	Enrichment Control DNA	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	HaloPlex Probe 8-Strip	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	Enzyme Strip 1	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	Enzyme Strip 2	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: RE Buffer	No specific treatment.
	SSC Buffer	No specific treatment.
	BSA Solution	No specific treatment.
	DNA Ligase	No specific treatment.
	Ligation Solution	No specific treatment.
	Wash Solution	No specific treatment.
	Capture Solution	No specific treatment.
	Primer 1	No specific treatment.
	Primer 2	No specific treatment.
	HaloPlex Indexing Primer A01 - H02	No specific treatment.
	Hybridization Solution	No specific treatment.
	Enrichment Control DNA	No specific treatment.
	HaloPlex Probe 8-Strip	No specific treatment.
	Enzyme Strip 1	No specific treatment.

Section 4. First aid measures

Protection of first-aiders	Enzyme Strip 2	No specific treatment.
	: RE Buffer	No action shall be taken involving any personal risk or without suitable training.
	SSC Buffer	No action shall be taken involving any personal risk or without suitable training.
	BSA Solution	No action shall be taken involving any personal risk or without suitable training.
	DNA Ligase	No action shall be taken involving any personal risk or without suitable training.
	Ligation Solution	No action shall be taken involving any personal risk or without suitable training.
	Wash Solution	No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.
	Capture Solution	No action shall be taken involving any personal risk or without suitable training.
	Primer 1	No action shall be taken involving any personal risk or without suitable training.
	Primer 2	No action shall be taken involving any personal risk or without suitable training.
	HaloPlex Indexing Primer A01 - H02	No action shall be taken involving any personal risk or without suitable training.
	Hybridization Solution	No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.
	Enrichment Control DNA	No action shall be taken involving any personal risk or without suitable training.
	HaloPlex Probe 8-Strip	No action shall be taken involving any personal risk or without suitable training.
	Enzyme Strip 1	No action shall be taken involving any personal risk or without suitable training.
	Enzyme Strip 2	No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

Section 5. Firefighting measures

Extinguishing media

Suitable extinguishing media	: RE Buffer	Use an extinguishing agent suitable for the surrounding fire.
	SSC Buffer	Use an extinguishing agent suitable for the surrounding fire.
	BSA Solution	Use an extinguishing agent suitable for the surrounding fire.
	DNA Ligase	Use an extinguishing agent suitable for the surrounding fire.
	Ligation Solution	Use an extinguishing agent suitable for the surrounding fire.
	Wash Solution	Use an extinguishing agent suitable for the surrounding fire.
	Capture Solution	Use an extinguishing agent suitable for the surrounding fire.

Section 5. Firefighting measures

	Primer 1	surrounding fire. Use an extinguishing agent suitable for the surrounding fire.
	Primer 2	Use an extinguishing agent suitable for the surrounding fire.
	HaloPlex Indexing Primer A01 - H02	Use an extinguishing agent suitable for the surrounding fire.
	Hybridization Solution	Use an extinguishing agent suitable for the surrounding fire.
	Enrichment Control DNA	Use an extinguishing agent suitable for the surrounding fire.
	HaloPlex Probe 8-Strip	Use an extinguishing agent suitable for the surrounding fire.
	Enzyme Strip 1	Use an extinguishing agent suitable for the surrounding fire.
	Enzyme Strip 2	Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: RE Buffer	None known.
	SSC Buffer	None known.
	BSA Solution	None known.
	DNA Ligase	None known.
	Ligation Solution	None known.
	Wash Solution	None known.
	Capture Solution	None known.
	Primer 1	None known.
	Primer 2	None known.
	HaloPlex Indexing Primer A01 - H02	None known.
	Hybridization Solution	None known.
	Enrichment Control DNA	None known.
	HaloPlex Probe 8-Strip	None known.
	Enzyme Strip 1	None known.
	Enzyme Strip 2	None known.
Specific hazards arising from the chemical	: RE Buffer	In a fire or if heated, a pressure increase will occur and the container may burst.
	SSC Buffer	In a fire or if heated, a pressure increase will occur and the container may burst.
	BSA Solution	In a fire or if heated, a pressure increase will occur and the container may burst.
	DNA Ligase	In a fire or if heated, a pressure increase will occur and the container may burst.
	Ligation Solution	In a fire or if heated, a pressure increase will occur and the container may burst.
	Wash Solution	In a fire or if heated, a pressure increase will occur and the container may burst.
	Capture Solution	In a fire or if heated, a pressure increase will occur and the container may burst.
	Primer 1	In a fire or if heated, a pressure increase will occur and the container may burst.
	Primer 2	In a fire or if heated, a pressure increase will occur and the container may burst.
	HaloPlex Indexing Primer A01 - H02	In a fire or if heated, a pressure increase will occur and the container may burst.
	Hybridization Solution	In a fire or if heated, a pressure increase will occur and the container may burst.
	Enrichment Control DNA	In a fire or if heated, a pressure increase will occur and the container may burst.
	HaloPlex Probe 8-Strip	In a fire or if heated, a pressure increase will occur and the container may burst.
	Enzyme Strip 1	In a fire or if heated, a pressure increase will occur and the container may burst.

Section 5. Firefighting measures

	Enzyme Strip 2	In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous thermal decomposition products	: RE Buffer	Decomposition products may include the following materials: carbon dioxide carbon monoxide metal oxide/oxides
	SSC Buffer BSA Solution	No specific data. Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides sulfur oxides
	DNA Ligase	Decomposition products may include the following materials: carbon dioxide carbon monoxide
	Ligation Solution	Decomposition products may include the following materials: carbon dioxide carbon monoxide
	Wash Solution	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides halogenated compounds metal oxide/oxides
	Capture Solution	Decomposition products may include the following materials: halogenated compounds metal oxide/oxides
	Primer 1 Primer 2 HaloPlex Indexing Primer A01 - H02	No specific data. No specific data. No specific data.
	Hybridization Solution	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides halogenated compounds metal oxide/oxides
	Enrichment Control DNA HaloPlex Probe 8-Strip Enzyme Strip 1	No specific data. No specific data. Decomposition products may include the following materials: carbon dioxide carbon monoxide
	Enzyme Strip 2	Decomposition products may include the following materials: carbon dioxide carbon monoxide
Special protective actions for fire-fighters	: RE Buffer	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	SSC Buffer	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Section 5. Firefighting measures

BSA Solution	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
DNA Ligase	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Ligation Solution	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Wash Solution	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Capture Solution	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Primer 1	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Primer 2	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
HaloPlex Indexing Primer A01 - H02	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Hybridization Solution	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Enrichment Control DNA	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
HaloPlex Probe 8-Strip	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Enzyme Strip 1	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Enzyme Strip 2	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	
: RE Buffer	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
SSC Buffer	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
BSA Solution	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive

Section 5. Firefighting measures

DNA Ligase	pressure mode. Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
Ligation Solution	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
Wash Solution	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
Capture Solution	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
Primer 1	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
Primer 2	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
HaloPlex Indexing Primer A01 - H02	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
Hybridization Solution	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
Enrichment Control DNA	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
HaloPlex Probe 8-Strip	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
Enzyme Strip 1	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
Enzyme Strip 2	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: RE Buffer

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.

SSC Buffer

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk

Section 6. Accidental release measures

	through spilt material. Put on appropriate personal protective equipment.
BSA Solution	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
DNA Ligase	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
Ligation Solution	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
Wash Solution	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
Capture Solution	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
Primer 1	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
Primer 2	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
HaloPlex Indexing Primer A01 - H02	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
Hybridization Solution	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
Enrichment Control DNA	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected

Section 6. Accidental release measures

	personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
HaloPlex Probe 8-Strip	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
Enzyme Strip 1	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
Enzyme Strip 2	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
For emergency responders : RE Buffer	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SSC Buffer	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
BSA Solution	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
DNA Ligase	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Ligation Solution	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Wash Solution	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Capture Solution	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Primer 1	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Primer 2	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
HaloPlex Indexing Primer A01 - H02	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Hybridization Solution	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on

Section 6. Accidental release measures

Enrichment Control DNA	suitable and unsuitable materials. See also the information in "For non-emergency personnel". If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
HaloPlex Probe 8-Strip	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Enzyme Strip 1	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Enzyme Strip 2	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

Environmental precautions : RE Buffer

SSC Buffer	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
BSA Solution	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
DNA Ligase	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Ligation Solution	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Wash Solution	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Capture Solution	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Primer 1	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Primer 2	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Section 6. Accidental release measures

HaloPlex Indexing Primer A01 - H02	soil or air). Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Hybridization Solution	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Enrichment Control DNA	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
HaloPlex Probe 8-Strip	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Enzyme Strip 1	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Enzyme Strip 2	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and material for containment and cleaning up

Methods for cleaning up : RE Buffer

SSC Buffer	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
BSA Solution	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
DNA Ligase	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Ligation Solution	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Section 6. Accidental release measures

Wash Solution	disposal contractor. Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Capture Solution	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Primer 1	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Primer 2	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
HaloPlex Indexing Primer A01 - H02	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Hybridization Solution	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Enrichment Control DNA	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
HaloPlex Probe 8-Strip	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Enzyme Strip 1	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Enzyme Strip 2	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Section 7. Handling and storage

Precautions for safe handling

Protective measures	: RE Buffer	Put on appropriate personal protective equipment (see Section 8).
	SSC Buffer	Put on appropriate personal protective equipment (see Section 8).
	BSA Solution	Put on appropriate personal protective equipment (see Section 8).
	DNA Ligase	Put on appropriate personal protective equipment (see Section 8).
	Ligation Solution	Put on appropriate personal protective equipment (see Section 8).
	Wash Solution	Put on appropriate personal protective equipment (see Section 8). Avoid exposure - obtain special instructions before use. Avoid exposure during pregnancy. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not breathe vapour or mist. Do not ingest. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
	Capture Solution	Put on appropriate personal protective equipment (see Section 8).
	Primer 1	Put on appropriate personal protective equipment (see Section 8).
	Primer 2	Put on appropriate personal protective equipment (see Section 8).
	HaloPlex Indexing Primer A01 - H02	Put on appropriate personal protective equipment (see Section 8).
	Hybridization Solution	Put on appropriate personal protective equipment (see Section 8). Avoid exposure - obtain special instructions before use. Avoid exposure during pregnancy. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not breathe vapour or mist. Do not ingest. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
	Enrichment Control DNA	Put on appropriate personal protective equipment (see Section 8).
	HaloPlex Probe 8-Strip	Put on appropriate personal protective equipment (see Section 8).
	Enzyme Strip 1	Put on appropriate personal protective equipment (see Section 8).
	Enzyme Strip 2	Put on appropriate personal protective equipment (see Section 8).
Advice on general occupational hygiene	: RE Buffer	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
	SSC Buffer	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and

Section 7. Handling and storage

BSA Solution	processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
DNA Ligase	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Ligation Solution	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Wash Solution	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Capture Solution	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Primer 1	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Primer 2	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
HaloPlex Indexing Primer A01 - H02	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Hybridization Solution	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and

Section 7. Handling and storage

Enrichment Control DNA	processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
HaloPlex Probe 8-Strip	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Enzyme Strip 1	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Enzyme Strip 2	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Conditions for safe storage, including any incompatibilities : RE Buffer

SSC Buffer	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
BSA Solution	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. Store between the following temperatures: -20°C (-4°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been

Section 7. Handling and storage

DNA Ligase

opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Ligation Solution

Storage temperature: -20°C (-4°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Wash Solution

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Capture Solution

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Primer 1

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Primer 2

Store in accordance with local regulations. Store in original container protected from direct sunlight in a

Section 7. Handling and storage

HaloPlex Indexing Primer
A01 - H02

dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Hybridization Solution

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Enrichment Control DNA

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

HaloPlex Probe 8-Strip

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Enzyme Strip 1

Store between the following temperatures: -20°C (-4°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid

Section 7. Handling and storage

Enzyme Strip 2

environmental contamination. See Section 10 for incompatible materials before handling or use. Storage temperature: -20°C (-4°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Section 8. Exposure controls and personal protection

[Control parameters](#)

[Occupational exposure limits](#)

Ingredient name	Exposure limits
ISA Solution Glycerol	Safe Work Australia (Australia, 1/2014). TWA: 10 mg/m ³ 8 hours.
DNA Ligase Glycerol	Safe Work Australia (Australia, 1/2014). TWA: 10 mg/m ³ 8 hours.
Ligation Solution Glycerol	Safe Work Australia (Australia, 1/2014). TWA: 10 mg/m ³ 8 hours.
Wash Solution Formamide	Safe Work Australia (Australia, 1/2014). Absorbed through skin. TWA: 18 mg/m ³ 8 hours. TWA: 10 ppm 8 hours.
Hybridization Solution Formamide	Safe Work Australia (Australia, 1/2014). Absorbed through skin. TWA: 18 mg/m ³ 8 hours. TWA: 10 ppm 8 hours.
Enzyme Strip 1 Glycerol	Safe Work Australia (Australia, 1/2014). TWA: 10 mg/m ³ 8 hours.
Enzyme Strip 2 Glycerol	Safe Work Australia (Australia, 1/2014). TWA: 10 mg/m ³ 8 hours.

[Appropriate engineering controls](#)

- ☑ If user operations generate dust, fumes, gas, vapour or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

[Environmental exposure controls](#)

- ☑ Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Section 8. Exposure controls and personal protection

Individual protection measures

- Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
- Eye/face protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.
- Skin protection**
- Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
- Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Respiratory protection** : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

Appearance

Physical state	: RE Buffer	Liquid.
	SSC Buffer	Liquid.
	BSA Solution	Liquid. [Clear.]
	DNA Ligase	Liquid. [Viscous liquid.]
	Ligation Solution	Liquid.
	Wash Solution	Liquid.
	Capture Solution	Liquid.
	Primer 1	Liquid.
	Primer 2	Liquid.
	HaloPlex Indexing Primer A01 - H02	Liquid.
	Hybridization Solution	Liquid.
	Enrichment Control DNA	Liquid.
	HaloPlex Probe 8-Strip	Liquid.
	Enzyme Strip 1	Liquid.
	Enzyme Strip 2	Liquid.
	Colour	: RE Buffer
SSC Buffer		Not available.
BSA Solution		Colourless.
DNA Ligase		Colourless.
Ligation Solution		Not available.
Wash Solution		Not available.
Capture Solution		Not available.
Primer 1		Not available.
Primer 2		Not available.
HaloPlex Indexing Primer A01 - H02		Not available.

Section 9. Physical and chemical properties

		Hybridization Solution	Not available.
		Enrichment Control DNA	Not available.
		HaloPlex Probe 8-Strip	Not available.
		Enzyme Strip 1	Not available.
		Enzyme Strip 2	Not available.
Odour	:	RE Buffer	Not available.
		SSC Buffer	Not available.
		BSA Solution	Odourless.
		DNA Ligase	Odourless.
		Ligation Solution	Not available.
		Wash Solution	Not available.
		Capture Solution	Not available.
		Primer 1	Not available.
		Primer 2	Not available.
		HaloPlex Indexing Primer A01 - H02	Not available.
		Hybridization Solution	Not available.
		Enrichment Control DNA	Not available.
		HaloPlex Probe 8-Strip	Not available.
		Enzyme Strip 1	Not available.
		Enzyme Strip 2	Not available.
Odour threshold	:	RE Buffer	Not available.
		SSC Buffer	Not available.
		BSA Solution	Not available.
		DNA Ligase	Not available.
		Ligation Solution	Not available.
		Wash Solution	Not available.
		Capture Solution	Not available.
		Primer 1	Not available.
		Primer 2	Not available.
		HaloPlex Indexing Primer A01 - H02	Not available.
		Hybridization Solution	Not available.
		Enrichment Control DNA	Not available.
		HaloPlex Probe 8-Strip	Not available.
		Enzyme Strip 1	Not available.
		Enzyme Strip 2	Not available.
pH	:	RE Buffer	7.9
		SSC Buffer	Not available.
		BSA Solution	7
		DNA Ligase	7.4
		Ligation Solution	Not available.
		Wash Solution	7.5
		Capture Solution	Not available.
		Primer 1	Not available.
		Primer 2	Not available.
		HaloPlex Indexing Primer A01 - H02	Not available.
		Hybridization Solution	7.5
		Enrichment Control DNA	Not available.
		HaloPlex Probe 8-Strip	Not available.
		Enzyme Strip 1	7.4
		Enzyme Strip 2	7.4
Melting point	:	RE Buffer	0°C (32°F)
		SSC Buffer	0°C (32°F)
		BSA Solution	20°C (68°F)
		DNA Ligase	-23°C (-9.4°F)
		Ligation Solution	Not available.
		Wash Solution	Not available.
		Capture Solution	Not available.
		Primer 1	0°C (32°F)
		Primer 2	0°C (32°F)
		HaloPlex Indexing Primer	0°C (32°F)

Section 9. Physical and chemical properties

	A01 - H02	
	Hybridization Solution	Not available.
	Enrichment Control DNA	0°C (32°F)
	HaloPlex Probe 8-Strip	0°C (32°F)
	Enzyme Strip 1	Not available.
	Enzyme Strip 2	Not available.
Boiling point	: RE Buffer	100°C (212°F)
	SSC Buffer	100°C (212°F)
	BSA Solution	182°C (359.6°F)
	DNA Ligase	182°C (359.6°F)
	Ligation Solution	Not available.
	Wash Solution	Not available.
	Capture Solution	Not available.
	Primer 1	100°C (212°F)
	Primer 2	100°C (212°F)
	HaloPlex Indexing Primer	100°C (212°F)
	A01 - H02	
	Hybridization Solution	Not available.
	Enrichment Control DNA	100°C (212°F)
	HaloPlex Probe 8-Strip	100°C (212°F)
	Enzyme Strip 1	Not available.
	Enzyme Strip 2	Not available.
Flash point	: RE Buffer	Not available.
	SSC Buffer	Not available.
	BSA Solution	Closed cup: 160°C (320°F)
	DNA Ligase	Open cup: 176°C (348.8°F)
	Ligation Solution	Not available.
	Wash Solution	Not available.
	Capture Solution	Not available.
	Primer 1	Not available.
	Primer 2	Not available.
	HaloPlex Indexing Primer	Not available.
	A01 - H02	
	Hybridization Solution	Not available.
	Enrichment Control DNA	Not available.
	HaloPlex Probe 8-Strip	Not available.
	Enzyme Strip 1	Not available.
	Enzyme Strip 2	Not available.
Evaporation rate	: RE Buffer	Not available.
	SSC Buffer	Not available.
	BSA Solution	Not available.
	DNA Ligase	Not available.
	Ligation Solution	Not available.
	Wash Solution	Not available.
	Capture Solution	Not available.
	Primer 1	Not available.
	Primer 2	Not available.
	HaloPlex Indexing Primer	Not available.
	A01 - H02	
	Hybridization Solution	Not available.
	Enrichment Control DNA	Not available.
	HaloPlex Probe 8-Strip	Not available.
	Enzyme Strip 1	Not available.
	Enzyme Strip 2	Not available.
Flammability (solid, gas)	: RE Buffer	Not applicable.
	SSC Buffer	Not applicable.
	BSA Solution	Not applicable.
	DNA Ligase	Not applicable.
	Ligation Solution	Not applicable.
	Wash Solution	Not applicable.
	Capture Solution	Not applicable.
	Primer 1	Not applicable.
	Primer 2	Not applicable.

Section 9. Physical and chemical properties

	HaloPlex Indexing Primer A01 - H02	Not applicable.
	Hybridization Solution	Not applicable.
	Enrichment Control DNA	Not applicable.
	HaloPlex Probe 8-Strip	Not applicable.
	Enzyme Strip 1	Not applicable.
	Enzyme Strip 2	Not applicable.
Lower and upper explosive (flammable) limits	<input checked="" type="checkbox"/> RE Buffer	Not available.
	SSC Buffer	Not available.
	BSA Solution	Not available.
	DNA Ligase	Not available.
	Ligation Solution	Not available.
	Wash Solution	Not available.
	Capture Solution	Not available.
	Primer 1	Not available.
	Primer 2	Not available.
	HaloPlex Indexing Primer A01 - H02	Not available.
	Hybridization Solution	Not available.
	Enrichment Control DNA	Not available.
	HaloPlex Probe 8-Strip	Not available.
	Enzyme Strip 1	Lower: 0.9%
	Enzyme Strip 2	Not available.
Vapour pressure	<input checked="" type="checkbox"/> RE Buffer	Not available.
	SSC Buffer	Not available.
	BSA Solution	<0.13 kPa (<1 mm Hg) [room temperature]
	DNA Ligase	0.4 kPa (3 mm Hg) [room temperature]
	Ligation Solution	Not available.
	Wash Solution	Not available.
	Capture Solution	Not available.
	Primer 1	Not available.
	Primer 2	Not available.
	HaloPlex Indexing Primer A01 - H02	Not available.
	Hybridization Solution	Not available.
	Enrichment Control DNA	Not available.
	HaloPlex Probe 8-Strip	Not available.
	Enzyme Strip 1	Not available.
	Enzyme Strip 2	<0.13 kPa (<1 mm Hg) [room temperature]
Vapour density	<input checked="" type="checkbox"/> RE Buffer	Not available.
	SSC Buffer	Not available.
	BSA Solution	3.1 [Air = 1]
	DNA Ligase	3.1 [Air = 1]
	Ligation Solution	Not available.
	Wash Solution	Not available.
	Capture Solution	Not available.
	Primer 1	Not available.
	Primer 2	Not available.
	HaloPlex Indexing Primer A01 - H02	Not available.
	Hybridization Solution	Not available.
	Enrichment Control DNA	Not available.
	HaloPlex Probe 8-Strip	Not available.
	Enzyme Strip 1	Not available.
	Enzyme Strip 2	Not available.
Relative density	<input checked="" type="checkbox"/> RE Buffer	Not available.
	SSC Buffer	Not available.
	BSA Solution	1.262
	DNA Ligase	1.261
	Ligation Solution	Not available.
	Wash Solution	Not available.
	Capture Solution	Not available.
	Primer 1	Not available.

Section 9. Physical and chemical properties

	Primer 2	Not available.
	HaloPlex Indexing Primer A01 - H02	Not available.
	Hybridization Solution	Not available.
	Enrichment Control DNA	Not available.
	HaloPlex Probe 8-Strip	Not available.
	Enzyme Strip 1	Not available.
	Enzyme Strip 2	Not available.
Solubility	: RE Buffer	Easily soluble in the following materials: cold water and hot water.
	SSC Buffer	Easily soluble in the following materials: cold water and hot water.
	BSA Solution	Soluble in the following materials: cold water and hot water.
	DNA Ligase	Easily soluble in the following materials: cold water and hot water.
	Ligation Solution	Easily soluble in the following materials: cold water and hot water.
	Wash Solution	Soluble in the following materials: cold water and hot water.
	Capture Solution	Easily soluble in the following materials: cold water and hot water.
	Primer 1	Easily soluble in the following materials: cold water and hot water.
	Primer 2	Easily soluble in the following materials: cold water and hot water.
	HaloPlex Indexing Primer A01 - H02	Easily soluble in the following materials: cold water and hot water.
	Hybridization Solution	Soluble in the following materials: cold water and hot water.
	Enrichment Control DNA	Easily soluble in the following materials: cold water and hot water.
	HaloPlex Probe 8-Strip	Easily soluble in the following materials: cold water and hot water.
	Enzyme Strip 1	Soluble in the following materials: cold water and hot water.
	Enzyme Strip 2	Soluble in the following materials: cold water and hot water.
Partition coefficient: n-octanol/water	: RE Buffer	Not available.
	SSC Buffer	Not available.
	BSA Solution	Not available.
	DNA Ligase	Not available.
	Ligation Solution	Not available.
	Wash Solution	Not available.
	Capture Solution	Not available.
	Primer 1	Not available.
	Primer 2	Not available.
	HaloPlex Indexing Primer A01 - H02	Not available.
	Hybridization Solution	Not available.
	Enrichment Control DNA	Not available.
	HaloPlex Probe 8-Strip	Not available.
	Enzyme Strip 1	Not available.
	Enzyme Strip 2	Not available.
Auto-ignition temperature	: RE Buffer	Not available.
	SSC Buffer	Not available.
	BSA Solution	370°C (698°F)
	DNA Ligase	Not available.
	Ligation Solution	Not available.
	Wash Solution	Not available.
	Capture Solution	Not available.
	Primer 1	Not available.
	Primer 2	Not available.

Section 9. Physical and chemical properties

	HaloPlex Indexing Primer A01 - H02	Not available.
	Hybridization Solution	Not available.
	Enrichment Control DNA	Not available.
	HaloPlex Probe 8-Strip	Not available.
	Enzyme Strip 1	Not available.
	Enzyme Strip 2	Not available.
Decomposition temperature	<input checked="" type="checkbox"/> RE Buffer	Not available.
	SSC Buffer	Not available.
	BSA Solution	Not available.
	DNA Ligase	Not available.
	Ligation Solution	Not available.
	Wash Solution	Not available.
	Capture Solution	Not available.
	Primer 1	Not available.
	Primer 2	Not available.
	HaloPlex Indexing Primer A01 - H02	Not available.
	Hybridization Solution	Not available.
	Enrichment Control DNA	Not available.
	HaloPlex Probe 8-Strip	Not available.
	Enzyme Strip 1	Not available.
	Enzyme Strip 2	Not available.
Viscosity	<input checked="" type="checkbox"/> RE Buffer	Not available.
	SSC Buffer	Not available.
	BSA Solution	Not available.
	DNA Ligase	Not available.
	Ligation Solution	Not available.
	Wash Solution	Not available.
	Capture Solution	Not available.
	Primer 1	Not available.
	Primer 2	Not available.
	HaloPlex Indexing Primer A01 - H02	Not available.
	Hybridization Solution	Not available.
	Enrichment Control DNA	Not available.
	HaloPlex Probe 8-Strip	Not available.
	Enzyme Strip 1	Not available.
	Enzyme Strip 2	Not available.

Section 10. Stability and reactivity

Reactivity	<input checked="" type="checkbox"/> RE Buffer	No specific test data related to reactivity available for this product or its ingredients.
	SSC Buffer	No specific test data related to reactivity available for this product or its ingredients.
	BSA Solution	No specific test data related to reactivity available for this product or its ingredients.
	DNA Ligase	No specific test data related to reactivity available for this product or its ingredients.
	Ligation Solution	No specific test data related to reactivity available for this product or its ingredients.
	Wash Solution	No specific test data related to reactivity available for this product or its ingredients.
	Capture Solution	No specific test data related to reactivity available for this product or its ingredients.
	Primer 1	No specific test data related to reactivity available for this product or its ingredients.
	Primer 2	No specific test data related to reactivity available for this product or its ingredients.
	HaloPlex Indexing Primer A01 - H02	No specific test data related to reactivity available for this product or its ingredients.
	Hybridization Solution	No specific test data related to reactivity available for

Section 10. Stability and reactivity

Enrichment Control DNA	this product or its ingredients. No specific test data related to reactivity available for this product or its ingredients.
HaloPlex Probe 8-Strip	No specific test data related to reactivity available for this product or its ingredients.
Enzyme Strip 1	No specific test data related to reactivity available for this product or its ingredients.
Enzyme Strip 2	No specific test data related to reactivity available for this product or its ingredients.

Chemical stability

: RE Buffer	The product is stable.
SSC Buffer	The product is stable.
BSA Solution	The product is stable.
DNA Ligase	The product is stable.
Ligation Solution	The product is stable.
Wash Solution	The product is stable.
Capture Solution	The product is stable.
Primer 1	The product is stable.
Primer 2	The product is stable.
HaloPlex Indexing Primer A01 - H02	The product is stable.
Hybridization Solution	The product is stable.
Enrichment Control DNA	The product is stable.
HaloPlex Probe 8-Strip	The product is stable.
Enzyme Strip 1	The product is stable.
Enzyme Strip 2	The product is stable.

Possibility of hazardous reactions

: RE Buffer	Under normal conditions of storage and use, hazardous reactions will not occur.
SSC Buffer	Under normal conditions of storage and use, hazardous reactions will not occur.
BSA Solution	Under normal conditions of storage and use, hazardous reactions will not occur.
DNA Ligase	Under normal conditions of storage and use, hazardous reactions will not occur.
Ligation Solution	Under normal conditions of storage and use, hazardous reactions will not occur.
Wash Solution	Under normal conditions of storage and use, hazardous reactions will not occur.
Capture Solution	Under normal conditions of storage and use, hazardous reactions will not occur.
Primer 1	Under normal conditions of storage and use, hazardous reactions will not occur.
Primer 2	Under normal conditions of storage and use, hazardous reactions will not occur.
HaloPlex Indexing Primer A01 - H02	Under normal conditions of storage and use, hazardous reactions will not occur.
Hybridization Solution	Under normal conditions of storage and use, hazardous reactions will not occur.
Enrichment Control DNA	Under normal conditions of storage and use, hazardous reactions will not occur.
HaloPlex Probe 8-Strip	Under normal conditions of storage and use, hazardous reactions will not occur.
Enzyme Strip 1	Under normal conditions of storage and use, hazardous reactions will not occur.
Enzyme Strip 2	Under normal conditions of storage and use, hazardous reactions will not occur.

Section 10. Stability and reactivity

Conditions to avoid	: RE Buffer	No specific data.
	SSC Buffer	No specific data.
	BSA Solution	No specific data.
	DNA Ligase	No specific data.
	Ligation Solution	No specific data.
	Wash Solution	No specific data.
	Capture Solution	No specific data.
	Primer 1	No specific data.
	Primer 2	No specific data.
	HaloPlex Indexing Primer A01 - H02	No specific data.
	Hybridization Solution	No specific data.
	Enrichment Control DNA	No specific data.
	HaloPlex Probe 8-Strip	No specific data.
Enzyme Strip 1	No specific data.	
Enzyme Strip 2	No specific data.	
Incompatible materials	: RE Buffer	May react or be incompatible with oxidising materials.
	SSC Buffer	May react or be incompatible with oxidising materials.
	BSA Solution	May react or be incompatible with oxidising materials.
	DNA Ligase	May react or be incompatible with oxidising materials.
	Ligation Solution	May react or be incompatible with oxidising materials.
	Wash Solution	May react or be incompatible with oxidising materials.
	Capture Solution	May react or be incompatible with oxidising materials.
	Primer 1	May react or be incompatible with oxidising materials.
	Primer 2	May react or be incompatible with oxidising materials.
	HaloPlex Indexing Primer A01 - H02	May react or be incompatible with oxidising materials.
	Hybridization Solution	May react or be incompatible with oxidising materials.
	Enrichment Control DNA	May react or be incompatible with oxidising materials.
	HaloPlex Probe 8-Strip	May react or be incompatible with oxidising materials.
Enzyme Strip 1	May react or be incompatible with oxidising materials.	
Enzyme Strip 2	May react or be incompatible with oxidising materials.	
Hazardous decomposition products	: RE Buffer	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	SSC Buffer	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	BSA Solution	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	DNA Ligase	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	Ligation Solution	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	Wash Solution	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	Capture Solution	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	Primer 1	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	Primer 2	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	HaloPlex Indexing Primer A01 - H02	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 10. Stability and reactivity

Hybridization Solution	produced. Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Enrichment Control DNA	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
HaloPlex Probe 8-Strip	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Enzyme Strip 1	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Enzyme Strip 2	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
BSA Solution Glycerol	LD50 Oral	Rat	12600 mg/kg	-
DNA Ligase Glycerol	LD50 Oral	Rat	12600 mg/kg	-
Ligation Solution Glycerol	LD50 Oral	Rat	12600 mg/kg	-
Wash Solution Formamide	LC50 Inhalation Dusts and mists LD50 Dermal LD50 Oral	Rat Rabbit Rat	>21 mg/l 17 g/kg 4000 mg/kg	4 hours - -
Hybridization Solution Formamide	LC50 Inhalation Dusts and mists LD50 Dermal LD50 Oral	Rat Rabbit Rat	>21 mg/l 17 g/kg 4000 mg/kg	4 hours - -
Sodium chloride	LD50 Oral	Rat	3000 mg/kg	-
Enzyme Strip 1 Glycerol	LD50 Oral	Rat	12600 mg/kg	-
Enzyme Strip 2 Glycerol	LD50 Oral	Rat	12600 mg/kg	-

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
BSA Solution Glycerol	Eyes - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
DNA Ligase Glycerol	Eyes - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-

Section 11. Toxicological information

Ligation Solution Glycerol	Eyes - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
Wash Solution Formamide	Eyes - Severe irritant	Rabbit	-	100 milligrams	-
Hybridization Solution Formamide	Eyes - Severe irritant	Rabbit	-	100 milligrams	-
Sodium chloride	Eyes - Moderate irritant	Rabbit	-	24 hours 100 milligrams	-
	Eyes - Moderate irritant	Rabbit	-	10 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
Enzyme Strip 1 Glycerol	Eyes - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
Enzyme Strip 2 Glycerol	Eyes - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-

Sensitisation

Not available.

Mutagenicity

Conclusion/Summary : Not available.

Carcinogenicity

Conclusion/Summary : Not available.

Reproductive toxicity

Conclusion/Summary : Not available.

Teratogenicity

Conclusion/Summary : Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Name	Category	Route of exposure	Target organs
Wash Solution Formamide	Category 2	Not determined	Not determined
Hybridization Solution Formamide	Category 2	Not determined	Not determined

Aspiration hazard

Not available.

Section 11. Toxicological information

Information on likely routes of exposure	RE Buffer	Not available.
	SSC Buffer	Not available.
	BSA Solution	Not available.
	DNA Ligase	Routes of entry anticipated: Oral, Dermal, Inhalation.
	Ligation Solution	Not available.
	Wash Solution	Routes of entry anticipated: Oral, Dermal, Inhalation.
	Capture Solution	Not available.
	Primer 1	Not available.
	Primer 2	Not available.
	HaloPlex Indexing Primer A01 - H02	Not available.
	Hybridization Solution	Routes of entry anticipated: Oral, Dermal, Inhalation.
	Enrichment Control DNA	Not available.
	HaloPlex Probe 8-Strip	Not available.
	Enzyme Strip 1	Routes of entry anticipated: Oral, Dermal, Inhalation.
Enzyme Strip 2	Routes of entry anticipated: Oral, Dermal, Inhalation.	

Potential acute health effects

Eye contact

RE Buffer	No known significant effects or critical hazards.
SSC Buffer	No known significant effects or critical hazards.
BSA Solution	No known significant effects or critical hazards.
DNA Ligase	No known significant effects or critical hazards.
Ligation Solution	No known significant effects or critical hazards.
Wash Solution	No known significant effects or critical hazards.
Capture Solution	No known significant effects or critical hazards.
Primer 1	No known significant effects or critical hazards.
Primer 2	No known significant effects or critical hazards.
HaloPlex Indexing Primer A01 - H02	No known significant effects or critical hazards.
Hybridization Solution	Causes serious eye irritation.
Enrichment Control DNA	No known significant effects or critical hazards.
HaloPlex Probe 8-Strip	No known significant effects or critical hazards.
Enzyme Strip 1	No known significant effects or critical hazards.
Enzyme Strip 2	No known significant effects or critical hazards.

Inhalation

RE Buffer	No known significant effects or critical hazards.
SSC Buffer	No known significant effects or critical hazards.
BSA Solution	No known significant effects or critical hazards.
DNA Ligase	No known significant effects or critical hazards.
Ligation Solution	No known significant effects or critical hazards.
Wash Solution	No known significant effects or critical hazards.
Capture Solution	No known significant effects or critical hazards.
Primer 1	No known significant effects or critical hazards.
Primer 2	No known significant effects or critical hazards.
HaloPlex Indexing Primer A01 - H02	No known significant effects or critical hazards.
Hybridization Solution	No known significant effects or critical hazards.
Enrichment Control DNA	No known significant effects or critical hazards.
HaloPlex Probe 8-Strip	No known significant effects or critical hazards.
Enzyme Strip 1	No known significant effects or critical hazards.
Enzyme Strip 2	No known significant effects or critical hazards.

Skin contact

RE Buffer	No known significant effects or critical hazards.
SSC Buffer	No known significant effects or critical hazards.
BSA Solution	No known significant effects or critical hazards.
DNA Ligase	No known significant effects or critical hazards.
Ligation Solution	No known significant effects or critical hazards.
Wash Solution	No known significant effects or critical hazards.
Capture Solution	No known significant effects or critical hazards.
Primer 1	No known significant effects or critical hazards.
Primer 2	No known significant effects or critical hazards.
HaloPlex Indexing Primer A01 - H02	No known significant effects or critical hazards.
Hybridization Solution	No known significant effects or critical hazards.
Enrichment Control DNA	No known significant effects or critical hazards.

Section 11. Toxicological information

	HaloPlex Probe 8-Strip	No known significant effects or critical hazards.
	Enzyme Strip 1	No known significant effects or critical hazards.
	Enzyme Strip 2	No known significant effects or critical hazards.
Ingestion	: RE Buffer	No known significant effects or critical hazards.
	SSC Buffer	No known significant effects or critical hazards.
	BSA Solution	No known significant effects or critical hazards.
	DNA Ligase	No known significant effects or critical hazards.
	Ligation Solution	No known significant effects or critical hazards.
	Wash Solution	No known significant effects or critical hazards.
	Capture Solution	No known significant effects or critical hazards.
	Primer 1	No known significant effects or critical hazards.
	Primer 2	No known significant effects or critical hazards.
	HaloPlex Indexing Primer A01 - H02	No known significant effects or critical hazards.
	Hybridization Solution	No known significant effects or critical hazards.
	Enrichment Control DNA	No known significant effects or critical hazards.
	HaloPlex Probe 8-Strip	No known significant effects or critical hazards.
	Enzyme Strip 1	No known significant effects or critical hazards.
	Enzyme Strip 2	No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact	: RE Buffer	No specific data.
	SSC Buffer	No specific data.
	BSA Solution	No specific data.
	DNA Ligase	No specific data.
	Ligation Solution	No specific data.
	Wash Solution	No specific data.
	Capture Solution	No specific data.
	Primer 1	No specific data.
	Primer 2	No specific data.
	HaloPlex Indexing Primer A01 - H02	No specific data.
	Hybridization Solution	Adverse symptoms may include the following: pain or irritation watering redness
	Enrichment Control DNA	No specific data.
	HaloPlex Probe 8-Strip	No specific data.
	Enzyme Strip 1	No specific data.
	Enzyme Strip 2	No specific data.
Inhalation	: RE Buffer	No specific data.
	SSC Buffer	No specific data.
	BSA Solution	No specific data.
	DNA Ligase	No specific data.
	Ligation Solution	No specific data.
	Wash Solution	Adverse symptoms may include the following: reduced foetal weight increase in foetal deaths skeletal malformations
	Capture Solution	No specific data.
	Primer 1	No specific data.
	Primer 2	No specific data.
	HaloPlex Indexing Primer A01 - H02	No specific data.
	Hybridization Solution	Adverse symptoms may include the following: reduced foetal weight increase in foetal deaths skeletal malformations
	Enrichment Control DNA	No specific data.
	HaloPlex Probe 8-Strip	No specific data.
	Enzyme Strip 1	No specific data.

Section 11. Toxicological information

	Enzyme Strip 2	No specific data.	
Skin contact	: RE Buffer	No specific data.	
	SSC Buffer	No specific data.	
	BSA Solution	No specific data.	
	DNA Ligase	No specific data.	
	Ligation Solution	No specific data.	
	Wash Solution	Adverse symptoms may include the following: reduced foetal weight increase in foetal deaths skeletal malformations	
	Capture Solution	No specific data.	
	Primer 1	No specific data.	
	Primer 2	No specific data.	
	HaloPlex Indexing Primer A01 - H02	No specific data.	
	Hybridization Solution	Adverse symptoms may include the following: reduced foetal weight increase in foetal deaths skeletal malformations	
	Enrichment Control DNA	No specific data.	
	HaloPlex Probe 8-Strip	No specific data.	
	Enzyme Strip 1	No specific data.	
	Enzyme Strip 2	No specific data.	
Ingestion	: RE Buffer	No specific data.	
	SSC Buffer	No specific data.	
	BSA Solution	No specific data.	
	DNA Ligase	No specific data.	
	Ligation Solution	No specific data.	
	Wash Solution	Adverse symptoms may include the following: reduced foetal weight increase in foetal deaths skeletal malformations	
	Capture Solution	No specific data.	
	Primer 1	No specific data.	
	Primer 2	No specific data.	
	HaloPlex Indexing Primer A01 - H02	No specific data.	
		Hybridization Solution	Adverse symptoms may include the following: reduced foetal weight increase in foetal deaths skeletal malformations
		Enrichment Control DNA	No specific data.
		HaloPlex Probe 8-Strip	No specific data.
		Enzyme Strip 1	No specific data.
		Enzyme Strip 2	No specific data.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Short term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Long term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Potential chronic health effects

Section 11. Toxicological information

General	: RE Buffer SSC Buffer BSA Solution DNA Ligase Ligation Solution Wash Solution Capture Solution Primer 1 Primer 2 HaloPlex Indexing Primer A01 - H02 Hybridization Solution Enrichment Control DNA HaloPlex Probe 8-Strip Enzyme Strip 1 Enzyme Strip 2	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. May cause damage to organs through prolonged or repeated exposure. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. May cause damage to organs through prolonged or repeated exposure. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
Carcinogenicity	: RE Buffer SSC Buffer BSA Solution DNA Ligase Ligation Solution Wash Solution Capture Solution Primer 1 Primer 2 HaloPlex Indexing Primer A01 - H02 Hybridization Solution Enrichment Control DNA HaloPlex Probe 8-Strip Enzyme Strip 1 Enzyme Strip 2	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
Mutagenicity	: RE Buffer SSC Buffer BSA Solution DNA Ligase Ligation Solution Wash Solution Capture Solution Primer 1 Primer 2 HaloPlex Indexing Primer A01 - H02 Hybridization Solution Enrichment Control DNA HaloPlex Probe 8-Strip Enzyme Strip 1 Enzyme Strip 2	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
Teratogenicity	: RE Buffer SSC Buffer BSA Solution DNA Ligase Ligation Solution Wash Solution Capture Solution Primer 1 Primer 2 HaloPlex Indexing Primer A01 - H02 Hybridization Solution	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. May damage the unborn child. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. May damage the unborn child.

Section 11. Toxicological information

	Enrichment Control DNA	No known significant effects or critical hazards.
	HaloPlex Probe 8-Strip	No known significant effects or critical hazards.
	Enzyme Strip 1	No known significant effects or critical hazards.
	Enzyme Strip 2	No known significant effects or critical hazards.
Developmental effects	: RE Buffer	No known significant effects or critical hazards.
	SSC Buffer	No known significant effects or critical hazards.
	BSA Solution	No known significant effects or critical hazards.
	DNA Ligase	No known significant effects or critical hazards.
	Ligation Solution	No known significant effects or critical hazards.
	Wash Solution	No known significant effects or critical hazards.
	Capture Solution	No known significant effects or critical hazards.
	Primer 1	No known significant effects or critical hazards.
	Primer 2	No known significant effects or critical hazards.
	HaloPlex Indexing Primer A01 - H02	No known significant effects or critical hazards.
	Hybridization Solution	No known significant effects or critical hazards.
	Enrichment Control DNA	No known significant effects or critical hazards.
	HaloPlex Probe 8-Strip	No known significant effects or critical hazards.
	Enzyme Strip 1	No known significant effects or critical hazards.
	Enzyme Strip 2	No known significant effects or critical hazards.
Fertility effects	: RE Buffer	No known significant effects or critical hazards.
	SSC Buffer	No known significant effects or critical hazards.
	BSA Solution	No known significant effects or critical hazards.
	DNA Ligase	No known significant effects or critical hazards.
	Ligation Solution	No known significant effects or critical hazards.
	Wash Solution	Suspected of damaging fertility.
	Capture Solution	No known significant effects or critical hazards.
	Primer 1	No known significant effects or critical hazards.
	Primer 2	No known significant effects or critical hazards.
	HaloPlex Indexing Primer A01 - H02	No known significant effects or critical hazards.
	Hybridization Solution	Suspected of damaging fertility.
	Enrichment Control DNA	No known significant effects or critical hazards.
	HaloPlex Probe 8-Strip	No known significant effects or critical hazards.
	Enzyme Strip 1	No known significant effects or critical hazards.
	Enzyme Strip 2	No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Not available.

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
BSA Solution Glycerol	Acute LC50 54000 mg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours
DNA Ligase Glycerol	Acute LC50 54000 mg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours
Ligation Solution Glycerol	Acute LC50 54000 mg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours
Hybridization Solution Sodium chloride	Acute EC50 4.74 g/L Fresh water	Algae - Chlamydomonas reinhardtii	96 hours

Section 12. Ecological information

	Acute EC50 519.6 mg/l Fresh water	Crustaceans - Cypris subglobosa	48 hours
	Acute EC50 402600 µg/l Fresh water	Daphnia - Daphnia magna	48 hours
	Acute IC50 6.87 g/L Fresh water	Aquatic plants - Lemna minor	96 hours
	Acute LC50 1000000 µg/l Fresh water	Fish - Morone saxatilis - Larvae	96 hours
	Chronic LC10 781 mg/l Fresh water	Crustaceans - Hyalella azteca - Juvenile (Fledgling, Hatchling, Weanling)	3 weeks
	Chronic NOEC 6 g/L Fresh water	Aquatic plants - Lemna minor	96 hours
	Chronic NOEC 0.314 g/L Fresh water	Daphnia - Daphnia pulex	21 days
	Chronic NOEC 100 mg/l Fresh water	Fish - Gambusia holbrooki - Adult	8 weeks
Enzyme Strip 1 Glycerol	Acute LC50 54000 mg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours
Enzyme Strip 2 Glycerol	Acute LC50 54000 mg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours

Persistence and degradability

Product/ingredient name	Test	Result	Dose	Inoculum
BSA Solution Glycerol	301D Ready Biodegradability - Closed Bottle Test	93 % - 30 days	-	-
DNA Ligase Glycerol	301D Ready Biodegradability - Closed Bottle Test	93 % - 30 days	-	-
Ligation Solution Glycerol	301D Ready Biodegradability - Closed Bottle Test	93 % - 30 days	-	-
Wash Solution Formamide	OECD 301A Ready Biodegradability - DOC Die-Away Test	99 % - Readily - 28 days	-	-
Hybridization Solution Formamide	OECD 301A Ready Biodegradability - DOC Die-Away Test	99 % - Readily - 28 days	-	-
Enzyme Strip 1 Glycerol	301D Ready Biodegradability - Closed Bottle Test	93 % - 30 days	-	-
Enzyme Strip 2 Glycerol	301D Ready	93 % - 30 days	-	-

Section 12. Ecological information

	Biodegradability - Closed Bottle Test		
Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
Wash Solution Formamide	-	-	Readily
Hybridization Solution Formamide	-	-	Readily

Bioaccumulative potential

Product/ingredient name	LogP _{ow}	BCF	Potential
BSA Solution Glycerol	-1.76	-	low
DNA Ligase Glycerol	-1.76	-	low
Ligation Solution Glycerol	-1.76	-	low
Wash Solution Formamide	-0.82	-	low
Hybridization Solution Formamide	-0.82	-	low
Enzyme Strip 1 Glycerol	-1.76	-	low
Enzyme Strip 2 Glycerol	-1.76	-	low

Mobility in soil

Soil/water partition coefficient (K_{oc}) : Not available.

Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

ADG / IMDG / IATA : Not regulated as Dangerous Goods according to the ADG Code .

Special precautions for user : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according to Annex II of Marpol and the IBC Code : Not available.

Section 15. Regulatory information

Standard Uniform Schedule of Medicine and Poisons

Not regulated.

Model Work Health and Safety Regulations - Scheduled Substances

No listed substance

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol (Annexes A, B, C, E)

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Inventory list

Australia	: Not determined.
Canada	: Not determined.
China	: Not determined.
Europe	: <input checked="" type="checkbox"/> All components are listed or exempted.
Japan	: <input checked="" type="checkbox"/> Japan inventory (ENCS): Not determined. Japan inventory (ISHL): Not determined.
Malaysia	: Not determined.
New Zealand	: Not determined.
Philippines	: Not determined.
Republic of Korea	: Not determined.
Taiwan	: <input checked="" type="checkbox"/> All components are listed or exempted.
Thailand	: <input checked="" type="checkbox"/> Not determined.
Turkey	: <input checked="" type="checkbox"/> Not determined.
United States	: <input checked="" type="checkbox"/> All components are listed or exempted.
Viet Nam	: <input checked="" type="checkbox"/> Not determined.

Section 16. Any other relevant information

History

Date of issue/Date of revision : 19/06/2018

Date of previous issue : 09/12/2014

Version : 2

Key to abbreviations

: ADG = Australian Dangerous Goods
 ATE = Acute Toxicity Estimate
 BCF = Bioconcentration Factor
 GHS = Globally Harmonized System of Classification and Labelling of Chemicals
 IATA = International Air Transport Association
 IBC = Intermediate Bulk Container
 IMDG = International Maritime Dangerous Goods
 LogPow = logarithm of the octanol/water partition coefficient
 MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
 NOHSC = National Occupational Health and Safety Commission
 SUSMP = Standard Uniform Schedule of Medicine and Poisons
 UN = United Nations

Procedure used to derive the classification

Classification	Justification
Wash Solution Repr. 1B, H360 (Unborn child) Repr. 2, H361 (Fertility) STOT RE 2, H373	Calculation method Calculation method Calculation method
Hybridization Solution Eye Irrit. 2A, H319 Repr. 1B, H360 (Unborn child) Repr. 2, H361 (Fertility) STOT RE 2, H373	Calculation method Calculation method Calculation method Calculation method

References : Not available.

📌 Indicates information that has changed from previously issued version.

Notice to reader

Disclaimer: The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

Note * : * HaloPlex Indexing Primer A01-H02: 5190-8066, 5190-8067, 5190-8068, 5190-8069, 5190-8070, 5190-8071, 5190-8072, 5190-8073, 5190-8074, 5190-8075, 5190-8076, 5190-8077, 5190-8078, 5190-8079, 5190-8080, 5190-8081