

This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

Revision date 16-Apr-2024 Revision Number 1.01

1. Identification

Product identifier

Product Name Chromium AA Standard: 1000 µg/mL Cr in 5% HCl [100ml bottle]

Other means of identification

Product Code(s) 5190-8275

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended use Reagents and Standards for Analytical Chemical Laboratory Use

Restrictions on use Not to be used for human or animal consumption

Details of the supplier of the safety data sheet

Supplier Address

Agilent Technologies, Inc. 5301 Stevens Creek Blvd Santa Clara, CA 95051, USA

800-227-9770

E-mail pdl-msds_author@agilent.com

Emergency telephone number

Emergency Telephone

CHEMTREC®: 1-800-424-9300

2. Hazard(s) identification

Classification

Classified according to OSHA.

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A
Corrosive to metals	Category 1

Hazards not otherwise classified (HNOC)

AGHS / EN Page 1/13



This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

5190-8275 - Chromium AA Standard: 1000 μg/mL Cr in 5% HCI [100ml bottle]

Revision date 16-Apr-2024

Not applicable

Label elements

Warning

Hazard statements

Classified according to OSHA.
Causes skin irritation
Causes serious eye irritation
May be corrosive to metals



Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Keep only in original packaging Wear protective gloves/eye protection/face protection

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention IF ON SKIN: Wash with plenty of water and soap If skin irritation occurs: Get medical advice/attention Take off contaminated clothing and wash it before reuse Absorb spillage to prevent material damage

Precautionary Statements - Storage

Store in corrosion resistant container with a resistant inner liner

Other information

No information available.

3. Composition/information on ingredients

Substance

Not applicable.

AGHS / EN Page 2/13



This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

5190-8275 - Chromium AA Standard: 1000 μg/mL Cr in

5% HCI [100ml bottle]

Revision date 16-Apr-2024

Mixture

Chemical nature aqueous solution.

Chemical name	CAS No.	Weight-%	Trade secret
Hydrochloric acid	7647-01-0	1 - <3	*

4. First-aid measures

Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance.

Inhalation Remove to fresh air. Get medical attention immediately if symptoms occur.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and

persists.

Skin contact Wash off immediately with soap and plenty of water for at least 15 minutes. Get medical

attention if irritation develops and persists.

Ingestion Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT induce

vomiting. Call a physician.

Self-protection of the first aider Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

Most important symptoms and effects, both acute and delayed

Symptoms May cause redness and tearing of the eyes. Burning sensation.

Indication of any immediate medical attention and special treatment needed

Note to physiciansTreat symptomatically.

5. Fire-fighting measures

surrounding environment.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

AGHS / EN Page 3/13



This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

5190-8275 - Chromium AA Standard: 1000 μg/mL Cr in

5% HCI [100ml bottle]

Revision date 16-Apr-2024

Unsuitable extinguishing media

Do not scatter spilled material with high pressure water streams.

Specific hazards arising from the

chemical

No information available.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge

None.

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Use personal protection equipment.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal

protective equipment as required.

Other information Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

7. Handling and storage

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off

contaminated clothing and wash before reuse.

Conditions for safe storage, including any incompatibilities

Storage Conditions Please refer to the manufacturer's certificate for specific storage and transport temperature

conditions. Store only in the original receptacle unless other advice is given on the CoA. Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from moisture. Store locked up. Keep out of the reach of children. Store away from other

AGHS / EN Page 4/13



This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

5190-8275 - Chromium AA Standard: 1000 μg/mL Cr in

5% HCI [100ml bottle]

Revision date 16-Apr-2024

materials.

8. Exposure controls/personal protection

Control parameters

Exposure Limits

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Hydrochloric acid 7647-01-0	Ceiling: 2 ppm	(vacated) Ceiling: 5 ppm (vacated) Ceiling: 7 mg/m³ Ceiling: 5 ppm Ceiling: 7 mg/m³	IDLH: 50 ppm Ceiling: 5 ppm Ceiling: 7 mg/m³

Biological occupational exposure limits

Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Avoid contact with eyes. Wear safety glasses with side shields (or goggles). If splashes are

likely to occur, wear safety glasses with side-shields.

Hand protection Wear protective Neoprene™ gloves. The protective gloves to be used must comply with the

specifications of EC Directive 89/686/EEC and the related standard EN374. Wear suitable

gloves. Impervious gloves.

Skin and body protection Wear suitable protective clothing. Long sleeved clothing.

exceeded or irritation is experienced, ventilation and evacuation may be required.

Environmental exposure controls Do not allow into any sewer, on the ground or into any body of water.

General hygiene considerations Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this

product. Wash hands before breaks and after work. Wear suitable gloves and eye/face protection. Regular cleaning of equipment, work area and clothing is recommended.

AGHS / EN Page 5/13



This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

5190-8275 - Chromium AA Standard: 1000 μg/mL Cr in

5% HCI [100ml bottle]

Revision date 16-Apr-2024

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state Liquid
Appearance Liquid
Color colorless
Odor Odorless

Odor threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pН No data available None known None known None known Flash point No data available None known **Evaporation rate** No data available None known **Flammability** No data available None known Flammability Limit in Air None known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

23 hPa @ 20°C Vapor pressure Relative vapor density No data available None known 0.99821 g/cm3 at 20 °C Relative density None known No data available Water solubility None known Solubility(ies) No data available None known **Partition coefficient** No data available None known **Autoignition temperature** No data available None known **Decomposition temperature** 100 °C / 212 °F None known Kinematic viscosity No data available None known Dynamic viscosity No data available None known

Other information

Explosive properties

Oxidizing properties

No information available
VOC content
No information available
Liquid Density
No information available
Bulk density
No information available

10. Stability and reactivity

Reactivity No information available.

AGHS / EN Page 6/13



This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

5190-8275 - Chromium AA Standard: 1000 μg/mL Cr in

5% HCI [100ml bottle]

Revision date 16-Apr-2024

Chemical stability Stable under normal conditions.

Possibility of hazardous reactions
None under normal processing.

Conditions to avoid Exposure to air or moisture over prolonged periods.

Incompatible materials Oxidizing agent. Strong acids. Strong bases.

Hazardous decomposition products None known based on information supplied.

11. Toxicological information

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available.

Eye contact Specific test data for the substance or mixture is not available. Causes serious eye irritation.

(based on components). May cause redness, itching, and pain.

Skin contact Specific test data for the substance or mixture is not available. Causes skin irritation. (based

on components).

Ingestion Specific test data for the substance or mixture is not available. Ingestion may cause

gastrointestinal irritation, nausea, vomiting and diarrhea.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Redness. May cause redness and tearing of the eyes.

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

 ATEmix (oral)
 99,999.00
 mg/kg

 ATEmix (dermal)
 99,999.00
 mg/kg

 ATEmix (inhalation-gas)
 99,999.00
 ppm

 ATEmix (inhalation-dust/mist)
 99,999.00
 mg/l

 ATEmix (inhalation-vapor)
 99,999.00
 mg/l

Component Information

AGHS / EN Page 7/13



This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

5190-8275 - Chromium AA Standard: 1000 µg/mL Cr in

5% HCI [100ml bottle]

Revision date 16-Apr-2024

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Hydrochloric acid 7647-01-0	238 - 277 mg/kg (Rat)	> 5010 mg/kg (Rabbit)	= 1.68 mg/L (Rat) 1 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritationClassification based on data available for ingredients. Causes skin irritation.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes serious eye irritation.

Respiratory or skin sensitization No information available.

Germ cell mutagenicity No information available.

Carcinogenicity No information available.

Reproductive toxicityNo information available.

STOT - single exposure No information available.

STOT - repeated exposureNo information available.

Target organ effects Respiratory system, Eyes, Skin.

Aspiration hazard No information available.

Other adverse effects No information available.

Interactive effects No information available.

12. Ecological information

EcotoxicityThe environmental impact of this product has not been fully investigated.

AGHS / EN Page 8/13



This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

5190-8275 - Chromium AA Standard: 1000 μg/mL Cr in

5% HCI [100ml bottle]

Revision date 16-Apr-2024

Persistence and degradability No information available.

Bioaccumulation There is no data for this product.

Other adverse effects No information available.

13. Disposal considerations

Disposal methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

14. Transport information

DOT

UN number or ID number UN3264

Extended proper shipping name Corrosive liquid, acidic, inorganic, n.o.s. (Hydrochloric acid)

Transport hazard class(es) 8
Packing group | | | |

Special Provisions IB3, T7, TP1, TP28

DOT Marine Pollutant NP

Description UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Hydrochloric acid), 8, III

Emergency Response Guide 154

Number

TDG

UN number or ID number UN3264

UN proper shipping name Corrosive liquid, acidic, inorganic, n.o.s. (Hydrochloric acid)

Transport hazard class(es) 8
Packing group III
Special Provisions 16
Marine pollutant NP

Description UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Hydrochloric acid), 8, III

MEX

UN number or ID number UN3264

AGHS / EN Page 9/13



This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

5190-8275 - Chromium AA Standard: 1000 µg/mL Cr in

5% HCI [100ml bottle]

Revision date 16-Apr-2024

UN proper shipping name Corrosive liquid, acidic, inorganic, n.o.s. (Hydrochloric acid)

Transport hazard class(es) 8
Packing group |||

Technical Name Hydrochloric acid

Description UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Hydrochloric acid), 8, III

Special Provisions 223, 274

IATA

UN number or ID number UN3264

UN proper shipping name Corrosive liquid, acidic, inorganic, n.o.s. (Hydrochloric acid)

Transport hazard class(es) 8
Packing group | | | | |

Technical Name Hydrochloric acid

Description UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Hydrochloric acid), 8, III

Special Provisions A3, A803 ERG Code 8L

IMDG Not regulated

UN number or ID number UN3264

UN proper shipping name Corrosive liquid, acidic, inorganic, n.o.s. (Hydrochloric acid)

Transport hazard class(es) 8
Packing group III
EmS-No. F-A, S-B
Special Provisions 223, 274
Marine pollutant NP

Description UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Hydrochloric acid), 8, III

15. Regulatory information

International Inventories

TSCALGC, to the best of its ability, has confirmed that the chemical substances in this product are

listed as "Active" in the EPA (Environmental Protection Agency) "TSCA Inventory Notification (Active-Inactive) Requirements Rule" ("the Final Rule") of Feb 2019, as

amended Feb 2021.".

Chemical name	CAS No.	Inventory Listing Status	Commercial Activity
			Designation
Hydrochloric acid	7647-01-0	Present	Active

DSL/NDSL Contact supplier for inventory compliance status. Contact supplier for inventory compliance status.

AGHS / EN Page 10/13



This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

5190-8275 - Chromium AA Standard: 1000 μ g/mL Cr in

5% HCI [100ml bottle]

Revision date 16-Apr-2024

ENCSContact supplier for inventory compliance status.IECSCContact supplier for inventory compliance status.KECLContact supplier for inventory compliance status.PICCSContact supplier for inventory compliance status.AIICContact supplier for inventory compliance status.

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values %
Hydrochloric acid - 7647-01-0	1.0

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Hydrochloric acid 7647-01-0	5000 lb	-	-	Х

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	Reportable Quantity (RQ)
Hydrochloric acid 7647-01-0	5000 lb	5000 lb	RQ 5000 lb final RQ RQ 2270 kg final RQ

AGHS / EN Page 11/13



This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

5190-8275 - Chromium AA Standard: 1000 μg/mL Cr in

5% HCI [100ml bottle]

Revision date 16-Apr-2024

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Water	-	-	X
7732-18-5			
Hydrochloric acid 7647-01-0	X	X	X
Chromium 7440-47-3	Х	Х	X

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information

NFPA Health hazards 3 Flammability 0 Instability 0 Special hazards - Health hazards 3 Flammability 0 Physical hazards 0 Personal protection X

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: Exposure controls/personal protection

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value Sk* Skin designation

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA) EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

AGHS / EN Page 12/13



This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

5190-8275 - Chromium AA Standard: 1000 μg/mL Cr in

Revision date 16-Apr-2024

5% HCI [100ml bottle]

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Revision date 16-Apr-2024

Revision Note No information available.

Disclaimer

The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

End of Safety Data Sheet

AGHS / EN Page 13/13