

This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

Revision date 16-Apr-2024 Revision Number 1.01

## 1. Identification

Product identifier

Product Name Nickel AA Standard: 1000 µg/mL Ni in 5% HNO3 [100ml bottle]

Other means of identification

**Product Code(s)** 5190-8298

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended use Reagents and Standards for Analytical Chemical Laboratory Use

Restrictions on use Not to be used for human or animal consumption

Details of the supplier of the safety data sheet

### **Supplier Address**

Agilent Technologies, Inc. 5301 Stevens Creek Blvd Santa Clara, CA 95051, USA

800-227-9770

**E-mail** pdl-msds\_author@agilent.com

Emergency telephone number

**Emergency Telephone** 

CHEMTREC®: 1-800-424-9300

# 2. Hazard(s) identification

#### Classification

Classified according to OSHA.

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1
Skin sensitization	Category 1
Carcinogenicity	Category 2
Corrosive to metals	Category 1

AGHS / EN Page 1/14



This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

5190-8298 - Nickel AA Standard: 1000 μg/mL Ni in 5% HNO3 [100ml bottle]

Revision date 16-Apr-2024

#### Hazards not otherwise classified (HNOC)

Not applicable

### Label elements

#### Danger

#### Hazard statements

Classified according to OSHA.
Causes skin irritation
Causes serious eye damage
May cause an allergic skin reaction
Suspected of causing cancer
May be corrosive to metals



#### **Precautionary Statements - Prevention**

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Wear protective gloves/clothing and eye/face protection

Wash face, hands and any exposed skin thoroughly after handling

Avoid breathing dust/fume/gas/mist/vapors/spray

Contaminated work clothing must not be allowed out of the workplace

Keep only in original packaging

## **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Immediately call a POISON CENTER or doctor

IF ON SKIN: Wash with plenty of water and soap

Take off contaminated clothing and wash it before reuse

If skin irritation or rash occurs: Get medical advice/attention

Absorb spillage to prevent material damage

### **Precautionary Statements - Storage**

Store in corrosion resistant container with a resistant inner liner

AGHS / EN Page 2/14



This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

5190-8298 - Nickel AA Standard: 1000 μg/mL Ni in 5%

HNO3 [100ml bottle]

Revision date 16-Apr-2024

### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

### Other information

No information available.

## 3. Composition/information on ingredients

#### Substance

Not applicable.

#### Mixture

Chemical nature

aqueous solution.

Chemical name	CAS No.	Weight-%	Trade secret
Nitric Acid	7697-37-2	3 - <5	*
Nickel	7440-02-0	0.1 - 1	*

#### **Additional information**

The concentration of the acid stated in this SDS is calculated as an absolute mass concentration (%w/v). This is less than the acid concentration stated on the product label and COA, which reflects a percent value of the commercially available concentrated aqueous form of the acid.

### 4. First-aid measures

## **Description of first aid measures**

**General advice** Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required. IF exposed or concerned: Get medical advice/attention.

**Inhalation** Remove to fresh air. Get medical attention immediately if symptoms occur.

**Eye contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open

while rinsing. Do not rub affected area. Get immediate medical attention.

**Skin contact** Wash off immediately with soap and plenty of water for at least 15 minutes. May cause an

allergic skin reaction. In the case of skin irritation or allergic reactions see a physician.

Ingestion Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT induce

vomiting. Call a physician.

Self-protection of the first aider Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

AGHS / EN Page 3/14



This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

5190-8298 - Nickel AA Standard: 1000 μg/mL Ni in 5%

HNO3 [100ml bottle]

Revision date 16-Apr-2024

Most important symptoms and effects, both acute and delayed

**Symptoms** Burning sensation. Itching. Rashes. Hives.

Indication of any immediate medical attention and special treatment needed

Note to physicians May cause sensitization in susceptible persons. Treat symptomatically.

5. Fire-fighting measures

surrounding environment.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

**Unsuitable extinguishing media** Do not scatter spilled material with high pressure water streams.

Specific hazards arising from the

chemical

Product is or contains a sensitizer. May cause sensitization by skin contact.

**Explosion data** 

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Use personal protection equipment.

### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal

protective equipment as required. Evacuate personnel to safe areas. Keep people away

from and upwind of spill/leak.

**Other information** Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Pick up and transfer to properly labeled containers.

AGHS / EN Page 4/14



This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

5190-8298 - Nickel AA Standard: 1000 μg/mL Ni in 5%

HNO3 [100ml bottle]

Revision date 16-Apr-2024

## 7. Handling and storage

### Precautions for safe handling

Advice on safe handling

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Take off contaminated clothing and wash before reuse.

### Conditions for safe storage, including any incompatibilities

**Storage Conditions** 

Please refer to the manufacturer's certificate for specific storage and transport temperature conditions. Store only in the original receptacle unless other advice is given on the CoA. Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from moisture. Store locked up. Keep out of the reach of children. Store away from other materials.

## 8. Exposure controls/personal protection

### Control parameters

### **Exposure Limits**

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Nitric Acid	TWA: 2 ppm	TWA: 2 ppm	IDLH: 25 ppm
7697-37-2	STEL: 4 ppm	TWA: 5 mg/m <sup>3</sup>	TWA: 2 ppm
		(vacated) TWA: 2 ppm	TWA: 5 mg/m <sup>3</sup>
		(vacated) TWA: 5 mg/m <sup>3</sup>	STEL: 4 ppm
		(vacated) STEL: 4 ppm	STEL: 10 mg/m <sup>3</sup>
		(vacated) STEL: 10 mg/m <sup>3</sup>	-
Nickel	TWA: 1.5 mg/m <sup>3</sup> inhalable	TWA: 1 mg/m <sup>3</sup>	IDLH: 10 mg/m <sup>3</sup>
7440-02-0	particulate matter	(vacated) TWA: 1 mg/m <sup>3</sup>	TWA: 0.015 mg/m <sup>3</sup>

### **Biological occupational exposure limits**

Chemical name	ACGIH
Nickel	5 μg/L - urine (Nickel) - post-shift at end of workweek
7440-02-0	

### **Appropriate engineering controls**

AGHS / EN Page 5/14



This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

5190-8298 - Nickel AA Standard: 1000 μg/mL Ni in 5%

HNO3 [100ml bottle]

Revision date 16-Apr-2024

Engineering controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

**Eye/face protection** Avoid contact with eyes. Wear safety glasses with side shields (or goggles). Tight sealing

safety goggles.

Hand protection Wear protective Neoprene™ gloves. The protective gloves to be used must comply with the

specifications of EC Directive 89/686/EEC and the related standard EN374. Wear suitable

gloves. Impervious gloves.

**Skin and body protection** Wear suitable protective clothing. Long sleeved clothing.

**Respiratory protection**No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

**Environmental exposure controls** Do not allow into any sewer, on the ground or into any body of water.

**General hygiene considerations** Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this

product. Wash hands before breaks and after work. Wear suitable gloves and eye/face protection. Regular cleaning of equipment, work area and clothing is recommended. Wash

hands before breaks and immediately after handling the product.

## 9. Physical and chemical properties

Information on basic physical and chemical properties

Physical stateLiquidAppearanceLiquidColorcolorlessOdorOdorless

Odor threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

рΗ No data available None known No data available Melting point / freezing point None known Initial boiling point and boiling rangeNo data available None known Flash point No data available None known **Evaporation rate** No data available None known **Flammability** No data available None known Flammability Limit in Air None known

Upper flammability or explosive No data available

limits

AGHS / EN Page 6/14



This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

5190-8298 - Nickel AA Standard: 1000 μg/mL Ni in 5%

HNO3 [100ml bottle]

Revision date 16-Apr-2024

Lower flammability or explosive No data available

limits

Vapor pressure No data available None known Relative vapor density No data available None known Relative density No data available None known Water solubility No data available None known Solubility(ies) No data available None known **Partition coefficient** No data available None known No data available None known **Autoignition temperature Decomposition temperature** None known Kinematic viscosity No data available

None known Dynamic viscosity No data available None known

Other information

**Explosive properties** No information available No information available Oxidizing properties Softening point No information available Molecular weight No information available No information available **VOC** content No information available **Liquid Density Bulk density** No information available

## 10. Stability and reactivity

No information available. Reactivity

**Chemical stability** Stable under normal conditions.

Possibility of hazardous reactions None under normal processing.

Conditions to avoid Exposure to air or moisture over prolonged periods.

Oxidizing agent. Strong acids. Strong bases. Incompatible materials

Hazardous decomposition products None known based on information supplied.

## 11. Toxicological information

Information on likely routes of exposure

**Product Information** 

Inhalation Specific test data for the substance or mixture is not available.

Eye contact Specific test data for the substance or mixture is not available. Causes serious eye damage.

AGHS / EN Page 7/14



This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

5190-8298 - Nickel AA Standard: 1000 μg/mL Ni in 5%

HNO3 [100ml bottle]

Revision date 16-Apr-2024

May cause irreversible damage to eyes.

**Skin contact** Specific test data for the substance or mixture is not available. May cause sensitization by

skin contact. Repeated or prolonged skin contact may cause allergic reactions with

susceptible persons. (based on components). Causes skin irritation.

**Ingestion** Specific test data for the substance or mixture is not available. Ingestion may cause

gastrointestinal irritation, nausea, vomiting and diarrhea.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Redness. Burning. May cause blindness. Itching. Rashes. Hives. May cause redness and

tearing of the eyes.

**Acute toxicity** 

**Numerical measures of toxicity** 

The following values are calculated based on chapter 3.1 of the GHS document

 ATEmix (oral)
 99,999.00 mg/kg

 ATEmix (dermal)
 99,999.00 mg/kg

 ATEmix (inhalation-gas)
 99,999.00 ppm

 ATEmix (inhalation-dust/mist)
 99,999.00 mg/l

 ATEmix (inhalation-vapor)
 58.90 mg/l

**Component Information** 

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Nitric Acid	-	-	= 2500 ppm (Rat) 1 h
7697-37-2			ATE (vapours) = 2.65 mg/L
Nickel 7440-02-0	> 9000 mg/kg (Rat)	-	> 10.2 mg/L (Rat) 1 h

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation** Classification based on data available for ingredients. Causes skin irritation.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes burns. Causes serious eye

damage.

**Respiratory or skin sensitization** May cause an allergic skin reaction.

**Germ cell mutagenicity** No information available.

AGHS / EN Page 8/14



This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

5190-8298 - Nickel AA Standard: 1000 μg/mL Ni in 5%

HNO3 [100ml bottle]

Revision date 16-Apr-2024

### Carcinogenicity

Contains a known or suspected carcinogen. Classification based on data available for ingredients. Suspected of causing cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

-	Chemical name	ACGIH	IARC	NTP	OSHA
	Chemical hame	ACGIT	IAINO	INII	OSHA
	Nickel	-	Group 2B	Reasonably Anticipated	X
	7440-02-0				

#### Legend

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

NTP (National Toxicology Program)

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity No information available.

**STOT - single exposure** No information available.

**STOT - repeated exposure**No information available.

Aspiration hazard No information available.

Other adverse effects No information available.

Interactive effects No information available.

## 12. Ecological information

### **Ecotoxicity**

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Nickel	EC50: =0.18mg/L (72h,	LC50: >100mg/L (96h,	-	EC50: >100mg/L (48h,
7440-02-0	Pseudokirchneriella	Brachydanio rerio)		Daphnia magna)
	subcapitata)	LC50: =1.3mg/L (96h,		EC50: =1mg/L (48h,
	EC50: 0.174 - 0.311mg/L	Cyprinus carpio)		Daphnia magna)

AGHS / EN Page 9/14



This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

5190-8298 - Nickel AA Standard: 1000 μg/mL Ni in 5%

Revision date 16-Apr-2024

HNO3 [100ml bottle]

(96h, Pseudokirchneriella	LC50: =10.4mg/L (96h,	
subcapitata)	Cyprinus carpio)	

No information available. Persistence and degradability

**Bioaccumulation** There is no data for this product.

**Component Information** 

Chemical name	Partition coefficient
Nitric Acid	-2.3
7697-37-2	

No information available. Other adverse effects

## 13. Disposal considerations

**Disposal methods** 

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Do not reuse empty containers. Contaminated packaging

California Hazardous Waste Status This product contains one or more substances that are listed with the State of California as

a hazardous waste.

## 14. Transport information

DOT

UN number or ID number UN3264

Extended proper shipping name Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid)

Transport hazard class(es) Packing group

(Nitric Acid: RQ (kg)= 454.00) Nitric Acid: RQ (lb)= 1000.00 Reportable Quantity (RQ)

Reportable quantity (kg) Nitric Acid: RQ (kg)= 10089.00

(calculated)

Reportable quantity (lbs) Nitric Acid: RQ (lb)= 22222.00

(calculated)

IB3, T7, TP1, TP28

**Special Provisions DOT Marine Pollutant** NP

Description UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid), 8, III

AGHS / EN Page 10/14



This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

5190-8298 - Nickel AA Standard: 1000 μg/mL Ni in 5%

HNO3 [100ml bottle]

Revision date 16-Apr-2024

**Emergency Response Guide** 

Number

154

**TDG** 

UN number or ID number UN3264

**UN proper shipping name** Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid)

Transport hazard class(es) 8
Packing group III
Special Provisions 16
Marine pollutant NP

**Description** UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid), 8, III

MEX

UN number or ID number UN3264

**UN proper shipping name** Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid)

Transport hazard class(es) 8
Packing group | | | |

Technical Name Nitric Acid

Description UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid), 8, III

Special Provisions 223, 274

IATA

UN number or ID number UN3264

**UN proper shipping name** Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid)

Transport hazard class(es) 8
Packing group | |||

Technical Name Nitric Acid

**Description** UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid), 8, III

**Special Provisions** A3, A803

ERG Code 8L

IMDG Not regulated

UN number or ID number UN3264

UN proper shipping name Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid)

Transport hazard class(es)

Packing group

EmS-No.

Special Provisions

Algorithms Algorithms

223, 274

Marine pollutant

NP

**Description** UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid), 8, III

### 15. Regulatory information

International Inventories

**TSCA**LGC, to the best of its ability, has confirmed that the chemical substances in this product are

AGHS / EN Page 11/14



This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

5190-8298 - Nickel AA Standard: 1000  $\mu\text{g/mL}$  Ni in 5%

HNO3 [100ml bottle]

Revision date 16-Apr-2024

listed as "Active" in the EPA (Environmental Protection Agency) "TSCA Inventory Notification (Active-Inactive) Requirements Rule" ("the Final Rule") of Feb 2019, as amended Feb 2021.".

Chemical name	CAS No.	Inventory Listing Status	Commercial Activity
			Designation
Nitric Acid	7697-37-2	Present	Active
Nickel	7440-02-0	Present	Active

DSL/NDSL

EINECS/ELINCS

Contact supplier for inventory compliance status.

### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

#### **US Federal Regulations**

### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values %
Nitric Acid - 7697-37-2	1.0
Nickel - 7440-02-0	0.1

#### SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

### **CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and

AGHS / EN Page 12/14



This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

5190-8298 - Nickel AA Standard: 1000  $\mu\text{g/mL}$  Ni in 5%

Revision date 16-Apr-2024

HNO3 [100ml bottle]

40 CFR 122.42).

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Nitric Acid 7697-37-2	1000 lb	-	-	Х
Nickel 7440-02-0	-	Х	Х	-

## **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	Reportable Quantity (RQ)
Nitric Acid 7697-37-2	1000 lb	1000 lb	RQ 1000 lb final RQ RQ 454 kg final RQ
Nickel	100 lb	<u>-</u>	RQ 100 lb final RQ
7440-02-0			RQ 45.4 kg final RQ

## **US State Regulations**

## **California Proposition 65**

This product contains the following Proposition 65 chemicals:.

Chemical name	California Proposition 65
Nickel - 7440-02-0	Carcinogen

### U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Water 7732-18-5	-	-	Х
Nitric Acid 7697-37-2	X	X	Х
Nickel 7440-02-0	X	X	Х

## U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

## 16. Other information

AGHS / EN Page 13/14



This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

5190-8298 - Nickel AA Standard: 1000 μg/mL Ni in 5%

HNO3 [100ml bottle]

Revision date 16-Apr-2024

NFPA Health hazards 3 Flammability 0 Instability 0 Special hazards - Health hazards 3 \* Flammability 0 Physical hazards 0 Personal protection X

Chronic Hazard Star Legend \*= Chronic Health Hazard

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: Exposure controls/personal protection

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value Sk\* Skin designation

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)
EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Revision date 16-Apr-2024

**Revision Note**No information available.

**Disclaimer** 

The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

**End of Safety Data Sheet** 

AGHS / EN Page 14/14