SAFETY DATA SHEET

Revision date 09-Apr-2026 **Revision Number** 1.01

Section 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product Code(s) 5190-8299

Product Name Nickel AA Standard: 1000 µg/mL Ni in 5% HNO3 [500ml bottle]

Other means of identification

Synonyms No information available

Recommended use of the chemical and restrictions on use

Recommended use Reagents and Standards for Analytical Chemical Laboratory Use. This product is for research and development only.

Uses advised against Do not use outside of recommended applications

Supplier's details

Supplier

Agilent Technologies Deutschland GmbH
Hewlett-Packard-Str. 8
76337 Waldbronn
Germany

0800 603 1000

For further information, please contact

Emergency telephone number

Emergency Telephone CHEMTREC®: +60 3-9212 5794

E-mail address pdl-msds_author@agilent.com

SECTION 2: Hazard identification

Classification of the substance or mixture

Corrosive to metals	Category 1
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1

Label elements



Signal word
Danger

Hazard statements
May be corrosive to metals.
Causes skin irritation.
Causes serious eye damage.

Precautionary Statements - Prevention
Wash face, hands and any exposed skin thoroughly after handling.
Wear protective gloves, protective clothing, eye protection and face protection.
Keep only in original packaging.

Eyes
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.
Skin
IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.
Spill
Absorb spillage to prevent material damage.

Precautionary Statements - Storage
Store in corrosion resistant container with a resistant inner liner.

Other hazards which do not result in classification
No information available.

Section 3: Composition/information on ingredients

Substance

Not applicable

Mixture

Chemical nature aqueous solution.

Chemical name	CAS No.	Weight-%
Nitric Acid	7697-37-2	4.5
Nickel	7440-02-0	0.1

SECTION 4: First aid measures

Description of necessary measures

General advice	Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.
Inhalation	Remove to fresh air. Get medical attention immediately if symptoms occur.
Skin contact	Wash off immediately with soap and plenty of water for at least 15 minutes. Get medical attention if irritation develops and persists.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get immediate medical attention.
Ingestion	Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a doctor.
Specific first aid facilities	Have eye-wash facilities immediately available. Facilities for quickly drenching the body should be provided within the immediate work area for emergency use where there is a possibility of exposure.
Self-protection of the first aider	Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

Most important symptoms and effects, both acute and delayed

Symptoms	Burning sensation. May cause blindness. May cause redness and tearing of the eyes. Erythema (skin redness).
Effects of Exposure	No information available.

Indication of immediate medical attention and special treatment needed, if necessary

Note to doctors	Treat symptomatically.

SECTION 5: Firefighting measures

Suitable (and unsuitable) extinguishing media

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Large Fire	CAUTION: Use of water spray when fighting fire may be inefficient.
Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams.
Specific hazards arising from the chemical	No information available.

Special protective equipment and precautions for fire-fighters

Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.
Hazchem code	2X

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions	Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required.
Other information	Refer to protective measures listed in Sections 7 and 8.
For emergency responders	Use personal protection recommended in Section 8.

Environmental precautions

Environmental precautions	Prevent further leakage or spillage if safe to do so.

Methods and material for containment and cleaning up

Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labelled containers. Clean contaminated surface thoroughly.

Precautions to prevent secondary hazards

Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.

SECTION 7: Handling and storage

Precautions for safe handling

Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice. Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash it before reuse.
General hygiene considerations	Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Wash hands before breaks and after work. Wear suitable gloves and eye/face protection. Regular cleaning of equipment, work area and clothing is recommended.

Conditions for safe storage, including any incompatibilities

Storage Conditions	Please refer to the manufacturer's certificate for specific storage and transport temperature conditions. Store only in the original receptacle unless other advice is given on the CoA. Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from moisture. Store locked up. Keep out of the reach of children. Store away from other materials.
Incompatible materials	Oxidising agent. Strong acids. Strong bases.

Section 8: Exposure controls and personal protection

Control Parameters

Exposure Limits

Chemical name	Malaysia	ACGIH TLV
Nitric Acid 7697-37-2	TWA: 2 ppm TWA: 5.2 mg/m³	TWA: 2 ppm STEL: 4 ppm
Nickel 7440-02-0	TWA: 1.5 mg/m³	TWA: 1.5 mg/m³ inhalable particulate matter

Note See section 16 for terms and abbreviations.

Biological occupational exposure limits

Chemical name	ACGIH
Nickel - 7440-02-0	5 µg/L - urine (Nickel) - post-shift at end of workweek

Appropriate engineering controls

Engineering controls Showers
Eyewash stations
Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Avoid contact with eyes. Wear safety glasses with side shields (or goggles). Face protection shield. Tight sealing safety goggles.

Hand protection Wear protective Neoprene™ gloves. The protective gloves to be used must comply with the specifications of (EU) 2016/425. Wear suitable gloves.

Skin and body protection Wear suitable protective clothing. Long sleeved clothing.

Respiratory protection Appropriate respiratory protection should be selected and used according to the chemical nature, hazards and use of this product and safety requirements of the local jurisdiction.

Environmental exposure controls No information available.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance	Liquid
Physical state	Liquid
Colour	colourless
Odour	Odourless

Property	**Values**	**Remarks • Method**
pH	No data available	None known
pH (as aqueous solution)	No data available	None known
Melting point / freezing point	No data available	None known
Initial boiling point and boiling range	No data available	None known
Flash point	No data available	None known
Evaporation rate	No data available	None known
Flammability	No data available	None known
Upper/lower flammability or explosive limits		None known
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	

Vapour pressure	No data available	None known
Relative vapour density	No data available	None known
Relative density	No data available	None known
Bulk density	No data available	
Liquid Density	No data available	
Solubility(ies)	No data available	None known
Water solubility	No data available	None known
Partition Coefficient (n-octanol/water)	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature	No data available	None known
SADT (°C)	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
Particle characteristics		None known
Particle Size	No data available	
Particle Size Distribution	No data available	

Other information

SECTION 10: Stability and reactivity

Reactivity
Reactivity Contact with acids liberates very toxic gas.

Chemical stability
Stability Stable under normal conditions.

Explosion data
Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

Possibility of hazardous reactions
Possibility of hazardous reactions None under normal processing.

Conditions to avoid
Conditions to avoid Exposure to air or moisture over prolonged periods. Exposure to air or moisture over prolonged periods.

Incompatible materials
Incompatible materials Oxidising agent Strong acids Strong bases

Hazardous decomposition products
Hazardous decomposition products None known based on information supplied.

SECTION 11: Toxicological information

Information on the likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available.

Ingestion Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.

Skin contact Specific test data for the substance or mixture is not available. Causes skin irritation. (based on components).

Eye contact Specific test data for the substance or mixture is not available. Causes serious eye damage.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Burning sensation. May cause blindness. May cause redness and tearing of the eyes. Erythema (skin redness).

Acute toxicity No information available.

Numerical measures of toxicity

The following ATE values have been calculated for the mixture

ATEmix (oral)	99,999.00 mg/kg
ATEmix (dermal)	99,999.00 mg/kg
ATEmix (inhalation-gas)	99,999.00 ppm
ATEmix (inhalation-vapour)	58.90 mg/l
ATEmix (inhalation-dust/mist)	99,999.00 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Nitric Acid	-	-	= 2500 ppm (Rat) 1 h ATE (vapours) = 2.65 mg/L
Nickel	> 9000 mg/kg (Rat)	-	> 10.2 mg/L (Rat) 1 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Classification based on data available for ingredients. Causes skin irritation.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes burns. Causes serious eye damage.

Respiratory or skin sensitisation No information available.

Germ cell mutagenicity No information available.

Carcinogenicity Based on available data, the classification criteria are not met.
The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	Malaysia	IARC
Nickel	-	Group 2B

Reproductive toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposure No information available.

Aspiration hazard No information available.

SECTION 12: Ecological information

Ecotoxicity Based on available data, the classification criteria are not met.

Aquatic ecotoxicity

Component Information

Chemical name	Fish	Crustacea	Algae/aquatic plants	Toxicity to microorganisms
Nickel	LC50: >100mg/L (96h, Brachydanio rerio) LC50: =1.3mg/L (96h, Cyprinus carpio) LC50: =10.4mg/L (96h, Cyprinus carpio)	EC50: >100mg/L (48h, Daphnia magna) EC50: =1mg/L (48h, Daphnia magna)	EC50: =0.18mg/L (72h, Pseudokirchneriella subcapitata) EC50: 0.174 - 0.311mg/L (96h, Pseudokirchneriella subcapitata)	-

Terrestrial ecotoxicity No information available.

Persistence and degradability No information available.

Bioaccumulative potential

Chemical name	Partition coefficient	Bioconcentration factor (BCF)	Trophic magnification factor (TMF)
Nitric Acid	-2.3	-	-

Mobility in soil No information available.

Other adverse effects No information available.

PBT and vPvB assessment The product does not contain any substance(s) classified as PBT or vPvB above the threshold of declaration.

Chemical name	PBT and vPvB assessment
Nitric Acid	The substance is not PBT / vPvB
Nickel	The substance is not PBT / vPvB

SECTION 13: Disposal information

Disposal methods

Waste from residues/unused products	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Do not reuse empty containers.

SECTION 14: Transportation information

IMDG

UN number	UN3264
UN proper shipping name	Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid)
Transport hazard class(es)	8
Packing group	III
Description	UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid), 8, III
Marine pollutant indicator	NP
Special Provisions	223, 274 F-A S-B
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	No information available

RID

UN number	UN3264
UN proper shipping name	Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid)
Transport hazard class(es)	8
Packing group	III
Description	UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid), 8, III
Environmental hazards	Not applicable
Special Provisions	274
Classification code	C1

ADR

UN number	UN3264
UN proper shipping name	Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid)
Transport hazard class(es)	8
Packing group	III
Description	UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid), 8, III, (E)
Environmental hazards	Not applicable
Special Provisions	274
Classification code	C1
Tunnel restriction code	(E)

IATA

UN number	UN3264
UN proper shipping name	Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid)
Transport hazard class(es)	8
Packing group	III
Description	UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid), 8, III
Environmental hazards	Not applicable
Special Provisions	A3, A803

ERG Code 8L

Special precautions which a user needs to be aware of, or needs to comply with, in connection with transport or conveyance either within or outside their premises

Special precautions for user Please refer to the applicable dangerous goods regulations for additional information
Hazchem code 2X

SECTION 15: Regulatory information

Safety, health and environmental regulations specific for the product in question

National regulations

Malaysia - Applicable regulations:

OSHA (Occupational Safety and Health Act) 1994 and relevant regulations
Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations
Occupational Safety and Health (Use and Standards of Exposure of Chemicals Hazardous to Health) Regulations
An occupational medicine specialist familiar with national and regional regulations and standards must be consulted to establish a program of medical examinations for workers exposed to substances with biological limit values. See section 8 for national exposure control parameters.

Chemical name	Pre-employment screening and appropriate health surveillance
Nitric Acid - 7697-37-2	Listed

Occupational Safety and Health (Control of Industrial Major Accident Hazards) Regulations

Chemical name	Named hazardous chemicals
Nickel - 7440-02-0	1 tonne

Factories and Machinery Act 1967 and relevant regulations

Environmental Quality Act 1974 and regulations

Road Transport (Construction and Use) (Dangerous Goods Vehicle) Rules 2015

International Inventories

TSCA U.S. INVENTORY (TSCA): Listed on inventory. For purposes of 40 CFR 720.36, this product is for Research and Development (R&D) Use Only.
DSL/NDSL Contact supplier for inventory compliance status.
EINECS/ELINCS Contact supplier for inventory compliance status.
ENCS Contact supplier for inventory compliance status.
IECSC Contact supplier for inventory compliance status.
KECL Contact supplier for inventory compliance status.
PICCS Contact supplier for inventory compliance status.
AIIC Contact supplier for inventory compliance status.
NZIoC Contact supplier for inventory compliance status.
TCSI Contact supplier for inventory compliance status.

Legend:
TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AICS - Australian Inventory of Chemical Substances
NZIoC - New Zealand Inventory of Chemicals
TCSI - Taiwan Chemical Substance Inventory

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

SECTION 16: Other information

Date of preparation of the SDS

Date of revision of the SDS 09-Apr-2026

Revision Note The symbol (*) in the margin of this SDS indicates that this line has been revised.

Key or legend to abbreviations and acronyms used in the safety data sheet
List may include phrases which are not applicable to this product

ACGIH	The American Conference of Governmental Industrial Hygienists (ACGIH) Documentation of Threshold Limit Values and Biological Indices (latest edition)
ADN	European Agreement on International Transport of Dangerous Goods by Road (ADR)
ADR	Agreement concerning the International Carriage of Dangerous Goods by Road (Europe)
AIIC	Australian Inventory of Industrial Chemicals
P240 - Ground and bond container and receiving equipment	Acute Toxicity Estimate
P263 - Avoid contact during pregnancy and while nursing	ASTM (formerly known as the American Society for Testing and Materials)
bar	Biological Reference Values for Chemical Compounds in the Work Area
paste	Biological tolerance values for occupational exposure
MEX	Biological exposure limits
European Export/Import Restrictions per (EC) 649/2012 - Annex Number	Body weight
Ceiling	Maximum limit value
CMR Effects	CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)
DOT	DOT (Department of Transportation)
DSL	Canadian Domestic Substances List (DSL)
EmS	Emergency Schedule
ENCS	ENCS (Existing and New Chemical Substances)
EPA	EPA (Environmental Protection Agency)

GHS	The Globally Harmonised System of Classification and Labelling of Chemicals (GHS)
IARC	IARC - International Agency for Research on Cancer
IATA	(IATA) International Air Transport Association
IBCs	International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
ICAO	The transportation of primary lithium cells and batteries is regulated by the International Civil Aviation Organization, International Air Transport Association, International Maritime Dangerous Goods Code and the US Department of Transportation. The batteries must meet the following criteria for shipment: 1. Air shipments must meet the requirements listed in Special Provision A45 of the International Air Transport Association Dangerous Goods Regulations. 2. Meet the requirements for the US Department of Transportation listed in 49 CFR 173.185. 3. The transport of primary lithium batteries is prohibited aboard passenger aircraft. Refer to the Federal Register December 15, 2004 (Hazardous Materials; Prohibited on the Transportation of Primary Lithium Batteries and Cells Aboard Passenger Aircraft; Final Rule)
IECSC	China (IECSC)
IMDG	Sea transport (IMDG)
Directive 84/449/EEC, Annex, C.10	International Maritime Organization
Directive 84/449/EEC, Annex, A.7	ISO (The International Organization for Standardisation)
KECL	South Korea (KECL)
LC50	Lethal Concentration to 50% of a test population
LD50	Lethal Dose to 50% of a test population (Median Lethal Dose)
Harmful Substances - names to be indicated on the label; Industrial Safety and Health Law enforcement order article 18 (related to Industrial Safety and Health Law article 57)	International Convention for the Prevention of Pollution from Ships
n.o.s.	Not Otherwise Specified
NOAEC	No Observed Adverse Effect Concentration
NOAEL	NOAEL (No observed adverse effect level)
Other names	No Observable Effect Loading Rate
NZIoC	NZIoC - New Zealand Inventory of Chemicals
Harmful Substances - names to be indicated on the label; Industrial Safety and Health Law enforcement order article 18 (related to Industrial Safety and Health Law article 57)	OECD (Organization for Economic Cooperation and Development)
OEL	Occupational exposure limits
PBT	Persistent, Bioaccumulative and Toxic substance
PICCS	PICCS - Philippines Inventory of Chemicals and Chemical Substances
Chemically unstable gas A	Persistent, Mobile and Toxic
Terrestrial ecotoxicity	Personal protective equipment
QSAR	Quantitative Structure Activity Relationships [QSAR]
RID	Agreement concerning the International Carriage of Dangerous Goods by Rail (Europe)
SADT	Self-Accelerating Decomposition Temperature
SAR	Structure-activity relationship
SDS	Safety Data Sheet
SL	Surface Limit
STEL	**STEL** - Short Term Exposure Limit
STOT RE	Specific target organ toxicity - Repeated exposure
STOT SE	Specific target organ toxicity - Single exposure
TCSI	Taiwan Chemical Substance Inventory

TDG	TDG (Transport of Dangerous Goods) Canada
TSCA	TSCA (Toxic Substances Control Act)
TWA	Time-Weighted Average
UN	United Nations
VOC	Volatile organic compounds
vPvB	Very Persistent and Very Bioaccumulative
vPvM	Very Persistent and Very Mobile
As	Allergenic substance
DS	Dermal Sensitizer
Ot	Ototoxicant
pOt	Ototoxicant - potential to cause hearing disorders
PS	Photosensitiser
RS	Respiratory Sensitiser
S	Sensitiser
poS	Sensitizer - capable of causing occupational asthma
Sa	Simple asphyxiant
Sd	Skin designation
pSd	Skin designation - potential for cutaneous absorption
Sdv	Skin designation - vacated
Sk	Skin notation
dSk	Skin notation - danger of cutaneous absorption
pSk	Skin notation - potential for cutaneous absorption

Key literature references and sources for data used to compile the SDS
Agency for Toxic Substances and Disease Registry (ATSDR)
U.S. Environmental Protection Agency ChemView Database
European Food Safety Authority (EFSA)
EPA (Environmental Protection Agency)
Acute Exposure Guideline Level(s) (AEGL(s))
U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act
U.S. Environmental Protection Agency High Production Volume Chemicals
Food Research Journal
Hazardous Substance Database
International Uniform Chemical Information Database (IUCLID)
Japan National Institute of Technology and Evaluation (NITE)
Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
NIOSH (National Institute for Occupational Safety and Health)
National Library of Medicine's ChemID Plus (NLM CIP)
National Library of Medicine’s PubMed database (NLM PUBMED
National Toxicology Program (NTP)
New Zealand's Chemical Classification and Information Database (CCID)
Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications
Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme
Organisation for Economic Co-operation and Development Screening Information Data Set
World Health Organization

Disclaimer
The information contained in this document is based on Agilent’s state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

End of Safety Data Sheet