

This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

Revision date 18-Apr-2025 Revision Number 2

1. Identification

Product identifier

Product Name Cadmium Standard: 1000 μg/mL Cd in 5% HNO3 [500ml bottle]

Other means of identification

Product Code(s) 5190-8328

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended use Reagents and Standards for Analytical Chemical Laboratory Use

Restrictions on useNot to be used for human or animal consumption

Details of the supplier of the safety data sheet

Supplier Address

Agilent Technologies, Inc. 5301 Stevens Creek Blvd Santa Clara, CA 95051, USA

800-227-9770

E-mail pdl-msds_author@agilent.com

Emergency telephone number

Emergency Telephone

CHEMTREC®: 1-800-424-9300

2. Hazard(s) identification

Classification

Classified according to OSHA.

Corrosive to metals	Category 1
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1
Carcinogenicity	Category 1A
Reproductive toxicity	Category 2

AGHS / EN Page 1 / 17



This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

5190-8328 - Cadmium Standard: 1000 μ g/mL Cd in 5% HNO3 [500ml bottle]

Revision date 18-Apr-2025

Hazards not otherwise classified (HNOC)

Not applicable

Label elements



Danger

Hazard statements

Classified according to OSHA.
May be corrosive to metals.

Causes skin irritation.

Causes serious eye damage.

May cause cancer.

Suspected of damaging fertility or the unborn child.

Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Wear protective gloves/clothing and eye/face protection

Wash face, hands and any exposed skin thoroughly after handling

Keep only in original packaging

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Immediately call a POISON CENTER or doctor IF ON SKIN: Wash with plenty of water and soap

If skin irritation occurs: Get medical advice/attention

Take off contaminated clothing and wash it before reuse

Absorb spillage to prevent material damage

Precautionary Statements - Storage

Store locked up

Store in corrosion resistant container with a resistant inner liner

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

AGHS / EN Page 2 / 17



This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

5190-8328 - Cadmium Standard: 1000 µg/mL Cd in 5%

HNO3 [500ml bottle]

Revision date 18-Apr-2025

Hazards classified under paragraph (d)(1)(i)(B) of 1910.1200

No information available.

Other information

No information available.

3. Composition/information on ingredients

Substance

Not applicable.

Mixture

Chemical nature

aqueous solution.

Chemical name	CAS No.	Weight-%	Trade secret
Nitric Acid	7697-37-2	3 - <5	-
Cadmium	7440-43-9	0.1 - 1	-

Additional information

The concentration of the acid stated in this SDS is calculated as an absolute mass concentration (%w/v). This is less than the acid concentration stated on the product label and COA, which reflects a percent value of the commercially available concentrated aqueous form of the acid.

4. First-aid measures

Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required. IF exposed or concerned: Get medical advice/attention.

Inhalation Remove to fresh air. Get medical attention immediately if symptoms occur.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open

while rinsing. Do not rub affected area. Get immediate medical attention.

Skin contact Wash off immediately with soap and plenty of water for at least 15 minutes. Get medical

attention if irritation develops and persists.

Ingestion Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT induce

vomiting. Call a physician.

AGHS / EN Page 3 / 17



This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

5190-8328 - Cadmium Standard: 1000 µg/mL Cd in 5%

HNO3 [500ml bottle]

Revision date 18-Apr-2025

Self-protection of the first aider Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

Most important symptoms and effects, both acute and delayed

Symptoms Burning sensation.

Effects of Exposure May cause cancer. May cause adverse reproductive effects - such as birth defect,

miscarriages, or infertility.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

5. Fire-fighting measures

surrounding environment.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

Specific hazards arising from the

chemical

No information available.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Use personal protection equipment.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal

protective equipment as required.

Other information Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

AGHS / EN Page 4 / 17



This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

5190-8328 - Cadmium Standard: 1000 μg/mL Cd in 5%

HNO3 [500ml bottle]

Revision date 18-Apr-2025

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

7. Handling and storage

Precautions for safe handling

Advice on safe handling

Handle in accordance with good industrial hygiene and safety practice. Do not breathe

dust/fume/gas/mist/vapors/spray. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Remove contaminated clothing and shoes. Take off

contaminated clothing and wash before reuse.

General hygiene considerations Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this

product. Wash hands before breaks and after work. Wear suitable gloves and eye/face protection. Regular cleaning of equipment, work area and clothing is recommended. Wash

hands before breaks and immediately after handling the product.

Conditions for safe storage, including any incompatibilities

Storage Conditions Please refer to the manufacturer's certificate for specific storage and transport temperature

conditions. Store only in the original receptacle unless other advice is given on the CoA. Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from moisture. Store locked up. Keep out of the reach of children. Store away from other

materials.

8. Exposure controls/personal protection

Control parameters

Exposure Limits

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Nitric Acid	TWA: 2 ppm	TWA: 2 ppm	IDLH: 25 ppm
7697-37-2	STEL: 4 ppm		
		(vacated) TWA: 2 ppm	TWA: 5 mg/m ³
		(vacated) TWA: 5 mg/m ³	STEL: 4 ppm
		(vacated) STEL: 4 ppm	STEL: 10 mg/m ³
		(vacated) STEL: 10 mg/m ³	-
Cadmium	TWA: 0.01 mg/m ³	TWA: 5 μg/m ³	IDLH: 9 mg/m ³ dust

AGHS / EN Page 5 / 17



This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

5190-8328 - Cadmium Standard: 1000 μg/mL Cd in 5%

HNO3 [500ml bottle]

Revision date 18-Apr-2025

7440-43-9	TWA: 0.002 mg/m³ respirable	(vacated) STEL: 0.3 ppm fume	
		Ceiling: 0.3 mg/m³ fume applies	
	•	to any operations or sectors for	
		which the Cadmium standard is	
		stayed or otherwise not in effect	
		Ceiling: 0.6 mg/m ³ dust applies	
		to any operations or sectors for	
		which the Cadmium standard is	
		stayed or otherwise not in effect	

Biological occupational exposure limits

Chemical name	ACGIH
Cadmium	5 μg/g creatinine - urine (Cadmium) - not critical
7440-43-9	5 μg/L - blood (Cadmium) - not critical

Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Avoid contact with eyes. Wear safety glasses with side shields (or goggles). Tight sealing

safety goggles.

Hand protection Wear protective Neoprene™ gloves. The protective gloves to be used must comply with the

specifications of EC Directive 89/686/EEC and the related standard EN374. Wear suitable

gloves. Impervious gloves.

Skin and body protectionWear suitable protective clothing. Long sleeved clothing.

Respiratory protection Appropriate respiratory protection should be selected and used according to the chemical

nature, hazards and use of this product and safety requirements of the local jurisdiction. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be

required.

Environmental exposure controls Do not allow into any sewer, on the ground or into any body of water.

9. Physical and chemical properties

Information on basic physical and chemical properties

Appearance Liquid

AGHS / EN Page 6 / 17



This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

5190-8328 - Cadmium Standard: 1000 μg/mL Cd in 5%

HNO3 [500ml bottle]

Revision date 18-Apr-2025

Liquid Physical state Color colorless Odor (includes odor threshold) Odorless

Values Remarks • Method **Property**

Melting point / freezing point No data available None known Boiling point (or initial boiling point or No data available None known

boiling range)

Flammability No data available None known

Flammability Limit in Air None known

No data available Upper flammability or explosive limits Lower flammability or explosive limits No data available

No data available None known Flash point No data available None known **Autoignition temperature Decomposition temperature** No data available None known SADT (°C) No data available None known pН No data available None known pH (as aqueous solution) No data available None known Kinematic viscosity No data available None known Dynamic viscosity No data available None known Solubility No data available None known Water solubility No data available None known None known

Partition coefficient n-octanol/water (log No data available value)

Vapor pressure (includes evaporation rate)No data available

None known No data available None known Density and/or relative density No data available **Bulk density**

No data available **Liquid Density** No data available

Relative vapor density None known Particle characteristics None known

Particle Size No data available **Particle Size Distribution** No data available

Other information

Information with regard to physical hazard classes

10. Stability and reactivity

Reactivity No information available.

Chemical stability Stable under normal conditions.

Possibility of hazardous reactions None under normal processing.

Conditions to avoid Exposure to air or moisture over prolonged periods.

AGHS / EN Page 7 / 17



This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

5190-8328 - Cadmium Standard: 1000 µg/mL Cd in 5%

HNO3 [500ml bottle]

Revision date 18-Apr-2025

Incompatible materials Oxidizing agent. Strong acids. Strong bases.

Hazardous decomposition products None known based on information supplied.

11. Toxicological information

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available.

Eye contact Specific test data for the substance or mixture is not available. Causes serious eye damage.

May cause irreversible damage to eyes.

Skin contact Specific test data for the substance or mixture is not available. Causes skin irritation. (based

on components).

Ingestion Specific test data for the substance or mixture is not available. Ingestion may cause

gastrointestinal irritation, nausea, vomiting and diarrhea.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Redness. Burning. May cause blindness. May cause redness and tearing of the eyes.

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

 ATEmix (oral)
 99,999.00 mg/kg

 ATEmix (dermal)
 99,999.00 mg/kg

 ATEmix (inhalation-gas)
 99,999.00 ppm

 ATEmix (inhalation-dust/mist)
 50.1000 mg/l

 ATEmix (inhalation-vapor)
 66.70 mg/l

Component Information

	Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Nitric Acid		-	-	= 2500 ppm (Rat) 1 h
	7697-37-2			ATE (vapours) = 2.65 mg/L
	Cadmium 7440-43-9	= 1140 mg/kg (Rat)	-	= 25 mg/m ³ (Rat) 30 min

AGHS / EN Page 8 / 17



This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

5190-8328 - Cadmium Standard: 1000 µg/mL Cd in 5%

HNO3 [500ml bottle]

Revision date 18-Apr-2025

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Classification based on data available for ingredients. Causes skin irritation.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes burns. Causes serious eye

damage.

Respiratory or skin sensitization No information available.

Germ cell mutagenicity No information available.

Carcinogenicity Contains a known or suspected carcinogen. Classification based on data available for

ingredients. May cause cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Cadmium	A2	Group 1	Known	X
7440-43-9		·		

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans NTP (National Toxicology Program)

Known - Known Carcinogen

Occupational Safety and Health Administration of the US Department of Labor

X - Present

Reproductive toxicity Contains a known or suspected reproductive toxin. Classification based on data available

for ingredients. Suspected of damaging fertility or the unborn child.

STOT - single exposure No information available.

STOT - repeated exposureNo information available.

Aspiration hazard No information available.

AGHS / EN Page 9 / 17



This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

5190-8328 - Cadmium Standard: 1000 µg/mL Cd in 5%

HNO3 [500ml bottle]

Revision date 18-Apr-2025

Other adverse effects

No information available.

Interactive effects

No information available.

12. Ecological information

Ecotoxicity The environmental impact of this product has not been fully investigated.

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Cadmium	-	LC50: =0.003mg/L (96h,	-	EC50: =0.0244mg/L (48h,
7440-43-9		Oncorhynchus mykiss)		Daphnia magna)
		LC50: =0.006mg/L (96h,		
		Oncorhynchus mykiss)		
		LC50: =0.002mg/L (96h,		
		Cyprinus carpio)		
		LC50: =4.26mg/L (96h,		
		Cyprinus carpio)		
		LC50: =0.24mg/L (96h,		
		Cyprinus carpio)		
		LC50: =21.1mg/L (96h,		
		Lepomis macrochirus)		
		LC50: =0.016mg/L (96h,		
		Oryzias latipes)		
		LC50: 0.0004 - 0.003mg/L		
		(96h, Pimephales		
		promelas)		

Persistence and degradability No information available.

Bioaccumulation There is no data for this product.

Component Information

Somponent information			
Chemical name	Partition coefficient		
Nitric Acid	-2.3		
7697-37-2			

Other adverse effects No information available.

13. Disposal considerations

AGHS / EN Page 10 / 17



This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

5190-8328 - Cadmium Standard: 1000 μg/mL Cd in 5%

HNO3 [500ml bottle]

Revision date 18-Apr-2025

Disposal methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

California Hazardous Waste Status This product contains one or more substances that are listed with the State of California as

a hazardous waste.

14. Transport information

DOT

UN3264 **UN number or ID number**

Extended proper shipping name Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid)

Transport hazard class(es) Packing group

Reportable Quantity (RQ) (Nitric Acid: RQ (kg)= 454.00, Cadmium: RQ (kg)= 4.54) Nitric Acid: RQ (lb)= 1000.00,

Cadmium: RQ (lb)= 10.00

Reportable quantity (kg)

(calculated)

Nitric Acid: RQ (kg)= 10088.89, Cadmium: RQ (kg)= 4540.00

Reportable quantity (lbs)

(calculated)

Nitric Acid: RQ (lb)= 22222.00, Cadmium: RQ (lb)= 10000.00

Special Provisions IB3, T7, TP1, TP28

DOT Marine Pollutant NΡ

UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid), 8, III Description

Emergency Response Guide

Number

154

TDG

UN number or ID number UN3264

UN proper shipping name Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid)

Transport hazard class(es) Packing group Ш **Special Provisions** 16

Description UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid), 8, III

MEX

UN3264 **UN** number or ID number

UN proper shipping name Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid)

Transport hazard class(es) Packing group Ш

Technical Name Nitric Acid

Description UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid), 8, III

Special Provisions 223, 274

AGHS / EN Page 11 / 17



This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

5190-8328 - Cadmium Standard: 1000 μg/mL Cd in 5%

HNO3 [500ml bottle]

Revision date 18-Apr-2025

ICAO (air)

UN number or ID number UN3264

UN proper shipping name Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid)

Transport hazard class(es) 8
Packing group | | | |

Description UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid), 8, III

Special Provisions A3

IATA

UN number or ID number UN3264

UN proper shipping nameCorrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid)

Transport hazard class(es) 8
Packing group | | | |

Technical Name Nitric Acid

Description UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid), 8, III

Special Provisions A3, A803 ERG Code 8L

IMDG

UN number or ID number UN3264

UN proper shipping name Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid)

Transport hazard class(es) 8
Packing group 8

EmS-No. F-A S-B Special Provisions 223, 274 Marine pollutant NP

Description UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid), 8, III

15. Regulatory information

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

International Inventories

TSCA LGC, to the best of its ability, has confirmed that the chemical substances in this product are

listed as "Active" in the EPA (Environmental Protection Agency) "TSCA Inventory Notification (Active-Inactive) Requirements Rule" ("the Final Rule") of Feb 2019, as

amended Feb 2021.".

AGHS / EN Page 12 / 17



This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

5190-8328 - Cadmium Standard: 1000 μg/mL Cd in 5%

HNO3 [500ml bottle]

Revision date 18-Apr-2025

Chemical name	CAS No.	Inventory Listing Status	Commercial Activity Designation
Water	7732-18-5	Present	Active
Nitric Acid	7697-37-2	Present	Active
Cadmium	7440-43-9	Present	Active

DSL/NDSL Contact supplier for inventory compliance status. Contact supplier for inventory compliance status. **EINECS/ELINCS** Contact supplier for inventory compliance status. **ENCS** Contact supplier for inventory compliance status. **IECSC** Contact supplier for inventory compliance status. **KECL PICCS** Contact supplier for inventory compliance status. AIIC Contact supplier for inventory compliance status. **NZIoC** Contact supplier for inventory compliance status. Contact supplier for inventory compliance status. TCSI

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances **IECSC** - China Inventory of Existing Chemical Substances

KECL - Korean Existing Chemicals Inventory

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances **NZIOC** - New Zealand Inventory of Chemicals

TCSI - Taiwan Chemical Substance Inventory

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values %
Nitric Acid - 7697-37-2	1.0
Cadmium - 7440-43-9	0.1

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical name	CWA - Reportable	CWA - Toxic Pollutants	CWA - Priority	CWA - Hazardous
	· ·			

AGHS / EN Page 13 / 17



This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

5190-8328 - $\,$ Cadmium Standard: 1000 $\mu\text{g/mL}$ Cd in 5%

HNO3 [500ml bottle]

Revision date 18-Apr-2025

		Quantities		Pollutants	Substances
	Nitric Acid 7697-37-2	1000 lb	-	-	Х
Ī	Cadmium 7440-43-9	-	X	Х	-

CAA (Clean Air Act)

This product does not contain any substances regulated as pollutants pursuant to Clean Air Act (CAA).

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

Chemical name	Hazardous Substances RQs	Extremely Hazardous	Reportable Quantity (RQ)
		Substances RQs	
Nitric Acid	1000 lb	1000 lb	RQ 1000 lb final RQ
7697-37-2			RQ 454 kg final RQ
Cadmium	10 lb	-	RQ 10 lb final RQ
7440-43-9			RQ 4.54 kg final RQ

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals:.

	This product contains the following i reposition of chemicals:		
Chemical name		California Proposition 65	
	Cadmium - 7440-43-9	Carcinogen	
		Developmental	
		Male Reproductive	

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Water	-	-	X
7732-18-5			
Nitric Acid	X	X	X
7697-37-2			
Cadmium	X	X	X
7440-43-9			

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information

NFPAHealth hazards3Flammability0Instability0Special hazards-HMISHealth hazards3 *Flammability0Physical hazards4Personal protection

Chronic Hazard Star Legend *= Chronic Health Hazard

AGHS / EN Page 14 / 17



This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

5190-8328 - Cadmium Standard: 1000 μg/mL Cd in 5%

HNO3 [500ml bottle]

Revision date 18-Apr-2025

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend ACGIH American Conference of Governmental Industrial Hygienists ADN Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Europe) Agreement concerning the International Carriage of Dangerous Goods by Road (Europe) ADR Australian Inventory of Industrial Chemicals AIIC ATE Acute Toxicity Estimate ASTM American Society for the Testing of Materials Biological Reference Values for Chemical Compounds in the Work Area bar BAT Biological tolerance values for occupational exposure BEL Biological exposure limits Body weight bw Maximum limit value Ceiling Carcinogen, Mutagen or Reproductive Toxicant CMR DOT Department of Transportation (United States) DSL Domestic Substances List (Canada) Emergency Schedule EmS Existing and New Chemical Substances (Japan) **ENCS** Environmental Protection Agency EPA GHS Globally Harmonized System HMIS Hazardous Materials Identification System IARC International Agency for Research on Cancer IATA International Air Transport Association IBC International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk International Civil Aviation Organization ICAO IECSC Inventory of Existing Chemical Substances in China IMDG International Maritime Dangerous Goods IMO International Maritime Organization ISO International Organization for Standardization KECI Korean Existing Chemicals Inventory _C50 _ethal Concentration to 50% of a test population Lethal Dose to 50% of a test population (Median Lethal Dose) D50 International Convention for the Prevention of Pollution from Ships MARPOL National Fire Protection Association NFPA NIOSH National Institute for Occupational Safety and Health Not Otherwise Specified n.o.s. No Observed Adverse Effect Concentration NOAEC No Observed Adverse Effect Level NOAEL No Observable Effect Loading Rate NOELR NTP National Toxicology Program (United States)

AGHS / EN Page 15 / 17



This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

5190-8328 - Cadmium Standard: 1000 μ g/mL Cd in 5% HNO3 [500ml bottle]

Revision date 18-Apr-2025

NZIoC	New Zealand Inventory of Chemicals	
OECD	Organization for Economic Cooperation and Development	
OEL	Occupational exposure limits	
OSHA	Occupational Safety and Health Administration of the US Department of Labor	
PBT	Persistent, Bioaccumulative and Toxic substance	
PICCS	Philippines Inventory of Chemicals and Chemical Substances	
PMT	Persistent, Mobile and Toxic	
PPE	Personal protective equipment	
QSAR	Quantitative Structure Activity Relationship	
RID	Agreement concerning the International Carriage of Dangerous Goods by Rail (Europe)	
SADT	Self-Accelerating Decomposition Temperature	
SAR	Structure-activity relationship	
SARA	Superfund Amendments and Reauthorization Act	
SDS	Safety Data Sheet	
SL	Surface Limit	
STEL	Short Term Exposure Limit	
STOT RE	Specific target organ toxicity - Repeated exposure	
STOT SE	Specific target organ toxicity - Single exposure	
TCSI	Taiwan Chemical Substance Inventory	
TDG	Transport of Dangerous Goods (Canada)	
TSCA	Toxic Substances Control Act (United States)	
TWA	Time-Weighted Average	
UN	United Nations	
VOC	Volatile organic compounds	
vPvB	Very Persistent and Very Bioaccumulative	

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

Environmental Protection Agency

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

Sensitizer

Skin designation
Hazard Designation

Very Persistent and Very Mobile

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

vPvM

Sen+

Sk*

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

National Institute of Technology and Evaluation (NITE)

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

AGHS / EN Page 16 / 17



This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

5190-8328 - Cadmium Standard: 1000 μg/mL Cd in 5%

HNO3 [500ml bottle]

Revision date 18-Apr-2025

National Library of Medicine's PubMed database (NLM PUBMED)

U.S. National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Revision date 18-Apr-2025

Revision Note No information available.

Disclaimer

The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

End of Safety Data Sheet

AGHS / EN Page 17 / 17