

This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

Revision date 16-Apr-2024 Revision Number 1.02

1. Identification

Product identifier

Product Name Cobalt Standard: 1000 μg/mL Co in 5% HNO3 [100ml bottle]

Other means of identification

Product Code(s) 5190-8346

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended use Reagents and Standards for Analytical Chemical Laboratory Use

Restrictions on use Not to be used for human or animal consumption

Details of the supplier of the safety data sheet

Supplier Address

Agilent Technologies, Inc. 5301 Stevens Creek Blvd Santa Clara, CA 95051, USA

800-227-9770

E-mail pdl-msds_author@agilent.com

Emergency telephone number

Emergency Telephone

CHEMTREC®: 1-800-424-9300

2. Hazard(s) identification

Classification

Classified according to OSHA.

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1
Respiratory sensitization	Category 1
Skin sensitization	Category 1
Carcinogenicity	Category 1B

AGHS / EN Page 1/15



This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

5190-8346 - Cobalt Standard: 1000 μg/mL Co in 5%

HNO3 [100ml bottle]

Revision date 16-Apr-2024

Reproductive toxicity	Category 1B
Corrosive to metals	Category 1

Hazards not otherwise classified (HNOC)

Not applicable

Label elements

Danger

Hazard statements

Classified according to OSHA.

Causes skin irritation

Causes serious eye damage

May cause allergy or asthma symptoms or breathing difficulties if inhaled

May cause an allergic skin reaction

May cause cancer

May damage fertility or the unborn child

May be corrosive to metals



Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Wear protective gloves/clothing and eye/face protection

Wash face, hands and any exposed skin thoroughly after handling

Avoid breathing dust/fume/gas/mist/vapors/spray

In case of inadequate ventilation wear respiratory protection

Contaminated work clothing must not be allowed out of the workplace

Keep only in original packaging

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Immediately call a POISON CENTER or doctor IF ON SKIN: Wash with plenty of water and soap

Take off contaminated clothing and wash it before reuse

If skin irritation or rash occurs: Get medical advice/attention

IF INHALED: If breathing is difficult, remove person to fresh air and keep comfortable for breathing

AGHS / EN Page 2/15



This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

5190-8346 - Cobalt Standard: 1000 μg/mL Co in 5%

HNO3 [100ml bottle]

Revision date 16-Apr-2024

If experiencing respiratory symptoms: Call a POISON CENTER or doctor Absorb spillage to prevent material damage

Precautionary Statements - Storage

Store locked up

Store in corrosion resistant container with a resistant inner liner

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other information

No information available.

3. Composition/information on ingredients

Substance

Not applicable.

<u>Mixture</u>

Chemical nature

aqueous solution.

Chemical name	CAS No.	Weight-%	Trade secret
Nitric Acid	7697-37-2	3 - <5	*
Cobalt	7440-48-4	0.1 - 1	*

Additional information

The concentration of the acid stated in this SDS is calculated as an absolute mass concentration (%w/v). This is less than the acid concentration stated on the product label and COA, which reflects a percent value of the commercially available concentrated aqueous form of the acid.

4. First-aid measures

Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required. IF exposed or concerned: Get medical advice/attention.

Inhalation Remove to fresh air. May cause allergic respiratory reaction. If breathing has stopped, give

artificial respiration. Get medical attention immediately. Avoid direct contact with skin. Use

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open

barrier to give mouth-to-mouth resuscitation. Get immediate medical attention.

AGHS / EN Page 3/15



This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

5190-8346 - Cobalt Standard: 1000 μg/mL Co in 5%

HNO3 [100ml bottle]

Revision date 16-Apr-2024

while rinsing. Do not rub affected area. Get immediate medical attention.

Skin contact Wash off immediately with soap and plenty of water for at least 15 minutes. May cause an

allergic skin reaction. In the case of skin irritation or allergic reactions see a physician.

Ingestion Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT induce

vomiting. May produce an allergic reaction. Get immediate medical attention.

Self-protection of the first aider Avoid contact with skin, eyes or clothing. Ensure that medical personnel are aware of the

material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Use personal protective equipment as required. See section 8 for more

information.

Most important symptoms and effects, both acute and delayed

Symptoms Burning sensation. May cause allergy or asthma symptoms or breathing difficulties if

inhaled. Coughing and/ or wheezing. Itching. Rashes. Hives.

Indication of any immediate medical attention and special treatment needed

Note to physicians May cause sensitization in susceptible persons. Treat symptomatically.

5. Fire-fighting measures

surrounding environment.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

Specific hazards arising from the

chemical

Product is or contains a sensitizer. May cause sensitization by inhalation and skin contact.

May cause sensitization by skin contact.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Use personal protection equipment.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

AGHS / EN Page 4/15



This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

5190-8346 - Cobalt Standard: 1000 μg/mL Co in 5%

HNO3 [100ml bottle]

Revision date 16-Apr-2024

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal

protective equipment as required. Evacuate personnel to safe areas. Keep people away

from and upwind of spill/leak.

Other information Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

7. Handling and storage

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Do not eat, drink or smoke when using this product. Ensure adequate

ventilation. Provide extract ventilation to points where emissions occur. In case of

insufficient ventilation, wear suitable respiratory equipment. Remove contaminated clothing

and shoes. Take off contaminated clothing and wash before reuse.

Conditions for safe storage, including any incompatibilities

Storage Conditions Please refer to the manufacturer's certificate for specific storage and transport temperature

conditions. Store only in the original receptacle unless other advice is given on the CoA. Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from moisture. Store locked up. Keep out of the reach of children. Store away from other

materials.

8. Exposure controls/personal protection

Control parameters

Exposure Limits

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Nitric Acid	TWA: 2 ppm	TWA: 2 ppm	IDLH: 25 ppm
7697-37-2	STEL: 4 ppm	TWA: 5 mg/m ³	TWA: 2 ppm

AGHS / EN Page 5/15



This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

5190-8346 - Cobalt Standard: 1000 μg/mL Co in 5%

HNO3 [100ml bottle]

Revision date 16-Apr-2024

		(vacated) TWA: 2 ppm	TWA: 5 mg/m ³
		(vacated) TWA: 5 mg/m ³	STEL: 4 ppm
		(vacated) STEL: 4 ppm	STEL: 10 mg/m ³
		(vacated) STEL: 10 mg/m ³	· ·
Cobalt	TWA: 0.02 mg/m ³ inhalable	TWA: 0.1 mg/m ³ dust and fume	IDLH: 20 mg/m ³ dust and fume
7440-48-4	particulate matter	(vacated) TWA: 0.05 mg/m ³	TWA: 0.05 mg/m ³ dust and
	dermal sensitizer;respiratory	dust and fume	fume
	sensitizer		

Biological occupational exposure limits

Chemical name	ACGIH
Cobalt	15 μg/L - urine (Cobalt) - end of shift at end of workweek
7440-48-4	

Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Avoid contact with eyes. Wear safety glasses with side shields (or goggles). Tight sealing

safety goggles.

Hand protection Wear protective Neoprene™ gloves. The protective gloves to be used must comply with the

specifications of EC Directive 89/686/EEC and the related standard EN374. Wear suitable

gloves. Impervious gloves.

Skin and body protection Wear suitable protective clothing. Long sleeved clothing.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

Environmental exposure controls Do not allow into any sewer, on the ground or into any body of water.

General hygiene considerations Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this

product. Wash hands before breaks and after work. Wear suitable gloves and eye/face protection. Regular cleaning of equipment, work area and clothing is recommended. Remove and wash contaminated clothing and gloves, including the inside, before re-use.

Wash hands before breaks and immediately after handling the product.

9. Physical and chemical properties

AGHS / EN Page 6/15



This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

5190-8346 - Cobalt Standard: 1000 μg/mL Co in 5%

HNO3 [100ml bottle]

Revision date 16-Apr-2024

Information on basic physical and chemical properties

Physical state Liquid **Appearance** Liquid Color colorless Odor Odorless

Odor threshold No information available

Remarks • Method Property Values

No data available None known Hq No data available Melting point / freezing point None known Initial boiling point and boiling rangeNo data available None known No data available None known Flash point **Evaporation rate** No data available None known **Flammability** No data available None known None known

No data available

Flammability Limit in Air

Upper flammability or explosive

limits

No data available Lower flammability or explosive

limits

No data available None known Vapor pressure Relative vapor density No data available None known No data available Relative density None known Water solubility No data available None known No data available Solubility(ies) None known No data available **Partition coefficient** None known None known **Autoignition temperature** No data available None known **Decomposition temperature** None known

No data available Kinematic viscosity **Dynamic viscosity** No data available None known

Other information

Explosive properties No information available No information available Oxidizing properties No information available Softening point Molecular weight No information available **VOC** content No information available No information available **Liquid Density** No information available **Bulk density**

10. Stability and reactivity

Reactivity No information available.

Chemical stability Stable under normal conditions.

Possibility of hazardous reactions None under normal processing.

AGHS / EN Page 7/15



This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

5190-8346 - Cobalt Standard: 1000 μg/mL Co in 5%

HNO3 [100ml bottle]

Revision date 16-Apr-2024

Conditions to avoid Exposure to air or moisture over prolonged periods.

Incompatible materials Oxidizing agent. Strong acids. Strong bases.

Hazardous decomposition products None known based on information supplied.

11. Toxicological information

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available. May cause sensitization in

susceptible persons. (based on components).

Eye contact Specific test data for the substance or mixture is not available. Causes serious eye damage.

May cause irreversible damage to eyes.

Skin contact Specific test data for the substance or mixture is not available. Repeated or prolonged skin

contact may cause allergic reactions with susceptible persons. (based on components).

May cause sensitization by skin contact. Causes skin irritation.

Ingestion Specific test data for the substance or mixture is not available. Ingestion may cause

gastrointestinal irritation, nausea, vomiting and diarrhea. May cause additional affects as

listed under "Inhalation".

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Redness. Burning. May cause blindness. Symptoms of allergic reaction may include rash,

itching, swelling, trouble breathing, tingling of the hands and feet, dizziness,

lightheadedness, chest pain, muscle pain, or flushing. Coughing and/ or wheezing. Itching.

Rashes. Hives. May cause redness and tearing of the eyes.

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

 ATEmix (oral)
 99,999.00 mg/kg

 ATEmix (dermal)
 99,999.00 mg/kg

 ATEmix (inhalation-gas)
 99,999.00 ppm

 ATEmix (inhalation-dust/mist)
 99,999.00 mg/l

 ATEmix (inhalation-vapor)
 58.90 mg/l

AGHS / EN Page 8/15



This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

5190-8346 - Cobalt Standard: 1000 μg/mL Co in 5%

HNO3 [100ml bottle]

Revision date 16-Apr-2024

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Nitric Acid	-	-	= 2500 ppm (Rat) 1 h
7697-37-2			ATE (vapours) = 2.65 mg/L
Cobalt	= 6171 mg/kg (Rat)	-	< 0.05 mg/L (Rat) 4 h
7440-48-4			

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Classification based on data available for ingredients. Causes skin irritation.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes burns. Causes serious eye

damage.

Respiratory or skin sensitization May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an

allergic skin reaction.

Germ cell mutagenicity No information available.

Carcinogenicity Contains a known or suspected carcinogen. Classification based on data available for

ingredients. May cause cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Cobalt	A3	Group 2A	Reasonably Anticipated	X
7440-48-4			·	

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 2A - Probably Carcinogenic to Humans

NTP (National Toxicology Program)

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity Contains a known or suspected reproductive toxin. Classification based on data available

for ingredients. May damage fertility or the unborn child.

AGHS / EN Page 9/15



This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

5190-8346 - Cobalt Standard: 1000 $\mu g/mL$ Co in 5%

HNO3 [100ml bottle]

Revision date 16-Apr-2024

STOT - single exposure No information available.

STOT - repeated exposure No information available.

Target organ effects Respiratory system, Eyes, Skin, Teeth.

Aspiration hazard No information available.

Other adverse effects No information available.

Interactive effects No information available.

12. Ecological information

Ecotoxicity

Chemica	l name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Cob	alt	-	LC50: >100mg/L (96h,	-	-
7440	48-4		Brachydanio rerio)		

Persistence and degradability No information available.

Bioaccumulation There is no data for this product.

Component Information

Chemical name	Partition coefficient
Nitric Acid	-2.3
7697-37-2	

Other adverse effects No information available.

13. Disposal considerations

Disposal methods

AGHS / EN Page 10/15



This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

5190-8346 - Cobalt Standard: 1000 μg/mL Co in 5%

HNO3 [100ml bottle]

Revision date 16-Apr-2024

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

California Hazardous Waste Status This product contains one or more substances that are listed with the State of California as

a hazardous waste.

14. Transport information

DOT

UN3264 **UN** number or ID number

Extended proper shipping name Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid)

Transport hazard class(es) Ш **Packing group**

Reportable Quantity (RQ) (Nitric Acid: RQ (kg)= 454.00) Nitric Acid: RQ (lb)= 1000.00

Reportable quantity (kg)

(calculated)

Nitric Acid: RQ (kg)= 10088.89

Reportable quantity (lbs)

(calculated)

Nitric Acid: RQ (lb)= 22222.00

Special Provisions

IB3, T7, TP1, TP28 **DOT Marine Pollutant** NP

UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid), 8, III Description

Emergency Response Guide

Number

154

TDG

UN number or ID number UN3264

UN proper shipping name Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid)

Transport hazard class(es) Ш Packing group **Special Provisions** 16 Marine pollutant NP

Description UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid), 8, III

MEX

UN number or ID number UN3264

UN proper shipping name Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid)

Transport hazard class(es) Packing group Ш

Nitric Acid **Technical Name**

Description UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid), 8, III

Special Provisions 223, 274

IATA

UN number or ID number UN3264

AGHS / EN Page 11/15



This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

5190-8346 - Cobalt Standard: 1000 μg/mL Co in 5%

HNO3 [100ml bottle]

Revision date 16-Apr-2024

UN proper shipping name Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid)

Transport hazard class(es) 8
Packing group |||

Technical Name Nitric Acid

Description UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid), 8, III

Special Provisions A3, A803 ERG Code 8L

IMDG

UN number or ID number UN3264

UN proper shipping name Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid)

Transport hazard class(es) 8
Packing group III
EmS-No. F-A

EmS-No. F-A, S-B Special Provisions 223, 274 Marine pollutant NP

Description UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid), 8, III

15. Regulatory information

International Inventories

TSCALGC, to the best of its ability, has confirmed that the chemical substances in this product are

listed as "Active" in the EPA (Environmental Protection Agency) "TSCA Inventory Notification (Active-Inactive) Requirements Rule" ("the Final Rule") of Feb 2019, as

amended Feb 2021.".

	Chemical name	CAS No.	Inventory Listing Status	Commercial Activity Designation
ĺ	Nitric Acid	7697-37-2	Present	Active
	Cobalt	7440-48-4	Present	Active

DSL/NDSL

EINECS/ELINCS

Contact supplier for inventory compliance status.

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

AGHS / EN Page 12/15



This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

5190-8346 - Cobalt Standard: 1000 μg/mL Co in 5%

HNO3 [100ml bottle]

Revision date 16-Apr-2024

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values %
Nitric Acid - 7697-37-2	1.0
Cobalt - 7440-48-4	0.1

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Nitric Acid 7697-37-2	1000 lb	-	-	Х

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	Reportable Quantity (RQ)
Nitric Acid 7697-37-2	1000 lb	1000 lb	RQ 1000 lb final RQ RQ 454 kg final RQ

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals:.

Chemical name	California Proposition 65

AGHS / EN Page 13/15



This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

5190-8346 - Cobalt Standard: 1000 μg/mL Co in 5%

HNO3 [100ml bottle]

Revision date 16-Apr-2024

Cobalt - 7440-48-4	Carcinogen

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Water	-	-	X
7732-18-5			
Nitric Acid	X	X	X
7697-37-2			
Cobalt	X	X	X
7440-48-4			

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information

NFPAHealth hazards3Flammability0Instability0Special hazards-HMISHealth hazards2 *Flammability0Physical hazards0Personal protectionX

Chronic Hazard Star Legend *= Chronic Health Hazard

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: Exposure controls/personal protection

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value Sk* Skin designation

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA) EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

AGHS / EN Page 14/15



This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

5190-8346 - Cobalt Standard: 1000 μg/mL Co in 5%

HNO3 [100ml bottle]

Revision date 16-Apr-2024

New Zealand's Chemical Classification and Information Database (CCID)
Organization for Economic Co-operation and Development Environment, Health, and Safety Publications
Organization for Economic Co-operation and Development High Production Volume Chemicals Program
Organization for Economic Co-operation and Development Screening Information Data Set
World Health Organization

Revision date 16-Apr-2024

Revision Note No information available.

Disclaimer

The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

End of Safety Data Sheet

AGHS / EN Page 15/15