



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
WHS Regulations

Revision date 24-Jul-2024

Revision Number 1.01

## Section 1: Identification: Product identifier and chemical identity

### Product identifier

**Product Name** Chromium Standard: 10000 µg/mL Cr in 5% HNO<sub>3</sub> [100ml bottle]

**Product Code(s)** 5190-8374

### Other means of identification

**Proper shipping name** Nitric acid mixture

**Chemical name**  
**Pure substance/mixture** Mixture

### Recommended use of the chemical and restrictions on use

**Recommended use** Reagents and Standards for Analytical Chemical Laboratory Use.

**Uses advised against** No information available.

**Chemicals of Security Concern** This product contains one or more substance(s) listed on the voluntary National Code of Practice for Chemicals of Security Concern.

### Details of manufacturer or importer

#### Supplier

Agilent Technologies Australia Pty Ltd  
679 Springvale Road  
Mulgrave  
Victoria 3170, Australia

1800 802 402

For further information, please contact

**Contact Point** Product Safety Department

**E-mail address** pdl-msds\_author@agilent.com

### Emergency telephone number

**Emergency telephone number** CHEMTREC®: +(61)-290372994

## Section 2: Hazard(s) identification

# SAFETY DATA SHEET

5190-8374 - Chromium Standard: 10000 µg/mL Cr in 5% HNO<sub>3</sub> [100ml bottle]

Revision date 24-Jul-2024

## GHS Classification

<b>Corrosive to metals</b>	Category 1
<b>Skin corrosion/irritation</b>	Category 1 Sub-category A
<b>Serious eye damage/eye irritation</b>	Category 1

## Label elements

Corrosion



## Signal word

DANGER

## Hazard statements

May be corrosive to metals.  
Causes severe skin burns and eye damage.

## Precautionary Statements - Prevention

Do not breathe dust/fume/gas/mist/vapours/spray.  
Wash face, hands and any exposed skin thoroughly after handling.  
Wear protective gloves/clothing and eye/face protection.  
Keep only in original packaging.

## Precautionary Statements - Response

Immediately call a POISONS INFORMATION CENTRE or doctor.  
Immediately call a POISONS INFORMATION CENTRE or doctor.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].  
Wash contaminated clothing before re-use.  
IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
Immediately call a POISONS INFORMATION CENTRE or doctor.  
IF SWALLOWED: Rinse mouth. DO NOT induce vomiting.  
Absorb spillage to prevent material damage.

## Precautionary Statements - Storage

Store in corrosion resistant container with a resistant inner liner.

## Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant.

## Other hazards which do not result in classification

No information available.

## Section 3: Composition/information on ingredients

Chemical name	CAS No.	Weight-%
---------------	---------	----------

# SAFETY DATA SHEET

5190-8374 - Chromium Standard: 10000 µg/mL Cr in 5%  
HNO<sub>3</sub> [100ml bottle]

Revision date 24-Jul-2024

Nitric Acid	7697-37-2	0 - 10%
Chromium (III) nitrate nonahydrate	7789-02-8	0 - 10%
Non-hazardous ingredients	Proprietary	Balance

## Additional information

The concentration of the acid stated in this SDS is calculated as an absolute mass concentration (%w/v). This is less than the acid concentration stated on the product label and COA, which reflects a percent value of the commercially available concentrated aqueous form of the acid.

## Section 4: First aid measures

### Description of first aid measures

<b>General advice</b>	Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.
<b>Emergency telephone number</b>	Poisons Information Centre, Australia: 13 11 26 Poisons Information Centre, New Zealand: 0800 764 766
<b>Inhalation</b>	Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary oedema may occur. Get immediate medical attention.
<b>Eye contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get immediate medical attention.
<b>Skin contact</b>	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get immediate medical attention.
<b>Ingestion</b>	Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Get immediate medical attention.
<b>Self-protection of the first aider</b>	Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8). Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation.

### Most important symptoms and effects, both acute and delayed

**Symptoms** Burning sensation.

### Indication of any immediate medical attention and special treatment needed

**Note to doctors** Product is a corrosive material. Use of gastric lavage or emesis is contra-indicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical

# SAFETY DATA SHEET

5190-8374 - Chromium Standard: 10000 µg/mL Cr in 5%  
HNO<sub>3</sub> [100ml bottle]

Revision date 24-Jul-2024

antidotes. Asphyxia from glottal oedema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure.

## Section 5: Firefighting measures

### Suitable Extinguishing Media

**Suitable extinguishing media** Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**Large Fire** CAUTION: Use of water spray when fighting fire may be inefficient.

**Unsuitable extinguishing media** Do not scatter spilled material with high pressure water streams.

### Specific hazards arising from the chemical

**Specific hazards arising from the chemical** The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapours.

### Special protective actions for firefighters

**Special protective equipment and precautions for fire-fighters** Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

**Hazchem code** 2R

## Section 6: Accidental release measures

### Personal precautions, protective equipment and emergency procedures

**Personal precautions** Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Attention! Corrosive material. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

**Other information** Refer to protective measures listed in Sections 7 and 8.

**For emergency responders** Use personal protection recommended in Section 8.

### Environmental precautions

**Environmental precautions** Prevent further leakage or spillage if safe to do so. Should not be released into the environment. Do not allow to enter into soil/subsoil. Prevent product from entering drains.

### Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

### Precautions to prevent secondary hazards

# SAFETY DATA SHEET

5190-8374 - Chromium Standard: 10000 µg/mL Cr in 5% HNO<sub>3</sub> [100ml bottle]

Revision date 24-Jul-2024

**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

## Section 7: Handling and storage, including how the chemical may be safely used

### Precautions for safe handling

#### Advice on safe handling

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before re-use.

#### General hygiene considerations

Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Wash hands before breaks and after work. Wear suitable gloves and eye/face protection. Regular cleaning of equipment, work area and clothing is recommended. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Wash hands before breaks and immediately after handling the product.

### Conditions for safe storage, including any incompatibilities

#### Storage Conditions

Please refer to the manufacturer's certificate for specific storage and transport temperature conditions. Store only in the original receptacle unless other advice is given on the CoA. Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from moisture. Store locked up. Keep out of the reach of children. Store away from other materials.

#### Incompatible materials

Oxidising agent. Acids. Bases.

## Section 8: Exposure controls and personal protection

### Control parameters

#### Exposure Limits

Chemical name	Australia	New Zealand	ACGIH TLV
Nitric Acid 7697-37-2	TWA: 2 ppm TWA: 5.2 mg/m <sup>3</sup> STEL: 4 ppm STEL: 10 mg/m <sup>3</sup>	TWA: 2 ppm TWA: 5.2 mg/m <sup>3</sup> STEL: 4 ppm STEL: 10 mg/m <sup>3</sup>	TWA: 2 ppm STEL: 4 ppm
Chromium (III) nitrate nonahydrate 7789-02-8	TWA: 0.5 mg/m <sup>3</sup>	TWA: 0.5 mg/m <sup>3</sup>	-

Chemical name	European Union	United Kingdom	Germany DFG
Nitric Acid 7697-37-2	-	STEL: 1 ppm STEL: 2.6 mg/m <sup>3</sup>	-
Chromium (III) nitrate nonahydrate	-	TWA: 0.5 mg/m <sup>3</sup>	-



# SAFETY DATA SHEET

5190-8374 - Chromium Standard: 10000 µg/mL Cr in 5%  
HNO<sub>3</sub> [100ml bottle]

Revision date 24-Jul-2024

7789-02-8		STEL: 1.5 mg/m <sup>3</sup>	
-----------	--	-----------------------------	--

**Biological occupational exposure limits** This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

## Appropriate engineering controls

**Engineering controls** Showers  
Eyewash stations  
Ventilation systems.

## Individual protection measures, such as personal protective equipment

**Eye/face protection** Avoid contact with eyes. Wear safety glasses with side shields (or goggles). Tight sealing safety goggles. Face protection shield.

**Skin and body protection** Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.

**Hand protection** Wear protective Neoprene™ gloves. The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374. Wear suitable gloves. Impervious gloves.

**Respiratory protection** Appropriate respiratory protection should be selected and used according to the chemical nature, hazards and use of this product and safety requirements of the local jurisdiction. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

**Environmental exposure controls** Do not allow into any sewer, on the ground or into any body of water.

**Thermal hazards** No information available.

## **Section 9: Physical and chemical properties**

### Information on basic physical and chemical properties

**Physical state** Liquid  
**Appearance** Liquid  
**Colour** colourless  
**Odour** Odourless.  
**Odour threshold** No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
<b>pH</b>	No data available	None known
<b>Melting point / freezing point</b>	No data available	None known
<b>Initial boiling point and boiling range</b>	No data available	None known
<b>Flash point</b>	No data available	None known
<b>Evaporation rate</b>	No data available	None known
<b>Flammability</b>	No data available	None known
<b>Flammability Limit in Air</b>		None known
<b>Upper flammability or explosive</b>	No data available	

# SAFETY DATA SHEET

5190-8374 - Chromium Standard: 10000 µg/mL Cr in 5% HNO<sub>3</sub> [100ml bottle]

Revision date 24-Jul-2024

<b>limits</b>		
<b>Lower flammability or explosive limits</b>	No data available	
<b>Vapour pressure</b>	No data available	None known
<b>Relative vapour density</b>	No data available	None known
<b>Relative density</b>	No data available	None known
<b>Water solubility</b>	No data available	None known
<b>Solubility(ies)</b>	No data available	None known
<b>Partition coefficient</b>	No data available	None known
<b>Auto-ignition temperature</b>	No data available	None known
<b>Decomposition temperature</b>	No data available	None known
<b>Kinematic viscosity</b>	No data available	None known
<b>Dynamic viscosity</b>	No data available	None known

Other information

<b>VOC content</b>	No information available
<b>Particle characteristics</b>	No information available

## Section 10: Stability and reactivity

Reactivity

<b>Reactivity</b>	No information available.
-------------------	---------------------------

Chemical stability

<b>Stability</b>	Stable under normal conditions.
------------------	---------------------------------

**Explosion data**

<b>Sensitivity to mechanical impact</b>	None.
<b>Sensitivity to static discharge</b>	None.

Possibility of hazardous reactions

<b>Possibility of hazardous reactions</b>	None under normal processing.
---	-------------------------------

Conditions to avoid

<b>Conditions to avoid</b>	Exposure to air or moisture over prolonged periods.
----------------------------	---

Incompatible materials

<b>Incompatible materials</b>	Oxidising agent. Acids. Bases.
-------------------------------	--------------------------------

Hazardous decomposition products

<b>Hazardous decomposition products</b>	None known based on information supplied.
---	---

# SAFETY DATA SHEET

5190-8374 - Chromium Standard: 10000 µg/mL Cr in 5% HNO<sub>3</sub> [100ml bottle]

Revision date 24-Jul-2024

## Section 11: Toxicological information

### Information on likely routes of exposure

#### Product Information

<b>Inhalation</b>	Specific test data for the substance or mixture is not available. Corrosive by inhalation. (based on components). Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary oedema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic oedema of the lungs. Pulmonary oedema can be fatal.
<b>Eye contact</b>	Specific test data for the substance or mixture is not available. Causes serious eye damage. (based on components). Corrosive to the eyes and may cause severe damage including blindness. May cause irreversible damage to eyes.
<b>Skin contact</b>	Specific test data for the substance or mixture is not available. Corrosive. (based on components). Causes burns.
<b>Ingestion</b>	Specific test data for the substance or mixture is not available. Causes burns. (based on components). Ingestion causes burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhoea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung damage if swallowed. May be fatal if swallowed and enters airways.

**Symptoms** Redness. Burning. May cause blindness. Coughing and/or wheezing.

### Acute toxicity

### Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document

<b>ATEmix (oral)</b>	99,999.00 mg/kg
<b>ATEmix (dermal)</b>	99,999.00 mg/kg
<b>ATEmix (inhalation-gas)</b>	99,999.00 ppm
<b>ATEmix (inhalation-vapour)</b>	44.20 mg/l
<b>ATEmix (inhalation-dust/mist)</b>	99,999.00 mg/l

### Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Nitric Acid	-	-	= 2500 ppm ( Rat ) 1 h ATE (vapours) = 2.65 mg/L
Chromium (III) nitrate nonahydrate	= 3250 mg/kg ( Rat )	-	-

See section 16 for terms and abbreviations



# SAFETY DATA SHEET

5190-8374 - Chromium Standard: 10000 µg/mL Cr in 5% HNO<sub>3</sub> [100ml bottle]

Revision date 24-Jul-2024

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

<b>Skin corrosion/irritation</b>	Classification based on data available for ingredients. Causes severe skin burns and eye damage.
<b>Serious eye damage/eye irritation</b>	Classification based on data available for ingredients. Causes serious eye damage. Causes burns.
<b>Respiratory or skin sensitisation</b>	No information available.
<b>Germ cell mutagenicity</b>	No information available.

## **Carcinogenicity**

The table below indicates whether each agency has listed any ingredient as a carcinogen.

### **Legend**

**IARC (International Agency for Research on Cancer)**  
Group 3 - Not Classifiable as to Carcinogenicity in Humans

<b>Reproductive toxicity</b>	No information available.
<b>STOT - single exposure</b>	No information available.
<b>STOT - repeated exposure</b>	No information available.
<b>Aspiration hazard</b>	No information available.

## **Section 12: Ecological information**

### Ecotoxicity

<b>Aquatic ecotoxicity</b>	The environmental impact of this product has not been fully investigated.
<b>Unknown aquatic toxicity</b>	0 % of the mixture consists of component(s) of unknown hazards to the aquatic environment.



# SAFETY DATA SHEET

5190-8374 - Chromium Standard: 10000 µg/mL Cr in 5% HNO<sub>3</sub> [100ml bottle]

Revision date 24-Jul-2024

**Terrestrial ecotoxicity** There is no data for this product.

### Persistence and degradability

**Persistence and degradability** No information available.

### Bioaccumulative potential

#### **Bioaccumulation**

#### **Component Information**

Chemical name	Partition coefficient
Nitric Acid	-2.3

### Mobility

**Mobility** No information available.

### Other adverse effects

**Other adverse effects** No information available.

**Endocrine Disruptor Information** This product does not contain any known or suspected endocrine disruptors.

Chemical name	EU - REACH (1907/2006) - Article 59(1) - Candidate List of Substances of Very High Concern (SVHC) for Authorisation	EU - REACH (1907/2006) - Endocrine Disruptor Assessment List of Substances
Nitric Acid	-	-
Chromium (III) nitrate nonahydrate	-	-

## Section 13: Disposal considerations

### Disposal methods

**Waste from residues/unused products** Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

**Contaminated packaging** Do not re-use empty containers.

See section 8 for more information

## Section 14: Transport information

### ADG

**UN number or ID number** UN2031  
**Proper shipping name** Nitric acid mixture  
**Transport hazard class(es)** 8



# SAFETY DATA SHEET

5190-8374 - Chromium Standard: 10000 µg/mL Cr in 5%  
HNO3 [100ml bottle]

Revision date 24-Jul-2024

**Packing group** II  
**Description** UN2031, Nitric acid mixture, 8, II  
**Limited quantity (LQ)** 1 L  
**Hazchem code** 2R

**IATA**  
**UN number or ID number** UN2031  
**UN proper shipping name** Nitric acid mixture  
**Transport hazard class(es)** 8  
**Packing group** II  
**ERG Code** 8L  
**Description** UN2031, Nitric acid mixture, 8, II

**IMDG** Not regulated  
**UN number or ID number** UN2031  
**UN proper shipping name** Nitric acid mixture  
**Transport hazard class(es)** 8  
**Packing group** II  
**EmS-No.** F-A, S-B  
**Marine pollutant** NP  
**Description** UN2031, Nitric acid mixture, 8, II

**Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**  
No information available

## Section 15: Regulatory information

### Safety, health and environmental regulations/legislation specific for the substance or mixture

#### National regulations

##### Australia

See section 8 for national exposure control parameters

##### **Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP)**

Classified as a scheduled poison according to the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP)

**Poison Schedule Number** 5

##### **Australian Industrial Chemicals Introduction Scheme (AICIS)**

Chemical name	Australian Industrial Chemicals Introduction Scheme (AICIS)	Additional information
Nitric Acid - 7697-37-2	Contact supplier for	-



# SAFETY DATA SHEET

5190-8374 - Chromium Standard: 10000 µg/mL Cr in 5%  
HNO<sub>3</sub> [100ml bottle]

Revision date 24-Jul-2024

Chemical name	Australian Industrial Chemicals Introduction Scheme (AICIS)	Additional information
	inventory compliance status Present	

### Illicit Drug Precursors/Reagents

This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

### Chemicals of Security Concern

This product contains one or more substance(s) listed on the voluntary National Code of Practice for Chemicals of Security Concern.

Chemical name	Chemicals of Security Concern	Additional information
Nitric Acid - 7697-37-2	Present High risk	Precursors to homemade explosives

### National pollutant inventory

Subject to reporting requirement

Chemical name	National pollutant inventory
Nitric Acid - 7697-37-2	10 tonne/yr Threshold category 1
Chromium (III) nitrate nonahydrate - 7789-02-8	10 tonne/yr Threshold category 1 2000 tonne/yr Threshold category 2b 60000 MWH Threshold category 2b 20 MW Threshold category 2b

### International Inventories

**AIC**  
**NZIoC**  
**TSCA**

Contact supplier for inventory compliance status.  
Contact supplier for inventory compliance status.  
LGC, to the best of its ability, has confirmed that the chemical substances in this product are listed as "Active" in the EPA (Environmental Protection Agency) "TSCA Inventory Notification (Active-Inactive) Requirements Rule" ("the Final Rule") of Feb 2019, as amended Feb 2021."

**DSL/NDL**  
**EINECS/ELINCS**  
**ENCS**  
**IECSC**  
**KECI**  
**PICCS**

Contact supplier for inventory compliance status.  
Contact supplier for inventory compliance status.  
Contact supplier for inventory compliance status.  
Contact supplier for inventory compliance status.  
Contact supplier for inventory compliance status.  
Contact supplier for inventory compliance status.

### Legend:

**AICS** - Australian Inventory of Chemical Substances  
**NZIoC** - New Zealand Inventory of Chemicals



# SAFETY DATA SHEET

5190-8374 - Chromium Standard: 10000 µg/mL Cr in 5%  
HNO<sub>3</sub> [100ml bottle]

Revision date 24-Jul-2024

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory  
**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List  
**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances  
**ENCS** - Japan Existing and New Chemical Substances  
**IECSC** - China Inventory of Existing Chemical Substances  
**KECL** - Korean Existing and Evaluated Chemical Substances  
**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

## International Regulations

**The Montreal Protocol on Substances that Deplete the Ozone Layer** Not applicable

**The Stockholm Convention on Persistent Organic Pollutants** Not applicable

**The Rotterdam Convention** Not applicable

## Section 16: Any other relevant information

Revision date 24-Jul-2024

### Revision Note

The symbol (\*) in the margin of this SDS indicates that this line has been revised.

### Key or legend to abbreviations and acronyms used in the safety data sheet

#### Legend

SVHC: Substances of Very High Concern for Authorisation:  
PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances  
vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances  
STOT: Specific Target Organ Toxicity  
ATE: Acute Toxicity Estimate  
LC50: 50% Lethal Concentration  
LD50: 50% Lethal Dose

#### Legend Section 8: Exposure controls/personal protection

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	Sk*	Skin designation
C	Carcinogen		

#### Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)  
U.S. Environmental Protection Agency ChemView Database  
European Food Safety Authority (EFSA)  
EPA (Environmental Protection Agency)  
Acute Exposure Guideline Level(s) (AEGl(s))  
U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act  
U.S. Environmental Protection Agency High Production Volume Chemicals



# SAFETY DATA SHEET

5190-8374 - Chromium Standard: 10000 µg/mL Cr in 5%  
HNO<sub>3</sub> [100ml bottle]

Revision date 24-Jul-2024

---

Food Research Journal  
Hazardous Substance Database  
International Uniform Chemical Information Database (IUCLID)  
National Institute of Technology and Evaluation (NITE)  
Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)  
Australian Industrial Chemicals Introduction Scheme (AICIS)  
NIOSH (National Institute for Occupational Safety and Health)  
National Library of Medicine's ChemID Plus (NLM CIP)  
National Library of Medicine's PubMed database (NLM PUBMED)  
National Toxicology Program (NTP)  
New Zealand's Chemical Classification and Information Database (CCID)  
Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications  
Organisation for Economic Co-operation and Development High Production Volume Chemicals Program  
Organisation for Economic Co-operation and Development Screening Information Data Set  
World Health Organization

## Disclaimer

The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

**End of Safety Data Sheet**