



## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 04.06.2015

Version number 1

Revision: 04.06.2015

Hazardous according to criteria of Australian Safety and Compensation Council

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Product name: **Potassium Standard: 10000 µg/mL K in 5% HNO<sub>3</sub> [100ml bottle]**

Part number: 5190-8432

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture Reference material for laboratory use only

#### Manufacturer/Supplier:

Agilent Technologies Australia Pty Ltd  
679 Springvale Road  
Mulgrave  
Victoria 3170, Australia

Tel: 1800 802 402

Further information obtainable from: e-mail: [pdl-msds\\_author@agilent.com](mailto:pdl-msds_author@agilent.com)

1.4 Emergency telephone number: CHEMTREC®: +(61) - 290372994

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008



flame over circle

Ox. Liq. 3 H272 May intensify fire; oxidiser.



corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC



C; Corrosive

R34: Causes burns.



Xi; Irritant

R41: Risk of serious damage to eyes.



O; Oxidising

R8: Contact with combustible material may cause fire.

#### Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

#### Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

#### 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)



## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 04.06.2015

Version number 1

Revision: 04.06.2015

**Product name: Potassium Standard: 10000 µg/mL K in 5% HNO<sub>3</sub> [100ml bottle]**

(Contd. from page 1)

· **Hazard pictograms**



GHS03 GHS05

· **Signal word** *Danger*

· **Hazard-determining components of labelling:**

Nitric acid

· **Hazard statements**

H272 *May intensify fire; oxidiser.*H314 *Causes severe skin burns and eye damage.*

· **Precautionary statements**

P221 *Take any precaution to avoid mixing with combustibles.*P280 *Wear protective gloves/protective clothing/eye protection/face protection.*P303+P361+P353 *IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.*P305+P351+P338 *IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.*P310 *Immediately call a POISON CENTER/doctor.*P405 *Store locked up.*P501 *Dispose of contents/container in accordance with local/regional/national/international regulations.*

· **Information concerning particular hazards for human and environment:**

· **Safety phrases:**

26 *In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.*36/37/39 *Wear suitable protective clothing, gloves and eye/face protection.*45 *In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).*60 *This material and its container must be disposed of as hazardous waste.*

· **2.3 Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

### SECTION 3: Composition/information on ingredients

· **3.2 Chemical characterisation: Mixtures**

· **Description:**

Aqueous solution.

Also contains substances at levels not considered to be hazardous.

· **Dangerous components:**

CAS: 7697-37-2	Nitric acid	C R35; O R8 Ox. Liq. 3, H272; Skin Corr. 1A, H314	< 10%
EINECS: 231-714-2			
RTECS: QU5775000			

· **Additional information:** For the wording of the listed risk phrases refer to section 16.

### SECTION 4: First aid measures

· **4.1 Description of first aid measures**

· **General information:** Immediately remove any clothing soiled by the product.

· **After inhalation:** In case of unconsciousness place patient in recovery position for transport.

(Contd. on page 3)



## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 04.06.2015

Version number 1

Revision: 04.06.2015

**Product name: Potassium Standard: 10000 µg/mL K in 5% HNO<sub>3</sub> [100ml bottle]**

(Contd. from page 2)

- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:**  
Rinse mouth. Do not induce vomiting.  
Drink plenty of water and provide fresh air. Call for a doctor immediately.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **5.2 Special hazards arising from the substance or mixture**  
Formation of toxic gases is possible during heating or in case of fire.
- **5.3 Advice for firefighters**
- **Protective equipment:** Wear self-contained respiratory protective device.

### SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment. Keep unprotected persons away.
- **6.2 Environmental precautions:**  
Dilute with plenty of water.  
Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**  
Use neutralising agent.  
Dispose of contaminated material as waste according to item 13.  
Ensure adequate ventilation.  
Absorb liquid components with liquid-binding material.  
DO NOT USE SAWDUST.
- **6.4 Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

### SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**  
Ensure good ventilation/extraction at the workplace.  
Store in cool, dry place in tightly closed receptacles.  
Prevent formation of aerosols.
- **Information about fire - and explosion protection:** Protect from heat.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**  
Store in a cool location.  
Please refer to the manufacturer's certificate for specific storage and transport temperature conditions.  
Store only in the original receptacle.  
Keep container in a well-ventilated place. Keep away from sources of ignition and heat.
- **Information about storage in one common storage facility:** Store away from foodstuffs.

(Contd. on page 4)

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 04.06.2015

Version number 1

Revision: 04.06.2015

**Product name: Potassium Standard: 10000 µg/mL K in 5% HNO<sub>3</sub> [100ml bottle]**

(Contd. from page 3)

- **Further information about storage conditions:**  
Keep container tightly sealed.  
Protect from heat and direct sunlight.
- **7.3 Specific end use(s)** No further relevant information available.

### SECTION 8: Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.

- **8.1 Control parameters**

- **Ingredients with limit values that require monitoring at the workplace:**

**7697-37-2 Nitric acid**

NES	Short-term value: 10 mg/m <sup>3</sup> , 4 ppm
	Long-term value: 5.2 mg/m <sup>3</sup> , 2 ppm

- **Additional information:** Lists used were valid at the time of SDS preparation.
- **8.2 Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing  
Wash hands before breaks and at the end of work.  
Avoid contact with the eyes.  
Avoid contact with the eyes and skin.
- **Respiratory protection:**  
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.
- **Protection of hands:**  
Chemical-resistant, impervious gloves with an approved standards should be worn at all times.  
The selection of the glove material is based on the penetration times, rates of diffusion and its degradation



Protective gloves

- **Material of gloves**

PVC gloves

Neoprene gloves

- **Penetration time of glove material**

The protection time of the gloves can not be accurately estimated for mixtures consisting of several substances

Refer to and observe manufacturers break through times of the protective gloves.

- **Eye protection:**



Tightly sealed goggles

AU

(Contd. on page 5)



## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 04.06.2015

Version number 1

Revision: 04.06.2015

**Product name: Potassium Standard: 10000 µg/mL K in 5% HNO<sub>3</sub> [100ml bottle]**

(Contd. from page 4)

### SECTION 9: Physical and chemical properties

#### · 9.1 Information on basic physical and chemical properties

##### · General Information

##### · Appearance:

· Form:	Liquid
· Colour:	Colourless
· Odour:	Odourless
· Odour threshold:	Not determined.

· pH-value at 20 °C: < 2

##### · Change in condition

· Melting point/Melting range:	Not determined.
· Boiling point/Boiling range:	100 °C

· Flash point: Not applicable.

· Flammability (solid, gaseous): Not determined.

##### · Ignition temperature:

· Decomposition temperature: Not determined.

· Self-igniting: Product is not selfigniting.

· Danger of explosion: Product does not present an explosion hazard.

##### · Explosion limits:

· Lower:	Not determined.
· Upper:	Not determined.

· Vapour pressure at 20 °C: 23 hPa

· Density at 20 °C:	1.02263 g/cm <sup>3</sup>
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.

· Solubility in / Miscibility with water: Fully miscible.

· Partition coefficient (n-octanol/water): Not determined.

##### · Viscosity:

· Dynamic:	Not determined.
· Kinematic:	Not determined.

· 9.2 Other information: No further relevant information available.

### SECTION 10: Stability and reactivity

· 10.1 Reactivity Stable under normal conditions.

· 10.2 Chemical stability Stable under normal conditions.

#### · Thermal decomposition / conditions to be avoided:

Formation of toxic gases is possible during heating or in case of fire.

· 10.3 Possibility of hazardous reactions No dangerous reactions known.

· 10.4 Conditions to avoid Heat.

· 10.5 Incompatible materials: Strong oxidizing agents.

(Contd. on page 6)



**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 04.06.2015

Version number 1

Revision: 04.06.2015

**Product name: Potassium Standard: 10000 µg/mL K in 5% HNO<sub>3</sub> [100ml bottle]**

(Contd. from page 5)

- **10.6 Hazardous decomposition products:**  
Formation of toxic gases is possible during heating or in case of fire.

**SECTION 11: Toxicological information**

- **11.1 Information on toxicological effects**
- **Acute toxicity:**

· **LD/LC50 values relevant for classification:**

**7697-37-2 Nitric acid**

Oral	LD0	430 mg/kg (Human)
Inhalative	LC50/4 h	130 mg/l (rat)

- **Primary irritant effect:**
- **on the skin:** Caustic effect on skin and mucous membranes.
- **on the eye:**  
Strong caustic effect.  
Strong irritant with the danger of severe eye injury.
- **Sensitisation:** No sensitising effects known.
- **Additional toxicological information:**  
The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:  
Corrosive  
Irritant  
Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

**SECTION 12: Ecological information**

- **12.1 Toxicity**

· **Aquatic toxicity:**

**7697-37-2 Nitric acid**

LC50/48	180 mg/l (crustacean)
---------	-----------------------

- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water  
Do not allow undiluted product to reach ground water, water course or sewage system.  
Must not reach sewage water or drainage ditch undiluted or unneutralised.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

**SECTION 13: Disposal considerations**

- **13.1 Waste treatment methods**
- **Recommendation**  
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 7)



## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 04.06.2015

Version number 1


Revision: 04.06.2015

**Product name: Potassium Standard: 10000 µg/mL K in 5% HNO<sub>3</sub> [100ml bottle]**

(Contd. from page 6)

- **European waste catalogue**  
Waste disposal key numbers from EWC have to be assigned depending on origin and processing.
- **Uncleaned packaging:**
- **Recommendation:** Dispose of in accordance with national regulations.
- **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

### SECTION 14: Transport information

- **14.1 UN-Number**  
· **ADG, IMDG, IATA** UN2031
- **ADG** 2031 NITRIC ACID solution
- **IMDG, IATA** NITRIC ACID solution
- **14.3 Transport hazard class(es)**  
· **ADG, IMDG, IATA**
- 
- **Class** 8 Corrosive substances.
- **Label** 8
- **14.4 Packing group**  
· **ADG, IMDG, IATA** II
- **14.5 Environmental hazards:**  
· **Marine pollutant:** No
- **14.6 Special precautions for user** Warning: Corrosive substances.
- **Danger code (Kemler):** 80
- **EMS Number:** F-A,S-B
- **Segregation groups** Acids
- **14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code** Not applicable.
- **Transport/Additional information:**
- **ADG**
- **Limited quantities (LQ)** 1L
- **Transport category** 2
- **Tunnel restriction code** E
- **UN "Model Regulation":** UN2031, NITRIC ACID solution, 8, II

### SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

- **Philippines Inventory of Chemicals and Chemical Substances**

All ingredients are listed.

- **Australian Inventory of Chemical Substances**

All ingredients are listed.

- **Standard for the Uniform Scheduling of Medicines and Poisons**

7697-37-2 Nitric acid

S5, S6

(Contd. on page 8)



## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 04.06.2015

Version number 1

Revision: 04.06.2015

**Product name: Potassium Standard: 10000 µg/mL K in 5% HNO<sub>3</sub> [100ml bottle]**

(Contd. from page 7)

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.**SECTION 16: Other information**

The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

· **Relevant phrases***H272 May intensify fire; oxidiser.**H314 Causes severe skin burns and eye damage.**R35 Causes severe burns.**R8 Contact with combustible material may cause fire.*· **Abbreviations and acronyms:***ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)**IMDG: International Maritime Code for Dangerous Goods**IATA: International Air Transport Association**GHS: Globally Harmonised System of Classification and Labelling of Chemicals**EINECS: European Inventory of Existing Commercial Chemical Substances**ELINCS: European List of Notified Chemical Substances**CAS: Chemical Abstracts Service (division of the American Chemical Society)**LC50: Lethal concentration, 50 percent**LD50: Lethal dose, 50 percent**Ox. Liq. 3: Oxidising Liquids, Hazard Category 3**Skin Corr. 1A: Skin corrosion/irritation, Hazard Category 1A**Skin Corr. 1B: Skin corrosion/irritation, Hazard Category 1B**Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1*· **Sources**

Tables 3.1 and 3.2 from Annex 6 of EC 1272/2008, EC 1907/2006, EH40/2005 as amended 2011, Registry of Toxic Effects of Chemical Substances (RTECS), The Dictionary of Substances and their Effects, 1st Edition, IUCLID.