

This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

Revision date 17-Apr-2024 Revision Number 1

1. Identification

Product identifier

Product Name | Iridium Standard: 1000 µg/mL Ir in 20% HCI [100ml bottle]

Other means of identification

Product Code(s) 5190-8469

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended use Reagents and Standards for Analytical Chemical Laboratory Use

Restrictions on useNot to be used for human or animal consumption

Details of the supplier of the safety data sheet

Supplier Address

Agilent Technologies, Inc. 5301 Stevens Creek Blvd Santa Clara, CA 95051, USA

800-227-9770

E-mail pdl-msds_author@agilent.com

Emergency telephone number

Emergency Telephone

CHEMTREC®: 1-800-424-9300

2. Hazard(s) identification

Classification

Classified according to OSHA.

Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1
Corrosive to metals	Category 1

Hazards not otherwise classified (HNOC)

AGHS / EN Page 1/13



This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

5190-8469 - Iridium Standard: 1000 $\mu g/mL$ Ir in 20% HCI [100ml bottle]

Revision date 17-Apr-2024

Not applicable

Label elements

Danger

Hazard statements

Classified according to OSHA.
Causes severe skin burns and eye damage

May be corrosive to metals



Precautionary Statements - Prevention

Do not breathe dusts or mists Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/clothing and eye/face protection Keep only in original packaging

Precautionary Statements - Response

Immediately call a POISON CENTER or doctor

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower

Wash contaminated clothing before reuse

IF INHALED: Remove person to fresh air and keep comfortable for breathing

Immediately call a POISON CENTER or doctor

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

Absorb spillage to prevent material damage

Precautionary Statements - Storage

Store in corrosion resistant container with a resistant inner liner

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other information

No information available.

3. Composition/information on ingredients

AGHS / EN Page 2/13



This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

5190-8469 - Iridium Standard: 1000 μg/mL Ir in 20%

Revision date 17-Apr-2024

HCI [100ml bottle]

Substance

Not applicable.

<u>Mixture</u>

Chemical nature

aqueous solution.

Chemical name	CAS No.	Weight-%	Trade secret
Hydrochloric acid	7647-01-0	5 - <10	*

4. First-aid measures

Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Inhalation Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical

attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur. Get immediate medical

attention.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open

while rinsing. Do not rub affected area. Get immediate medical attention.

Skin contactWash off immediately with soap and plenty of water while removing all contaminated clothes

and shoes. Get immediate medical attention.

Ingestion Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT induce

vomiting. Get immediate medical attention.

Self-protection of the first aider Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid direct contact with skin. Use

barrier to give mouth-to-mouth resuscitation.

Most important symptoms and effects, both acute and delayed

Symptoms Burning sensation.

AGHS / EN Page 3/13



This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

5190-8469 - Iridium Standard: 1000 μg/mL Ir in 20%

HCI [100ml bottle]

Revision date 17-Apr-2024

Indication of any immediate medical attention and special treatment needed

Note to physicians Product is a corrosive material. Use of gastric lavage or emesis is contraindicated.

Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood

pressure may occur with moist rales, frothy sputum, and high pulse pressure.

5. Fire-fighting measures

Suitable Extinguishing Media Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

CAUTION: Use of water spray when fighting fire may be inefficient. Large Fire

Do not scatter spilled material with high pressure water streams. Unsuitable extinguishing media

Specific hazards arising from the

chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition

can lead to release of irritating gases and vapors.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Use personal protection equipment.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal

protective equipment as required. Attention! Corrosive material. Evacuate personnel to safe

areas. Keep people away from and upwind of spill/leak.

Refer to protective measures listed in Sections 7 and 8. Other information

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

AGHS / EN Page 4/13



This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

5190-8469 - Iridium Standard: 1000 μg/mL Ir in 20%

HCI [100ml bottle]

Revision date 17-Apr-2024

7. Handling and storage

Precautions for safe handling

Advice on safe handling

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before

Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from moisture. Store locked up. Keep out of the reach of children. Store away from other materials. Please refer to the manufacturer's certificate for specific storage and transport temperature conditions. Store only in the original receptacle unless other advice is given on the CoA.

8. Exposure controls/personal protection

Control parameters

Exposure Limits

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Hydrochloric acid 7647-01-0	Ceiling: 2 ppm	(vacated) Ceiling: 5 ppm (vacated) Ceiling: 7 mg/m³ Ceiling: 5 ppm Ceiling: 7 mg/m³	IDLH: 50 ppm Ceiling: 5 ppm Ceiling: 7 mg/m³

Biological occupational exposure limits

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

AGHS / EN Page 5/13



This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

5190-8469 - Iridium Standard: 1000 μg/mL Ir in 20%

HCI [100ml bottle]

Revision date 17-Apr-2024

Tight sealing safety goggles. Face protection shield. Avoid contact with eyes. Wear safety Eye/face protection

glasses with side shields (or goggles).

Wear suitable gloves. Impervious gloves. Wear protective nitrile rubber gloves. The **Hand protection**

protective gloves to be used must comply with the specifications of EC Directive

89/686/EEC and the related standard EN374.

Skin and body protection Long sleeved clothing. Chemical resistant apron. Wear suitable protective clothing.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

Environmental exposure controls Do not allow into any sewer, on the ground or into any body of water.

General hygiene considerations Regular cleaning of equipment, work area and clothing is recommended. Remove and wash

contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Wash hands before breaks and after work. Wear

suitable gloves and eye/face protection.

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state Liquid **Appearance** Liquid Color colorless Odor Odorless

No information available **Odor threshold**

Property Values Remarks • Method

pН No data available None known Melting point / freezing point No data available None known Initial boiling point and boiling rangeNo data available None known Flash point No data available None known No data available **Evaporation rate** None known **Flammability** No data available None known None known

Flammability Limit in Air

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

No data available None known Vapor pressure Relative vapor density No data available None known Relative density No data available None known

AGHS / EN Page 6/13



This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

5190-8469 - Iridium Standard: 1000 μg/mL Ir in 20%

HCI [100ml bottle]

Revision date 17-Apr-2024

Water solubility	No data available	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature		None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known

Other information

Explosive properties
Oxidizing properties
No information available
VOC content
No information available
Liquid Density
No information available
Bulk density
No information available

10. Stability and reactivity

Reactivity No information available.

Chemical stability Stable under normal conditions.

Possibility of hazardous reactions None under normal processing.

Conditions to avoid Exposure to air or moisture over prolonged periods.

Incompatible materials Oxidizing agent. Acids. Bases.

Hazardous decomposition products None known based on information supplied.

11. Toxicological information

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available. Corrosive by inhalation.

(based on components). Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs.

Pulmonary edema can be fatal.

Eye contact Specific test data for the substance or mixture is not available. Causes serious eye damage.

AGHS / EN Page 7/13



This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

5190-8469 - Iridium Standard: 1000 μg/mL Ir in 20%

HCI [100ml bottle]

Revision date 17-Apr-2024

(based on components). Corrosive to the eyes and may cause severe damage including

blindness. May cause irreversible damage to eyes.

Skin contact Specific test data for the substance or mixture is not available. Corrosive. (based on

components). Causes burns.

Ingestion Specific test data for the substance or mixture is not available. Causes burns. (based on

components). Ingestion causes burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung

damage if swallowed. May be fatal if swallowed and enters airways.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Redness. Burning. May cause blindness. Coughing and/ or wheezing.

Acute toxicity

Numerical measures of toxicity

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Hydrochloric acid 7647-01-0	238 - 277 mg/kg (Rat)	> 5010 mg/kg (Rabbit)	= 1.68 mg/L (Rat)1 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Classification based on data available for ingredients. Causes burns.

Serious eye damage/eye irritation Classification based on data available for ingredients. Risk of serious damage to eyes.

Causes burns.

Respiratory or skin sensitization No information available.

Germ cell mutagenicity No information available.

Carcinogenicity No information available.

AGHS / EN Page 8/13



This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

5190-8469 - $\,$ Iridium Standard: 1000 µg/mL Ir in 20%

Revision date 17-Apr-2024

HCI [100ml bottle]

Reproductive toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposureNo information available.

Aspiration hazard No information available.

Other adverse effects No information available.

Interactive effects No information available.

12. Ecological information

Ecotoxicity The environmental impact of this product has not been fully investigated.

Persistence and degradability No information available.

Bioaccumulation There is no data for this product.

Other adverse effects No information available.

13. Disposal considerations

Disposal methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

14. Transport information

AGHS / EN Page 9/13



This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

5190-8469 - Iridium Standard: 1000 μ g/mL Ir in 20% HCI [100ml bottle]

Revision date 17-Apr-2024

DOT

UN number or ID number UN1789

Extended proper shipping name Hydrochloric acid solution

Transport hazard class(es) 8
Packing group | |

Special Provisions 386, A3, B3, B15, B133, IB2, N41, T8, TP2

DOT Marine Pollutant NF

Description UN1789, Hydrochloric acid solution, 8, II

Emergency Response Guide 157

Number

TDG

UN number or ID number UN1789

UN proper shipping name Hydrochloric acid solution

Transport hazard class(es) 8
Packing group II
Marine pollutant NP

Description UN1789, Hydrochloric acid solution, 8, II

MEX

UN number or ID number UN1789

UN proper shipping name Hydrochloric acid solution

Transport hazard class(es) 8
Packing group | |

Description UN1789, Hydrochloric acid solution, 8, II

IATA

UN number or ID number UN1789

UN proper shipping name Hydrochloric acid solution

Transport hazard class(es) 8
Packing group | |

Description UN1789, Hydrochloric acid solution, 8, II

Special Provisions A3, A803 ERG Code 8L

<u>IMDG</u>

UN number or ID number UN1789

UN proper shipping name Hydrochloric acid solution

Transport hazard class(es)

Packing group

EmS-No.

F-A, S-B

Marine pollutant

NP

Description UN1789, Hydrochloric acid solution, 8, II

15. Regulatory information

AGHS / EN Page 10/13



This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

5190-8469 - Iridium Standard: 1000 μ g/mL Ir in 20% HCI [100ml bottle]

Revision date 17-Apr-2024

International Inventories

TSCA

LGC has not confirmed that the chemical substances in this product are on the TSCA Inventory, and LGC is distributing this product solely for use either in applications statutorily exempt from TSCA and regulated under other laws (e.g., FFDCA, FIFRA) or in research and development activities in accordance with the TSCA Inventory R&D exemption provided at 40 CFR 720.36. It is the end-user's responsibility to understand and follow the requirements that apply to its use of this product.

Chemical name	CAS No.	Inventory Listing Status	Commercial Activity Designation
Hydrochloric acid	7647-01-0	Present	Active

^{*}Contact supplier for details. One or more substances in this product are either not listed on the US TSCA inventory, listed on the confidential US TSCA inventory or are otherwise exempted from inventory listing requirements

DSL/NDSL
Contact supplier for inventory compliance status.

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values %
Hydrochloric acid - 7647-01-0	1.0

AGHS / EN Page 11/13



This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

5190-8469 - $\,$ Iridium Standard: 1000 $\mu g/mL$ Ir in 20%

HCI [100ml bottle]

Revision date 17-Apr-2024

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Hydrochloric acid 7647-01-0	5000 lb	-	-	Х

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	Reportable Quantity (RQ)
Hydrochloric acid 7647-01-0	5000 lb	5000 lb	RQ 5000 lb final RQ RQ 2270 kg final RQ

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Water	-	-	X
7732-18-5			
Hydrochloric acid	X	X	X
7647-01-0			

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information

AGHS / EN Page 12/13



This safety data sheet was created pursuant to the requirements of: OSHA HCS2012

5190-8469 - $\,$ Iridium Standard: 1000 $\mu g/mL$ Ir in 20%

Revision date 17-Apr-2024

HCI [100ml bottle]

NFPAHealth hazards3Flammability0Instability0Special hazards-HMISHealth hazards3Flammability0Physical hazards0Personal protectionX

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: Exposure controls/personal protection

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value Sk* Skin designation

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA) EPA (Environmental Protection Agency) Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Revision date 17-Apr-2024

Revision NoteNo information available.

Disclaimer

The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

End of Safety Data Sheet

AGHS / EN Page 13/13