

Page 1/10

Safety Data Sheet acc. to OSHA HCS

Printing date 04/20/2021

Reviewed on 04/20/2021

1 Identification

· Product identifier

· Product name: Lead Standard: 1000 µg/mL Pb in 5% HNO3 [100ml bottle]


- · Part number: 5190-8475
- · Application of the substance / the mixture Reagents and Standards for Analytical Chemical Laboratory Use
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Agilent Technologies, Inc. 5301 Stevens Creek Blvd Santa Clara, CA 95051, USA

Tel: 800-227-9770

• Information department: e-mail: pdl-msds_author@agilent.com • Emergency telephone number: CHEMTREC®: 1-800-424-9300

2 Hazard(s) identification

· Classification of the substance or mixture



Carc. 2H351 Suspected of causing cancer.Repr. 1AH360 May damage fertility or the unborn child.

GHS05 Corrosion

Met. Corr.1 H290 May be corrosive to metals. Eye Dam. 1 H318 Causes serious eye damage.

GHS07

Skin Irrit. 2 H315 Causes skin irritation.

· Label elements

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

• Hazard pictograms



· Signal word Danger

- Hazard-determining components of labeling: nitric acid Lead
- *Hazard statements* H290 May be corrosive to metals.

(Contd. on page 2)

US



Page 2/10

Safety Data Sheet

acc. to OSHA HCS

Printing date 04/20/2021

Reviewed on 04/20/2021

Product name: Lead Standard: 1000 µg/mL Pb in 5% HNO3 [100ml bottle]

(Contd. of page 1) H315 Causes skin irritation. H318 Causes serious eye damage. H351 Suspected of causing cancer. H360 May damage fertility or the unborn child. · Precautionary statements Wear protective gloves/protective clothing/eye protection/face protection. P280 P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a poison center/doctor. P321 Specific treatment (see on this label). P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: · NFPA ratings (scale 0 - 4) Health = 3Fire = 0Reactivity = 0· HMIS-ratings (scale 0 - 4) HEALTH 3 Health = 3FIRE 0 Fire = 0**REACTIVITY O** Reactivity = 0· Other hazards · Results of PBT and vPvB assessment · **PBT:** Not applicable. · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Aqueous solution.

· Dangerous components: CAS: 7697-37-2 <5% nitric acid RTECS: QU5775000 🚸 Ox. Liq. 3, H272; 🛞 Acute Tox. 3, H331; 谷 Met. Corr.1, H290; Skin Corr. 1A, H314 CAS: 7439-92-1 Lead <0.25% RTECS: OF 7525000 🚯 Carc. 2, H351; Repr. 1A, H360; STOT RE 1, H372; 🚯 Aquatic Acute 1, H400; Aquatic Chronic 1, H410 · Additional information:

The concentration of the acid stated in this SDS is calculated as an absolute mass concentration (%w/v). This is less than the acid concentration stated on the product label and COA, which reflects a percent value of the commercially available concentrated aqueous form of the acid.

(Contd. on page 3)

US



Page 3/10

Safety Data Sheet

acc. to OSHA HCS

Printing date 04/20/2021

Reviewed on 04/20/2021

Product name: Lead Standard: 1000 µg/mL Pb in 5% HNO3 [100ml bottle]

(Contd. of page 2)

4 First-aid measures

· Description of first aid measures

· General information: Immediately remove any clothing soiled by the product.

• After inhalation: Supply fresh air; consult doctor in case of complaints.

- After skin contact:
- Immediately wash with water and soap and rinse thoroughly.
- If skin irritation continues, consult a doctor.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Rinse mouth. Do not induce vomiting.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.

 \cdot Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire.
- · Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

6 Accidental release measures

-	tions, protective equipment and emergency procedures	
	equipment. Keep unprotected persons away.	
 Environmental p 	precautions:	
Dilute with plent	y of water.	
Do not allow to e	enter sewers/ surface or ground water.	
• Methods and ma	terial for containment and cleaning up:	
Use neutralizing	agent.	
Dispose contami	nated material as waste according to item 13.	
	mponents with liquid-binding material.	
DO NOT USE SA	WDUST.	
· Reference to oth	er sections	
See Section 7 for	information on safe handling.	
See Section 8 for	information on personal protection equipment.	
See Section 13 fo	or disposal information.	
· Protective Action	n Criteria for Chemicals	
· PAC-1:		
CAS: 7697-37-2	nitric acid	0.16 ppm
CAS: 7439-92-1	Lead	0.15 mg/m ³
· PAC-2:		
CAS: 7697-37-2	nitric acid	24 ppm
CAS: 7439-92-1	Lead	120 mg/m ³
		(Contd. on page 4)



Page 4/10

Safety Data Sheet

acc. to OSHA HCS

Printing date 04/20/2021

Reviewed on 04/20/2021

Product name: Lead Standard: 1000 µg/mL Pb in 5% HNO3 [100ml bottle]

	(Contd. of page 3)
· PAC-3:	
CAS: 7697-37-2 nitric acid	92 ppm
CAS: 7439-92-1 Lead	700 mg/m ³

7 Handling and storage

· Handling:

• *Precautions for safe handling* Store in cool, dry place in tightly closed receptacles. Open and handle receptacle with care.

· Information about protection against explosions and fires: Keep respiratory protective device available.

· Conditions for safe storage, including any incompatibilities

· Storage:

• *Requirements to be met by storerooms and receptacles: Please refer to the manufacturers certificate for specific storage and transport temperature conditions. Store only in the original receptacle unless other advice is given on the CoA.*

Keep container in a well-ventilated place. Keep away from sources of ignition and heat.

- Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:
CAS: 7697-37-2 nitric acid
PEL Long-term value: 5 mg/m ³ , 2 ppm
REL Short-term value: 10 mg/m ³ , 4 ppm
Long-term value: 5 mg/m ³ , 2 ppm
TLV Short-term value: 10 mg/m ³ , 4 ppm
Long-term value: 5.2 mg/m ³ , 2 ppm
• Additional information: The lists that were valid during the creation were used as basis.
· Exposure controls
· Personal protective equipment:
· General protective and hygienic measures:
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
Store protective clothing separately.
Avoid contact with the skin.
Avoid contact with the eyes and skin.
• Breathing equipment: Not required.
· Protection of hands:
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
(Contd. on page 5)



Page 5/10

US

Safety Data Sheet acc. to OSHA HCS

Printing date 04/20/2021

Reviewed on 04/20/2021

Product name: Lead Standard: 1000 µg/mL Pb in 5% HNO3 [100ml bottle]

(Contd. of page 4) Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374



Protective gloves

- *Material of gloves* PVC gloves Neoprene gloves
- Penetration time of glove material
- The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- Eye protection:



Tightly sealed goggles

Information on basic physical and c General Information	hemical properties	
Appearance:		
Form:	Liquid	
Color:	Colorless	
Odor:	Odorless	
Odor threshold:	Not determined.	
pH-value:	<2	
Change in condition		
Melting point/Melting range:	0 °C (32 °F)	
Boiling point/Boiling range:	100 °C (212 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not determined.	
Ignition temperature:	Not determined	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Not determined.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	



Page 6/10

Safety Data Sheet acc. to OSHA HCS

Printing date 04/20/2021

Reviewed on 04/20/2021

Product name: Lead Standard: 1000 µg/mL Pb in 5% HNO3 [100ml bottle]

		(Contd. of page 5)
· Density at 20 °C (68 °F):	1.03298 g/cm ³ (8.62022 lbs/gal)	
· Relative density	Not determined.	
· Vapor density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Fully miscible.	
· Partition coefficient (n-octanol/	vater): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
• Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity

Stable under normal conditions.

No further relevant information available.

- · Chemical stability Stable under normal conditions.
- Thermal decomposition / conditions to be avoided: Formation of toxic gases is possible during heating or in case of fire.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid Heat.
- Incompatible materials:
- Strong oxidizing agents.

Metals.

· Hazardous decomposition products: Formation of toxic gases is possible during heating or in case of fire.

11 Toxicological information

· Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

CAS: 7697-37-2 nitric acid

Inhalative LC50/4 h 2.65 mg/l (rat)

· Primary irritant effect:

 \cdot on the skin: Irritant to skin and mucous membranes.

- \cdot on the eye: Strong irritant with the danger of severe eye injury.
- \cdot Sensitization: Based on available data, the classification criteria are not met.

• Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

(Contd. on page 7)

US



Page 7/10

(Contd. of page 6)

2B

R

Safety Data Sheet

acc. to OSHA HCS

Printing date 04/20/2021

Reviewed on 04/20/2021

Product name: Lead Standard: 1000 µg/mL Pb in 5% HNO3 [100ml bottle]

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

CAS: 7439-92-1 Lead

·NTP (National Toxicology Program)

CAS: 7439-92-1 Lead

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

· Aquatic toxicity:

CAS: 7697-37-2 nitric acid

LC50/48 180 mg/l (crustacean)

· Persistence and degradability No further relevant information available.

· Behavior in environmental systems:

· Bioaccumulative potential No further relevant information available.

 \cdot **Mobility in soil** No further relevant information available.

- Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

· Other adverse effects No further relevant information available.

13 Disposal considerations

- Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- *Recommendation: Dispose in accordance with national regulations.*
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information	
· UN-Number · DOT, ADR, IMDG, IATA · DOT	UN3264 Corrosive liquid, acidic, inorganic, n.o.s. (Nitric acid)

(Contd. on page 8)



Page 8/10

Safety Data Sheet acc. to OSHA HCS

Printing date 04/20/2021

Reviewed on 04/20/2021

Product name: Lead Standard: 1000 µg/mL Pb in 5% HNO3 [100ml bottle]

	(Contd. of page	
ADR	3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O., (NITRIC ACID)	
IMDG, IATA	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O. (NITRIC ACID)	
Transport hazard class(es)		
DOT		
CORROSVE		
Class	8 Corrosive substances	
Label	8	
ADR, IMDG, IATA		
a a a a a a a a a a a a a a a a a a a		
Class	8 Corrosive substances	
Label	8	
Packing group DOT, ADR, IMDG, IATA	III	
Environmental hazards:	Not applicable.	
Special precautions for user	Warning: Corrosive substances	
Hazard identification number (Kemler code)		
EMS Number:	F-A,S-B	
Segregation groups	Acids	
Stowage Category		
Stowage Code	SW2 Clear of living quarters.	
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.	
Transport/Additional information:		
ADR		
Excepted quantities (EQ)	Code: E1	
	Maximum net quantity per inner packaging: 30 ml	
	Maximum net quantity per outer packaging: 1000 ml	
UN "Model Regulation":	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC	
0	N.O.S. (NITRIC ACID), 8, III	

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

(Contd. on page 9)

US



Page 9/10

Safety Data Sheet acc. to OSHA HCS

Printing date 04/20/2021

Reviewed on 04/20/2021

Product name: Lead Standard: 1000 µg/mL Pb in 5% HNO3 [100ml bottle]

Sara		(Contd. of page
	emely hazardous substances):	
CAS: 7697-37-2	•	
Section 313 (Spe	cific toxic chemical listings):	
CAS: 7697-37-2		
CAS: 7439-92-1		
TSCA (Toxic Su	bstances Control Act):	
,	ave the value ACTIVE.	
Hazardous Air H		
CAS: 7439-92-1		
Proposition 65		
Chemicals know	n to cause cancer:	
CAS: 7439-92-1	Lead	
Chemicals know	n to cause reproductive toxicity for females:	
CAS: 7439-92-1	Lead	
Chemicals know	n to cause reproductive toxicity for males:	
CAS: 7439-92-1	Lead	
Chemicals know	n to cause developmental toxicity:	
CAS: 7439-92-1		
Carcinogenic ca	enories	
-	ental Protection Agency)	
CAS: 7439-92-1		В
TLV (Threshold		
CAS: 7439-92-1	·	A
	onal Institute for Occupational Safety and Health)	
None of the ingr		
Hazard pictogra		
Signal word Dar	ger	
Hazard-determin nitric acid Lead Hazard statemen H290 May be co H315 Causes ski H318 Causes ser	rosive to metals. 1 irritation.	

H360 May damage fertility or the unborn child.

(Contd. on page 10)

US



Page 10/10

Safety Data Sheet acc. to OSHA HCS

Printing date 04/20/2021

Reviewed on 04/20/2021

Product name: Lead Standard: 1000 µg/mL Pb in 5% HNO3 [100ml bottle]

· Precautionary statements

(Contd. of page 9)

P280Wear protective gloves/protective clothing/eye protection/face protection.P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if
present and easy to do. Continue rinsing.P310Immediately call a poison center/doctor.P321Specific treatment (see on this label).P405Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

· Contact:

- · Date of preparation / last revision 04/20/2021 / -
- Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Ox. Liq. 3: Oxidizing liquids – Category 3 Met. Corr.1: Corrosive to metals - Category 1 Acute Tox. 3: Acute toxicity - Category 3 Skin Corr. 1A: Skin corrosion/irritation - Category 1A Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eve Dam. 1: Serious eve damage/eve irritation - Category 1 Carc. 2: Carcinogenicity - Category 2 Repr. 1A: Reproductive toxicity - Category 1A STOT RE 1: Specific target organ toxicity (repeated exposure) - Category 1 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1 · Sources Tables 3.1 and 3.2 from Annex 6 of EC 1272/2008, EC 1907/2006, EH40/2005 as amended 2011, Registry of Toxic Effects of Chemical Substances (RTECS), The Dictionary of Substances and their Effects, 1st Edition, IUCLID.

• Data compared to the previous version altered. All sections have been updated.