



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
OSHA HCS2012

Revision date 16-Apr-2024

Revision Number 1.01

## 1. Identification

### Product identifier

**Product Name** Lithium Standard: 1000 µg/mL Li in 5% HNO<sub>3</sub> [100ml bottle]

### Other means of identification

**Product Code(s)** 5190-8477

**Synonyms** None

### Recommended use of the chemical and restrictions on use

**Recommended use** Reagents and Standards for Analytical Chemical Laboratory Use

**Restrictions on use** Not to be used for human or animal consumption

### Details of the supplier of the safety data sheet

#### Supplier Address

Agilent Technologies, Inc.  
5301 Stevens Creek Blvd  
Santa Clara, CA 95051, USA

800-227-9770

**E-mail** pdl-msds\_author@agilent.com

### Emergency telephone number

**Emergency Telephone**  
CHEMTREC®: 1-800-424-9300

## 2. Hazard(s) identification

### Classification

Classified according to OSHA.

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1
Corrosive to metals	Category 1

### Hazards not otherwise classified (HNOC)



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
OSHA HCS2012

**5190-8477 - Lithium Standard: 1000 µg/mL Li in 5%  
HNO<sub>3</sub> [100ml bottle]**

**Revision date** 16-Apr-2024

Not applicable

## Label elements

**Danger**

### Hazard statements

Classified according to OSHA.  
Causes skin irritation  
Causes serious eye damage  
May be corrosive to metals



### **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling  
Keep only in original packaging  
Wear protective gloves/eye protection/face protection

### **Precautionary Statements - Response**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
Immediately call a POISON CENTER or doctor  
IF ON SKIN: Wash with plenty of water and soap  
If skin irritation occurs: Get medical advice/attention  
Take off contaminated clothing and wash it before reuse  
Absorb spillage to prevent material damage

### **Precautionary Statements - Storage**

Store in corrosion resistant container with a resistant inner liner

### Other information

No information available.

## **3. Composition/information on ingredients**

### Substance

Not applicable.



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
OSHA HCS2012

5190-8477 - Lithium Standard: 1000 µg/mL Li in 5%  
HNO<sub>3</sub> [100ml bottle]

Revision date 16-Apr-2024

## Mixture

Chemical nature aqueous solution.

Chemical name	CAS No.	Weight-%	Trade secret
Nitric Acid	7697-37-2	3 - <5	*

## **Additional information**

The concentration of the acid stated in this SDS is calculated as an absolute mass concentration (%w/v). This is less than the acid concentration stated on the product label and COA, which reflects a percent value of the commercially available concentrated aqueous form of the acid.

## **4. First-aid measures**

### Description of first aid measures

General advice	Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.
Inhalation	Remove to fresh air. Get medical attention immediately if symptoms occur.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get immediate medical attention.
Skin contact	Wash off immediately with soap and plenty of water for at least 15 minutes. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a physician.
Self-protection of the first aider	Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

### Most important symptoms and effects, both acute and delayed

Symptoms Burning sensation.

### Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

## **5. Fire-fighting measures**



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
OSHA HCS2012

5190-8477 - Lithium Standard: 1000 µg/mL Li in 5%  
HNO<sub>3</sub> [100ml bottle]

Revision date 16-Apr-2024

<b>Suitable Extinguishing Media</b>	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
<b>Large Fire</b>	CAUTION: Use of water spray when fighting fire may be inefficient.
<b>Unsuitable extinguishing media</b>	Do not scatter spilled material with high pressure water streams.
<b>Specific hazards arising from the chemical</b>	No information available.
<b>Explosion data</b>	
<b>Sensitivity to mechanical impact</b>	None.
<b>Sensitivity to static discharge</b>	None.
<b>Special protective equipment and precautions for fire-fighters</b>	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

## 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

<b>Personal precautions</b>	Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required.
<b>Other information</b>	Refer to protective measures listed in Sections 7 and 8.

### Methods and material for containment and cleaning up

<b>Methods for containment</b>	Prevent further leakage or spillage if safe to do so.
<b>Methods for cleaning up</b>	Pick up and transfer to properly labeled containers.

## 7. Handling and storage

### Precautions for safe handling

<b>Advice on safe handling</b>	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.
--------------------------------	---

### Conditions for safe storage, including any incompatibilities

# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
OSHA HCS2012

**5190-8477 - Lithium Standard: 1000 µg/mL Li in 5%  
HNO<sub>3</sub> [100ml bottle]**

**Revision date** 16-Apr-2024

## Storage Conditions

Please refer to the manufacturer's certificate for specific storage and transport temperature conditions. Store only in the original receptacle unless other advice is given on the CoA. Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from moisture. Store locked up. Keep out of the reach of children. Store away from other materials.

## 8. Exposure controls/personal protection

### Control parameters

#### Exposure Limits

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Nitric Acid 7697-37-2	TWA: 2 ppm STEL: 4 ppm	TWA: 2 ppm TWA: 5 mg/m <sup>3</sup> (vacated) TWA: 2 ppm (vacated) TWA: 5 mg/m <sup>3</sup> (vacated) STEL: 4 ppm (vacated) STEL: 10 mg/m <sup>3</sup>	IDLH: 25 ppm TWA: 2 ppm TWA: 5 mg/m <sup>3</sup> STEL: 4 ppm STEL: 10 mg/m <sup>3</sup>

### Biological occupational exposure limits

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

### Appropriate engineering controls

#### Engineering controls

Showers  
Eyewash stations  
Ventilation systems.

### Individual protection measures, such as personal protective equipment

#### Eye/face protection

Avoid contact with eyes. Wear safety glasses with side shields (or goggles). Tight sealing safety goggles.

#### Hand protection

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374. Wear protective Neoprene™ gloves. Wear suitable gloves. Impervious gloves.

#### Skin and body protection

Wear suitable protective clothing. Long sleeved clothing.

#### Respiratory protection

No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
OSHA HCS2012

5190-8477 - Lithium Standard: 1000 µg/mL Li in 5%  
HNO<sub>3</sub> [100ml bottle]

Revision date 16-Apr-2024

Environmental exposure controls	Do not allow into any sewer, on the ground or into any body of water.
General hygiene considerations	Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Wash hands before breaks and after work. Wear suitable gloves and eye/face protection. Regular cleaning of equipment, work area and clothing is recommended.

## 9. Physical and chemical properties

### Information on basic physical and chemical properties

Physical state	Liquid
Appearance	Liquid
Color	colorless
Odor	Odorless
Odor threshold	No information available

Property	Values	Remarks • Method
pH	No data available	None known
Melting point / freezing point	No data available	None known
Initial boiling point and boiling range	No data available	None known
Flash point	No data available	None known
Evaporation rate	No data available	None known
Flammability	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Vapor pressure	No data available	None known
Relative vapor density	No data available	None known
Relative density	No data available	None known
Water solubility	No data available	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature		None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known

### Other information

Explosive properties	No information available
Oxidizing properties	No information available
Softening point	No information available
Molecular weight	No information available
VOC content	No information available
Liquid Density	No information available



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
OSHA HCS2012

5190-8477 - Lithium Standard: 1000 µg/mL Li in 5%  
HNO<sub>3</sub> [100ml bottle]

Revision date 16-Apr-2024

Bulk density No information available

## 10. Stability and reactivity

Reactivity No information available.

Chemical stability Stable under normal conditions.

Possibility of hazardous reactions None under normal processing.

Conditions to avoid Exposure to air or moisture over prolonged periods.

Incompatible materials Oxidizing agent. Strong acids. Strong bases.

Hazardous decomposition products None known based on information supplied.

## 11. Toxicological information

### Information on likely routes of exposure

#### Product Information

Inhalation Specific test data for the substance or mixture is not available.

Eye contact Specific test data for the substance or mixture is not available. Causes serious eye damage. May cause irreversible damage to eyes.

Skin contact Specific test data for the substance or mixture is not available. Causes skin irritation. (based on components).

Ingestion Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

### Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Redness. Burning. May cause blindness. May cause redness and tearing of the eyes.

### Acute toxicity

#### Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 99,999.00 mg/kg  
ATEmix (dermal) 99,999.00 mg/kg



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
OSHA HCS2012

5190-8477 - Lithium Standard: 1000 µg/mL Li in 5%  
HNO<sub>3</sub> [100ml bottle]

Revision date 16-Apr-2024

ATEmix (inhalation-gas) 99,999.00 ppm  
ATEmix (inhalation-dust/mist) 99,999.00 mg/l  
ATEmix (inhalation-vapor) 58.90 mg/l

## Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Nitric Acid 7697-37-2	-	-	= 2500 ppm ( Rat ) 1 h ATE (vapours) = 2.65 mg/L

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Classification based on data available for ingredients. Causes skin irritation.
Serious eye damage/eye irritation	Classification based on data available for ingredients. Causes burns. Causes serious eye damage.
Respiratory or skin sensitization	No information available.
Germ cell mutagenicity	No information available.
Carcinogenicity	No information available.
Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Target organ effects	Respiratory system, Eyes, Skin, Teeth.
Aspiration hazard	No information available.
Other adverse effects	No information available.
Interactive effects	No information available.





# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
OSHA HCS2012

5190-8477 - Lithium Standard: 1000 µg/mL Li in 5%  
HNO<sub>3</sub> [100ml bottle]

Revision date 16-Apr-2024

## 12. Ecological information

Ecotoxicity

Persistence and degradability No information available.

Bioaccumulation There is no data for this product.

### Component Information

Chemical name	Partition coefficient
Nitric Acid 7697-37-2	-2.3

Other adverse effects No information available.

## 13. Disposal considerations

### Disposal methods

Waste from residues/unused products Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Do not reuse empty containers.

California Hazardous Waste Status This product contains one or more substances that are listed with the State of California as a hazardous waste.

## 14. Transport information

### DOT

UN number or ID number UN3264  
Extended proper shipping name Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid)  
Transport hazard class(es) 8  
Packing group III  
Reportable Quantity (RQ) (Nitric Acid: RQ (kg)= 454.00) Nitric Acid: RQ (lb)= 1000.00  
Reportable quantity (kg) Nitric Acid: RQ (kg)= 10089.00  
(calculated)  
Reportable quantity (lbs) Nitric Acid: RQ (lb)= 22222.00  
(calculated)



## SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
OSHA HCS2012

**5190-8477 - Lithium Standard: 1000 µg/mL Li in 5%  
HNO<sub>3</sub> [100ml bottle]**

**Revision date** 16-Apr-2024

<b>Special Provisions</b>	IB3, T7, TP1, TP28
<b>DOT Marine Pollutant</b>	NP
<b>Description</b>	UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid), 8, III
<b>Emergency Response Guide Number</b>	154

### TDG

<b>UN number or ID number</b>	UN3264
<b>UN proper shipping name</b>	Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid)
<b>Transport hazard class(es)</b>	8
<b>Packing group</b>	III
<b>Special Provisions</b>	16
<b>Marine pollutant</b>	NP
<b>Description</b>	UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid), 8, III

### MEX

<b>UN number or ID number</b>	UN3264
<b>UN proper shipping name</b>	Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid)
<b>Transport hazard class(es)</b>	8
<b>Packing group</b>	III
<b>Technical Name</b>	Nitric Acid
<b>Description</b>	UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid), 8, III
<b>Special Provisions</b>	223, 274

### IATA

<b>UN number or ID number</b>	UN3264
<b>UN proper shipping name</b>	Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid)
<b>Transport hazard class(es)</b>	8
<b>Packing group</b>	III
<b>Technical Name</b>	Nitric Acid
<b>Description</b>	UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid), 8, III
<b>Special Provisions</b>	A3, A803
<b>ERG Code</b>	8L

### IMDG

	Not regulated
<b>UN number or ID number</b>	UN3264
<b>UN proper shipping name</b>	Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid)
<b>Transport hazard class(es)</b>	8
<b>Packing group</b>	III
<b>EmS-No.</b>	F-A, S-B
<b>Special Provisions</b>	223, 274
<b>Marine pollutant</b>	NP
<b>Description</b>	UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid), 8, III

## 15. Regulatory information



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
OSHA HCS2012

**5190-8477 - Lithium Standard: 1000 µg/mL Li in 5%  
HNO<sub>3</sub> [100ml bottle]**

**Revision date** 16-Apr-2024

## International Inventories

### **TSCA**

LGC, to the best of its ability, has confirmed that the chemical substances in this product are listed as "Active" in the EPA (Environmental Protection Agency) "TSCA Inventory Notification (Active-Inactive) Requirements Rule" ("the Final Rule") of Feb 2019, as amended Feb 2021."

Chemical name	CAS No.	Inventory Listing Status	Commercial Activity Designation
Nitric Acid	7697-37-2	Present	Active

### **DSL/NDSL**

Contact supplier for inventory compliance status.

### **EINECS/ELINCS**

Contact supplier for inventory compliance status.

### **ENCS**

Contact supplier for inventory compliance status.

### **IECSC**

Contact supplier for inventory compliance status.

### **KECL**

Contact supplier for inventory compliance status.

### **PICCS**

Contact supplier for inventory compliance status.

### **AIIC**

Contact supplier for inventory compliance status.

### **Legend:**

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**AIIC** - Australian Inventory of Chemical Substances

## US Federal Regulations

### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values %
Nitric Acid - 7697-37-2	1.0

### **SARA 311/312 Hazard Categories**

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

## CWA (Clean Water Act)



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
OSHA HCS2012

**5190-8477 - Lithium Standard: 1000 µg/mL Li in 5%  
HNO<sub>3</sub> [100ml bottle]**

**Revision date** 16-Apr-2024

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Nitric Acid 7697-37-2	1000 lb	-	-	X

## **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	Reportable Quantity (RQ)
Nitric Acid 7697-37-2	1000 lb	1000 lb	RQ 1000 lb final RQ RQ 454 kg final RQ

## **US State Regulations**

### **California Proposition 65**

This product contains the following Proposition 65 chemicals:

Chemical name	California Proposition 65
Lithium carbonate - 554-13-2	Developmental

## **U.S. State Right-to-Know Regulations**

Chemical name	New Jersey	Massachusetts	Pennsylvania
Water 7732-18-5	-	-	X
Nitric Acid 7697-37-2	X	X	X
Lithium carbonate 554-13-2	X	X	-

## **U.S. EPA Label Information**

**EPA Pesticide Registration Number** Not applicable

## **16. Other information**

<b>NFPA</b>	<b>Health hazards</b> 3	<b>Flammability</b> 0	<b>Instability</b> 0	<b>Special hazards</b> -
<b>HMIS</b>	<b>Health hazards</b> 3 *	<b>Flammability</b> 0	<b>Physical hazards</b> 0	<b>Personal protection</b> X



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
OSHA HCS2012

**5190-8477 - Lithium Standard: 1000 µg/mL Li in 5%  
HNO<sub>3</sub> [100ml bottle]**

**Revision date** 16-Apr-2024

---

## **Key or legend to abbreviations and acronyms used in the safety data sheet**

### **Legend Section 8: Exposure controls/personal protection**

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	Sk*	Skin designation

### **Key literature references and sources for data used to compile the SDS**

Agency for Toxic Substances and Disease Registry (ATSDR)  
U.S. Environmental Protection Agency ChemView Database  
European Food Safety Authority (EFSA)  
EPA (Environmental Protection Agency)  
Acute Exposure Guideline Level(s) (AEL(s))  
U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act  
U.S. Environmental Protection Agency High Production Volume Chemicals  
Food Research Journal  
Hazardous Substance Database  
International Uniform Chemical Information Database (IUCLID)  
Japan GHS Classification  
Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)  
NIOSH (National Institute for Occupational Safety and Health)  
National Library of Medicine's ChemID Plus (NLM CIP)  
National Library of Medicine's PubMed database (NLM PUBMED)  
National Toxicology Program (NTP)  
New Zealand's Chemical Classification and Information Database (CCID)  
Organization for Economic Co-operation and Development Environment, Health, and Safety Publications  
Organization for Economic Co-operation and Development High Production Volume Chemicals Program  
Organization for Economic Co-operation and Development Screening Information Data Set  
World Health Organization

**Revision date** 16-Apr-2024

**Revision Note** No information available.

### **Disclaimer**

The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

**End of Safety Data Sheet**