



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 16-Apr-2026

Revision Number 2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Code(s) 5190-8483
Product Name Manganese Standard: 1000 µg/mL Mn in 5% HNO₃ [100ml bottle]

Form Not applicable

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Reagents and Standards for Analytical Chemical Laboratory Use. This product is for research and development only.

Uses advised against Do not use outside of recommended applications

1.3. Details of the supplier of the safety data sheet

Supplier

Agilent Technologies LDA UK Ltd.
5500 Lakeside Cheadle Royal Business Park,
Cheadle, Cheshire, SK8 3GR
United Kingdom

+44 (0) 345 712 5292

For further information, please contact

E-mail address pdl-msds_author@agilent.com

1.4. Emergency telephone number

Emergency Telephone CHEMTREC®: +44 20 3807 3798

Emergency Telephone - §45 - (EC)1272/2008	
Europe	112
Austria	No information available

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 16-Apr-2026

Revision Number 2

5190-8483 - Manganese Standard: 1000 µg/mL Mn in 5% HNO₃ [100ml bottle]

Bulgaria	
Croatia	
Cyprus	
Czech Republic	
Denmark	
France	
Hungary	
Ireland	
Italy	
Lithuania	
Luxembourg	
Netherlands	
Norway	
Portugal	
Romania	
Slovakia	
Slovenia	
Spain	
Sweden	
Switzerland	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to
Regulation (EC) No. 1272/2008 [CLP]

Corrosive to metals	Category 1 - (H290)
Skin irritation	Category 2 - (H315)
Serious eye damage	Category 1 - (H318)

2.2. Label elements

Contains Nitric Acid



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 16-Apr-2026

Revision Number 2

5190-8483 - Manganese Standard: 1000 µg/mL Mn in 5% HNO₃ [100ml bottle]

Signal word

Danger

Hazard statements

H290 - May be corrosive to metals.
H315 - Causes skin irritation.
H318 - Causes serious eye damage.

Precautionary Statements - EU (§28, 1272/2008)

P264 - Wash face, hands and any exposed skin thoroughly after handling
P280 - Wear protective gloves, eye protection and face protection
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P310 - Immediately call a POISON CENTER or doctor
P321 - Specific treatment (see supplemental first aid instructions on this label)
P390 - Absorb spillage to prevent material damage

2.3. Other hazards

Other hazards No information available.

PBT or vPvB properties The mixture does not contain any substances meeting the PBT or vPvB criteria according to Regulation (EC) No 1907/2006, Annex XIII.

Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors.

Chemical name	EU - REACH (1907/2006) - Article 59(1) - Candidate List of Substances of Very High Concern (SVHC) for Authorisation	EU - REACH (1907/2006) - Endocrine Disruptor Assessment List of Substances
Nitric Acid	-	-
Manganese	-	-

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical nature aqueous solution.

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 16-Apr-2026

Revision Number 2

5190-8483 - Manganese Standard: 1000 µg/mL Mn in 5% HNO₃ [100ml bottle]

Chemical name	Weight-%	REACH registration number	EC No. (Index No.)	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)	Notes
Nitric Acid 7697-37-2	3 - <5	-	231-714-2	Met. Corr. 1 (H290) Ox. Liq. 2 (H272) Acute Tox. 3 (H331) Skin Corr. 1A (H314) (EUH071)	Ox. Liq. 2 :: C>=99% Ox. Liq. 3 :: C≥65% Skin Corr. 1A :: C>=20% Skin Corr. 1B :: 5%<=C<20%	-	-	B
Manganese 7439-96-5	0.1 - 1	-	231-105-1	Aquatic Chronic 2 (H411)	-	-	-	-

- Substances contained in this mixture with No registration number are under the REACH threshold in Article 6(1) and not subject to the registration requirements according to REACH Title II

CLP Notes:

Note B - Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.

Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate

Chemical name	Oral LD50 mg/kg	Dermal LD50 mg/kg	Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapour - mg/L	Inhalation LC50 - 4 hour - gas - ppm
Nitric Acid 7697-37-2	No data available	No data available	No data available	2.65	No data available
Manganese 7439-96-5	9000	No data available	No data available	No data available	No data available

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59).



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 16-Apr-2026

Revision Number 2

5190-8483 - Manganese Standard: 1000 µg/mL Mn in 5% HNO₃ [100ml bottle]

Additional information

The concentration of the acid stated in this SDS is calculated as an absolute mass concentration (%w/v). This is less than the acid concentration stated on the product label and COA, which reflects a percent value of the commercially available concentrated aqueous form of the acid.

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice	Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.
Inhalation	Remove to fresh air. Get medical attention immediately if symptoms occur. Rinse mouth. Do NOT induce vomiting.
Eye contact	Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get immediate medical attention. Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a doctor.
Skin contact	Wash off immediately with soap and plenty of water for at least 15 minutes. Get medical attention if irritation develops and persists. Rinse immediately with plenty of water and seek medical advice.
Ingestion	Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a doctor.
Self-protection of the first aider	Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

4.2. Most important symptoms and effects, both acute and delayed

Symptoms	Burning sensation. May cause blindness. May cause redness and tearing of the eyes. Erythema (skin redness). Corrosive to the respiratory tract.
Effects of Exposure	Contact with moist mucous membranes of the respiratory system can cause burns and lung damage.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors	Treat symptomatically.
------------------------	------------------------

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the
-------------------------------------	--

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 16-Apr-2026

Revision Number 2

5190-8483 - Manganese Standard: 1000 µg/mL Mn in 5% HNO₃ [100ml bottle]

surrounding environment.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical Thermal decomposition can lead to release of toxic and corrosive gases/vapours.

Hazardous combustion products No information available.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protective equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Attention! Corrosive material.

Other information Refer to protective measures listed in Sections 7 and 8.

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions Prevent further leakage or spillage if safe to do so.

6.3. Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labelled containers. Clean contaminated surface thoroughly.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 16-Apr-2026

Revision Number 2

5190-8483 - Manganese Standard: 1000 µg/mL Mn in 5% HNO₃ [100ml bottle]

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash it before reuse.

General hygiene considerations Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Wash hands before breaks and after work. Wear suitable gloves and eye/face protection. Regular cleaning of equipment, work area and clothing is recommended.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Please refer to the manufacturer's certificate for specific storage and transport temperature conditions. Store only in the original receptacle unless other advice is given on the CoA. Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from moisture. Store locked up. Keep out of the reach of children. Store away from other materials.

Storage class (TRGS 510) LGK 10.

7.3. Specific end use(s)

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

Chemical name	European Union	Austria	Belgium	Bulgaria	Croatia
Nitric Acid 7697-37-2	STEL: 1 ppm; STEL: 2.6 mg/m ³ ;	TWA-TMW: 1 ppm; TWA-TMW: 2.6 mg/m ³ ; STEL-KZGW: 1 ppm (); STEL-KZGW: 2.6 mg/m ³ (); Ceiling: 1 ppm;	STEL: 1 ppm; STEL: 2.6 mg/m ³ ;	STEL: 1 ppm; STEL: 2.6 mg/m ³ ;	STEL-KGVI: 1 ppm; STEL-KGVI: 2.6 mg/m ³ ;

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 16-Apr-2026

Revision Number 2

5190-8483 - Manganese Standard: 1000 µg/mL Mn in 5% HNO₃ [100ml bottle]

Manganese 7439-96-5	TWA: 0.2 mg/m ³ ; inhalable fraction	Ceiling: 2.6 mg/m ³ ; TWA-TMW: 0.2 mg/m ³ ; inhalable fraction STEL-KZGW: 1.6 mg/m ³ (4 X 15 min); inhalable fraction	TWA: 0.05 mg/m ³ ;	TWA: 0.2 mg/m ³ ; inhalable fraction	TWA-GVI: 0.2 mg/m ³ ; total dust, inhalable particles TWA-GVI: 0.05 mg/m ³ ; respirable dust; fraction that can be inhaled into the lungs
Chemical name	Cyprus	Czech Republic	Denmark	Estonia	Finland
Nitric Acid 7697-37-2	STEL: 1 ppm; STEL: 2.6 mg/m ³ ;	TWA: 1 mg/m ³ ; Ceiling: 2.5 mg/m ³ ;	STEL: 1 ppm; STEL: 2.6 mg/m ³ ;	STEL: 1 ppm; STEL: 2.6 mg/m ³ ;	TWA: 0.5 ppm; TWA: 1.3 mg/m ³ ; STEL: 1 ppm; STEL: 2.6 mg/m ³ ;
Manganese 7439-96-5	TWA: 0.2 mg/m ³ ; inhalable fraction TWA: 0.05 mg/m ³ ; respirable fraction	TWA: 0.2 mg/m ³ ; inhalable fraction of aerosol TWA: 0.05 mg/m ³ ; respirable fraction of aerosol Ceiling: 0.4 mg/m ³ ; inhalable fraction of aerosol Ceiling: 0.1 mg/m ³ ; respirable fraction of aerosol	TWA: 0.2 mg/m ³ ; inhalable, dust and powder TWA: 0.05 mg/m ³ ; respirable, dust and powder STEL: 0.4 mg/m ³ ; inhalable, dust and powder STEL: 0.1 mg/m ³ ; respirable, dust and powder	TWA: 0.2 mg/m ³ ; total dust TWA: 0.05 mg/m ³ ; respirable dust	TWA: 0.2 mg/m ³ ; inhalable dust TWA: 0.02 mg/m ³ ; respirable dust
Chemical name	France	Germany TRGS	Germany DFG	Greece	Hungary
Nitric Acid 7697-37-2	STEL-VLCT (indicat if): 1 ppm; STEL-VLCT (indicat if): 2.6 mg/m ³ ;	TWA-AGW; 1 ppm (); TWA-AGW; 2.6 mg/m ³ ();	-	STEL: 1 ppm; STEL: 2.6 mg/m ³ ;	STEL-CK: 2.6 mg/m ³ ; STEL-CK: 1 ppm;
Manganese 7439-96-5	-	TWA-AGW; 0.2 mg/m ³ (8(II)); inhalable fraction TWA-AGW; 0.02 mg/m ³ (8(II)); respirable fraction	TWA-MAK: 0.2 mg/ m ³ ; II(8); inhalable fraction TWA-MAK: 0.02 mg /m ³ ; II(8); respirable fraction	TWA: 0.2 mg/m ³ ; inhalable fraction TWA: 0.05 mg/m ³ ; respirable fraction	TWA-AK: 0.2 mg/m ³ ; TWA-AK: 0.05 mg/m ³ ; respirable fraction
Chemical name	Ireland	Italy MDLPS	Italy AIDII	Latvia	Lithuania
Nitric Acid 7697-37-2	STEL: 1 ppm; STEL: 2.6 mg/m ³ ;	STEL: 1 ppm; STEL: 2.6 mg/m ³ ;	TWA: 2 ppm; TWA: 5.2 mg/m ³ ; STEL (REL): 4 ppm; STEL (REL): 10.3 mg/m ³ ;	TWA: 0.78 ppm; TWA: 2 mg/m ³ ; STEL: 1 ppm; STEL: 2.6 mg/m ³ ;	STEL-TPRD: 1 ppm; STEL-TPRD: 2.6 mg/m ³ ;

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 16-Apr-2026

Revision Number 2

5190-8483 - Manganese Standard: 1000 µg/mL Mn in 5% HNO₃ [100ml bottle]

Manganese 7439-96-5	TWA: 0.2 mg/m ³ ; fume; inhalable fraction TWA: 0.2 mg/m ³ ; inhalable fraction TWA: 0.05 mg/m ³ ; respirable fraction TWA: 0.02 mg/m ³ ; fume; respirable fraction STEL: 3 mg/m ³ ; fume STEL: 0.15 mg/m ³ (calculated); respirable fraction STEL: 0.6 mg/m ³ (calculated); inhalable fraction	TWA: 0.21 mg/m ³ ; inhalable fraction	TWA: 0.02 mg/m ³ ; respirable fraction	TWA: 0.2 mg/m ³ ; TWA: 0.05 mg/m ³ ;	TWA-IPRD: 0.2 mg/m ³ ; inhalable fraction TWA-IPRD: 0.05 mg/m ³ ; respirable fraction
Chemical name	Luxembourg	Malta	Netherlands	Norway	Poland
Nitric Acid 7697-37-2	STEL: 1 ppm; STEL: 2.6 mg/m ³ ;	STEL: 1 ppm; STEL: 2.6 mg/m ³ ;	STEL: 0.5 ppm; STEL: 1.3 mg/m ³ ;	TWA: 2 ppm; TWA: 5 mg/m ³ ; STEL: 4 ppm (value calculated); STEL: 10 mg/m ³ (value calculated);	TWA-NDS: 1.4 mg/m ³ ; STEL-NDSch: 2.6 mg/m ³ ;
Manganese 7439-96-5	TWA: 0.2 mg/m ³ ; TWA: 0.05 mg/m ³ ;	TWA: 0.2 mg/m ³ ; TWA: 0.5 mg/m ³ ;	TWA: 0.2 mg/m ³ ; inhalable TWA: 0.05 mg/m ³ ; respirable	TWA: 0.2 mg/m ³ ; inhalable fraction TWA: 0.05 mg/m ³ ; respirable fraction STEL: 0.6 mg/m ³ (value calculated; exceptio ns possible, see footnote 9); inhalable fraction STEL: 0.15 mg/m ³ (value calculated; exceptio ns possible, see footnote 9); respirable fraction	TWA-NDS: 0.2 mg/m ³ ; inhalable fraction TWA-NDS: 0.05 mg/m ³ ; respirable fraction
Chemical name	Portugal	Romania	Slovakia	Slovenia	Spain
Nitric Acid 7697-37-2	TWA (VLE-MP): 2 ppm;	STEL: 1 ppm; STEL: 2.6 mg/m ³ ;	Ceiling: 2.6 mg/m ³ ;	TWA: 1 ppm; TWA: 2.6 mg/m ³ ;	STEL (VLA-EC): 1 ppm;

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 16-Apr-2026

Revision Number 2

5190-8483 - Manganese Standard: 1000 µg/mL Mn in 5% HNO₃ [100ml bottle]

	STEL (VLE-CD): 1 ppm; STEL (VLE-CD): 2.6 mg/m ³ ;			STEL: 1 ppm; STEL: 2.6 mg/m ³ ;	STEL (VLA-EC): 2.6 mg/m ³ ;
Manganese 7439-96-5	TWA (VLE-MP): 0.2 mg/m ³ ; inhalable fraction TWA (VLE-MP): 0.05 mg/m ³ ; respirable fraction	TWA: 0.2 mg/m ³ ; inhalable fraction TWA: 0.05 mg/m ³ ; respirable fraction	TWA: 0.2 mg/m ³ ; respirable fraction TWA: 0,05 mg/m ³ ; inhalable fraction	TWA: 0.2 mg/m ³ ; inhalable fraction STEL: 1.6 mg/m ³ ; inhalable fraction	TWA-(VLA-ED): 0.2 mg/m ³ ; inhalable fraction TWA-(VLA-ED): 0.05 mg/m ³ ; respirable fraction
Chemical name		Sweden	Switzerland	United Kingdom	
Nitric Acid 7697-37-2		TLV-NGV: 0.5 ppm; TLV-NGV: 1.3 mg/m ³ ; STEL (Bindande KGV): 1 ppm; STEL (Bindande KGV): 2.6 mg/m ³ ;	TWA-MAK: 2 ppm; TWA-MAK: 5 mg/m ³ ; STEL-KZGW: 2 ppm; STEL-KZGW: 5 mg/m ³ ;	STEL: 1 ppm; STEL: 2.6 mg/m ³ ;	
Manganese 7439-96-5		TLV-NGV: 0.2 mg/m ³ ; inhalable fraction TLV-NGV: 0.05 mg/m ³ ; respirable fraction	TWA-MAK: 0.2 mg/m ³ ; inhalable dust TWA-MAK: 0.1 mg/m ³ ; respirable dust	TWA: 0.2 mg/m ³ ; TWA: 0.05 mg/m ³ ; STEL: 0.6 mg/m ³ ; inhalable fraction STEL: 0.15 mg/m ³ ; respirable fraction	

Biological occupational exposure limits

Chemical name	European Union	Austria	Bulgaria	Croatia	Czech Republic
Manganese 7439-96-5	-	20 µg/L - blood (whole blood) - not provided (Note 1)	-	-	-
Chemical name	Denmark	Finland	France	Germany DFG	Germany TRGS
Manganese 7439-96-5	-	-	-	15 µg/L - BAR (no restriction in steady state) blood	-
Chemical name	Latvia	Luxembourg	Romania	Slovakia	
Manganese 7439-96-5	-	-	10 µg/L - urine (Manganese) - end of shift	-	

Note 1: Details about BEL values can be found in Annex 2 of the Austrian Ordinance on Health Monitoring in the Workplace.

Derived No Effect Level (DNEL) - Workers No information available



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 16-Apr-2026

Revision Number 2

5190-8483 - Manganese Standard: 1000 µg/mL Mn in 5% HNO₃ [100ml bottle]

Derived No Effect Level (DNEL) - General Public No information available.

Predicted No Effect Concentration (PNEC) No information available.

8.2. Exposure controls

Personal protective equipment

Eye/face protection	Avoid contact with eyes. Wear safety glasses with side shields (or goggles). Face protection shield. Tight sealing safety goggles.
Hand protection	Wear protective Neoprene™ gloves. The protective gloves to be used must comply with the specifications of (EU) 2016/425. Wear suitable gloves.
Skin and body protection	Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.
Respiratory protection	Appropriate respiratory protection should be selected and used according to the chemical nature, hazards and use of this product and safety requirements of the local jurisdiction.
Recommended filter type:	Various colours. ABEK-P2.

Environmental exposure controls Do not allow into any sewer, on the ground or into any body of water.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Liquid
Physical state	Liquid
Colour	colourless
Odour	Odourless
Odour threshold	No information available

Property	Values	Remarks • Method
Melting point / freezing point	No data available	None known
Boiling point or initial boiling point and boiling range	No data available	None known
Flammability	No data available	None known
Lower and upper explosion		None known



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 16-Apr-2026

Revision Number 2

5190-8483 - Manganese Standard: 1000 µg/mL Mn in 5% HNO₃ [100ml bottle]

limit/flammability limit		
Lower explosion limit	No data available	
Upper explosion limit	No data available	
Flash point	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature		None known
SADT (°C)	No data available	None known
pH	No data available	None known
pH (as aqueous solution)	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
Solubility	No data available	None known
Water solubility	No data available	None known
Partition coefficient n-octanol/water (log value)	No data available	None known
Vapour pressure	No data available	None known
Density and/or relative density	No data available	None known
Bulk density	No data available	
Liquid Density	No data available	
Relative vapour density	No data available	None known
Particle characteristics		
Particle Size	No information available	
Particle Size Distribution	No information available	

9.2. Other information

9.2.1. Information with regards to physical hazard classes

No information available

9.2.2. Other safety characteristics

No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity No information available.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 16-Apr-2026

Revision Number 2

5190-8483 - Manganese Standard: 1000 µg/mL Mn in 5% HNO₃ [100ml bottle]

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Exposure to air or moisture over prolonged periods.

10.5. Incompatible materials

Incompatible materials Oxidising agent. Strong acids. Strong bases.

10.6. Hazardous decomposition products

Hazardous decomposition products None known based on information supplied.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Product Information

Inhalation	Specific test data for the substance or mixture is not available. Corrosive to the respiratory tract. Contact with moist mucous membranes of the respiratory system can cause burns and lung damage.
Eye contact	Specific test data for the substance or mixture is not available. May result in permanent damage including blindness. Causes serious eye damage.
Skin contact	Specific test data for the substance or mixture is not available. (based on components). Causes severe burns.
Ingestion	Specific test data for the substance or mixture is not available. Ingestion causes burns of the upper digestive and respiratory tracts.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Burning sensation. May cause blindness. May cause redness and tearing of the eyes. Erythema (skin redness). Corrosive to the respiratory tract.

Acute toxicity Based on available data, the classification criteria are not met.

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 16-Apr-2026

Revision Number 2

5190-8483 - Manganese Standard: 1000 µg/mL Mn in 5% HNO₃ [100ml bottle]

Numerical measures of toxicity

The following ATE values have been calculated for the mixture

ATEmix (oral)	99,999.00 mg/kg
ATEmix (dermal)	99,999.00 mg/kg
ATEmix (inhalation-gas)	99,999.00 ppm
ATEmix (inhalation-vapour)	58.90 mg/L
ATEmix (inhalation-dust/mist)	99,999.00 mg/L

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Nitric Acid	-	-	= 2500 ppm (Rat) 1 h ATE (vapours) = 2.65 mg/L
Manganese	= 9 g/kg (Rat)	-	> 5.14 mg/L (Rat) 4 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Classification based on data available for ingredients. Causes skin irritation.
Serious eye damage/eye irritation	Classification based on data available for ingredients. Causes burns. Causes serious eye damage.
Respiratory or skin sensitisation	Based on available data, the classification criteria are not met.
Germ cell mutagenicity	Based on available data, the classification criteria are not met.
Carcinogenicity	Based on available data, the classification criteria are not met.
Reproductive toxicity	Based on available data, the classification criteria are not met.
STOT - single exposure	Based on available data, the classification criteria are not met.
STOT - repeated exposure	Based on available data, the classification criteria are not met.
Aspiration hazard	Based on available data, the classification criteria are not met.



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 16-Apr-2026

Revision Number 2

5190-8483 - Manganese Standard: 1000 µg/mL Mn in 5% HNO₃ [100ml bottle]

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disruption for human health This product does not contain any known or suspected endocrine disruptors.

11.2.2. Other information

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity Based on available data, the classification criteria are not met.

Aquatic toxicity No information available.

Component Information

Chemical name	Fish	Crustacea	Algae/aquatic plants	Toxicity to microorganisms
Manganese	LC50: >3.6mg/L (96h, Oncorhynchus mykiss)	-	-	-

12.2. Persistence and degradability No information available.

12.3. Bioaccumulative potential

Chemical name	Partition coefficient	Bioconcentration factor (BCF)	Trophic magnification factor (TMF)
Nitric Acid	-2.3	-	-

12.4. Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment This product does not contain any substances that are assessed to be a PBT or a vPvB.

Chemical name	PBT and vPvB assessment
---------------	-------------------------



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 16-Apr-2026

Revision Number 2

5190-8483 - Manganese Standard: 1000 µg/mL Mn in 5% HNO₃ [100ml bottle]

Nitric Acid	Not PBT/vPvB
Manganese	Not PBT/vPvB

12.6. Endocrine disrupting properties Based on available data, the classification criteria are not met.

12.7. Other adverse effects No information available.

PMT or vPvM properties Based on available data, the classification criteria are not met.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Do not reuse empty containers.

SECTION 14: Transport information

IATA

14.1 UN number or ID number UN3264
14.2 UN proper shipping name Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid)
Technical Name Nitric Acid
14.3 Transport hazard class(es) 8
14.4 Packing group III
14.5 Environmental hazards No
14.6 Special precautions for user
Special Provisions A3, A803
ERG Code 8L
Description UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid), 8, III

IMDG

14.1 UN number or ID number UN3264
14.2 UN proper shipping name Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid)
Technical Name Nitric Acid
14.3 Transport hazard class(es) 8
14.4 Packing group III
14.5 Environmental hazards No
Marine pollutant indicator NP



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 16-Apr-2026

Revision Number 2

5190-8483 - Manganese Standard: 1000 µg/mL Mn in 5% HNO₃ [100ml bottle]

14.6 Special precautions for user

Special Provisions 223, 274
EmS-No. F-A, S-B
Description UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid), 8, III

14.7 Maritime transport in bulk according to IMO instruments No information available

RID

14.1 UN number or ID number UN3264
14.2 UN proper shipping name Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid)
14.3 Transport hazard class(es) 8
14.4 Packing group III
Description UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid), 8, III
14.5 Environmental hazards No
14.6 Special precautions for user
Special Provisions 274
Classification code C1

ADR

14.1 UN number or ID number UN3264
14.2 UN proper shipping name Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid)
14.3 Transport hazard class(es) 8
14.4 Packing group III
Description UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid), 8, III, (E)
14.5 Environmental hazards No
14.6 Special precautions for user
Special Provisions 274
Classification code C1
Tunnel restriction code (E)

ADN

14.1 UN number or ID number UN3264
14.2 UN proper shipping name Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid)
14.3 Transport hazard class(es) 8
14.4 Packing group III
Description UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid), 8, III
14.5 Environmental hazard No
14.6 Special precautions for user
Special Provisions 274
Classification code C1
Equipment Requirements PP, EP

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 16-Apr-2026

Revision Number 2

5190-8483 - Manganese Standard: 1000 µg/mL Mn in 5% HNO₃ [100ml bottle]

National regulations

Germany

Water hazard class (WGK) slightly hazardous to water (WGK 1)

Chemical Prohibition Ordinance (ChemVerbotsV)

Not applicable.

TA Luft (German Air Pollution Control Regulation)

Chemical name	Number	Class
Manganese 7439-96-5	5.2.2	Class III

TRGS 905

Not applicable

Netherlands

Carcinogenic, mutagenic and reproductive toxic effects

Chemical name	Netherlands - List of Carcinogens	Netherlands - List of Mutagens	Netherlands - List of Reproductive Toxins
Manganese 7439-96-5	-	-	Fertility Category 2 Development Category 2

Switzerland

Ordinance on the Incentive Tax on Volatile Organic Compounds (OVOC) SR 814.018 Not applicable

Storage of Hazardous Material SC 8

WPO (GSchV) SR 814.201; WPA (GSchG) SR 814.20 Class B

Major Accidents Ordinance SR 814.012 Not applicable

Chemical name	Threshold quantity
Nitric Acid 7697-37-2	20000 kg

European Union



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 16-Apr-2026

Revision Number 2

5190-8483 - Manganese Standard: 1000 µg/mL Mn in 5% HNO₃ [100ml bottle]

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Authorisations and/or restrictions on use:

Use restricted. See item: 3.

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Chemical name	Restricted substance per REACH Annex XVII	Substance subject to authorisation per REACH Annex XIV
Nitric Acid 7697-37-2	75	-

Persistent Organic Pollutants

Not applicable

Ozone-depleting substances (ODS) regulation (EC) 2024/590

Not applicable.

Explosives Precursors Marketing and Use (2019/1148)

Not applicable.

International Inventories

TSCA

U.S. INVENTORY (TSCA): Listed on inventory. For purposes of 40 CFR 720.36, this product is for Research and Development (R&D) Use Only.

DSL/NDSL

Contact supplier for inventory compliance status

EINECS/ELINCS

Contact supplier for inventory compliance status

ENCS

Contact supplier for inventory compliance status

IECSC

Contact supplier for inventory compliance status

KECL

Contact supplier for inventory compliance status

PICCS

Contact supplier for inventory compliance status

AIIC

Contact supplier for inventory compliance status

NZIoC

Contact supplier for inventory compliance status

TCSI

Contact supplier for inventory compliance status

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 16-Apr-2026

Revision Number 2

5190-8483 - Manganese Standard: 1000 µg/mL Mn in 5% HNO₃ [100ml bottle]

IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing Chemicals Inventory
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AICS - Australian Inventory of Chemical Substances
NZIoC - New Zealand Inventory of Chemicals
TCSI - Taiwan Chemical Substance Inventory

15.2. Chemical safety assessment

Chemical Safety Report

A Chemical Safety Assessment is not required for this substance

SECTION 16: Other information

Full text of any hazard and/or precautionary statements referred to under Sections 2-15

EUH071 - Corrosive to the respiratory tract
H272 - May intensify fire; oxidiser
H290 - May be corrosive to metals
H314 - Causes severe skin burns and eye damage
H331 - Toxic if inhaled
H411 - Toxic to aquatic life with long lasting effects
P264 - Wash face, hands and any exposed skin thoroughly after handling
P280 - Wear protective gloves
P302 + P352 - IF ON SKIN: Wash with plenty of water and soap
P321 - Specific treatment (see supplemental first aid instructions on this label)
P332 + P313 - If skin irritation occurs: Get medical advice/attention
P362 + P364 - Take off contaminated clothing and wash it before reuse
P280 - Wear protective gloves, protective clothing, eye protection and face protection
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P310 - Immediately call a POISON CENTER or doctor
P234 - Keep only in original packaging
P390 - Absorb spillage to prevent material damage
P406 - Store in corrosion resistant container with a resistant inner liner

Key or legend to abbreviations and acronyms used in the safety data sheet

List may include phrases which are not applicable to this product

ACGIH	American Conference of Governmental Industrial Hygienists
AIDII	Italian Association of Industrial Hygienists
ADN	Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Europe)
ADR	Agreement concerning the International Carriage of Dangerous Goods by Road (Europe)
AiIC	Australian Inventory of Industrial Chemicals
ATE	Acute Toxicity Estimate



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 16-Apr-2026

Revision Number 2

5190-8483 - Manganese Standard: 1000 µg/mL Mn in 5% HNO₃ [100ml bottle]

ASTM	American Society for the Testing of Materials
bar	Biological Reference Values for Chemical Compounds in the Work Area
BAT	Biological tolerance values for occupational exposure
BEL	Biological exposure limits
bw	Body weight
Ceiling	Maximum limit value
CLP	Classification, Labelling and Packaging Regulation; Regulation (EC) No 1272/2008
CMR	Carcinogen, Mutagen or Reproductive Toxicant
DFG	German Research Foundation
DOT	Department of Transportation (United States)
DSL	Domestic Substances List (Canada)
ECHA	European Chemicals Agency
EC Number	European Community number
EmS	Emergency Schedule
ENCS	Existing and New Chemical Substances (Japan)
EPA	U.S. Environmental Protection Agency
EWC	European Waste Codes
GHS	Globally Harmonized System
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
ICAO	International Civil Aviation Organisation
IECSC	Inventory of Existing Chemical Substances in China
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
ISO	International Organisation for Standardisation
KECI	Korean Existing Chemicals Inventory
LC50	Lethal Concentration to 50% of a test population
LD50	Lethal Dose to 50% of a test population (Median Lethal Dose)
MAK	Maximum Concentration at the Workplace
MAL	Measuring Technical Hygienic Air Needs
MARPOL	International Convention for the Prevention of Pollution from Ships
MDLPS	Ministry of Labour and Social Policy
n.o.s.	Not Otherwise Specified
NOAEC	No Observed Adverse Effect Concentration
NOAEL	No Observed Adverse Effect Level
NOELR	No Observable Effect Loading Rate
NZIoC	New Zealand Inventory of Chemicals
OECD	Organization for Economic Cooperation and Development
OEL	Occupational exposure limits
PBT	Persistent, Bioaccumulative and Toxic substance



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 16-Apr-2026

Revision Number 2

5190-8483 - Manganese Standard: 1000 µg/mL Mn in 5% HNO₃ [100ml bottle]

PICCS	Philippines Inventory of Chemicals and Chemical Substances
PMT	Persistent, Mobile and Toxic
PPE	Personal protective equipment
QSAR	Quantitative Structure Activity Relationship
REACH	Registration, Evaluation, Authorisation, and Restriction of Chemicals (REACH) Regulation (EC 1907/2006)
RID	Agreement concerning the International Carriage of Dangerous Goods by Rail (Europe)
SADT	Self-Accelerating Decomposition Temperature
SAR	Structure-activity relationship
SDS	Safety Data Sheet
SL	Surface Limit
STEL	Short Term Exposure Limit
STOT RE	Specific target organ toxicity - Repeated exposure
STOT SE	Specific target organ toxicity - Single exposure
SVHC	Substance of very high concern
TCSI	Taiwan Chemical Substance Inventory
TDG	Transport of Dangerous Goods (Canada)
TRGS	Technical Rule for Hazardous Substances
TSCA	Toxic Substances Control Act (United States)
TWA	Time-Weighted Average
UN	United Nations
VOC	Volatile organic compounds
vPvB	Very Persistent and Very Bioaccumulative
vPvM	Very Persistent and Very Mobile
As	Allergenic substance
C	Carcinogen
DS	Dermal Sensitizer
Ot	Ototoxicant
pOt	Ototoxicant - potential to cause hearing disorders
PS	Photosensitizer
RS	Respiratory Sensitizer
S	Sensitizer
poS	Sensitizer - capable of causing occupational asthma
Sa	Simple asphyxiant
Sd	Skin designation
pSd	Skin designation - potential for cutaneous absorption
Sdv	Skin designation - vacated
Sk	Skin notation
dSk	Skin notation - danger of cutaneous absorption
pSk	Skin notation - potential for cutaneous absorption

Classification procedure



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 16-Apr-2026

Revision Number 2

5190-8483 - Manganese Standard: 1000 µg/mL Mn in 5% HNO₃ [100ml bottle]

Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - vapour	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	On basis of test data
Serious eye damage/eye irritation	On basis of test data
Respiratory sensitisation	Calculation method
Skin sensitisation	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Chronic aquatic toxicity	Calculation method
Acute aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method
Corrosive to metals	On basis of test data

Key literature references and sources for data used to compile the SDS

U.S. Agency for Toxic Substances and Disease Registry (ATSDR)
U.S. Environmental Protection Agency ChemView Database
European Food Safety Authority (EFSA)
European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA_RAC)
European Chemicals Agency (ECHA) (ECHA_API)
U.S. Environmental Protection Agency
Acute Exposure Guideline Level(s) (AEGL(s))
U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act
U.S. Environmental Protection Agency High Production Volume Chemicals
Food Research Journal
Hazardous Substance Database
International Uniform Chemical Information Database (IUCLID)
Japan National Institute of Technology and Evaluation (NITE)
Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
NIOSH (National Institute for Occupational Safety and Health)
National Library of Medicine's ChemID Plus (NLM CIP)
National Library of Medicine's PubMed database (NLM PUBMED)
U.S. National Toxicology Program (NTP)
New Zealand's Chemical Classification and Information Database (CCID)
International Organization for Economic Co-operation and Development (OECD) Environment, Health, and Safety Publications
International Organization for Economic Co-operation and Development (OECD) High Production Volume Chemicals Program
International Organization for Economic Co-operation and Development (OECD) Screening Information Data Set



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 16-Apr-2026

Revision Number 2

5190-8483 - Manganese Standard: 1000 µg/mL Mn in 5% HNO₃ [100ml bottle]

United Nations World Health Organization (WHO)

Revision date 16-Apr-2026

Reason for revision Formulation, Section 3, Precautionary statements, Section 15: Regulatory information, Personal protection, TSCA

Disclaimer

The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

End of Safety Data Sheet