



Safety Data Sheet
acc. to OSHA HCS

Printing date 05/22/2015

Reviewed on 05/22/2015

1 Identification

- **Product identifier**
- **Product name: Osmium Standard: 1000 µg/mL Os in 20% HCl [100ml bottle]**
- **Part number:** 5190-8495
- **Application of the substance / the mixture** Reference material for laboratory use only
- **Manufacturer/Supplier:**
Agilent Technologies, Inc. Tel: 800-227-9770
5301 Stevens Creek Blvd.
Santa Clara, CA 95051 USA
- **Information department:** e-mail: pdl-msds_author@agilent.com
- **Emergency telephone number:** CHEMTREC®: 1-800-424-9300

2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS05 Corrosion


Met. Corr.1 H290 May be corrosive to metals.

- **Label elements**
- **GHS label elements**
The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS05

- **Signal word** Warning
- **Hazard statements**
H290 May be corrosive to metals.
- **Precautionary statements**
P234 Keep only in original container.
P390 Absorb spillage to prevent material damage.
P406 Store in corrosive resistant container with a resistant inner liner.
- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



Health = 0
Fire = 0
Reactivity = 0

- **HMIS-ratings (scale 0 - 4)**



Health = 1
Fire = 0
Reactivity = 0

- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.



Safety Data Sheet
acc. to OSHA HCS

Printing date 05/22/2015

Reviewed on 05/22/2015

Product name: Osmium Standard: 1000 µg/mL Os in 20% HCl [100ml bottle]

(Contd. of page 1)

3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:**
Aqueous solution.
Mixture: consisting of the following components.

· **Dangerous components:**

CAS: 7647-01-0	hydrochloric acid	<10%
RTECS: MW 9620000	⚠ Skin Corr. 1B, H314; ⚠ STOT SE 3, H335	

4 First-aid measures

- **Description of first aid measures**
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:**
Rinse mouth. Do not induce vomiting.
If symptoms persist consult doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**
CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture**
Formation of toxic gases is possible during heating or in case of fire.
- **Advice for firefighters**
- **Protective equipment:** Wear self-contained respiratory protective device.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Wear protective clothing.
- **Environmental precautions:**
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Ensure adequate ventilation.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

(Contd. on page 3)



Safety Data Sheet
acc. to OSHA HCS

Printing date 05/22/2015

Reviewed on 05/22/2015

Product name: Osmium Standard: 1000 µg/mL Os in 20% HCl [100ml bottle]

(Contd. of page 2)

7 Handling and storage

- **Handling:**
- **Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Store in cool, dry place in tightly closed receptacles.
Prevent formation of aerosols.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**
Store in a cool location.
Please refer to the manufacturers certificate for specific storage and transport temperature conditions.
Store only in the original receptacle.
Keep container in a well-ventilated place. Keep away from sources of ignition and heat.
- **Information about storage in one common storage facility:** Store away from foodstuffs.
- **Further information about storage conditions:** None.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

7647-01-0 hydrochloric acid

PEL	Ceiling limit value: 7 mg/m ³ , 5 ppm
REL	Ceiling limit value: 7 mg/m ³ , 5 ppm
TLV	Ceiling limit value: 2.98 mg/m ³ , 2 ppm

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:** Wash hands before breaks and at the end of work.
- **Breathing equipment:**
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.
- **Protection of hands:**
Chemical-resistant, impervious gloves with an approved standards should be worn at all times.
The selection of the glove material is based on the penetration times, rates of diffusion and its degradation



Protective gloves

- **Material of gloves**
PVC gloves
Neoprene gloves
- **Penetration time of glove material**
The protection time of the gloves can not be accurately estimated for mixtures consisting of several substances.
Refer to and observe manufacturers break through times of the protective gloves.

(Contd. on page 4)



Safety Data Sheet
acc. to OSHA HCS

Printing date 05/22/2015

Reviewed on 05/22/2015

Product name: Osmium Standard: 1000 µg/mL Os in 20% HCl [100ml bottle]

(Contd. of page 3)

· *Eye protection: Safety glasses*

9 Physical and chemical properties

· *Information on basic physical and chemical properties*

· *General Information*

· *Appearance:*

· <i>Form:</i>	<i>Liquid</i>
· <i>Color:</i>	<i>Yellow</i>
· <i>Odor:</i>	<i>Odorless</i>
· <i>Odour threshold:</i>	<i>Not determined.</i>

· *pH-value at 20 °C (68 °F):* < 1.5

· *Change in condition*

· <i>Melting point/Melting range:</i>	<i>Not determined.</i>
· <i>Boiling point/Boiling range:</i>	<i>100 °C (212 °F)</i>

· *Flash point:* *Not applicable.*

· *Flammability (solid, gaseous):* *Not determined.*

· *Ignition temperature:*

· *Decomposition temperature:* *Not determined.*

· *Auto igniting:* *Product is not selfigniting.*

· *Danger of explosion:* *Not determined.*

· *Explosion limits:*

· <i>Lower:</i>	<i>Not determined.</i>
· <i>Upper:</i>	<i>Not determined.</i>

· *Vapor pressure at 20 °C (68 °F):* *23 hPa (17 mm Hg)*

· *Density at 20 °C (68 °F):* *1.03193 g/cm³ (8.611 lbs/gal)*

· *Relative density* *Not determined.*

· *Vapour density* *Not determined.*

· *Evaporation rate* *Not determined.*

· *Solubility in / Miscibility with*

· *Water:* *Fully miscible.*

· *Partition coefficient (n-octanol/water):* *Not determined.*

· *Viscosity:*

· <i>Dynamic:</i>	<i>Not determined.</i>
· <i>Kinematic:</i>	<i>Not determined.</i>

· *Other information* *No further relevant information available.*

10 Stability and reactivity

· *Reactivity* *Stable under normal conditions.*

· *Chemical stability* *Stable under normal conditions.*

· *Thermal decomposition / conditions to be avoided:*

Formation of toxic gases is possible during heating or in case of fire.

· *Possibility of hazardous reactions* *No dangerous reactions known.*

· *Conditions to avoid* *Heat.*

(Contd. on page 5)



Safety Data Sheet
acc. to OSHA HCS

Printing date 05/22/2015

Reviewed on 05/22/2015

Product name: Osmium Standard: 1000 µg/mL Os in 20% HCl [100ml bottle]

(Contd. of page 4)

- **Incompatible materials:**
 - Bases.
 - Strong oxidizing agents.
- **Hazardous decomposition products:** Formation of toxic gases is possible during heating or in case of fire.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** No irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**
- **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

7647-01-0	hydrochloric acid	3
-----------	-------------------	---

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
 - Water hazard class 1 (Self-assessment): slightly hazardous for water
 - Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
 - Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
 - Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 6)



Safety Data Sheet
acc. to OSHA HCS

Printing date 05/22/2015

Reviewed on 05/22/2015

Product name: Osmium Standard: 1000 µg/mL Os in 20% HCl [100ml bottle]

(Contd. of page 5)

- **Uncleaned packagings:**
- **Recommendation:** Dispose in accordance with national regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

- **UN-Number** UN1789
- **DOT, ADR, IMDG, IATA** Hydrochloric acid solution
- **DOT** 1789 Hydrochloric acid solution
- **ADR** HYDROCHLORIC ACID solution
- **IMDG, IATA**

- **Transport hazard class(es)**

- **DOT**



- **Class** 8 Corrosive substances
- **Label** 8

- **ADR, IMDG, IATA**



- **Class** 8 Corrosive substances
- **Label** 8

- **Packing group** II
- **DOT, ADR, IMDG, IATA**

- **Environmental hazards:**
- **Marine pollutant:** No

- **Special precautions for user** Warning: Corrosive substances
- **Danger code (Kemler):** 80
- **EMS Number:** F-A,S-B
- **Segregation groups** Acids

- **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code** Not applicable.

- **UN "Model Regulation":** UN1789, Hydrochloric acid solution, 8, II

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Sara**

- **Section 355 (extremely hazardous substances):**

7647-01-0 | hydrochloric acid

- **Section 313 (Specific toxic chemical listings):**

7647-01-0 | hydrochloric acid

(Contd. on page 7)



Safety Data Sheet
acc. to OSHA HCS

Printing date 05/22/2015

Reviewed on 05/22/2015

Product name: Osmium Standard: 1000 µg/mL Os in 20% HCl [100ml bottle]

(Contd. of page 6)

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

7647-01-0	hydrochloric acid	A4
-----------	-------------------	----

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



GHS05

· Signal word Warning

· Hazard statements

H290 May be corrosive to metals.

· Precautionary statements

P234 Keep only in original container.
P390 Absorb spillage to prevent material damage.
P406 Store in corrosive resistant container with a resistant inner liner.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

· Date of preparation / last revision 05/22/2015 / 2

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
ACGIH: American Conference of Governmental Industrial Hygienists
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)

(Contd. on page 8)



Safety Data Sheet

acc. to OSHA HCS

Printing date 05/22/2015

Reviewed on 05/22/2015

Product name: Osmium Standard: 1000 µg/mL Os in 20% HCl [100ml bottle]

(Contd. of page 7)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

Met. Corr.1: Corrosive to metals, Hazard Category 1

Skin Corr. 1B: Skin corrosion/irritation, Hazard Category 1B

STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

· Sources

Tables 3.1 and 3.2 from Annex 6 of EC 1272/2008, EC 1907/2006, EH40/2005 as amended 2011, Registry of Toxic Effects of Chemical Substances (RTECS), The Dictionary of Substances and their Effects, 1st Edition, IUCLID.

US