Tel: 0800 603 1000



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 03.06.2015 Version number 3 Revision: 03.06.2015

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Product name: Osmium Standard: 1000 µg/mL Os in 20% HCl [500ml bottle]
- · Part number: 5190-8496
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the mixture Reference material for laboratory use only
- · Manufacturer/Supplier:

Agilent Technologies Manufacturing GmbH & Co. KG

Hewlett-Packard-Str. 8 76337 Waldbronn

Germany

- · Further information obtainable from: e-mail: pdl-msds_author@agilent.com
- · 1.4 Emergency telephone number: CHEMTREC®: +(44)-870-8200418

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Met. Corr.1 H290 May be corrosive to metals.

- · Classification according to Directive 67/548/EEC or Directive 1999/45/EC Not applicable.
- $\cdot \textit{Information concerning particular hazards for human and environment:} \\$

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

· Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



GHS05

- · Signal word Warning
- · Hazard statements

H290 May be corrosive to metals.

· Precautionary statements

P234 Keep only in original container.

P390 Absorb spillage to prevent material damage.

P406 Store in corrosive resistant container with a resistant inner liner.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

GB



according to 1907/2006/EC, Article 31

Printing date 03.06.2015 Version number 3 Revision: 03.06.2015

Product name: Osmium Standard: 1000 µg/mL Os in 20% HCl [500ml bottle]

(Contd. from page 1)

< 10%

SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · Description:

Aqueous solution.

Also contains substances at levels not considered to be hazardous.

· Dangerous components:

RTECS: MW 9620000 Skin Corr. 1B, H314; STOT SE 3, H335

· Additional information: For the wording of the listed risk phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing:

Rinse mouth. Do not induce vomiting.

If symptoms persist consult doctor.

- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- · 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective clothing.
- · 6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

GB



according to 1907/2006/EC, Article 31

Printing date 03.06.2015 Version number 3 Revision: 03.06.2015

Product name: Osmium Standard: 1000 µg/mL Os in 20% HCl [500ml bottle]

(Contd. from page 2)

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/extraction at the workplace.

Store in cool, dry place in tightly closed receptacles.

Prevent formation of aerosols.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Store in a cool location.

Please refer to the manufacturer's certificate for specific storage and transport temperature conditions. Store only in the original receptacle.

Keep container in a well-ventilated place. Keep away from sources of ignition and heat.

- · Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions: None.
- \cdot 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

7647-01-0 hydrochloric acid

WEL Short-term value: 8 mg/m³, 5 ppm

Long-term value: 2 mg/m³, 1 ppm

(gas and aerosol mists)

- · Additional information: Lists used were valid at the time of SDS preparation.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures: Wash hands before breaks and at the end of work.
- · Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Protection of hands:

Chemical-resistant, impervious gloves with an approved standards should be worn at all times.

The selection of the glove material is based on the penetration times, rates of diffusion and its degradation



Protective gloves

· Material of gloves

PVC gloves

Neoprene gloves

· Penetration time of glove material

The protection time of the gloves can not be accurately estimated for mixtures consisting of several substances

Refer to and observe manufacturers break through times of the protective gloves.

(Contd. on page 4)



according to 1907/2006/EC, Article 31

Printing date 03.06.2015 Version number 3 Revision: 03.06.2015

Product name: Osmium Standard: 1000 µg/mL Os in 20% HCl [500ml bottle]

(Contd. from page 3)

· Eye protection: Safety glasses

SEC	TION	9:	Physic	al a	nd (chen	піса	l pr	opei	ties
	_	_							_	

· 9.1 Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Liquid
Colour: Yellow
Odour: Odourless
Odour threshold: Not determined.

· pH-value at 20 °C:

< 1.5

· Change in condition

Melting point/Melting range: Not determined.
Boiling point/Boiling range: 100 °C

· Flash point: Not applicable.

· Flammability (solid, gaseous): Not determined.

· Ignition temperature:

Decomposition temperature: Not determined.

· Self-igniting: Product is not selfigniting.

· Danger of explosion: Not determined.

· Explosion limits:

Lower:Not determined.Upper:Not determined.

· Vapour pressure at 20 °C: 23 hPa

Density at 20 °C:
 Relative density
 Vapour density
 Evaporation rate
 1.03193 g/cm³
 Not determined.
 Not determined.

· Solubility in / Miscibility with

water: Fully miscible.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic:Not determined.Kinematic:Not determined.

• 9.2 Other information No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity Stable under normal conditions.
- · 10.2 Chemical stability Stable under normal conditions.
- $\cdot \textit{Thermal decomposition / conditions to be avoided:} \\$

Formation of toxic gases is possible during heating or in case of fire.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid Heat.

(Contd. on page 5)



according to 1907/2006/EC, Article 31

Printing date 03.06.2015 Version number 3 Revision: 03.06.2015

Product name: Osmium Standard: 1000 µg/mL Os in 20% HCl [500ml bottle]

(Contd. from page 4)

· 10.5 Incompatible materials:

Bases.

Strong oxidizing agents.

· 10.6 Hazardous decomposition products:

Formation of toxic gases is possible during heating or in case of fire.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- on the skin: No irritating effect.on the eye: No irritating effect.
- · Sensitisation: No sensitising effects known.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product to reach ground water, water course or sewage system.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

Waste disposal key numbers from EWC have to be assigned depending on origin and processing.

- · Uncleaned packaging:
- · Recommendation: Dispose of in accordance with national regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information

- · 14.1 UN-Number
- · ADR, IMDG, IATA

UN1789

 $\cdot ADR$

1789 HYDROCHLORIC ACID solution



according to 1907/2006/EC, Article 31

Printing date 03.06.2015 Version number 3 Revision: 03.06.2015

Product name: Osmium Standard: 1000 µg/mL Os in 20% HCl [500ml bottle]

(Contd. from page 5) · IMDG, IATA HYDROCHLORIC ACID solution · 14.3 Transport hazard class(es) · ADR, IMDG, IATA · Class 8 Corrosive substances. · Label · 14.4 Packing group II· ADR, IMDG, IATA · 14.5 Environmental hazards: · Marine pollutant: No Warning: Corrosive substances. · 14.6 Special precautions for user · Danger code (Kemler): 80 F-A,S-B· EMS Number: Acids · Segregation groups · 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. · Transport/Additional information: $\cdot ADR$ · Limited quantities (LQ) 1L· Transport category 2 E· Tunnel restriction code UN1789, HYDROCHLORIC ACID solution, 8, II · UN ''Model Regulation'':

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Philippines Inventory of Chemicals and Chemical Substances

All ingredients are listed.

· Australian Inventory of Chemical Substances

All ingredients are listed.

· Standard for the Uniform Scheduling of Medicines and Poisons

7647-01-0 hydrochloric acid

S5, S6

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

· Relevant phrases

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

R34 Causes burns.

(Contd. on page 7)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.06.2015 Version number 3 Revision: 03.06.2015

Product name: Osmium Standard: 1000 µg/mL Os in 20% HCl [500ml bottle]

(Contd. from page 6)

R37 Irritating to respiratory system.

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

Met. Corr.1: Corrosive to metals, Hazard Category 1

Skin Corr. 1B: Skin corrosion/irritation, Hazard Category 1B

STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

· Sources

Tables 3.1 and 3.2 from Annex 6 of EC 1272/2008, EC 1907/2006, EH40/2005 as amended 2011, Registry of Toxic Effects of Chemical Substances (RTECS), The Dictionary of Substances and their Effects, 1st Edition, IUCLID.

GB