



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
OSHA HCS2012

Revision date 17-Apr-2024

Revision Number 1

## 1. Identification

### Product identifier

**Product Name** Rhodium Standard: 1000 µg/mL Rh in 20% HCl [100ml bottle]

### Other means of identification

**Product Code(s)** 5190-8509

**Synonyms** None

### Recommended use of the chemical and restrictions on use

**Recommended use** Reagents and Standards for Analytical Chemical Laboratory Use

**Restrictions on use** Not to be used for human or animal consumption

### Details of the supplier of the safety data sheet

#### Supplier Address

Agilent Technologies, Inc.  
5301 Stevens Creek Blvd  
Santa Clara, CA 95051, USA

800-227-9770

**E-mail** pdl-msds\_author@agilent.com

### Emergency telephone number

**Emergency Telephone**  
CHEMTREC®: 1-800-424-9300

## 2. Hazard(s) identification

### Classification

Classified according to OSHA.

Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1
Corrosive to metals	Category 1

### Hazards not otherwise classified (HNOC)

## SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
OSHA HCS2012

**5190-8509 - Rhodium Standard: 1000 µg/mL Rh in  
20% HCl [100ml bottle]**

**Revision date** 17-Apr-2024

Not applicable

### Label elements

#### **Danger**

#### Hazard statements

Classified according to OSHA.

Causes severe skin burns and eye damage

May be corrosive to metals



#### **Precautionary Statements - Prevention**

Do not breathe dusts or mists

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/clothing and eye/face protection

Keep only in original packaging

#### **Precautionary Statements - Response**

Immediately call a POISON CENTER or doctor

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Immediately call a POISON CENTER or doctor

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower

Wash contaminated clothing before reuse

IF INHALED: Remove person to fresh air and keep comfortable for breathing

Immediately call a POISON CENTER or doctor

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

Absorb spillage to prevent material damage

#### **Precautionary Statements - Storage**

Store in corrosion resistant container with a resistant inner liner

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Other information

No information available.

### **3. Composition/information on ingredients**

# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
OSHA HCS2012

**5190-8509 - Rhodium Standard: 1000 µg/mL Rh in  
20% HCl [100ml bottle]**

**Revision date** 17-Apr-2024

## Substance

Not applicable.

## Mixture

**Chemical nature** aqueous solution.

Chemical name	CAS No.	Weight-%	Trade secret
Hydrochloric acid	7647-01-0	5 - <10	*
Rhodium trichloride hydrate	20765-98-4	0.1 - 1	*

## 4. First-aid measures

### Description of first aid measures

<b>General advice</b>	Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.
<b>Inhalation</b>	Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur. Get immediate medical attention.
<b>Eye contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get immediate medical attention.
<b>Skin contact</b>	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get immediate medical attention.
<b>Ingestion</b>	Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Get immediate medical attention.
<b>Self-protection of the first aider</b>	Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8). Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation.

### Most important symptoms and effects, both acute and delayed

**Symptoms** Burning sensation.



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
OSHA HCS2012

5190-8509 - Rhodium Standard: 1000 µg/mL Rh in  
20% HCl [100ml bottle]

Revision date 17-Apr-2024

## Indication of any immediate medical attention and special treatment needed

### Note to physicians

Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure.

## 5. Fire-fighting measures

### Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### Large Fire

CAUTION: Use of water spray when fighting fire may be inefficient.

### Unsuitable extinguishing media

Do not scatter spilled material with high pressure water streams.

### Specific hazards arising from the chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors.

### Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

### Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

## 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

#### Personal precautions

Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Attention! Corrosive material. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

#### Other information

Refer to protective measures listed in Sections 7 and 8.

### Methods and material for containment and cleaning up

#### Methods for containment

Prevent further leakage or spillage if safe to do so.

#### Methods for cleaning up

Pick up and transfer to properly labeled containers.



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
OSHA HCS2012

5190-8509 - Rhodium Standard: 1000 µg/mL Rh in  
20% HCl [100ml bottle]

Revision date 17-Apr-2024

## 7. Handling and storage

### Precautions for safe handling

#### Advice on safe handling

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.

### Conditions for safe storage, including any incompatibilities

#### Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from moisture. Store locked up. Keep out of the reach of children. Store away from other materials. Please refer to the manufacturer's certificate for specific storage and transport temperature conditions. Store only in the original receptacle unless other advice is given on the CoA.

## 8. Exposure controls/personal protection

### Control parameters

#### Exposure Limits

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Hydrochloric acid 7647-01-0	Ceiling: 2 ppm	(vacated) Ceiling: 5 ppm (vacated) Ceiling: 7 mg/m <sup>3</sup> Ceiling: 5 ppm Ceiling: 7 mg/m <sup>3</sup>	IDLH: 50 ppm Ceiling: 5 ppm Ceiling: 7 mg/m <sup>3</sup>
Rhodium trichloride hydrate 20765-98-4	TWA: 0.01 mg/m <sup>3</sup> Rh	TWA: 0.001 mg/m <sup>3</sup> Rh (vacated) TWA: 0.001 mg/m <sup>3</sup> Rh	IDLH: 2 mg/m <sup>3</sup> Rh TWA: 0.001 mg/m <sup>3</sup> Rh

### Biological occupational exposure limits

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

### Appropriate engineering controls

#### Engineering controls

Showers  
Eyewash stations  
Ventilation systems.

# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
OSHA HCS2012

**5190-8509 - Rhodium Standard: 1000 µg/mL Rh in  
20% HCl [100ml bottle]**

**Revision date** 17-Apr-2024

## Individual protection measures, such as personal protective equipment

<b>Eye/face protection</b>	Tight sealing safety goggles. Face protection shield. Avoid contact with eyes. Wear safety glasses with side shields (or goggles).
<b>Hand protection</b>	Wear protective Neoprene™ gloves. Wear suitable gloves. Impervious gloves. The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374.
<b>Skin and body protection</b>	Long sleeved clothing. Chemical resistant apron. Wear suitable protective clothing.
<b>Respiratory protection</b>	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
<b>Environmental exposure controls</b>	Do not allow into any sewer, on the ground or into any body of water.
<b>General hygiene considerations</b>	Regular cleaning of equipment, work area and clothing is recommended. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Wash hands before breaks and after work. Wear suitable gloves and eye/face protection.

## **9. Physical and chemical properties**

### Information on basic physical and chemical properties

<b>Physical state</b>	Liquid
<b>Appearance</b>	Liquid
<b>Color</b>	colorless
<b>Odor</b>	Odorless
<b>Odor threshold</b>	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
<b>pH</b>	No data available	None known
<b>Melting point / freezing point</b>	No data available	None known
<b>Initial boiling point and boiling range</b>	No data available	None known
<b>Flash point</b>	No data available	None known
<b>Evaporation rate</b>	No data available	None known
<b>Flammability</b>	No data available	None known
<b>Flammability Limit in Air</b>		None known
<b>Upper flammability or explosive limits</b>	No data available	
<b>Lower flammability or explosive limits</b>	No data available	



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
OSHA HCS2012

**5190-8509 - Rhodium Standard: 1000 µg/mL Rh in  
20% HCl [100ml bottle]**

**Revision date** 17-Apr-2024

Vapor pressure	No data available	None known
Relative vapor density	No data available	None known
Relative density	No data available	None known
Water solubility	No data available	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known

## Other information

Explosive properties	No information available
Oxidizing properties	No information available
Softening point	No information available
Molecular weight	No information available
VOC content	No information available
Liquid Density	No information available
Bulk density	No information available

## 10. Stability and reactivity

Reactivity	No information available.
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	Exposure to air or moisture over prolonged periods.
Incompatible materials	Oxidizing agent. Acids. Bases.
Hazardous decomposition products	None known based on information supplied.

## 11. Toxicological information

### Information on likely routes of exposure

#### Product Information

##### Inhalation

Specific test data for the substance or mixture is not available. Corrosive by inhalation. (based on components). Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs.

# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
OSHA HCS2012

**5190-8509 - Rhodium Standard: 1000 µg/mL Rh in  
20% HCl [100ml bottle]**

**Revision date** 17-Apr-2024

Pulmonary edema can be fatal.

## Eye contact

Specific test data for the substance or mixture is not available. Causes serious eye damage. (based on components). Corrosive to the eyes and may cause severe damage including blindness. May cause irreversible damage to eyes.

## Skin contact

Specific test data for the substance or mixture is not available. Corrosive. (based on components). Causes burns.

## Ingestion

Specific test data for the substance or mixture is not available. Causes burns. (based on components). Ingestion causes burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung damage if swallowed. May be fatal if swallowed and enters airways.

## Symptoms related to the physical, chemical and toxicological characteristics

### Symptoms

Redness. Burning. May cause blindness. Coughing and/ or wheezing.

### Acute toxicity

### Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	99,999.00 mg/kg
ATEmix (dermal)	99,999.00 mg/kg
ATEmix (inhalation-gas)	99,999.00 ppm
ATEmix (inhalation-dust/mist)	99,999.00 mg/l
ATEmix (inhalation-vapor)	99,999.00 mg/l

### Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Hydrochloric acid 7647-01-0	238 - 277 mg/kg ( Rat )	> 5010 mg/kg ( Rabbit )	= 1.68 mg/L ( Rat ) 1 h
Rhodium trichloride hydrate 20765-98-4	-	> 2000 mg/kg ( Rabbit )	-

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

### Skin corrosion/irritation

Classification based on data available for ingredients. Causes severe skin burns and eye damage.

### Serious eye damage/eye irritation

Classification based on data available for ingredients. Causes serious eye damage. Causes





## SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
OSHA HCS2012

**5190-8509 - Rhodium Standard: 1000 µg/mL Rh in  
20% HCl [100ml bottle]**

**Revision date** 17-Apr-2024

burns.

**Respiratory or skin sensitization** No information available.

**Germ cell mutagenicity** No information available.

**Carcinogenicity** No information available.

**Reproductive toxicity** No information available.

**STOT - single exposure** No information available.

**STOT - repeated exposure** No information available.

**Aspiration hazard** No information available.

**Other adverse effects** No information available.

**Interactive effects** No information available.

### 12. Ecological information

**Ecotoxicity** The environmental impact of this product has not been fully investigated.

**Persistence and degradability** No information available.

**Bioaccumulation** There is no data for this product.

**Other adverse effects** No information available.

# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
OSHA HCS2012

**5190-8509 - Rhodium Standard: 1000 µg/mL Rh in  
20% HCl [100ml bottle]**

**Revision date** 17-Apr-2024

## 13. Disposal considerations

### Disposal methods

<b>Waste from residues/unused products</b>	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
<b>Contaminated packaging</b>	Do not reuse empty containers.

## 14. Transport information

### DOT

<b>UN number or ID number</b>	UN1789
<b>Extended proper shipping name</b>	Hydrochloric acid mixture
<b>Transport hazard class(es)</b>	8
<b>Packing group</b>	II
<b>Special Provisions</b>	386, A3, B3, B15, B133, IB2, N41, T8, TP2
<b>DOT Marine Pollutant</b>	NP
<b>Description</b>	UN1789, Hydrochloric acid mixture, 8, II
<b>Emergency Response Guide Number</b>	157

### TDG

<b>UN number or ID number</b>	UN1789
<b>UN proper shipping name</b>	Hydrochloric acid mixture
<b>Transport hazard class(es)</b>	8
<b>Packing group</b>	II
<b>Marine pollutant</b>	NP
<b>Description</b>	UN1789, Hydrochloric acid mixture, 8, II

### MEX

<b>UN number or ID number</b>	UN1789
<b>UN proper shipping name</b>	Hydrochloric acid mixture
<b>Transport hazard class(es)</b>	8
<b>Packing group</b>	II
<b>Description</b>	UN1789, Hydrochloric acid mixture, 8, II

### IATA

<b>UN number or ID number</b>	UN1789
<b>UN proper shipping name</b>	Hydrochloric acid mixture
<b>Transport hazard class(es)</b>	8
<b>Packing group</b>	II
<b>Description</b>	UN1789, Hydrochloric acid mixture, 8, II
<b>Special Provisions</b>	A3, A803



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
OSHA HCS2012

5190-8509 - Rhodium Standard: 1000 µg/mL Rh in  
20% HCl [100ml bottle]

Revision date 17-Apr-2024

ERG Code

8L

## IMDG

UN number or ID number UN1789  
UN proper shipping name Hydrochloric acid mixture  
Transport hazard class(es) 8  
Packing group II  
EmS-No. F-A, S-B  
Marine pollutant NP  
Description UN1789, Hydrochloric acid mixture, 8, II

## 15. Regulatory information

### International Inventories

#### TSCA

LGC, to the best of its ability, has confirmed that the chemical substances in this product are listed as "Active" in the EPA (Environmental Protection Agency) "TSCA Inventory Notification (Active-Inactive) Requirements Rule" ("the Final Rule") of Feb 2019, as amended Feb 2021."

Chemical name	CAS No.	Inventory Listing Status	Commercial Activity Designation
Hydrochloric acid	7647-01-0	Present	Active
Rhodium trichloride hydrate	20765-98-4	Present	Active

#### DSL/NDSL

#### EINECS/ELINCS

#### ENCS

#### IECSC

#### KECL

#### PICCS

#### AIIC

Contact supplier for inventory compliance status.

Contact supplier for inventory compliance status.

Contact supplier for inventory compliance status.

Contact supplier for inventory compliance status.

Contact supplier for inventory compliance status.

Contact supplier for inventory compliance status.

Contact supplier for inventory compliance status.

#### Legend:

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**AIIC** - Australian Inventory of Chemical Substances



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
OSHA HCS2012

**5190-8509 - Rhodium Standard: 1000 µg/mL Rh in  
20% HCl [100ml bottle]**

**Revision date** 17-Apr-2024

## US Federal Regulations

### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values %
Hydrochloric acid - 7647-01-0	1.0

### **SARA 311/312 Hazard Categories**

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

### **CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Hydrochloric acid 7647-01-0	5000 lb	-	-	X

### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	Reportable Quantity (RQ)
Hydrochloric acid 7647-01-0	5000 lb	5000 lb	RQ 5000 lb final RQ RQ 2270 kg final RQ

## US State Regulations

### **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

## U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Water 7732-18-5	-	-	X
Hydrochloric acid 7647-01-0	X	X	X



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
OSHA HCS2012

**5190-8509 - Rhodium Standard: 1000 µg/mL Rh in  
20% HCl [100ml bottle]**

**Revision date** 17-Apr-2024

Rhodium trichloride hydrate 20765-98-4	-	X	-
---	---	---	---

## U.S. EPA Label Information

**EPA Pesticide Registration Number** Not applicable

## 16. Other information

<b>NFPA</b>	<b>Health hazards</b> 3	<b>Flammability</b> 0	<b>Instability</b> 0	<b>Special hazards</b> -
<b>HMIS</b>	<b>Health hazards</b> 3	<b>Flammability</b> 0	<b>Physical hazards</b> 0	<b>Personal protection</b> X

### Key or legend to abbreviations and acronyms used in the safety data sheet

#### **Legend Section 8: Exposure controls/personal protection**

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	Sk*	Skin designation

### **Key literature references and sources for data used to compile the SDS**

Agency for Toxic Substances and Disease Registry (ATSDR)  
U.S. Environmental Protection Agency ChemView Database  
European Food Safety Authority (EFSA)  
EPA (Environmental Protection Agency)  
Acute Exposure Guideline Level(s) (AELG(s))  
U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act  
U.S. Environmental Protection Agency High Production Volume Chemicals  
Food Research Journal  
Hazardous Substance Database  
International Uniform Chemical Information Database (IUCLID)  
Japan GHS Classification  
Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)  
NIOSH (National Institute for Occupational Safety and Health)  
National Library of Medicine's ChemID Plus (NLM CIP)  
National Library of Medicine's PubMed database (NLM PUBMED)  
National Toxicology Program (NTP)  
New Zealand's Chemical Classification and Information Database (CCID)  
Organization for Economic Co-operation and Development Environment, Health, and Safety Publications  
Organization for Economic Co-operation and Development High Production Volume Chemicals Program  
Organization for Economic Co-operation and Development Screening Information Data Set  
World Health Organization

**Revision date** 17-Apr-2024

**Revision Note** No information available.

### **Disclaimer**

The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.



## SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
OSHA HCS2012

**5190-8509 - Rhodium Standard: 1000 µg/mL Rh in  
20% HCl [100ml bottle]**

**Revision date** 17-Apr-2024

---

**End of Safety Data Sheet**