

## Safety Data Sheet

acc. to OSHA HCS

Printing date 04/24/2019

Reviewed on 04/24/2019

### 1 Identification

- **Product identifier**
- **Product name: Tantalum Standard: 1000 µg/mL Ta in 2% HF [100ml bottle]**
- **Part number: 5190-8531**
- **Application of the substance / the mixture** Reagents and Standards for Analytical Chemical Laboratory Use
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Agilent Technologies, Inc. Tel: 800-227-9770  
5301 Stevens Creek Blvd  
Santa Clara, CA 95051,  
USA
- **Information department:** e-mail: [pdl-msds\\_author@agilent.com](mailto:pdl-msds_author@agilent.com)
- **Emergency telephone number:** CHEMTREC®: 1-800-424-9300

### 2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS06 Skull and crossbones

Acute Tox. 3 H311 Toxic in contact with skin.



GHS05 Corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

- **Label elements**

- **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms**



GHS05 GHS06

- **Signal word** Danger

- **Hazard-determining components of labeling:**

hydrofluoric acid

- **Hazard statements**

H302 Harmful if swallowed.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

(Contd. on page 2)



Safety Data Sheet
acc. to OSHA HCS

Printing date 04/24/2019

Reviewed on 04/24/2019

Product name: Tantalum Standard: 1000 µg/mL Ta in 2% HF [100ml bottle]

(Contd. of page 1)

Precautionary statements

- P280 Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a poison center/doctor.
P405 Store locked up.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Classification system:

NFPA ratings (scale 0 - 4)



HMIS-ratings (scale 0 - 4)



Other hazards

Results of PBT and vPvB assessment

- PBT: Not applicable.
vPvB: Not applicable.

3 Composition/information on ingredients

Chemical characterization: Mixtures

Description:

Aqueous solution.
Also contains substances at levels not considered to be hazardous.

Dangerous components:

Table with 2 columns: CAS: 7664-39-3, RTECS: MW 7875000 and hydrofluoric acid, Acute Tox. 2, H300; Acute Tox. 1, H310; Acute Tox. 2, H330; Skin Corr. 1A, H314. Concentration: <2%

Additional information:

The concentration of the acid stated in this SDS is calculated as an absolute mass concentration (%w/v). This is less than the acid concentration stated on the product label and COA, which reflects a percent value of the commercially available concentrated aqueous form of the acid.

4 First-aid measures

Description of first aid measures

General information:

Immediately remove any clothing soiled by the product.
Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

(Contd. on page 3)



Safety Data Sheet
acc. to OSHA HCS

Printing date 04/24/2019

Reviewed on 04/24/2019

Product name: Tantalum Standard: 1000 µg/mL Ta in 2% HF [100ml bottle]

(Contd. of page 2)

- In case of irregular breathing or respiratory arrest provide artificial respiration.
After inhalation: Supply fresh air; consult doctor in case of complaints.
After skin contact: Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice.
After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
After swallowing: Rinse mouth. Do not induce vomiting. Seek medical treatment.
Information for doctor:
Most important symptoms and effects, both acute and delayed No further relevant information available.
Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
Suitable extinguishing agents: Use fire fighting measures that suit the environment.
Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.
Advice for firefighters
Protective equipment: Mouth respiratory protective device. Wear self-contained respiratory protective device.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away.
Environmental precautions: Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water.
Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent. Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.
Protective Action Criteria for Chemicals

PAC-1:

CAS: 7664-39-3 hydrofluoric acid 1.0 ppm

PAC-2:

CAS: 7664-39-3 hydrofluoric acid 24 ppm

(Contd. on page 4)



**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 04/24/2019

Reviewed on 04/24/2019

**Product name: Tantalum Standard: 1000 µg/mL Ta in 2% HF [100ml bottle]**

(Contd. of page 3)

**· PAC-3:**

CAS: 7664-39-3 hydrofluoric acid

44 ppm

**7 Handling and storage**

- **Handling:**
- **Precautions for safe handling**  
Ensure good ventilation/exhaustion at the workplace.  
Store in cool, dry place in tightly closed receptacles.  
Prevent formation of aerosols.
- **Information about protection against explosions and fires:** Keep respiratory protective device available.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**  
Please refer to the manufacturers certificate for specific storage and transport temperature conditions.  
Store only in the original receptacle unless other advice is given on the CoA.  
Keep container in a well-ventilated place. Keep away from sources of ignition and heat.
- **Information about storage in one common storage facility:** Store away from foodstuffs.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

**8 Exposure controls/personal protection**

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

**· Components with limit values that require monitoring at the workplace:**

**CAS: 7664-39-3 hydrofluoric acid**

PEL	Long-term value: 3 ppm as F
REL	Long-term value: 2.5 mg/m <sup>3</sup> , 3 ppm Ceiling limit value: 5 mg/m <sup>3</sup> , 6 ppm 15-min, as F
TLV	Long-term value: 0.41 mg/m <sup>3</sup> , 0.5 ppm Ceiling limit value: 1.64 mg/m <sup>3</sup> , 2 ppm as F; Skin, BEI

**· Ingredients with biological limit values:**

**CAS: 7664-39-3 hydrofluoric acid**

BEI	3 mg/g creatinine Medium: urine Time: prior to shift Parameter: Fluorides (background, nonspecific)
	10 mg/g creatinine Medium: urine Time: end of shift Parameter: Fluorides (background, nonspecific)

(Contd. on page 5)

## Safety Data Sheet

*acc. to OSHA HCS*

Printing date 04/24/2019

Reviewed on 04/24/2019

**Product name: Tantalum Standard: 1000 µg/mL Ta in 2% HF [100ml bottle]**

(Contd. of page 4)

· **Additional information:** *The lists that were valid during the creation were used as basis.*

· **Exposure controls**

· **Personal protective equipment:**

· **General protective and hygienic measures:**

*Keep away from foodstuffs, beverages and feed.*

*Immediately remove all soiled and contaminated clothing.*

*Wash hands before breaks and at the end of work.*

*Store protective clothing separately.*

*Avoid contact with the eyes.*

*Avoid contact with the eyes and skin.*

· **Breathing equipment:**

*In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.*

· **Protection of hands:**

*The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.*

*Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation*

*The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374*



Protective gloves

· **Material of gloves**

*PVC gloves*

*Neoprene gloves*

· **Penetration time of glove material**

*The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.*

· **Eye protection:**



Tightly sealed goggles

### 9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

**Form:** *Liquid*

**Color:** *Colorless*

· **Odor:** *Odorless*

· **Odor threshold:** *Not determined.*

· **pH-value:** *<2*

· **Change in condition**

**Melting point/Melting range:** *0 °C (32 °F)*

(Contd. on page 6)

## Safety Data Sheet

*acc. to OSHA HCS*

Printing date 04/24/2019

Reviewed on 04/24/2019

**Product name: Tantalum Standard: 1000 µg/mL Ta in 2% HF [100ml bottle]**

(Contd. of page 5)

<b>Boiling point/Boiling range:</b>	100 °C (212 °F)
· <b>Flash point:</b>	Not applicable.
· <b>Flammability (solid, gaseous):</b>	Not determined.
· <b>Ignition temperature:</b>	Not determined
· <b>Decomposition temperature:</b>	Not determined.
· <b>Auto igniting:</b>	Product is not selfigniting.
· <b>Danger of explosion:</b>	Not determined.
· <b>Explosion limits:</b>	
Lower:	Not determined.
Upper:	Not determined.
· <b>Vapor pressure at 20 °C (68 °F):</b>	23 hPa (17.3 mm Hg)
· <b>Density at 20 °C (68 °F):</b>	0.99263 g/cm <sup>3</sup> (8.2835 lbs/gal)
· <b>Relative density</b>	Not determined.
· <b>Vapor density</b>	Not determined.
· <b>Evaporation rate</b>	Not determined.
· <b>Solubility in / Miscibility with Water:</b>	Fully miscible.
· <b>Partition coefficient (n-octanol/water):</b>	Not determined.
· <b>Viscosity:</b>	
Dynamic at 20 °C (68 °F):	0.952 mPas
Kinematic:	Not determined.
· <b>Other information</b>	No further relevant information available.

### 10 Stability and reactivity

- **Reactivity**  
Stable under normal conditions.  
No further relevant information available.
- **Chemical stability** Stable under normal conditions.
- **Thermal decomposition / conditions to be avoided:**  
Formation of toxic gases is possible during heating or in case of fire.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** Heat.
- **Incompatible materials:** Strong oxidizing agents.
- **Hazardous decomposition products:** Formation of toxic gases is possible during heating or in case of fire.

### 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** Caustic effect on skin and mucous membranes.

(Contd. on page 7)

US



Safety Data Sheet
acc. to OSHA HCS

Printing date 04/24/2019

Reviewed on 04/24/2019

Product name: Tantalum Standard: 1000 µg/mL Ta in 2% HF [100ml bottle]

(Contd. of page 6)

- on the eye: Strong caustic effect. Strong irritant with the danger of severe eye injury.
Sensitization: Based on available data, the classification criteria are not met.
Additional toxicological information: The product shows the following dangers according to internally approved calculation methods for preparations: Toxic, Harmful, Corrosive, Irritant. Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

Carcinogenic categories

Table with 2 columns: Agency Name and Status. Rows include IARC, NTP, and OSHA-Ca, all with 'None of the ingredients is listed.'

12 Ecological information

- Toxicity
Aquatic toxicity: No further relevant information available.
Persistence and degradability: No further relevant information available.
Behavior in environmental systems:
Bioaccumulative potential: No further relevant information available.
Mobility in soil: No further relevant information available.
Additional ecological information:
General notes: Water hazard class 1 (Self-assessment): slightly hazardous for water. Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.
Results of PBT and vPvB assessment:
PBT: Not applicable.
vPvB: Not applicable.
Other adverse effects: No further relevant information available.

13 Disposal considerations

- Waste treatment methods
Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 8)



Safety Data Sheet  
acc. to OSHA HCS

Printing date 04/24/2019

Reviewed on 04/24/2019

Product name: Tantalum Standard: 1000 µg/mL Ta in 2% HF [100ml bottle]

(Contd. of page 7)

- **Uncleaned packagings:**
- **Recommendation:** *Dispose in accordance with national regulations.*
- **Recommended cleansing agent:** *Water, if necessary with cleansing agents.*

**14 Transport information**

· **UN-Number** UN2922  
 · **DOT, ADR, IMDG, IATA** Corrosive liquids, toxic, n.o.s. (Hydrofluoric acid)  
 · **DOT** 2922 CORROSIVE LIQUID, TOXIC, N.O.S. (HYDROFLUORIC ACID)  
 · **ADR** CORROSIVE LIQUID, TOXIC, N.O.S. (HYDROFLUORIC ACID)  
 · **IMDG, IATA** CORROSIVE LIQUID, TOXIC, N.O.S. (HYDROFLUORIC ACID)

· **Transport hazard class(es)**

· **DOT**



· **Class** 8 Corrosive substances  
 · **Label** 8, 6.1

· **ADR**



· **Class** 8 Corrosive substances  
 · **Label** 8+6.1

· **IMDG**



· **Class** 8 Corrosive substances  
 · **Label** 8/6.1

· **IATA**



· **Class** 8 Corrosive substances  
 · **Label** 8 (6.1)

· **Packing group** II  
 · **DOT, ADR, IMDG, IATA** II

(Contd. on page 9)



## Safety Data Sheet

*acc. to OSHA HCS*

Printing date 04/24/2019

Reviewed on 04/24/2019

**Product name: Tantalum Standard: 1000 µg/mL Ta in 2% HF [100ml bottle]**

(Contd. of page 8)

· <b>Environmental hazards:</b>	<i>Not applicable.</i>
· <b>Special precautions for user</b>	<i>Warning: Corrosive substances</i>
· <b>Danger code (Kemler):</b>	<i>86</i>
· <b>EMS Number:</b>	<i>F-A,S-B</i>
· <b>Segregation groups</b>	<i>Acids</i>
· <b>Stowage Category</b>	<i>B</i>
· <b>Stowage Code</b>	<i>SW2 Clear of living quarters.</i>
· <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b>	<i>Not applicable.</i>
· <b>Transport/Additional information:</b>	
· <b>ADR</b>	
· <b>Excepted quantities (EQ)</b>	<i>Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml</i>
· <b>UN "Model Regulation":</b>	<i>UN 2922 CORROSIVE LIQUID, TOXIC, N.O.S. (HYDROFLUORIC ACID), 8 (6.1), II</i>

### 15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Sara**

- **Section 355 (extremely hazardous substances):**

CAS: 7664-39-3	hydrofluoric acid
----------------	-------------------

- **Section 313 (Specific toxic chemical listings):**

CAS: 7664-39-3	hydrofluoric acid
----------------	-------------------

- **TSCA (Toxic Substances Control Act):**

<i>All ingredients are listed.</i>
------------------------------------

- **Hazardous Air Pollutants**

CAS: 7664-39-3	hydrofluoric acid
----------------	-------------------

- **Proposition 65**

- **Chemicals known to cause cancer:**

<i>None of the ingredients is listed.</i>
---

- **Chemicals known to cause reproductive toxicity for females:**

<i>None of the ingredients is listed.</i>
---

- **Chemicals known to cause reproductive toxicity for males:**

<i>None of the ingredients is listed.</i>
---

- **Chemicals known to cause developmental toxicity:**

<i>None of the ingredients is listed.</i>
---

- **Carcinogenic categories**

- **EPA (Environmental Protection Agency)**

<i>None of the ingredients is listed.</i>
---

(Contd. on page 10)

## Safety Data Sheet

*acc. to OSHA HCS*

Printing date 04/24/2019

Reviewed on 04/24/2019

**Product name: Tantalum Standard: 1000 µg/mL Ta in 2% HF [100ml bottle]**

(Contd. of page 9)

· **TLV (Threshold Limit Value established by ACGIH)**

None of the ingredients is listed.

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **Hazard pictograms**



GHS05    GHS06

· **Signal word** *Danger*

· **Hazard-determining components of labeling:**

*hydrofluoric acid*

· **Hazard statements**

*H302 Harmful if swallowed.*

*H311 Toxic in contact with skin.*

*H314 Causes severe skin burns and eye damage.*

· **Precautionary statements**

*P280 Wear protective gloves/protective clothing/eye protection/face protection.*

*P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.*

*P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.*

*P310 Immediately call a poison center/doctor.*

*P405 Store locked up.*

*P501 Dispose of contents/container in accordance with local/regional/national/international regulations.*

· **Chemical safety assessment:** *A Chemical Safety Assessment has not been carried out.*

### 16 Other information

*The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.*

· **Date of preparation / last revision** 04/24/2019 / -

· **Abbreviations and acronyms:**

*ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)*

*IMDG: International Maritime Code for Dangerous Goods*

*DOT: US Department of Transportation*

*IATA: International Air Transport Association*

*ACGIH: American Conference of Governmental Industrial Hygienists*

*EINECS: European Inventory of Existing Commercial Chemical Substances*

*ELINCS: European List of Notified Chemical Substances*

*CAS: Chemical Abstracts Service (division of the American Chemical Society)*

*NFPA: National Fire Protection Association (USA)*

*HMIS: Hazardous Materials Identification System (USA)*

*PBT: Persistent, Bioaccumulative and Toxic*

*vPvB: very Persistent and very Bioaccumulative*

*NIOSH: National Institute for Occupational Safety*

*OSHA: Occupational Safety & Health*

(Contd. on page 11)

**Safety Data Sheet**  
*acc. to OSHA HCS*

Printing date 04/24/2019

Reviewed on 04/24/2019

**Product name: Tantalum Standard: 1000 µg/mL Ta in 2% HF [100ml bottle]**

(Contd. of page 10)

*TLV: Threshold Limit Value**PEL: Permissible Exposure Limit**REL: Recommended Exposure Limit**BEI: Biological Exposure Limit**Acute Tox. 2: Acute toxicity – Category 2**Acute Tox. 4: Acute toxicity – Category 4**Acute Tox. 1: Acute toxicity – Category 1**Acute Tox. 3: Acute toxicity – Category 3**Skin Corr. 1A: Skin corrosion/irritation – Category 1A**Skin Corr. 1B: Skin corrosion/irritation – Category 1B**Eye Dam. 1: Serious eye damage/eye irritation – Category 1***• Sources**

*Tables 3.1 and 3.2 from Annex 6 of EC 1272/2008, EC 1907/2006, EH40/2005 as amended 2011, Registry of Toxic Effects of Chemical Substances (RTECS), The Dictionary of Substances and their Effects, 1st Edition, IUCLID.*

- **Data compared to the previous version altered.** All sections have been updated.

US