



## Safety Data Sheet

acc. to OSHA HCS

Printing date 04/10/2019

Reviewed on 04/10/2019

### 1 Identification

· **Product identifier**

· **Product name:** Semiquantitative Calibration Standard 2 in 40% Aqua Regia, tr. HF  
[100ml bottle]

· **Part number:** 5190-8595

· **Application of the substance / the mixture** Reagents and Standards for Analytical Chemical Laboratory Use

· **Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:**

Agilent Technologies, Inc.  
5301 Stevens Creek Blvd  
Santa Clara, CA 95051,  
USA

Tel: 800-227-9770

· **Information department:** e-mail: [pdl-msds\\_author@agilent.com](mailto:pdl-msds_author@agilent.com)

· **Emergency telephone number:** CHEMTREC®: 1-800-424-9300

### 2 Hazard(s) identification

· **Classification of the substance or mixture**



GHS03 Flame over circle

Ox. Liq. 3      H272 May intensify fire; oxidizer.



GHS05 Corrosion

Met. Corr.1      H290 May be corrosive to metals.

Skin Corr. 1B      H314 Causes severe skin burns and eye damage.

Eye Dam. 1      H318 Causes serious eye damage.



GHS07

Acute Tox. 4      H302 Harmful if swallowed.

Acute Tox. 4      H312 Harmful in contact with skin.

Acute Tox. 4      H332 Harmful if inhaled.

STOT SE 3      H335 May cause respiratory irritation.

· **Label elements**

· **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**



GHS03



GHS05



GHS07

· **Signal word** Danger

(Contd. on page 2)



## Safety Data Sheet

acc. to OSHA HCS

Printing date 04/10/2019

Reviewed on 04/10/2019

**Product name: Semiquantitative Calibration Standard 2 in 40% Aqua Regia, tr. HF [100ml bottle]**

(Contd. of page 1)

· **Hazard-determining components of labeling:**

Hydrochloric acid

hydrofluoric acid

· **Hazard statements**

H272 May intensify fire; oxidizer.

H290 May be corrosive to metals.

H302+H312+H332 Harmful if swallowed, in contact with skin or if inhaled.

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

· **Precautionary statements**

P221 Take any precaution to avoid mixing with combustibles.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a poison center/doctor.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Classification system:**

· **NFPA ratings (scale 0 - 4)**



Health = 3

Fire = 3

Reactivity = 0

The substance possesses oxidizing properties.

· **HMIS-ratings (scale 0 - 4)**



Health = 3

Fire = 3

Reactivity = 0

· **Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

### 3 Composition/information on ingredients

· **Chemical characterization: Mixtures**

· **Description:**

Also contains substances at levels not considered to be hazardous.

Aqueous solution.

(Contd. on page 3)



## Safety Data Sheet

acc. to OSHA HCS

Printing date 04/10/2019

Reviewed on 04/10/2019

**Product name: Semiquantitative Calibration Standard 2 in 40% Aqua Regia, tr. HF [100ml bottle]**

(Contd. of page 2)

<b>· Dangerous components:</b>		
CAS: 7647-01-0 RTECS: MW 9620000	Hydrochloric acid ⚠ Skin Corr. 1B, H314; Eye Dam. 1, H318; ⚠ STOT SE 3, H335	10-25%
CAS: 7697-37-2 RTECS: QU5775000	Nitric acid ⚠ Ox. Liq. 2, H272; ⚠ Met. Corr. 1, H290	<10%
CAS: 7664-39-3 RTECS: MW 7875000	hydrofluoric acid ⚠ Acute Tox. 2, H300; Acute Tox. 1, H310; Acute Tox. 2, H330; ⚠ Skin Corr. 1A, H314	<0.25%

**· Additional information:**

The concentration of the acid stated in this SDS is calculated as an absolute mass concentration (%w/v). This is less than the acid concentration stated on the product label and COA, which reflects a percent value of the commercially available concentrated aqueous form of the acid.

### 4 First-aid measures

**· Description of first aid measures****· General information:**

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

**· After inhalation:**

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

Seek medical treatment.

**· After skin contact:**

Immediately wash with water and soap and rinse thoroughly.

Seek medical treatment.

Seek immediate medical advice.

**· After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.**· After swallowing:**

Rinse mouth. Do not induce vomiting.

Seek medical treatment.

**· Information for doctor:****· Most important symptoms and effects, both acute and delayed** No further relevant information available.**· Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

### 5 Fire-fighting measures

**· Extinguishing media****· Suitable extinguishing agents:** Use fire fighting measures that suit the environment.**· Special hazards arising from the substance or mixture**

During heating or in case of fire poisonous gases are produced.

**· Advice for firefighters****· Protective equipment:**

Mouth respiratory protective device.

(Contd. on page 4)

US



## Safety Data Sheet

acc. to OSHA HCS

Printing date 04/10/2019

Reviewed on 04/10/2019

**Product name: Semiquantitative Calibration Standard 2 in 40% Aqua Regia, tr. HF [100ml bottle]**

(Contd. of page 3)

Wear self-contained respiratory protective device.

### 6 Accidental release measures

· **Personal precautions, protective equipment and emergency procedures**

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

· **Environmental precautions:**

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· **Methods and material for containment and cleaning up:**

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Absorb liquid components with liquid-binding material.

DO NOT USE SAWDUST.

· **Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· **Protective Action Criteria for Chemicals**

· **PAC-1:**

CAS: 7647-01-0	Hydrochloric acid	1.8 ppm
CAS: 7697-37-2	Nitric acid	0.16 ppm
CAS: 7664-39-3	hydrofluoric acid	1.0 ppm
CAS: 7440-57-5	Gold	0.46 mg/m <sup>3</sup>
CAS: 10043-35-3	Boric acid	6 mg/m <sup>3</sup>
CAS: 7440-48-4	Cobalt	0.18 mg/m <sup>3</sup>
CAS: 7440-47-3	Chromium	1.5 mg/m <sup>3</sup>
CAS: 7440-50-8	Copper	3 mg/m <sup>3</sup>
CAS: 7440-56-4	germanium	3.2 mg/m <sup>3</sup>
CAS: 7757-79-1	Potassium nitrate	9 mg/m <sup>3</sup>
CAS: 554-13-2	Lithium carbonate	3.1 mg/m <sup>3</sup>
CAS: 7439-98-7	Molybdenum	30 mg/m <sup>3</sup>
CAS: 10026-12-7	niobium pentachloride	4.2 mg/m <sup>3</sup>
CAS: 7440-02-0	Nickel	4.5 mg/m <sup>3</sup>
CAS: 7440-05-3	Palladium	6 mg/m <sup>3</sup>
CAS: 7440-06-4	platinum	3 mg/m <sup>3</sup>
CAS: 7440-36-0	antimony	1.5 mg/m <sup>3</sup>
CAS: 16919-19-0	Ammonium silicofluoride	12 mg/m <sup>3</sup>
CAS: 7440-31-5	Tin	6 mg/m <sup>3</sup>
CAS: 7440-32-6	titanium	30 mg/m <sup>3</sup>
CAS: 1314-62-1	vanadium pentoxide	0.64 mg/m <sup>3</sup>

(Contd. on page 5)



# Safety Data Sheet

acc. to OSHA HCS

Printing date 04/10/2019

Reviewed on 04/10/2019

**Product name: Semiquantitative Calibration Standard 2 in 40% Aqua Regia, tr. HF [100ml bottle]**

(Contd. of page 4)

CAS: 7440-33-7	tungsten	10 mg/m <sup>3</sup>
CAS: 7440-66-6	Zinc	6 mg/m <sup>3</sup>
CAS: 7699-43-6	Zirconium(IV) oxide chloride	20 mg/m <sup>3</sup>

**· PAC-2:**

CAS: 7647-01-0	Hydrochloric acid	22 ppm
CAS: 7697-37-2	Nitric acid	24 ppm
CAS: 7664-39-3	hydrofluoric acid	24 ppm
CAS: 7440-57-5	Gold	5.1 mg/m <sup>3</sup>
CAS: 10043-35-3	Boric acid	23 mg/m <sup>3</sup>
CAS: 7440-48-4	Cobalt	2 mg/m <sup>3</sup>
CAS: 7440-47-3	Chromium	17 mg/m <sup>3</sup>
CAS: 7440-50-8	Copper	33 mg/m <sup>3</sup>
CAS: 7440-56-4	germanium	35 mg/m <sup>3</sup>
CAS: 7757-79-1	Potassium nitrate	100 mg/m <sup>3</sup>
CAS: 554-13-2	Lithium carbonate	34 mg/m <sup>3</sup>
CAS: 7439-98-7	Molybdenum	330 mg/m <sup>3</sup>
CAS: 10026-12-7	niobium pentachloride	46 mg/m <sup>3</sup>
CAS: 7440-02-0	Nickel	50 mg/m <sup>3</sup>
CAS: 7440-05-3	Palladium	66 mg/m <sup>3</sup>
CAS: 7440-06-4	platinum	33 mg/m <sup>3</sup>
CAS: 7440-36-0	antimony	13 mg/m <sup>3</sup>
CAS: 16919-19-0	Ammonium silicofluoride	130 mg/m <sup>3</sup>
CAS: 7440-31-5	Tin	67 mg/m <sup>3</sup>
CAS: 7440-32-6	titanium	330 mg/m <sup>3</sup>
CAS: 1314-62-1	vanadium pentoxide	7 mg/m <sup>3</sup>
CAS: 7440-33-7	tungsten	330 mg/m <sup>3</sup>
CAS: 7440-66-6	Zinc	21 mg/m <sup>3</sup>
CAS: 7699-43-6	Zirconium(IV) oxide chloride	160 mg/m <sup>3</sup>

**· PAC-3:**

CAS: 7647-01-0	Hydrochloric acid	100 ppm
CAS: 7697-37-2	Nitric acid	92 ppm
CAS: 7664-39-3	hydrofluoric acid	44 ppm
CAS: 7440-57-5	Gold	30 mg/m <sup>3</sup>
CAS: 10043-35-3	Boric acid	830 mg/m <sup>3</sup>
CAS: 7440-48-4	Cobalt	20 mg/m <sup>3</sup>
CAS: 7440-47-3	Chromium	99 mg/m <sup>3</sup>
CAS: 7440-50-8	Copper	200 mg/m <sup>3</sup>
CAS: 7440-56-4	germanium	170 mg/m <sup>3</sup>
CAS: 7757-79-1	Potassium nitrate	600 mg/m <sup>3</sup>
CAS: 554-13-2	Lithium carbonate	210 mg/m <sup>3</sup>

(Contd. on page 6)



## Safety Data Sheet

acc. to OSHA HCS

Printing date 04/10/2019

Reviewed on 04/10/2019

**Product name: Semiquantitative Calibration Standard 2 in 40% Aqua Regia, tr. HF [100ml bottle]**

(Contd. of page 5)

CAS: 7439-98-7	Molybdenum	2,000 mg/m <sup>3</sup>
CAS: 10026-12-7	niobium pentachloride	280 mg/m <sup>3</sup>
CAS: 7440-02-0	Nickel	99 mg/m <sup>3</sup>
CAS: 7440-05-3	Palladium	400 mg/m <sup>3</sup>
CAS: 7440-06-4	platinum	200 mg/m <sup>3</sup>
CAS: 7440-36-0	antimony	80 mg/m <sup>3</sup>
CAS: 16919-19-0	Ammonium silicofluoride	780 mg/m <sup>3</sup>
CAS: 7440-31-5	Tin	400 mg/m <sup>3</sup>
CAS: 7440-32-6	titanium	2,000 mg/m <sup>3</sup>
CAS: 1314-62-1	vanadium pentoxide	70 mg/m <sup>3</sup>
CAS: 7440-33-7	tungsten	2,000 mg/m <sup>3</sup>
CAS: 7440-66-6	Zinc	120 mg/m <sup>3</sup>
CAS: 7699-43-6	Zirconium(IV) oxide chloride	980 mg/m <sup>3</sup>

### 7 Handling and storage

- **Handling:**
- **Precautions for safe handling**  
Ensure good ventilation/exhaustion at the workplace.  
Store in cool, dry place in tightly closed receptacles.  
Prevent formation of aerosols.
- **Information about protection against explosions and fires:** Keep respiratory protective device available.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**  
Please refer to the manufacturers certificate for specific storage and transport temperature conditions.  
Store only in the original receptacle unless other advice is given on the CoA.  
Keep container in a well-ventilated place. Keep away from sources of ignition and heat.
- **Information about storage in one common storage facility:** Store away from foodstuffs.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

### 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**  
The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.  
At this time, the remaining constituent has no known exposure limits.

#### CAS: 7647-01-0 Hydrochloric acid

PEL	Ceiling limit value: 7 mg/m <sup>3</sup> , 5 ppm
REL	Ceiling limit value: 7 mg/m <sup>3</sup> , 5 ppm

(Contd. on page 7)

US



## Safety Data Sheet

*acc. to OSHA HCS*

Printing date 04/10/2019

Reviewed on 04/10/2019

**Product name: Semiquantitative Calibration Standard 2 in 40% Aqua Regia, tr. HF [100ml bottle]**

(Contd. of page 6)

TLV	Ceiling limit value: 2.98 mg/m <sup>3</sup> , 2 ppm
<b>CAS: 7697-37-2 Nitric acid</b>	
PEL	Long-term value: 5 mg/m <sup>3</sup> , 2 ppm
REL	Short-term value: 10 mg/m <sup>3</sup> , 4 ppm Long-term value: 5 mg/m <sup>3</sup> , 2 ppm
TLV	Short-term value: 10 mg/m <sup>3</sup> , 4 ppm Long-term value: 5.2 mg/m <sup>3</sup> , 2 ppm

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Exposure controls**

· **Personal protective equipment:**

· **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· **Breathing equipment:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· **Protection of hands:**

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374



Protective gloves

· **Material of gloves**

PVC gloves

Neoprene gloves

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Tightly sealed goggles

US

(Contd. on page 8)



## Safety Data Sheet

acc. to OSHA HCS

Printing date 04/10/2019

Reviewed on 04/10/2019

**Product name: Semiquantitative Calibration Standard 2 in 40% Aqua Regia, tr. HF [100ml bottle]**

(Contd. of page 7)

### 9 Physical and chemical properties

#### · Information on basic physical and chemical properties

##### · General Information

##### · Appearance:

Form:	Liquid
Color:	Colorless
Odor:	Odorless
Odor threshold:	Not determined.

· pH-value: < 2

##### · Change in condition

Melting point/Melting range:	Not determined. Not determined.
Boiling point/Boiling range:	83 °C (181.4 °F)

· Flash point: Not applicable.

· Flammability (solid, gaseous): Not determined.

· Ignition temperature: Not determined

· Decomposition temperature: Not determined.

· Auto igniting: Product is not selfigniting.

· Danger of explosion: Not determined.

##### · Explosion limits:

Lower:	Not determined.
Upper:	Not determined.

· Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg)

· Density at 20 °C (68 °F): 0.999 g/cm<sup>3</sup> (8.33666 lbs/gal)

· Relative density: Not determined.

· Vapor density: Not determined.

· Evaporation rate: Not determined.

##### · Solubility in / Miscibility with

Water: Fully miscible.

· Partition coefficient (n-octanol/water): Not determined.

##### · Viscosity:

Dynamic:	Not determined.
Kinematic:	Not determined.

· Other information: No further relevant information available.

### 10 Stability and reactivity

#### · Reactivity

Stable under normal conditions.

No further relevant information available.

· Chemical stability: Stable under normal conditions.

(Contd. on page 9)





## Safety Data Sheet

acc. to OSHA HCS

Printing date 04/10/2019

Reviewed on 04/10/2019

**Product name: Semiquantitative Calibration Standard 2 in 40% Aqua Regia, tr. HF [100ml bottle]**

(Contd. of page 8)

- **Thermal decomposition / conditions to be avoided:**  
Formation of toxic gases is possible during heating or in case of fire.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** Heat.
- **Incompatible materials:**  
Strong oxidizing agents.  
Metals.
- **Hazardous decomposition products:** Formation of toxic gases is possible during heating or in case of fire.

### 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

- **LD/LC50 values that are relevant for classification:**

CAS: 7697-37-2 Nitric acid

Inhalative	LC50/4 h	130 mg/l (rat)
------------	----------	----------------

- **Primary irritant effect:**
- **on the skin:** Caustic effect on skin and mucous membranes.
- **on the eye:**  
Strong caustic effect.  
Strong irritant with the danger of severe eye injury.
- **Sensitization:** Based on available data, the classification criteria are not met.
- **Additional toxicological information:**  
The product shows the following dangers according to internally approved calculation methods for preparations:  
Harmful  
Corrosive  
Irritant  
Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.
- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

CAS: 7647-01-0	Hydrochloric acid	3
CAS: 19049-40-2	Beryllium Oxyacetate	1
CAS: 7440-48-4	Cobalt	2B
CAS: 7440-47-3	Chromium	3
CAS: 7440-02-0	Nickel	2B
CAS: 1314-62-1	vanadium pentoxide	2B

- **NTP (National Toxicology Program)**

CAS: 19049-40-2	Beryllium Oxyacetate	K
CAS: 7440-48-4	Cobalt	R
CAS: 7440-02-0	Nickel	R

(Contd. on page 10)

US



## Safety Data Sheet

acc. to OSHA HCS

Printing date 04/10/2019

Reviewed on 04/10/2019

**Product name: Semiquantitative Calibration Standard 2 in 40% Aqua Regia, tr. HF [100ml bottle]**

(Contd. of page 9)

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

### 12 Ecological information

· **Toxicity**

· **Aquatic toxicity:**

**CAS: 7697-37-2 Nitric acid**

LC50/48 | 180 mg/l (crustacean)

· **Persistence and degradability** No further relevant information available.

· **Behavior in environmental systems:**

· **Bioaccumulative potential** No further relevant information available.

· **Mobility in soil** No further relevant information available.

· **Additional ecological information:**

· **General notes:**

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **Other adverse effects** No further relevant information available.

### 13 Disposal considerations

· **Waste treatment methods**

· **Recommendation:**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· **Uncleaned packagings:**

· **Recommendation:** Dispose in accordance with national regulations.

· **Recommended cleansing agent:** Water, if necessary with cleansing agents.

### 14 Transport information

· **UN-Number**

· **DOT, ADR, IMDG, IATA**

· **DOT**

UN3264

Corrosive liquid, acidic, inorganic, n.o.s. (Nitric acid, Hydrochloric acid)

· **ADR**

3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID, HYDROCHLORIC ACID)

· **IMDG, IATA**

CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID, HYDROCHLORIC ACID)

(Contd. on page 11)



## Safety Data Sheet

acc. to OSHA HCS

Printing date 04/10/2019

Reviewed on 04/10/2019

**Product name: Semiquantitative Calibration Standard 2 in 40% Aqua Regia, tr. HF [100ml bottle]**

(Contd. of page 10)

· **Transport hazard class(es)**

· **DOT**



· **Class** 8 Corrosive substances  
 · **Label** 8

· **ADR, IMDG, IATA**



· **Class** 8 Corrosive substances  
 · **Label** 8

· **Packing group**

· **DOT, ADR, IMDG, IATA** II

· **Environmental hazards:** Not applicable.

· **Special precautions for user** Warning: Corrosive substances

· **Danger code (Kemler):** 80

· **EMS Number:** F-A,S-B

· **Segregation groups** Acids

· **Stowage Category** B

· **Stowage Code** SW2 Clear of living quarters.

· **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code** Not applicable.

· **Transport/Additional information:**

· **ADR**

· **Excepted quantities (EQ)** Code: E2  
 Maximum net quantity per inner packaging: 30 ml  
 Maximum net quantity per outer packaging: 500 ml

· **UN "Model Regulation":** UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID, HYDROCHLORIC ACID), 8, II

### 15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **Sara**

· **Section 355 (extremely hazardous substances):**

CAS: 7647-01-0 Hydrochloric acid

CAS: 7697-37-2 Nitric acid

(Contd. on page 12)

US



# Safety Data Sheet

acc. to OSHA HCS

Printing date 04/10/2019

Reviewed on 04/10/2019

**Product name: Semiquantitative Calibration Standard 2 in 40% Aqua Regia, tr. HF [100ml bottle]**

(Contd. of page 11)

CAS: 7664-39-3	hydrofluoric acid
CAS: 1314-62-1	vanadium pentoxide

**· Section 313 (Specific toxic chemical listings):**

CAS: 7647-01-0	Hydrochloric acid
CAS: 7697-37-2	Nitric acid
CAS: 7664-39-3	hydrofluoric acid
CAS: 19049-40-2	Beryllium Oxyacetate
CAS: 7440-48-4	Cobalt
CAS: 7440-47-3	Chromium
CAS: 7440-50-8	Copper
CAS: 7757-79-1	Potassium nitrate
CAS: 554-13-2	Lithium carbonate
CAS: 17141-63-8	Manganese(II) nitrate hexahydrate
CAS: 7440-02-0	Nickel
CAS: 7440-36-0	antimony
CAS: 1314-62-1	vanadium pentoxide
CAS: 7440-66-6	Zinc

**· TSCA (Toxic Substances Control Act):**

CAS: 7647-01-0	Hydrochloric acid
CAS: 7697-37-2	Nitric acid
CAS: 7664-39-3	hydrofluoric acid
CAS: 7440-57-5	Gold
CAS: 10043-35-3	Boric acid
CAS: 7440-48-4	Cobalt
CAS: 7440-47-3	Chromium
CAS: 7440-50-8	Copper
CAS: 7440-56-4	germanium
CAS: 7757-79-1	Potassium nitrate
CAS: 554-13-2	Lithium carbonate
CAS: 7439-98-7	Molybdenum
CAS: 10026-12-7	niobium pentachloride
CAS: 7440-02-0	Nickel
CAS: 12125-08-5	diammonium hexachloroosmate
CAS: 7440-05-3	Palladium
CAS: 7440-06-4	platinum
CAS: 7440-36-0	antimony
CAS: 16919-19-0	Ammonium silicofluoride
CAS: 7440-31-5	Tin
CAS: 7721-01-9	tantalum pentachloride
CAS: 7440-32-6	titanium

(Contd. on page 13)



## Safety Data Sheet

*acc. to OSHA HCS*

Printing date 04/10/2019

Reviewed on 04/10/2019

**Product name: Semiquantitative Calibration Standard 2 in 40% Aqua Regia, tr. HF [100ml bottle]**

(Contd. of page 12)

CAS: 1314-62-1	vanadium pentoxide
CAS: 7440-33-7	tungsten
CAS: 7440-66-6	Zinc
CAS: 7699-43-6	Zirconium(IV) oxide chloride
CAS: 7732-18-5	Water

**· Hazardous Air Pollutants**

CAS: 7647-01-0	Hydrochloric acid
CAS: 7664-39-3	hydrofluoric acid
CAS: 7440-48-4	Cobalt
CAS: 17141-63-8	Manganese(II) nitrate hexahydrate

**· Proposition 65**

**· Chemicals known to cause cancer:**

CAS: 19049-40-2	Beryllium Oxyacetate
CAS: 7440-48-4	Cobalt
CAS: 7440-02-0	Nickel
CAS: 1314-62-1	vanadium pentoxide

**· Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

**· Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

**· Chemicals known to cause developmental toxicity:**

CAS: 554-13-2	Lithium carbonate
---------------	-------------------

**· Carcinogenic categories**

**· EPA (Environmental Protection Agency)**

CAS: 10043-35-3	Boric acid	I (oral)
CAS: 7440-47-3	Chromium	D
CAS: 7440-50-8	Copper	D
CAS: 17141-63-8	Manganese(II) nitrate hexahydrate	D
CAS: 7440-66-6	Zinc	D, I, II

**· TLV (Threshold Limit Value established by ACGIH)**

CAS: 7647-01-0	Hydrochloric acid	A4
CAS: 10043-35-3	Boric acid	A4
CAS: 7440-48-4	Cobalt	A3
CAS: 7440-47-3	Chromium	A4
CAS: 7439-98-7	Molybdenum	A3
CAS: 7440-02-0	Nickel	A5
CAS: 1314-62-1	vanadium pentoxide	A3

**· NIOSH-Ca (National Institute for Occupational Safety and Health)**

CAS: 19049-40-2	Beryllium Oxyacetate
CAS: 7440-02-0	Nickel

(Contd. on page 14)



## Safety Data Sheet

acc. to OSHA HCS

Printing date 04/10/2019

Reviewed on 04/10/2019

**Product name: Semiquantitative Calibration Standard 2 in 40% Aqua Regia, tr. HF [100ml bottle]**

(Contd. of page 13)

· **Hazard pictograms**



GHS03 GHS05 GHS07

· **Signal word** *Danger*

· **Hazard-determining components of labeling:**

Hydrochloric acid  
hydrofluoric acid

· **Hazard statements**

H272 May intensify fire; oxidizer.  
H290 May be corrosive to metals.  
H302+H312+H332 Harmful if swallowed, in contact with skin or if inhaled.  
H314 Causes severe skin burns and eye damage.  
H335 May cause respiratory irritation.

· **Precautionary statements**

P221 Take any precaution to avoid mixing with combustibles.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 Immediately call a poison center/doctor.  
P405 Store locked up.  
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### 16 Other information

The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

· **Date of preparation / last revision** 04/10/2019 / -

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
DOT: US Department of Transportation  
IATA: International Air Transport Association  
ACGIH: American Conference of Governmental Industrial Hygienists  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
NFPA: National Fire Protection Association (USA)  
HMIS: Hazardous Materials Identification System (USA)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative

(Contd. on page 15)



**Safety Data Sheet**  
*acc. to OSHA HCS*

Printing date 04/10/2019

Reviewed on 04/10/2019

**Product name: Semiquantitative Calibration Standard 2 in 40% Aqua Regia, tr. HF [100ml bottle]**

(Contd. of page 14)

*NIOSH: National Institute for Occupational Safety*

*OSHA: Occupational Safety & Health*

*TLV: Threshold Limit Value*

*PEL: Permissible Exposure Limit*

*REL: Recommended Exposure Limit*

*Ox. Liq. 2: Oxidizing liquids – Category 2*

*Ox. Liq. 3: Oxidizing liquids – Category 3*

*Met. Corr.1: Corrosive to metals – Category 1*

*Acute Tox. 2: Acute toxicity – Category 2*

*Acute Tox. 4: Acute toxicity – Category 4*

*Acute Tox. 1: Acute toxicity – Category 1*

*Skin Corr. 1A: Skin corrosion/irritation – Category 1A*

*Skin Corr. 1B: Skin corrosion/irritation – Category 1B*

*Eye Dam. 1: Serious eye damage/eye irritation – Category 1*

*STOT SE 3: Specific target organ toxicity (single exposure) – Category 3*

• **Sources**

*Tables 3.1 and 3.2 from Annex 6 of EC 1272/2008, EC 1907/2006, EH40/2005 as amended 2011, Registry of Toxic Effects of Chemical Substances (RTECS), The Dictionary of Substances and their Effects, 1st Edition, IUCLID.*

• **Data compared to the previous version altered.** All sections have been updated.

US