



Safety Data Sheet

acc. to OSHA HCS

Printing date 06/11/2015

Reviewed on 06/03/2015

1 Identification

- **Product identifier**
- **Product name:** 30 µg/g Ag, Al, B, Ba, Ca, Cd, Cr, Cu, Fe, Mg, Mn, Mo, Na, Ni, P, Pb, Si, Sn, Ti, V, Zn in 75 cSt Hydrocarbon Oil [100g bottle]
- **Part number:** 5190-8601
- **Application of the substance / the mixture** Reference material for laboratory use only
- **Manufacturer/Supplier:**
Agilent Technologies, Inc.
5301 Stevens Creek Blvd.
Santa Clara, CA 95051 USA
Tel: 800-227-9770
- **Information department:** e-mail: pdl-msds_author@agilent.com
- **Emergency telephone number:** CHEMTREC®: 1-800-424-9300

2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS08 Health hazard

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.



GHS07

Skin Sens. 1 H317 May cause an allergic skin reaction.

- **Label elements**

- **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms**



GHS07



GHS08

- **Signal word** Danger

- **Hazard-determining components of labeling:**

White mineral oil

Organo Nickel Compound

- **Hazard statements**

H317 May cause an allergic skin reaction.

H304 May be fatal if swallowed and enters airways.

- **Precautionary statements**

P261 Avoid breathing dust/fume/gas/mist/vapors/spray

P280 Wear protective gloves.

P301+P310 If swallowed: Immediately call a poison center/doctor.

P321 Specific treatment (see on this label).

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)



Safety Data Sheet
acc. to OSHA HCS

Printing date 06/11/2015

Reviewed on 06/03/2015

Product name: 30 µg/g Ag, Al, B, Ba, Ca, Cd, Cr, Cu, Fe, Mg, Mn, Mo, Na, Ni, P, Pb, Si, Sn, Ti, V, Zn in 75 cSt Hydrocarbon Oil [100g bottle]

(Contd. of page 1)

- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



- **HMIS-ratings (scale 0 - 4)**



- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** Also contains substances at levels not considered to be hazardous.

· **Dangerous components:**

CAS: 8042-47-5 RTECS: PY8047000	White mineral oil Asp. Tox. 1, H304	> 95%
RTECS: -	Organo Nickel Compound Resp. Sens. 1, H334; Muta. 2, H341; Carc. 1A, H350; Repr. 1B, H360; STOT RE 1, H372; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Sens. 1, H317	< 0.1%

4 First-aid measures

- **Description of first aid measures**
- **After inhalation:**
Supply fresh air and to be sure call for a doctor.
In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:**
Rinse mouth. Do not induce vomiting.
Seek immediate medical advice.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture**
Formation of toxic gases is possible during heating or in case of fire.

(Contd. on page 3)

**Safety Data Sheet**

acc. to OSHA HCS

Printing date 06/11/2015

Reviewed on 06/03/2015

Product name: 30 µg/g Ag, Al, B, Ba, Ca, Cd, Cr, Cu, Fe, Mg, Mn, Mo, Na, Ni, P, Pb, Si, Sn, Ti, V, Zn in 75 cSt Hydrocarbon Oil [100g bottle]

(Contd. of page 2)

- **Advice for firefighters**
- **Protective equipment:** Wear self-contained respiratory protective device.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Wear protective clothing.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- **Handling:**
- **Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Store in cool, dry place in tightly closed receptacles.
Prevent formation of aerosols.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**
Store in a cool location.
Please refer to the manufacturers certificate for specific storage and transport temperature conditions.
Store only in the original receptacle.
Keep container in a well-ventilated place. Keep away from sources of ignition and heat.
- **Information about storage in one common storage facility:** Store away from foodstuffs.
- **Further information about storage conditions:** None.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.

(Contd. on page 4)



Safety Data Sheet
acc. to OSHA HCS

Printing date 06/11/2015

Reviewed on 06/03/2015

Product name: 30 µg/g Ag, Al, B, Ba, Ca, Cd, Cr, Cu, Fe, Mg, Mn, Mo, Na, Ni, P, Pb, Si, Sn, Ti, V ,Zn in 75 cSt Hydrocarbon Oil [100g bottle]

(Contd. of page 3)

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced

· Protection of hands:

Chemical-resistant, impervious gloves with an approved standards should be worn at all times.

The selection of the glove material is based on the penetration times, rates of diffusion and its degradation



Protective gloves

· Material of gloves

Nitrile rubber, NBR

Natural rubber, NR

· Penetration time of glove material

The protection time of the gloves can not be accurately estimated for mixtures consisting of several substances.

Refer to and observe manufacturers break through times of the protective gloves.

· Eye protection: Safety glasses

9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form:	<i>Oily</i>
Color:	<i>Brown</i>
· Odor:	<i>Mineral-oil-like</i>
· Odour threshold:	<i>Not determined.</i>

· pH-value: *Not determined.*

· Change in condition

Melting point/Melting range:	<i>Not determined.</i>
Boiling point/Boiling range:	<i>218 °C (424 °F)</i>

· Flash point: *115 °C (239 °F)*

· Flammability (solid, gaseous): *Not determined.*

· Ignition temperature:

Decomposition temperature: *Not determined.*

· Auto igniting: *Product is not selfigniting.*

· Danger of explosion: *Not determined.*

· Explosion limits:

Lower:	<i>Not determined.</i>
Upper:	<i>Not determined.</i>

· Vapor pressure: *Not determined.*

· Density at 20 °C (68 °F): *0.862 g/cm³ (7.193 lbs/gal)*

· Relative density *Not determined.*

(Contd. on page 5)



Safety Data Sheet

acc. to OSHA HCS

Printing date 06/11/2015

Reviewed on 06/03/2015

Product name: 30 µg/g Ag, Al, B, Ba, Ca, Cd, Cr, Cu, Fe, Mg, Mn, Mo, Na, Ni, P, Pb, Si, Sn, Ti, V ,Zn in 75 cSt Hydrocarbon Oil [100g bottle]

(Contd. of page 4)

- **Vapour density** *Not determined.*
- **Evaporation rate** *Not determined.*
- **Solubility in / Miscibility with Water:** *Not miscible or difficult to mix.*
- **Partition coefficient (n-octanol/water):** *Not determined.*
- **Viscosity:**
 - Dynamic:** *Not determined.*
 - Kinematic:** *Not determined.*
- **Other information** *No further relevant information available.*

10 Stability and reactivity

- **Reactivity** *Stable under normal conditions.*
- **Chemical stability** *Stable under normal conditions.*
- **Thermal decomposition / conditions to be avoided:** *Formation of toxic gases is possible during heating or in case of fire.*
- **Possibility of hazardous reactions** *No dangerous reactions known.*
- **Conditions to avoid** *Heat.*
- **Incompatible materials:** *Strong oxidizing agents.*
- **Hazardous decomposition products:** *Formation of toxic gases is possible during heating or in case of fire.*

11 Toxicological information

- **Information on toxicological effects** *May be fatal if swallowed and enters airways.*
- **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

8042-47-5 White mineral oil

Oral LD50 > 5000 mg/kg (rat)

- **Primary irritant effect:**
 - **on the skin:** *May cause an allergic skin reaction.*
 - **on the eye:** *No irritating effect.*
- **Sensitization:** *Sensitization possible through skin contact.*

· **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

· **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

Organo Chromium Compound	3
Organo Cadmium Compound	1
Organo Nickel Compound	1
Organo Lead Compound	2B

· **NTP (National Toxicology Program)**

Organo Lead Compound	R
----------------------	---

(Contd. on page 6)



Safety Data Sheet
acc. to OSHA HCS

Printing date 06/11/2015

Reviewed on 06/03/2015

Product name: 30 µg/g Ag, Al, B, Ba, Ca, Cd, Cr, Cu, Fe, Mg, Mn, Mo, Na, Ni, P, Pb, Si, Sn, Ti, V ,Zn in 75 cSt Hydrocarbon Oil [100g bottle]

(Contd. of page 5)

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
Water hazard class 1 (Self-assessment): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Dispose in accordance with national regulations.

14 Transport information

- **UN-Number**
- **DOT, ADR, ADN, IMDG, IATA** Not applicable
- **DOT, ADR, ADN, IMDG, IATA** Not applicable
- **Transport hazard class(es)**
- **DOT, ADR, ADN, IMDG, IATA**
- **Class** Not applicable
- **Packing group**
- **DOT, ADR, IMDG, IATA** Not applicable
- **Environmental hazards:**
- **Marine pollutant:** No
- **Special precautions for user** Not applicable.
- **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code** Not applicable.

(Contd. on page 7)



Safety Data Sheet
acc. to OSHA HCS

Printing date 06/11/2015

Reviewed on 06/03/2015

Product name: 30 µg/g Ag, Al, B, Ba, Ca, Cd, Cr, Cu, Fe, Mg, Mn, Mo, Na, Ni, P, Pb, Si, Sn, Ti, V ,Zn in 75 cSt Hydrocarbon Oil [100g bottle]

(Contd. of page 6)

· UN "Model Regulation": -

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

Organo Silver Compound

Organo Aluminium Compound

Organo Chromium Compound

Organo Copper Compound

Organo Lead Compound

Organo Vanadium Compound

Organo Zinc Compund

· TSCA (Toxic Substances Control Act):

8042-47-5 White mineral oil

Organo Silver Compound

Organo Aluminium Compound

Organo Boron Compound

Organo Chromium Compound

Organo Copper Compound

Organo Iron Compound

Organo Molybdenum Compound

Organo Nickel Compound

Organo Lead Compound

Organo Silicon Compound

Organo Vanadium Compound

Organo Zinc Compund

· Proposition 65

· Chemicals known to cause cancer:

Organo Cadmium Compound

Organo Lead Compound

· Chemicals known to cause reproductive toxicity for females:

Organo Lead Compound

· Chemicals known to cause reproductive toxicity for males:

Organo Lead Compound

· Chemicals known to cause developmental toxicity:

Organo Lead Compound

(Contd. on page 8)



Safety Data Sheet

acc. to OSHA HCS

Printing date 06/11/2015

Reviewed on 06/03/2015

Product name: 30 µg/g Ag, Al, B, Ba, Ca, Cd, Cr, Cu, Fe, Mg, Mn, Mo, Na, Ni, P, Pb, Si, Sn, Ti, V ,Zn in 75 cSt Hydrocarbon Oil [100g bottle]

(Contd. of page 7)

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

Organo Silver Compound	D
Organo Boron Compound	I
Organo Chromium Compound	D
Organo Copper Compound	D
Organo Lead Compound	B2
Organo Zinc Compound	II

· **TLV (Threshold Limit Value established by ACGIH)**

Organo Aluminium Compound	A4
Organo Chromium Compound	A4
Organo Molybdenum Compound	A3
Organo Lead Compound	A3

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**



GHS07 GHS08

· **Signal word Danger**

· **Hazard-determining components of labeling:**

White mineral oil
Organo Nickel Compound

· **Hazard statements**

H317 May cause an allergic skin reaction.
H304 May be fatal if swallowed and enters airways.

· **Precautionary statements**

P261 Avoid breathing dust/fume/gas/mist/vapors/spray
P280 Wear protective gloves.
P301+P310 If swallowed: Immediately call a poison center/doctor.
P321 Specific treatment (see on this label).
P405 Store locked up.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

· **Date of preparation / last revision** 06/11/2015 / -

(Contd. on page 9)

**Safety Data Sheet**

acc. to OSHA HCS

Printing date 06/11/2015

Reviewed on 06/03/2015

Product name: 30 µg/g Ag, Al, B, Ba, Ca, Cd, Cr, Cu, Fe, Mg, Mn, Mo, Na, Ni, P, Pb, Si, Sn, Ti, V, Zn in 75 cSt Hydrocarbon Oil [100g bottle]

(Contd. of page 8)

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Resp. Sens. 1: Sensitisation - Respirat., Hazard Category 1

Skin Sens. 1: Sensitisation - Skin, Hazard Category 1

Muta. 2: Germ cell mutagenicity, Hazard Category 2

Carc. 1A: Carcinogenicity, Hazard Category 1A

Repr. 1B: Reproductive toxicity, Hazard Category 1B

STOT RE 1: Specific target organ toxicity - Repeated exposure, Hazard Category 1

Asp. Tox. 1: Aspiration hazard, Hazard Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - Acute Hazard, Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 1

· Sources

Tables 3.1 and 3.2 from Annex 6 of EC 1272/2008, EC 1907/2006, EH40/2005 as amended 2011, Registry of Toxic Effects of Chemical Substances (RTECS), The Dictionary of Substances and their Effects, 1st Edition, IUCLID.

US