



# Safety Data Sheet

acc. to OSHA HCS

Printing date 03/18/2015

Reviewed on 03/18/2015

## 1 Identification

- **Product identifier**
- **Product name:** 75 cSt Mineral Oil Blank [0.5 Gal bottle]
- **Part number:** 5190-8716
- **CAS Number:**  
8042-47-5
- **EC number:**  
232-455-8
- **Application of the substance / the mixture** Reference material for laboratory use only
- **Manufacturer/Supplier:**  
Agilent Technologies, Inc. Tel: 800-227-9770  
5301 Stevens Creek Blvd.  
Santa Clara, CA 95051 USA
- **Information department:** e-mail: [pdl-msds\\_author@agilent.com](mailto:pdl-msds_author@agilent.com)
- **Emergency telephone number:** CHEMTREC®: 1-800-424-9300

## 2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS08 Health hazard

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

- **Label elements**
- **GHS label elements**  
The substance is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS08

- **Signal word** Danger
- **Hazard statements**  
H304 May be fatal if swallowed and enters airways.
- **Precautionary statements**  
P301+P310 If swallowed: Immediately call a poison center/doctor.  
P331 Do NOT induce vomiting.  
P405 Store locked up.  
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



Health = 0  
Fire = 1  
Reactivity = 0

- **HMIS-ratings (scale 0 - 4)**



HEALTH 0 Health = 0  
FIRE 1 Fire = 1  
REACTIVITY 0 Reactivity = 0

(Contd. on page 2)



## Safety Data Sheet

acc. to OSHA HCS

Printing date 03/18/2015

Reviewed on 03/18/2015

**Product name: 75 cSt Mineral Oil Blank [0.5 Gal bottle]**

(Contd. of page 1)

- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### 3 Composition/information on ingredients

- **Chemical characterization: Substances**
- **CAS No. Description**  
8042-47-5 White mineral oil
- **Identification number(s) -**
- **EC number:** 232-455-8
- **RTECS:** PY8047000

### 4 First-aid measures

- **Description of first aid measures**
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:**  
Rinse mouth. Do not induce vomiting.  
Seek immediate medical advice.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture**  
Formation of toxic gases is possible during heating or in case of fire.
- **Advice for firefighters**
- **Protective equipment:** Wear self-contained respiratory protective device.

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Wear protective clothing.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Dispose contaminated material as waste according to item 13.  
Ensure adequate ventilation.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

US

(Contd. on page 3)



## Safety Data Sheet

acc. to OSHA HCS

Printing date 03/18/2015

Reviewed on 03/18/2015

**Product name: 75 cSt Mineral Oil Blank [0.5 Gal bottle]**

(Contd. of page 2)

### 7 Handling and storage

- **Handling:**
- **Precautions for safe handling**
  - Ensure good ventilation/exhaustion at the workplace.
  - Store in cool, dry place in tightly closed receptacles.
  - Prevent formation of aerosols.
- **Information about protection against explosions and fires:** The product is not flammable.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**
  - Store in a cool location.
  - Please refer to the manufacturers certificate for specific storage and transport temperature conditions.
  - Store only in the original receptacle.
  - Keep container in a well-ventilated place. Keep away from sources of ignition and heat.
- **Information about storage in one common storage facility:** Store away from foodstuffs.
- **Further information about storage conditions:** None.
- **Specific end use(s)** No further relevant information available.

### 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:** Not required.
- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
  - Keep away from foodstuffs, beverages and feed.
  - Wash hands before breaks and at the end of work.
- **Breathing equipment:**
  - Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced
- **Protection of hands:**



Protective gloves

Chemical-resistant, impervious gloves with an approved standards should be worn at all times.  
The selection of the glove material is based on the penetration times, rates of diffusion and its degradation

- **Material of gloves**
  - Nitrile rubber, NBR
  - Natural rubber, NR
  - PVC gloves
  - Neoprene gloves
- **Penetration time of glove material**
  - The protection time of the gloves can not be accurately estimated for mixtures consisting of several substances.
  - Refer to and observe manufacturers break through times of the protective gloves.

(Contd. on page 4)



**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 03/18/2015

Reviewed on 03/18/2015

**Product name: 75 cSt Mineral Oil Blank [0.5 Gal bottle]**

(Contd. of page 3)

· **Eye protection:** Safety glasses

**9 Physical and chemical properties**

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

**Form:** Oily  
    **Color:** Transparent

· **Odor:** Odorless

· **Odour threshold:** Not determined.

· **pH-value:** Not determined.

· **Change in condition**

**Melting point/Melting range:** Not determined.

**Boiling point/Boiling range:** 218 - 643 °C (424 - 1189 °F)

· **Flash point:** 115 °C (239 °F)

· **Flammability (solid, gaseous):** Not determined.

· **Ignition temperature:**

**Decomposition temperature:** Not determined.

· **Auto igniting:** Not determined.

· **Danger of explosion:** Not determined.

· **Explosion limits:**

**Lower:** Not determined.

**Upper:** Not determined.

· **Vapor pressure:** Not determined.

· **Density at 20 °C (68 °F):** 0.862 g/cm<sup>3</sup> (7.193 lbs/gal)

· **Relative density** Not determined.

· **Vapour density** Not determined.

· **Evaporation rate** Not determined.

· **Solubility in / Miscibility with**

**Water:** Negligible.

· **Partition coefficient (n-octanol/water):** Not determined.

· **Viscosity:**

**Dynamic:** Not determined.

**Kinematic:** Not determined.

· **Other information** No further relevant information available.

**10 Stability and reactivity**

· **Reactivity** Stable under normal conditions.

· **Chemical stability** Stable under normal conditions.

· **Thermal decomposition / conditions to be avoided:**

    Formation of toxic gases is possible during heating or in case of fire.

· **Possibility of hazardous reactions** No dangerous reactions known.

· **Conditions to avoid** Heat.

· **Incompatible materials:** Strong oxidizing agents.

(Contd. on page 5)



# Safety Data Sheet

acc. to OSHA HCS

Printing date 03/18/2015

Reviewed on 03/18/2015

**Product name: 75 cSt Mineral Oil Blank [0.5 Gal bottle]**

(Contd. of page 4)

· **Hazardous decomposition products:** Formation of toxic gases is possible during heating or in case of fire.

## 11 Toxicological information

· **Information on toxicological effects** May be fatal if swallowed and enters airways.

· **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

**8042-47-5 White mineral oil**

Oral LD50 > 5000 mg/kg (rat)

· **Primary irritant effect:**

· **on the skin:** No irritant effect.

· **on the eye:** No irritating effect.

· **Sensitization:** No sensitizing effects known.

· **Additional toxicological information:**

· **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)** Substance is not listed.

· **NTP (National Toxicology Program)** Substance is not listed.

· **OSHA-Ca (Occupational Safety & Health Administration)** Substance is not listed.

## 12 Ecological information

· **Toxicity**

· **Aquatic toxicity:** No further relevant information available.

· **Persistence and degradability** No further relevant information available.

· **Behavior in environmental systems:**

· **Bioaccumulative potential** No further relevant information available.

· **Mobility in soil** No further relevant information available.

· **Additional ecological information:**

· **General notes:**

Water hazard class 1 (Assessment by list): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **Other adverse effects** No further relevant information available.

## 13 Disposal considerations

· **Waste treatment methods**

· **Recommendation:**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· **Uncleaned packagings:**

· **Recommendation:** Dispose in accordance with national regulations.

## 14 Transport information

· **UN-Number**

· **DOT, ADR, ADN, IMDG, IATA** Not applicable

(Contd. on page 6)

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 03/18/2015

Reviewed on 03/18/2015

**Product name: 75 cSt Mineral Oil Blank [0.5 Gal bottle]**

(Contd. of page 5)

· DOT, ADN, IMDG, IATA	Not applicable
· ADR	Not applicable
· Transport hazard class(es)	
· DOT, ADR, ADN, IMDG, IATA	
· Class	Not applicable
· Packing group	
· DOT, ADR, IMDG, IATA	Not applicable
· Environmental hazards:	
· Marine pollutant:	No
· Special precautions for user	Not applicable.
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· UN "Model Regulation":	-

**15 Regulatory information**

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara
- Section 355 (extremely hazardous substances): Substance is not listed.
- Section 313 (Specific toxic chemical listings): Substance is not listed.
- TSCA (Toxic Substances Control Act): Substance is listed.
- Proposition 65
- Chemicals known to cause cancer: Substance is not listed.
- Chemicals known to cause reproductive toxicity for females: Substance is not listed.
- Chemicals known to cause reproductive toxicity for males: Substance is not listed.
- Chemicals known to cause developmental toxicity: Substance is not listed.
- Carcinogenic categories
- EPA (Environmental Protection Agency) Substance is not listed.
- TLV (Threshold Limit Value established by ACGIH) Substance is not listed.
- NIOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed.
- GHS label elements  
The substance is classified and labeled according to the Globally Harmonized System (GHS).
- Hazard pictograms



GHS08

- Signal word *Danger*
- Hazard statements  
H304 May be fatal if swallowed and enters airways.
- Precautionary statements  
P301+P310 If swallowed: Immediately call a poison center/doctor.  
P331 Do NOT induce vomiting.  
P405 Store locked up.  
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 7)



## Safety Data Sheet

acc. to OSHA HCS

Printing date 03/18/2015

Reviewed on 03/18/2015

**Product name: 75 cSt Mineral Oil Blank [0.5 Gal bottle]**

(Contd. of page 6)

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### 16 Other information

The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

· **Date of preparation / last revision** 03/18/2015 / 1

· **Abbreviations and acronyms:**

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Asp. Tox. 1: Aspiration hazard, Hazard Category 1

· **Sources**

Tables 3.1 and 3.2 from Annex 6 of EC 1272/2008, EC 1907/2006, EH40/2005 as amended 2011, Registry of Toxic Effects of Chemical Substances (RTECS), The Dictionary of Substances and their Effects, 1st Edition, IUCLID.