



## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 18.06.2015

Version number 1

Revision: 18.06.2015

Hazardous according to criteria of Australian Safety and Compensation Council

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Product name: Cerium Standard: 5000 µg/g Ce in 75 cSt Hydrocarbon Oil [50g bottle]**
- **Part number: 5190-8747**
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.
- **Application of the substance / the mixture** Reference material for laboratory use only
- **Manufacturer/Supplier:**  
Agilent Technologies Australia Pty Ltd  
679 Springvale Road  
Mulgrave  
Victoria 3170, Australia  
Tel: 1800 802 402
- **Further information obtainable from:** e-mail: [pdl-msds\\_author@agilent.com](mailto:pdl-msds_author@agilent.com)
- **1.4 Emergency telephone number:** CHEMTREC®: +(61) - 290372994

### SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



health hazard

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

- **Classification according to Directive 67/548/EEC or Directive 1999/45/EC**



Xn; Harmful

R65: Harmful: may cause lung damage if swallowed.

- **Information concerning particular hazards for human and environment:**  
The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.
- **Classification system:**  
The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**  
The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms**



GHS08

- **Signal word** Danger
- **Hazard-determining components of labelling:**  
White mineral oil
- **Hazard statements**  
H304 May be fatal if swallowed and enters airways.
- **Precautionary statements**  
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

(Contd. on page 2)



**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 18.06.2015

Version number 1

Revision: 18.06.2015

**Product name: Cerium Standard: 5000 µg/g Ce in 75 cSt Hydrocarbon Oil [50g bottle]**

(Contd. from page 1)

- P331 Do NOT induce vomiting.
- P405 Store locked up.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Information concerning particular hazards for human and environment:**

· **Safety phrases:**

- 23 Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).
- 36 Wear suitable protective clothing.
- 60 This material and its container must be disposed of as hazardous waste.
- 62 If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

· **2.3 Other hazards**

· **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

**SECTION 3: Composition/information on ingredients**

· **3.2 Chemical characterisation: Mixtures**

- **Description:** Also contains substances at levels not considered to be hazardous.

· **Dangerous components:**

CAS: 8042-47-5	White mineral oil	Xn R65	> 95%	
EINECS: 232-455-8				Asp. Tox. 1, H304
RTECS: PY8047000				

- **Additional information:** For the wording of the listed risk phrases refer to section 16.

**SECTION 4: First aid measures**

· **4.1 Description of first aid measures**

- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:**  
Rinse mouth. Do not induce vomiting.  
Seek immediate medical advice.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

**SECTION 5: Firefighting measures**

· **5.1 Extinguishing media**

- **Suitable extinguishing agents:** Use fire extinguishing methods suitable for surrounding conditions.

· **5.2 Special hazards arising from the substance or mixture**

Formation of toxic gases is possible during heating or in case of fire.

· **5.3 Advice for firefighters**

- **Protective equipment:** Wear self-contained respiratory protective device.

**SECTION 6: Accidental release measures**

- **6.1 Personal precautions, protective equipment and emergency procedures** Wear protective clothing.

(Contd. on page 3)



## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 18.06.2015

Version number 1

Revision: 18.06.2015

**Product name: Cerium Standard: 5000 µg/g Ce in 75 cSt Hydrocarbon Oil [50g bottle]**

(Contd. from page 2)

- **6.2 Environmental precautions:**  
Dilute with plenty of water.  
Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Dispose of contaminated material as waste according to item 13.  
Ensure adequate ventilation.
- **6.4 Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

### SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**  
Ensure good ventilation/extraction at the workplace.  
Store in cool, dry place in tightly closed receptacles.  
Prevent formation of aerosols.
- **Information about fire - and explosion protection:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**  
Store in a cool location.  
Please refer to the manufacturer's certificate for specific storage and transport temperature conditions.  
Store only in the original receptacle.  
Keep container in a well-ventilated place. Keep away from sources of ignition and heat.
- **Information about storage in one common storage facility:** Store away from foodstuffs.
- **Further information about storage conditions:** None.
- **7.3 Specific end use(s)** No further relevant information available.

### SECTION 8: Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.
- **8.1 Control parameters**
- **Ingredients with limit values that require monitoring at the workplace:**  
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** Lists used were valid at the time of SDS preparation.
- **8.2 Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
Keep away from foodstuffs, beverages and feed.  
Wash hands before breaks and at the end of work.
- **Respiratory protection:**  
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.  
Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced
- **Protection of hands:**  
Chemical-resistant, impervious gloves with an approved standards should be worn at all times.

(Contd. on page 4)

AU



## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 18.06.2015

Version number 1

Revision: 18.06.2015

**Product name: Cerium Standard: 5000 µg/g Ce in 75 cSt Hydrocarbon Oil [50g bottle]**

(Contd. from page 3)

The selection of the glove material is based on the penetration times, rates of diffusion and its degradation



Protective gloves

- **Material of gloves** Natural rubber, NR
- **Penetration time of glove material**

The protection time of the gloves can not be accurately estimated for mixtures consisting of several substances

Refer to and observe manufacturers break through times of the protective gloves.

- **Eye protection:** Safety glasses

### SECTION 9: Physical and chemical properties

#### · 9.1 Information on basic physical and chemical properties

##### · General Information

##### · Appearance:

Form:	Oily
Colour:	Light brown
· Odour:	Mineral-oil-like
· Odour threshold:	Not determined.

· **pH-value:** Not determined.

##### · Change in condition

Melting point/Melting range:	Not determined.
Boiling point/Boiling range:	218 °C

· **Flash point:** 115 °C

· **Flammability (solid, gaseous):** Not determined.

##### · Ignition temperature:

Decomposition temperature: Not determined.

· **Self-igniting:** Product is not selfigniting.

· **Danger of explosion:** Not determined.

##### · Explosion limits:

Lower:	Not determined.
Upper:	Not determined.

· **Vapour pressure:** Not determined.

· <b>Density at 20 °C:</b>	0.862 g/cm <sup>3</sup>
· <b>Relative density</b>	Not determined.
· <b>Vapour density</b>	Not determined.
· <b>Evaporation rate</b>	Not determined.

· **Solubility in / Miscibility with water:** Not miscible or difficult to mix.

· **Partition coefficient (n-octanol/water):** Not determined.

##### · Viscosity:

Dynamic:	Not determined.
Kinematic:	Not determined.

(Contd. on page 5)



**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 18.06.2015

Version number 1

Revision: 18.06.2015

**Product name: Cerium Standard: 5000 µg/g Ce in 75 cSt Hydrocarbon Oil [50g bottle]**

(Contd. from page 4)

· **9.2 Other information** No further relevant information available.

**SECTION 10: Stability and reactivity**

- **10.1 Reactivity** Stable under normal conditions.
- **10.2 Chemical stability** Stable under normal conditions.
- **Thermal decomposition / conditions to be avoided:**  
Formation of toxic gases is possible during heating or in case of fire.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** Heat.
- **10.5 Incompatible materials:** Strong oxidizing agents.
- **10.6 Hazardous decomposition products:**  
Formation of toxic gases is possible during heating or in case of fire.

**SECTION 11: Toxicological information**

- **11.1 Information on toxicological effects**
- **Acute toxicity:**

· **LD/LC50 values relevant for classification:**

**8042-47-5 White mineral oil**

Oral	LD50	> 5000 mg/kg (rat)
------	------	--------------------

- **Primary irritant effect:**
- **on the skin:** No irritating effect.
- **on the eye:** No irritating effect.
- **Sensitisation:** No sensitising effects known.
- **Additional toxicological information:**  
The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

**SECTION 12: Ecological information**

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water  
Do not allow undiluted product to reach ground water, water course or sewage system.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

**SECTION 13: Disposal considerations**

- **13.1 Waste treatment methods**
- **Recommendation**  
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 6)



**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 18.06.2015

Version number 1

Revision: 18.06.2015

**Product name: Cerium Standard: 5000 µg/g Ce in 75 cSt Hydrocarbon Oil [50g bottle]**

(Contd. from page 5)

- **European waste catalogue**  
Waste disposal key numbers from EWC have to be assigned depending on origin and processing.
- **Uncleaned packaging:**
- **Recommendation:** Dispose of in accordance with national regulations.
- **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

**SECTION 14: Transport information**

- **14.1 UN-Number**
- **ADG, ADN, IMDG, IATA** Not applicable
- **ADG, ADN, IMDG, IATA** Not applicable
- **14.3 Transport hazard class(es)**
- **ADG, ADN, IMDG, IATA**
- **Class** Not applicable
- **14.4 Packing group**
- **ADG, IMDG, IATA** Not applicable
- **14.5 Environmental hazards:**
- **Marine pollutant:** No
- **14.6 Special precautions for user** Not applicable.
- **14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code** Not applicable.
- **UN "Model Regulation":** -

**SECTION 15: Regulatory information**

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Philippines Inventory of Chemicals and Chemical Substances**  
All ingredients are listed.
- **Australian Inventory of Chemical Substances**  
All ingredients are listed.
- **Standard for the Uniform Scheduling of Medicines and Poisons**  
None of the ingredients is listed.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

**SECTION 16: Other information**

The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

- **Relevant phrases**  
H304 May be fatal if swallowed and enters airways.  
R65 Harmful: may cause lung damage if swallowed.
- **Abbreviations and acronyms:**  
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association

(Contd. on page 7)



**Safety data sheet**  
*according to 1907/2006/EC, Article 31*

Printing date 18.06.2015

Version number 1

Revision: 18.06.2015

**Product name: Cerium Standard: 5000 µg/g Ce in 75 cSt Hydrocarbon Oil [50g bottle]**

(Contd. from page 6)

*GHS: Globally Harmonised System of Classification and Labelling of Chemicals*

*EINECS: European Inventory of Existing Commercial Chemical Substances*

*ELINCS: European List of Notified Chemical Substances*

*CAS: Chemical Abstracts Service (division of the American Chemical Society)*

*LC50: Lethal concentration, 50 percent*

*LD50: Lethal dose, 50 percent*

*Asp. Tox. 1: Aspiration hazard, Hazard Category 1*

**· Sources**

*Tables 3.1 and 3.2 from Annex 6 of EC 1272/2008, EC 1907/2006, EH40/2005 as amended 2011, Registry of Toxic Effects of Chemical Substances (RTECS), The Dictionary of Substances and their Effects, 1st Edition, IUCLID.*

AU