



# Safety Data Sheet

acc. to OSHA HCS

Printing date 06/09/2015

Reviewed on 06/09/2015

## 1 Identification

· **Product identifier**

· **Product name: Cerium Standard: 5000 µg/g Ce in 75 cSt Hydrocarbon Oil [50g bottle]**

· **Part number:** 5190-8747

· **Application of the substance / the mixture** Reference material for laboratory use only

· **Manufacturer/Supplier:**

Agilent Technologies, Inc.  
5301 Stevens Creek Blvd.  
Santa Clara, CA 95051 USA

Tel: 800-227-9770

· **Information department:** e-mail: [pdl-msds\\_author@agilent.com](mailto:pdl-msds_author@agilent.com)

· **Emergency telephone number:** CHEMTREC®: 1-800-424-9300

## 2 Hazard(s) identification

· **Classification of the substance or mixture**



GHS08 Health hazard

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

· **Label elements**

· **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**



GHS08

· **Signal word** Danger

· **Hazard-determining components of labeling:**

White mineral oil

· **Hazard statements**

H304 May be fatal if swallowed and enters airways.

· **Precautionary statements**

P301+P310 If swallowed: Immediately call a poison center/doctor.

P331 Do NOT induce vomiting.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Classification system:**

· **NFPA ratings (scale 0 - 4)**



Health = 0

Fire = 1

Reactivity = 0

· **HMIS-ratings (scale 0 - 4)**



HEALTH 0 Health = 0

FIRE 1 Fire = 1

REACTIVITY 0 Reactivity = 0

(Contd. on page 2)



**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 06/09/2015

Reviewed on 06/09/2015

**Product name: Cerium Standard: 5000 µg/g Ce in 75 cSt Hydrocarbon Oil [50g bottle]**

(Contd. of page 1)

- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

**3 Composition/information on ingredients**

- **Chemical characterization: Mixtures**
- **Description:** Also contains substances at levels not considered to be hazardous.

· **Dangerous components:**

CAS: 8042-47-5 RTECS: PY8047000	White mineral oil	Asp. Tox. 1, H304	> 95%
------------------------------------	-------------------	-------------------	-------

**4 First-aid measures**

- **Description of first aid measures**
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:**  
Rinse mouth. Do not induce vomiting.  
Seek immediate medical advice.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

**5 Fire-fighting measures**

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture**  
Formation of toxic gases is possible during heating or in case of fire.
- **Advice for firefighters**
- **Protective equipment:** Wear self-contained respiratory protective device.

**6 Accidental release measures**

- **Personal precautions, protective equipment and emergency procedures** Wear protective clothing.
- **Environmental precautions:**  
Dilute with plenty of water.  
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Dispose contaminated material as waste according to item 13.  
Ensure adequate ventilation.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.

(Contd. on page 3)



## Safety Data Sheet

acc. to OSHA HCS

Printing date 06/09/2015

Reviewed on 06/09/2015

**Product name: Cerium Standard: 5000 µg/g Ce in 75 cSt Hydrocarbon Oil [50g bottle]**

(Contd. of page 2)

See Section 13 for disposal information.

### 7 Handling and storage

- **Handling:**
- **Precautions for safe handling**
  - Ensure good ventilation/exhaustion at the workplace.
  - Store in cool, dry place in tightly closed receptacles.
  - Prevent formation of aerosols.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**
  - Store in a cool location.
  - Please refer to the manufacturers certificate for specific storage and transport temperature conditions.
  - Store only in the original receptacle.
  - Keep container in a well-ventilated place. Keep away from sources of ignition and heat.
- **Information about storage in one common storage facility:** Store away from foodstuffs.
- **Further information about storage conditions:** None.
- **Specific end use(s)** No further relevant information available.

### 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**
  - The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
  - Keep away from foodstuffs, beverages and feed.
  - Wash hands before breaks and at the end of work.
- **Breathing equipment:**
  - In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.
  - Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced
- **Protection of hands:**
  - Chemical-resistant, impervious gloves with an approved standards should be worn at all times.
  - The selection of the glove material is based on the penetration times, rates of diffusion and its degradation



Protective gloves

- **Material of gloves**
  - Nitrile rubber, NBR
  - Natural rubber, NR

(Contd. on page 4)

US



**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 06/09/2015

Reviewed on 06/09/2015

**Product name: Cerium Standard: 5000 µg/g Ce in 75 cSt Hydrocarbon Oil [50g bottle]**

(Contd. of page 3)

- **Penetration time of glove material**  
The protection time of the gloves can not be accurately estimated for mixtures consisting of several substances.  
Refer to and observe manufacturers break through times of the protective gloves.
- **Eye protection:** Safety glasses

**9 Physical and chemical properties**

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

- **Form:** Oily
- **Color:** Light brown
- **Odor:** Mineral-oil-like
- **Odour threshold:** Not determined.

· **pH-value:** Not determined.

· **Change in condition**

- **Melting point/Melting range:** Not determined.
- **Boiling point/Boiling range:** 218 °C (424 °F)

· **Flash point:** 115 °C (239 °F)

· **Flammability (solid, gaseous):** Not determined.

· **Ignition temperature:**

· **Decomposition temperature:** Not determined.

· **Auto igniting:** Product is not selfigniting.

· **Danger of explosion:** Not determined.

· **Explosion limits:**

- **Lower:** Not determined.
- **Upper:** Not determined.

· **Vapor pressure:** Not determined.

· **Density at 20 °C (68 °F):** 0.862 g/cm<sup>3</sup> (7.193 lbs/gal)

· **Relative density** Not determined.

· **Vapour density** Not determined.

· **Evaporation rate** Not determined.

· **Solubility in / Miscibility with**

· **Water:** Not miscible or difficult to mix.

· **Partition coefficient (n-octanol/water):** Not determined.

· **Viscosity:**

- **Dynamic:** Not determined.
- **Kinematic:** Not determined.

· **Other information** No further relevant information available.

**10 Stability and reactivity**

- **Reactivity** Stable under normal conditions.
- **Chemical stability** Stable under normal conditions.

(Contd. on page 5)



**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 06/09/2015

Reviewed on 06/09/2015

**Product name: Cerium Standard: 5000 µg/g Ce in 75 cSt Hydrocarbon Oil [50g bottle]**

(Contd. of page 4)

- **Thermal decomposition / conditions to be avoided:**  
Formation of toxic gases is possible during heating or in case of fire.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** Heat.
- **Incompatible materials:** Strong oxidizing agents.
- **Hazardous decomposition products:** Formation of toxic gases is possible during heating or in case of fire.

**11 Toxicological information**

- **Information on toxicological effects**
- **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

8042-47-5 White mineral oil

Oral LD50 > 5000 mg/kg (rat)

- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** No irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:

- **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

**12 Ecological information**

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**

- **General notes:**

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **Other adverse effects** No further relevant information available.

US

(Contd. on page 6)



**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 06/09/2015

Reviewed on 06/09/2015

**Product name: Cerium Standard: 5000 µg/g Ce in 75 cSt Hydrocarbon Oil [50g bottle]**

(Contd. of page 5)

**13 Disposal considerations**

- **Waste treatment methods**
- **Recommendation:**  
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Dispose in accordance with national regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

**14 Transport information**

· <b>UN-Number</b>	
· <b>DOT, ADR, ADN, IMDG, IATA</b>	Not applicable
· <b>DOT, ADR, ADN, IMDG, IATA</b>	Not applicable
· <b>Transport hazard class(es)</b>	
· <b>DOT, ADR, ADN, IMDG, IATA</b>	
· <b>Class</b>	Not applicable
· <b>Packing group</b>	
· <b>DOT, ADR, IMDG, IATA</b>	Not applicable
· <b>Environmental hazards:</b>	
· <b>Marine pollutant:</b>	No
· <b>Special precautions for user</b>	Not applicable.
· <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b>	Not applicable.
· <b>UN "Model Regulation":</b>	-

**15 Regulatory information**

· <b>Safety, health and environmental regulations/legislation specific for the substance or mixture</b>
· <b>Sara</b>
· <b>Section 355 (extremely hazardous substances):</b>
None of the ingredients is listed.
· <b>Section 313 (Specific toxic chemical listings):</b>
None of the ingredients is listed.
· <b>TSCA (Toxic Substances Control Act):</b>
All ingredients are listed.
· <b>Proposition 65</b>
· <b>Chemicals known to cause cancer:</b>
None of the ingredients is listed.
· <b>Chemicals known to cause reproductive toxicity for females:</b>
None of the ingredients is listed.
· <b>Chemicals known to cause reproductive toxicity for males:</b>
None of the ingredients is listed.

(Contd. on page 7)

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 06/09/2015

Reviewed on 06/09/2015

**Product name: Cerium Standard: 5000 µg/g Ce in 75 cSt Hydrocarbon Oil [50g bottle]**

(Contd. of page 6)

· **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

· **TLV (Threshold Limit Value established by ACGIH)**

None of the ingredients is listed.

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**



GHS08

· **Signal word** *Danger*

· **Hazard-determining components of labeling:**

White mineral oil

· **Hazard statements**

H304 May be fatal if swallowed and enters airways.

· **Precautionary statements**

P301+P310 If swallowed: Immediately call a poison center/doctor.

P331 Do NOT induce vomiting.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

**16 Other information**

The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

· **Date of preparation / last revision** 06/09/2015 / -

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Asp. Tox. 1: Aspiration hazard, Hazard Category 1

(Contd. on page 8)



**Safety Data Sheet**  
*acc. to OSHA HCS*

Printing date 06/09/2015

Reviewed on 06/09/2015

**Product name: Cerium Standard: 5000 µg/g Ce in 75 cSt Hydrocarbon Oil [50g bottle]**

(Contd. of page 7)

· **Sources**

Tables 3.1 and 3.2 from Annex 6 of EC 1272/2008, EC 1907/2006, EH40/2005 as amended 2011, Registry of Toxic Effects of Chemical Substances (RTECS), The Dictionary of Substances and their Effects, 1st Edition, IUCLID.

US