

Safety Data Sheet
acc. to OSHA HCS

Printing date 05/19/2020

Reviewed on 05/19/2020

1 Identification

- **Product identifier**
- **Product name: Mixed Calibration Standard for ICP-OES**
- **Part number:** 5190-9413
- **Application of the substance / the mixture** Reagents and Standards for Analytical Chemical Laboratory Use
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Agilent Technologies, Inc. Tel: 800-227-9770
5301 Stevens Creek Blvd
Santa Clara, CA 95051,
USA
- **Information department:** e-mail: pdl-msds_author@agilent.com
- **Emergency telephone number:** CHEMTREC®: 1-800-424-9300

2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS05 Corrosion

Met. Corr.1 H290 May be corrosive to metals.

GHS07

*Skin Irrit. 2 H315 Causes skin irritation.**Eye Irrit. 2A H319 Causes serious eye irritation.*

- **Label elements**

- **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms**



GHS05

- **Signal word** Warning

- **Hazard statements**

*H290 May be corrosive to metals.**H315 Causes skin irritation.**H319 Causes serious eye irritation.*

- **Precautionary statements**

*P280 Wear protective gloves / eye protection / face protection.**P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.**P321 Specific treatment (see on this label).**P332+P313 If skin irritation occurs: Get medical advice/attention.**P337+P313 If eye irritation persists: Get medical advice/attention.**P406 Store in corrosive resistant container with a resistant inner liner.*

(Contd. on page 2)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 05/19/2020

Reviewed on 05/19/2020

Product name: Mixed Calibration Standard for ICP-OES

(Contd. of page 1)

- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



- **HMIS-ratings (scale 0 - 4)**





- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:**
Aqueous solution.
Also contains substances at levels not considered to be hazardous.

- **Dangerous components:**

CAS: 7697-37-2	Nitric acid	<2%
RTECS: QU5775000	 Ox. Liq. 2, H272;  Met. Corr.1, H290; Skin Corr. 1A, H314	

- **Additional information:**

The concentration of the acid stated in this SDS is calculated as an absolute mass concentration (%w/v). This is less than the acid concentration stated on the product label and COA, which reflects a percent value of the commercially available concentrated aqueous form of the acid.

4 First-aid measures

- **Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:**
Immediately wash with water and soap and rinse thoroughly.
If skin irritation continues, consult a doctor.
- **After eye contact:**
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:** Rinse mouth. Do not induce vomiting.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

US

(Contd. on page 3)

Safety Data Sheet

acc. to OSHA HCS

Printing date 05/19/2020

Reviewed on 05/19/2020

Product name: Mixed Calibration Standard for ICP-OES

(Contd. of page 2)

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture**
Formation of toxic gases is possible during heating or in case of fire.
- **Advice for firefighters**
- **Protective equipment:** Wear self-contained respiratory protective device.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:** Do not allow product to reach sewage system or any water course.
- **Methods and material for containment and cleaning up:**
Use neutralizing agent.
Dispose contaminated material as waste according to item 13.
Absorb liquid components with liquid-binding material.
DO NOT USE SAWDUST.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

- **PAC-1:**

CAS: 7697-37-2	Nitric acid	0.16 ppm
CAS: 7757-79-1	Potassium nitrate	9 mg/m ³
CAS: 7440-38-2	Arsenic	1.5 mg/m ³
CAS: 7440-02-0	Nickel	4.5 mg/m ³
CAS: 10042-76-9	Strontium nitrate	5.7 mg/m ³
CAS: 7440-66-6	zinc powder - zinc dust (stabilised)	6 mg/m ³
CAS: 1312-81-8	Lanthanum oxide	4 mg/m ³
CAS: 554-13-2	Lithium carbonate	3.1 mg/m ³

- **PAC-2:**

CAS: 7697-37-2	Nitric acid	24 ppm
CAS: 7757-79-1	Potassium nitrate	100 mg/m ³
CAS: 7440-38-2	Arsenic	17 mg/m ³
CAS: 7440-02-0	Nickel	50 mg/m ³
CAS: 10042-76-9	Strontium nitrate	62 mg/m ³
CAS: 7440-66-6	zinc powder - zinc dust (stabilised)	21 mg/m ³
CAS: 1312-81-8	Lanthanum oxide	44 mg/m ³
CAS: 554-13-2	Lithium carbonate	34 mg/m ³

- **PAC-3:**

CAS: 7697-37-2	Nitric acid	92 ppm
CAS: 7757-79-1	Potassium nitrate	600 mg/m ³

(Contd. on page 4)



Safety Data Sheet
acc. to OSHA HCS

Printing date 05/19/2020

Reviewed on 05/19/2020

Product name: Mixed Calibration Standard for ICP-OES

(Contd. of page 3)

Table with 3 columns: CAS number, Chemical name, and Concentration (mg/m³). Rows include Arsenic, Nickel, Strontium nitrate, zinc powder - zinc dust (stabilised), Lanthanum oxide, and Lithium carbonate.

7 Handling and storage

- Handling:
Precautions for safe handling Store in cool, dry place in tightly closed receptacles.
Information about protection against explosions and fires: No special measures required.
Conditions for safe storage, including any incompatibilities
Storage:
Requirements to be met by storerooms and receptacles:
Please refer to the manufacturers certificate for specific storage and transport temperature conditions.
Store only in the original receptacle unless other advice is given on the CoA.
Keep container in a well-ventilated place. Keep away from sources of ignition and heat.
Information about storage in one common storage facility: Store away from foodstuffs.
Further information about storage conditions: Keep receptacle tightly sealed.
Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
Control parameters

Components with limit values that require monitoring at the workplace:

CAS: 7697-37-2 Nitric acid

PEL Long-term value: 5 mg/m³, 2 ppm

REL Short-term value: 10 mg/m³, 4 ppm

Long-term value: 5 mg/m³, 2 ppm

TLV Short-term value: 10 mg/m³, 4 ppm

Long-term value: 5.2 mg/m³, 2 ppm

- Additional information: The lists that were valid during the creation were used as basis.
Exposure controls
Personal protective equipment:
General protective and hygienic measures:
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.
Breathing equipment:
Not required.
Use suitable respiratory protective device in case of insufficient ventilation.

(Contd. on page 5)

Safety Data Sheet

acc. to OSHA HCS

Printing date 05/19/2020

Reviewed on 05/19/2020

Product name: Mixed Calibration Standard for ICP-OES

(Contd. of page 4)

· **Protection of hands:**

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
 Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
 The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374



Protective gloves

· **Material of gloves**

PVC gloves
 Neoprene gloves

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Tightly sealed goggles

9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

· Form:	Liquid
· Color:	Colorless
· Odor:	Odorless
· Odor threshold:	Not determined.

· **pH-value:** < 2

· **Change in condition**

· Melting point/Melting range:	0 °C (32 °F)
· Boiling point/Boiling range:	100 °C (212 °F)

· **Flash point:** Not applicable.

· **Flammability (solid, gaseous):** Not determined.

· **Ignition temperature:** Not determined

· **Decomposition temperature:** Not determined.

· **Auto igniting:** Product is not selfigniting.

· **Danger of explosion:** Not determined.

· **Explosion limits:**

· Lower:	Not determined.
· Upper:	Not determined.

(Contd. on page 6)

Safety Data Sheet

acc. to OSHA HCS

Printing date 05/19/2020

Reviewed on 05/19/2020

Product name: Mixed Calibration Standard for ICP-OES

(Contd. of page 5)

· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
· Density at 20 °C (68 °F):	1.00964 g/cm ³ (8.42545 lbs/gal)
· Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with Water:	Not miscible or difficult to mix.
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity:	
Dynamic at 20 °C (68 °F):	0.952 mPas
Kinematic:	Not determined.
· Solvent content:	
VOC content:	0.00 %
· Other information	No further relevant information available.

10 Stability and reactivity

- **Reactivity**
Stable under normal conditions.
No further relevant information available.
- **Chemical stability** Stable under normal conditions.
- **Thermal decomposition / conditions to be avoided:**
Formation of toxic gases is possible during heating or in case of fire.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** Heat.
- **Incompatible materials:**
Strong oxidizing agents.
Metals.
- **Hazardous decomposition products:** Formation of toxic gases is possible during heating or in case of fire.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** Irritant to skin and mucous membranes.
- **on the eye:** Irritating effect.
- **Additional toxicological information:**
The product shows the following dangers according to internally approved calculation methods for preparations:
Irritant
- **Carcinogenic categories**

· IARC (International Agency for Research on Cancer)	
CAS: 7440-38-2	Arsenic

I

(Contd. on page 7)

Safety Data Sheet

acc. to OSHA HCS

Printing date 05/19/2020

Reviewed on 05/19/2020

Product name: Mixed Calibration Standard for ICP-OES

(Contd. of page 6)

CAS: 7440-02-0	Nickel	2B
· NTP (National Toxicology Program)		
CAS: 7440-38-2	Arsenic	K
CAS: 7440-02-0	Nickel	R
· OSHA-Ca (Occupational Safety & Health Administration)		
CAS: 7440-38-2	Arsenic	

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
Not hazardous for water.
Must not reach bodies of water or drainage ditch undiluted or unneutralized.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Dispose in accordance with national regulations.

14 Transport information

- | | |
|-------------------------------|--|
| · UN-Number | UN3264 |
| · DOT, ADR, IMDG, IATA | Corrosive liquid, acidic, inorganic, n.o.s. (Nitric acid) |
| · DOT | 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID) |
| · ADR | CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID) |
| · IMDG, IATA | CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID) |

(Contd. on page 8)

Safety Data Sheet

acc. to OSHA HCS

Printing date 05/19/2020

Reviewed on 05/19/2020

Product name: Mixed Calibration Standard for ICP-OES

(Contd. of page 7)

· Transport hazard class(es)
· DOT


· **Class** 8 Corrosive substances
 · **Label** 8

· ADR, IMDG, IATA


· **Class** 8 Corrosive substances
 · **Label** 8

· Packing group

· **DOT, ADR, IMDG, IATA** III

· **Environmental hazards:** Not applicable.

· **Special precautions for user** Warning: Corrosive substances

· **Danger code (Kemler):** 80

· **EMS Number:** F-A,S-B

· **Segregation groups** Acids

· **Stowage Category** A

· **Stowage Code** SW2 Clear of living quarters.

· **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code** Not applicable.

· Transport/Additional information:
· ADR

· **Excepted quantities (EQ)** Code: E1
 Maximum net quantity per inner packaging: 30 ml
 Maximum net quantity per outer packaging: 1000 ml

· **UN "Model Regulation":** UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID), 8, III

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· Sara

· Section 355 (extremely hazardous substances):

CAS: 7697-37-2 Nitric acid

· Section 313 (Specific toxic chemical listings):

CAS: 7697-37-2 Nitric acid

(Contd. on page 9)

Safety Data Sheet

acc. to OSHA HCS

Printing date 05/19/2020

Reviewed on 05/19/2020

Product name: Mixed Calibration Standard for ICP-OES

(Contd. of page 8)

CAS: 7757-79-1	Potassium nitrate
CAS: 7440-38-2	Arsenic
CAS: 17141-63-8	Manganese(II) nitrate hexahydrate
CAS: 7440-02-0	Nickel
CAS: 10042-76-9	Strontium nitrate
CAS: 7440-66-6	zinc powder - zinc dust (stabilised)
CAS: 554-13-2	Lithium carbonate

· TSCA (Toxic Substances Control Act):

CAS: 7697-37-2	Nitric acid	ACTIVE
CAS: 7757-79-1	Potassium nitrate	ACTIVE
CAS: 7440-38-2	Arsenic	ACTIVE
CAS: 7440-02-0	Nickel	ACTIVE
CAS: 10042-76-9	Strontium nitrate	ACTIVE
CAS: 7440-66-6	zinc powder - zinc dust (stabilised)	ACTIVE
CAS: 1312-81-8	Lanthanum oxide	ACTIVE
CAS: 554-13-2	Lithium carbonate	ACTIVE
CAS: 7732-18-5	Water	ACTIVE

· Hazardous Air Pollutants

CAS: 17141-63-8	Manganese(II) nitrate hexahydrate
-----------------	-----------------------------------

· Proposition 65
· Chemicals known to cause cancer:

CAS: 7440-38-2	Arsenic
CAS: 7440-02-0	Nickel

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

CAS: 554-13-2	Lithium carbonate
---------------	-------------------

· Carcinogenic categories
· EPA (Environmental Protection Agency)

CAS: 7440-38-2	Arsenic	A
CAS: 17141-63-8	Manganese(II) nitrate hexahydrate	D
CAS: 7440-66-6	zinc powder - zinc dust (stabilised)	D, I, II

· TLV (Threshold Limit Value established by ACGIH)

CAS: 7440-38-2	Arsenic	A1
CAS: 7440-02-0	Nickel	A5

· NIOSH-Ca (National Institute for Occupational Safety and Health)

CAS: 7440-38-2	Arsenic
CAS: 7440-02-0	Nickel

(Contd. on page 10)

Safety Data Sheet

acc. to OSHA HCS

Printing date 05/19/2020

Reviewed on 05/19/2020

Product name: Mixed Calibration Standard for ICP-OES

(Contd. of page 9)

· Hazard pictograms


GHS05

· Signal word Warning

· Hazard statements
H290 May be corrosive to metals.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
· Precautionary statements
P280 Wear protective gloves / eye protection / face protection.
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P321 Specific treatment (see on this label).
P332+P313 If skin irritation occurs: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/attention.
P406 Store in corrosive resistant container with a resistant inner liner.
· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

· Date of preparation / last revision 05/19/2020 / 1

· Abbreviations and acronyms:
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
ACGIH: American Conference of Governmental Industrial Hygienists
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
VOC: Volatile Organic Compounds (USA, EU)
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
Ox. Liq. 2: Oxidizing liquids – Category 2
Met. Corr. 1: Corrosive to metals – Category 1
Skin Corr. 1A: Skin corrosion/irritation – Category 1A
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

(Contd. on page 11)

Safety Data Sheet
acc. to OSHA HCS

Printing date 05/19/2020

Reviewed on 05/19/2020

Product name: Mixed Calibration Standard for ICP-OES

(Contd. of page 10)

· Sources

Tables 3.1 and 3.2 from Annex 6 of EC 1272/2008, EC 1907/2006, EH40/2005 as amended 2011, Registry of Toxic Effects of Chemical Substances (RTECS), The Dictionary of Substances and their Effects, 1st Edition, IUCLID.

· Data compared to the previous version altered. All sections have been updated.

US