

# Safety Data Sheet

acc. to OSHA HCS

Revision date: 01/08/2025

## 1 Identification

### · Product identifier

· **Product Name:** Agilent EPA 8270 Short Mix (1 x 1mL)

· **Part no. :** 5191-3905

### · Restrictions

After February 3, 2025, this chemical substance (as defined in TSCA section 3(2))/ product cannot be distributed in commerce to retailers. After January 28, 2026, this chemical substance (as defined in TSCA section 3(2))/ product is and can only be distributed in commerce or processed with a concentration of methylene chloride equal to or greater than 0.1% by weight for the following purposes: (1) Processing as a reactant; (2) Processing for incorporation into a formulation, mixture, or reaction product; (3) Processing for repackaging; (4) Processing for recycling; (5) Industrial or commercial use as a laboratory chemical; (6) Industrial or commercial use as a bonding agent for solvent welding; (7) Industrial and commercial use as a paint and coating remover from safety critical, corrosion sensitive components of aircraft and spacecraft; (8) Industrial and commercial use as a processing aid; (9) Industrial and commercial use for plastic and rubber products manufacturing; (10) Industrial and commercial use as a solvent that becomes part of a formulation or mixture, where that formulation or mixture will be used inside a manufacturing process, and the solvent (methylene chloride) will be reclaimed; (11) Industrial and commercial use in the refinishing for wooden furniture, decorative pieces, and architectural fixtures of artistic, cultural or historic value until May 8, 2029; (12) Industrial and commercial use in adhesives and sealants in aircraft, space vehicle, and turbine applications for structural and safety critical non-structural applications until May 8, 2029; (13) Disposal; and (14) Export.

· **Application of the substance / the mixture** Reagents and Standards for Analytical Chemical Laboratory Use

### · Details of the supplier of the safety data sheet

#### · **Manufacturer/Supplier:**

Agilent Technologies, Inc.  
5301 Stevens Creek Blvd.  
Santa Clara, CA 95051 USA

#### · **Information department:**

Telephone: 800-227-9770  
e-mail: [pdl-msds\\_author@agilent.com](mailto:pdl-msds_author@agilent.com)

· **Emergency telephone number:** CHEMTREC®: 1-800-424-9300

## 2 Hazard(s) identification

### · Classification of the substance or mixture



GHS08 Health hazard

Carcinogenicity 1A

H350 May cause cancer.

Specific Target Organ Toxicity - Repeated Exposure 2 H373 May cause damage to organs through prolonged or repeated exposure.



GHS07

Skin Irritation 2

H315 Causes skin irritation.

Eye Irritation 2A

H319 Causes serious eye irritation.

Sensitization - Skin 1

H317 May cause an allergic skin reaction.

Specific Target Organ Toxicity - Single Exposure 3

H335 May cause respiratory irritation.

(Contd. on page 2)

# Safety Data Sheet

acc. to OSHA HCS

Printing date: 01/08/2025

Revision date: 01/08/2025

**Product Name: Agilent EPA 8270 Short Mix (1 x 1mL)**

(Contd. of page 1)

· **Label elements**

· **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**



GHS07 GHS08

· **Signal word** Danger

· **Hazard-determining components of labeling:**

dichloromethane  
dimethylnitrosoamine  
aniline  
pentachlorophenol  
3,3'-dichlorobenzidine  
DNOC

· **Hazard statements**

H315 Causes skin irritation.  
H319 Causes serious eye irritation.  
H317 May cause an allergic skin reaction.  
H350 May cause cancer.  
H335 May cause respiratory irritation.  
H373 May cause damage to organs through prolonged or repeated exposure.

· **Precautionary statements**

P260	Do not breathe vapours.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P264	Wash thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing must not be allowed out of the workplace.
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P321	Specific treatment (see on this label).
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P312	Call a poison center/doctor if you feel unwell.
P363	Wash contaminated clothing before reuse.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P314	Get medical advice/attention if you feel unwell.
P302+P352	If on skin: Wash with plenty of water.
P305+P351+P338	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P362+P364	Take off contaminated clothing and wash it before reuse.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 3)

# Safety Data Sheet

acc. to OSHA HCS

Printing date: 01/08/2025

Revision date: 01/08/2025

**Product Name: Agilent EPA 8270 Short Mix (1 x 1mL)**

(Contd. of page 2)

- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



- **HMIS-ratings (scale 0 - 4)**



- **Other hazards**
- **Results of PBT and vPvB assessment**

**PBT:**

207-08-9 benzo[k]fluoranthene

**vPvB:**

207-08-9 benzo[k]fluoranthene

## 3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture of the substances listed below with nonhazardous additions.

**Dangerous components:**

75-09-2	dichloromethane	98.1904%
51-28-5	2,4-dinitrophenol	0.1508%
62-53-3	aniline	0.1508%
62-75-9	dimethylnitrosoamine	0.1508%
87-86-5	pentachlorophenol	0.1508%
91-94-1	3,3'-dichlorobenzidine	0.1508%
92-67-1	4-aminobiphenyl	0.1508%
92-87-5	benzidine	0.1508%
100-02-7	4-nitrophenol	0.1508%
205-99-2	benz[e]acephenanthrylene	0.1508%
207-08-9	benzo[k]fluoranthene	0.1508%
534-52-1	DNOC	0.1508%

## 4 First-aid measures

- **Description of first aid measures**
- **General information:**  
Immediately remove any clothing soiled by the product.  
Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

(Contd. on page 4)

# Safety Data Sheet acc. to OSHA HCS

Printing date: 01/08/2025

Revision date: 01/08/2025

**Product Name: Agilent EPA 8270 Short Mix (1 x 1mL)**

(Contd. of page 3)

- **After inhalation:**  
Supply fresh air and to be sure call for a doctor.  
In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:**  
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:** If symptoms persist consult doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

## 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture**  
During heating or in case of fire poisonous gases are produced.
- **Advice for firefighters**
- **Protective equipment:** Mouth respiratory protective device.

## 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Mount respiratory protective device.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Dispose contaminated material as waste according to section 13.  
Ensure adequate ventilation.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

### PAC-1:

75-09-2	dichloromethane	200 ppm
51-28-5	2,4-dinitrophenol	0.61 mg/m <sup>3</sup>
62-53-3	aniline	8.0 ppm
62-75-9	dimethylnitrosoamine	0.082 mg/m <sup>3</sup>
65-85-0	benzoic acid	13 mg/m <sup>3</sup>
87-86-5	pentachlorophenol	1 mg/m <sup>3</sup>
91-94-1	3,3'-dichlorobenzidine	2.1 ppm
92-67-1	4-aminobiphenyl	1.5 mg/m <sup>3</sup>
92-87-5	benzidine	0.93 mg/m <sup>3</sup>
100-02-7	4-nitrophenol	0.69 mg/m <sup>3</sup>
205-99-2	benz[e]acephenanthrylene	0.12 mg/m <sup>3</sup>

(Contd. on page 5)

# Safety Data Sheet acc. to OSHA HCS

Printing date: 01/08/2025

Revision date: 01/08/2025

**Product Name: Agilent EPA 8270 Short Mix (1 x 1mL)**

(Contd. of page 4)

534-52-1	DNOC	0.6 mg/m <sup>3</sup>
<b>· PAC-2:</b>		
75-09-2	dichloromethane	560 ppm
51-28-5	2,4-dinitrophenol	1.4 mg/m <sup>3</sup>
62-53-3	aniline	12 ppm
62-75-9	dimethylnitrosoamine	0.57 ppm
65-85-0	benzoic acid	140 mg/m <sup>3</sup>
87-86-5	pentachlorophenol	15 mg/m <sup>3</sup>
91-94-1	3,3'-dichlorobenzidine	130 mg/m <sup>3</sup>
92-67-1	4-aminobiphenyl	2.5 ppm
92-87-5	benzidine	10 mg/m <sup>3</sup>
100-02-7	4-nitrophenol	7.6 mg/m <sup>3</sup>
205-99-2	benz[e]acephenanthrylene	1.3 mg/m <sup>3</sup>
534-52-1	DNOC	0.65 mg/m <sup>3</sup>
<b>· PAC-3:</b>		
75-09-2	dichloromethane	6,900 ppm
51-28-5	2,4-dinitrophenol	8.3 mg/m <sup>3</sup>
62-53-3	aniline	20 ppm
62-75-9	dimethylnitrosoamine	3.4 ppm
65-85-0	benzoic acid	830 mg/m <sup>3</sup>
87-86-5	pentachlorophenol	150 mg/m <sup>3</sup>
91-94-1	3,3'-dichlorobenzidine	760 mg/m <sup>3</sup>
92-67-1	4-aminobiphenyl	14 ppm
92-87-5	benzidine	61 mg/m <sup>3</sup>
100-02-7	4-nitrophenol	46 mg/m <sup>3</sup>
205-99-2	benz[e]acephenanthrylene	7.9 mg/m <sup>3</sup>
534-52-1	DNOC	5 mg/m <sup>3</sup>

## 7 Handling and storage

### · Handling:

#### · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

· **Information about protection against explosions and fires:** Keep respiratory protective device available.

· **Conditions for safe storage, including any incompatibilities**

#### · Storage:

· **Requirements to be met by storerooms and receptacles:** No special requirements.

· **Information about storage in one common storage facility:** Not required.

· **Further information about storage conditions:** Keep receptacle tightly sealed.

(Contd. on page 6)

# Safety Data Sheet acc. to OSHA HCS

Printing date: 01/08/2025

Revision date: 01/08/2025

**Product Name: Agilent EPA 8270 Short Mix (1 x 1mL)**

(Contd. of page 5)

· **Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

· **Additional information about design of technical systems:** No further data; see section 7.

· **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

### 75-09-2 dichloromethane

PEL Short-term value: 125 ppm  
Long-term value: 25 ppm  
see 29 CFR 1910.1052

REL See Pocket Guide App. A

TLV Long-term value: 50 ppm  
BEI, A3

### 62-53-3 aniline

PEL Long-term value: 19 mg/m<sup>3</sup>, 5 ppm  
and Homologues; Skin

REL And Homologues; See Pocket Guide App. A

TLV Long-term value: 2 ppm  
Skin; BEI, A3

### 62-75-9 dimethylnitrosoamine

PEL see 29 CFR 1910.1003

REL See Pocket Guide App. A

TLV Skin; L, A3

### 87-86-5 pentachlorophenol

PEL Long-term value: 0.5 mg/m<sup>3</sup>  
Skin

REL Long-term value: 0.5 mg/m<sup>3</sup>  
Skin

TLV Short-term value: 1\* mg/m<sup>3</sup>  
Long-term value: 0.5\* mg/m<sup>3</sup>  
Skin; BEI;\*inh. fraction+vapor, A3

### 91-94-1 3,3'-dichlorobenzidine

PEL see 29 CFR 1910.1003

REL and its salts; See Pocket Guide App.A

TLV Skin; L, A3

### 92-67-1 4-aminobiphenyl

PEL see 29 CFR 1910.1003

REL See Pocket Guide App. A

TLV Skin; L, A1

(Contd. on page 7)

# Safety Data Sheet acc. to OSHA HCS

Printing date: 01/08/2025

Revision date: 01/08/2025

**Product Name: Agilent EPA 8270 Short Mix (1 x 1mL)**

(Contd. of page 6)

**92-87-5 benzidine**

PEL see 29 CFR 1910.1003  
 REL See Pocket Guide Apps. A and C  
 TLV Skin; L, A1

**205-99-2 benz[e]acephenanthrylene**

TLV L; BEIp, A2

**534-52-1 DNOC**

PEL Long-term value: 0.2 mg/m<sup>3</sup>  
 Skin  
 REL Long-term value: 0.2 mg/m<sup>3</sup>  
 Skin  
 TLV Long-term value: 0.2\* mg/m<sup>3</sup>  
 \*inhalable fraction + vapor; Skin

**· Ingredients with biological limit values:**
**75-09-2 dichloromethane**

BEI 0.3 mg/L  
 Medium: urine  
 Time: end of shift  
 Parameter: Dichloromethane (semi-quantitative)

**62-53-3 aniline**

BEI 0.5 mg/L  
 Medium: urine  
 Time: end of shift  
 Parameter: Aniline (with hydrolysis)

**87-86-5 pentachlorophenol**

BEI -  
 Medium: urine  
 Time: prior to last shift of workweek  
 Parameter: Pentachlorophenol with hydrolysis (nonquantitative)

**205-99-2 benz[e]acephenanthrylene**

BEI -  
 Medium: urine  
 Time: end of shift at end of workweek  
 Parameter: 1-Hydroxypyrene with hydrolysis (nonquantitative)

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Exposure controls**

· **Personal protective equipment:**

· **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.  
 Immediately remove all soiled and contaminated clothing.  
 Wash hands before breaks and at the end of work.  
 Store protective clothing separately.  
 Do not inhale gases / fumes / aerosols.  
 Avoid contact with the eyes and skin.

· **Breathing equipment:**

When used as intended with Agilent instruments, the use of the product under normal laboratory conditions and with standard practices does not result in significant airborne exposures and therefore respiratory protection is not needed.

(Contd. on page 8)

## Safety Data Sheet

acc. to OSHA HCS

Printing date: 01/08/2025

Revision date: 01/08/2025

**Product Name: Agilent EPA 8270 Short Mix (1 x 1mL)**

(Contd. of page 7)

Under an emergency condition where a respirator is deemed necessary, use a NIOSH or equivalent approved device/equipment with appropriate organic or acid gas cartridge.

· **Protection of hands:**

Although not recommended for constant contact with the chemicals or for clean-up, nitrile gloves 11-13 mil thickness are recommended for normal use. The breakthrough time is 1 hr. For cleaning a spill where there is direct contact of the chemical, butyl rubber gloves are recommended 12-15 mil thickness with breakthrough times exceeding 4 hrs. Supplier recommendations should be followed.

· **Material of gloves**

For normal use: nitrile rubber, 11-13 mil thickness

For direct contact with the chemical: butyl rubber, 12-15 mil thickness

· **Penetration time of glove material**

For normal use: nitrile rubber: 1 hour

For direct contact with the chemical: butyl rubber: >4 hours

· **Eye protection:**

Safety glasses



Tightly sealed goggles

### 9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form: Fluid

Color: Colorless

· **Odor:** Like chlorine

· **Odor threshold:** Not determined.

· **pH-value:** Not determined.

· **Change in condition**

Melting point/Melting range: -95.1 °C (-139.2 °F)

Boiling point/Boiling range: 40 °C (104 °F)

· **Flash point:** Not applicable.

· **Flammability (solid, gaseous):** Not applicable.

· **Auto igniting:** 605 °C (1,121 °F)

· **Decomposition temperature:** Not determined.

· **Ignition temperature:** Product is not selfigniting.

· **Danger of explosion:** Product does not present an explosion hazard.

· **Explosion limits:**

Lower: 13 Vol %

Upper: 22 Vol %

· **Vapor pressure at 20 °C (68 °F):** 360 hPa (270 mm Hg)

· **Density at 20 °C (68 °F):** 1.3 g/cm<sup>3</sup> (10.8485 lbs/gal)

(Contd. on page 9)



# Safety Data Sheet acc. to OSHA HCS

Printing date: 01/08/2025

Revision date: 01/08/2025

**Product Name: Agilent EPA 8270 Short Mix (1 x 1mL)**

(Contd. of page 8)

· <b>Relative density</b>	Not determined.
· <b>Vapor density</b>	Not determined.
· <b>Evaporation rate</b>	Not determined.

· <b>Solubility in / Miscibility with Water at 20 °C (68 °F):</b>	20 g/l
---	--------

· <b>Partition coefficient (n-octanol/water):</b>	Not determined.
---	-----------------

· <b>Viscosity:</b>	
<b>Dynamic at 20 °C (68 °F):</b>	0.43 mPas
<b>Kinematic:</b>	Not determined.

· <b>Solvent content:</b>	
<b>Organic solvents:</b>	98.2 %
<b>VOC content:</b>	0.00 %
	0.0 g/l / 0.00 lb/gal

<b>Solids content:</b>	1.5 %
------------------------	-------

· <b>Other information</b>	No further relevant information available.
----------------------------	--

## 10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

## 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

· <b>LD/LC50 values that are relevant for classification:</b>
---

<b>ATE (Acute Toxicity Estimate)</b>		
--------------------------------------	--	--

Oral	LD50	2,680 mg/kg
Dermal	LD50	33,207 mg/kg
Inhalative	LC50/4 h	29.7 mg/L

<b>75-09-2 dichloromethane</b>		
--------------------------------	--	--

Oral	LD50	1,600 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rat)
Inhalative	LC50/4 h	88 mg/L (rat)

<b>51-28-5 2,4-dinitrophenol</b>		
----------------------------------	--	--

Oral	LD50	30 mg/kg (ATE)
		30 mg/kg (rat)

(Contd. on page 10)

## Safety Data Sheet

acc. to OSHA HCS

Printing date: 01/08/2025

Revision date: 01/08/2025

**Product Name: Agilent EPA 8270 Short Mix (1 x 1mL)**

(Contd. of page 9)

Dermal	LD50	300 mg/kg (ATE)
<b>62-53-3 aniline</b>		
Oral	LD50	442 mg/kg (rat)
Dermal	LD50	820 mg/kg (rabbit)
Inhalative	LC50/4 h	175 mg/L (mouse) 3.27 mg/L (rat)
<b>62-75-9 dimethylnitrosoamine</b>		
Oral	LD50	37 mg/kg (rat)
Inhalative	LC50/4 h	78 mg/L (rat)
<b>87-86-5 pentachlorophenol</b>		
Oral	LD50	27 mg/kg (rat)
Dermal	LD50	96 mg/kg (rat)
Inhalative	LC50/4 h	355 mg/L (rat)
<b>91-94-1 3,3'-dichlorobenzidine</b>		
Oral	LD50	4,740 mg/kg (rat)
<b>92-67-1 4-aminobiphenyl</b>		
Oral	LD50	500 mg/kg (rat)
<b>92-87-5 benzidine</b>		
Oral	LD50	309 mg/kg (rat)
<b>100-02-7 4-nitrophenol</b>		
Oral	LD50	202 mg/kg (rat)
Dermal	LD50	1,024 mg/kg (rat)
<b>534-52-1 DNOC</b>		
Oral	LD50	7 mg/kg (rat)
Dermal	LD50	200 mg/kg (rat) 1,000 mg/kg (rabbit)

· **Primary irritant effect:**

· **on the skin:** Irritant to skin and mucous membranes.

· **on the eye:** Irritating effect.

· **Sensitization:** Sensitization possible through skin contact.

· **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:  
Irritant

· **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

75-09-2	dichloromethane	2A
62-53-3	aniline	2A
62-75-9	dimethylnitrosoamine	2A
87-86-5	pentachlorophenol	1
91-94-1	3,3'-dichlorobenzidine	2B
92-67-1	4-aminobiphenyl	1
92-87-5	benzidine	1

(Contd. on page 11)

# Safety Data Sheet acc. to OSHA HCS

Printing date: 01/08/2025

Revision date: 01/08/2025

**Product Name: Agilent EPA 8270 Short Mix (1 x 1mL)**

(Contd. of page 10)

205-99-2	benz[e]acephenanthrylene	2B
207-08-9	benzo[k]fluoranthene	2B

**· NTP (National Toxicology Program)**

75-09-2	dichloromethane	R
62-75-9	dimethylnitrosoamine	R
87-86-5	pentachlorophenol	R
91-94-1	3,3'-dichlorobenzidine	R
92-67-1	4-aminobiphenyl	K
92-87-5	benzidine	K
205-99-2	benz[e]acephenanthrylene	R
207-08-9	benzo[k]fluoranthene	R

**· OSHA-Ca (Occupational Safety & Health Administration)**

75-09-2	dichloromethane	
62-75-9	dimethylnitrosoamine	
91-94-1	3,3'-dichlorobenzidine	
92-67-1	4-aminobiphenyl	
92-87-5	benzidine	

## 12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**

**· General notes:**

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

**· Results of PBT and vPvB assessment**
**· PBT:**

207-08-9	benzo[k]fluoranthene	
----------	----------------------	--

**· vPvB:**

207-08-9	benzo[k]fluoranthene	
----------	----------------------	--

- **Other adverse effects** No further relevant information available.

## 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**  
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 12)

# Safety Data Sheet acc. to OSHA HCS

Printing date: 01/08/2025



Revision date: 01/08/2025

**Product Name: Agilent EPA 8270 Short Mix (1 x 1mL)**

(Contd. of page 11)

- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

## 14 Transport information

· <b>Not Regulated, De minimis Quantities</b>	-
· <b>UN-Number</b>	
· <b>DOT, IMDG, IATA</b>	UN1593
· <b>UN proper shipping name</b>	
· <b>DOT</b>	Dichloromethane
· <b>IMDG, IATA</b>	DICHLOROMETHANE
· <b>Transport hazard class(es)</b>	
· <b>DOT</b>	
	
· <b>Class</b>	6.1 Toxic substances
· <b>Label</b>	6.1
· <b>IMDG, IATA</b>	
	
· <b>Class</b>	6.1 Toxic substances
· <b>Label</b>	6.1
· <b>Packing group</b>	
· <b>DOT, IMDG, IATA</b>	III
· <b>Environmental hazards:</b>	Not applicable.
· <b>Special precautions for user</b>	Warning: Toxic substances
· <b>Hazard identification number (Kemler code):</b>	60
· <b>EMS Number:</b>	F-A,S-A
· <b>Segregation groups</b>	(SGG10) Liquid halogenated hydrocarbons
· <b>Stowage Category</b>	A
· <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b>	Not applicable.
· <b>Transport/Additional information:</b>	
· <b>DOT</b>	
· <b>Quantity limitations</b>	On passenger aircraft/rail: 60 L On cargo aircraft only: 220 L
· <b>Hazardous substance:</b>	1000 lbs, 454 kg

(Contd. on page 13)

## Safety Data Sheet

acc. to OSHA HCS

Printing date: 01/08/2025

Revision date: 01/08/2025

**Product Name: Agilent EPA 8270 Short Mix (1 x 1mL)**

(Contd. of page 12)

- |  |  |
|--|--|
| <ul style="list-style-type: none"> <li>· <b>IMDG</b></li> <li>· <b>Limited quantities (LQ)</b></li> <li>· <b>Excepted quantities (EQ)</b></li> </ul> | <p>5L<br/>Code: E1<br/>Maximum net quantity per inner packaging: 30 ml<br/>Maximum net quantity per outer packaging: 1000 ml</p> |
| <ul style="list-style-type: none"> <li>· <b>UN "Model Regulation":</b></li> </ul>  | <p>UN 1593 DICHLOROMETHANE, 6.1, III</p>   |

### 15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Sara**

· **Section 355 (extremely hazardous substances):**

62-53-3	aniline
62-75-9	dimethylnitrosoamine
534-52-1	DNOC

· **Section 313 (Specific toxic chemical listings):**

75-09-2	dichloromethane
51-28-5	2,4-dinitrophenol
62-53-3	aniline
62-75-9	dimethylnitrosoamine
87-86-5	pentachlorophenol
91-94-1	3,3'-dichlorobenzidine
92-67-1	4-aminobiphenyl
92-87-5	benzidine
100-02-7	4-nitrophenol
205-99-2	benz[e]acephenanthrylene
207-08-9	benzo[k]fluoranthene
534-52-1	DNOC

· **TSCA (Toxic Substances Control Act):**

After February 3, 2025, this chemical substance (as defined in TSCA section 3(2))/ product cannot be distributed in commerce to retailers. After January 28, 2026, this chemical substance (as defined in TSCA section 3(2))/ product is and can only be distributed in commerce or processed with a concentration of methylene chloride equal to or greater than 0.1% by weight for the following purposes: (1) Processing as a reactant; (2) Processing for incorporation into a formulation, mixture, or reaction product; (3) Processing for repackaging; (4) Processing for recycling; (5) Industrial or commercial use as a laboratory chemical; (6) Industrial or commercial use as a bonding agent for solvent welding; (7) Industrial and commercial use as a paint and coating remover from safety critical, corrosion sensitive components of aircraft and spacecraft; (8) Industrial and commercial use as a processing aid; (9) Industrial and commercial use for plastic and rubber products manufacturing; (10) Industrial and commercial use as a solvent that becomes part of a formulation or mixture, where that formulation or mixture will be used inside a manufacturing process, and the solvent (methylene chloride) will be reclaimed; (11) Industrial and commercial use in the refinishing for wooden furniture, decorative pieces, and architectural fixtures of artistic, cultural or historic value until May 8, 2029; (12) Industrial and commercial use in adhesives and sealants in aircraft, space vehicle, and turbine applications for structural and safety critical non-structural applications until May 8, 2029; (13) Disposal; and (14) Export.

(Contd. on page 14)

# Safety Data Sheet acc. to OSHA HCS

Printing date: 01/08/2025

Revision date: 01/08/2025

**Product Name: Agilent EPA 8270 Short Mix (1 x 1mL)**

(Contd. of page 13)

75-09-2	dichloromethane	ACTIVE
51-28-5	2,4-dinitrophenol	ACTIVE
62-53-3	aniline	ACTIVE
62-75-9	dimethylnitrosoamine	ACTIVE
65-85-0	benzoic acid	ACTIVE
87-86-5	pentachlorophenol	ACTIVE
91-94-1	3,3'-dichlorobenzidine	ACTIVE
92-67-1	4-aminobiphenyl	ACTIVE
92-87-5	benzidine	ACTIVE
100-02-7	4-nitrophenol	ACTIVE
534-52-1	DNOC	ACTIVE

**· Hazardous Air Pollutants**

75-09-2	dichloromethane
51-28-5	2,4-dinitrophenol
62-53-3	aniline
62-75-9	dimethylnitrosoamine
87-86-5	pentachlorophenol
91-94-1	3,3'-dichlorobenzidine
92-67-1	4-aminobiphenyl
92-87-5	benzidine
100-02-7	4-nitrophenol
205-99-2	benz[e]acephenanthrylene
207-08-9	benzo[k]fluoranthene
534-52-1	DNOC

**· Proposition 65**
**· Chemicals known to cause cancer:**

75-09-2	dichloromethane
62-53-3	aniline
62-75-9	dimethylnitrosoamine
87-86-5	pentachlorophenol
91-94-1	3,3'-dichlorobenzidine
92-67-1	4-aminobiphenyl
92-87-5	benzidine
205-99-2	benz[e]acephenanthrylene
207-08-9	benzo[k]fluoranthene

**· Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

**· Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

**· Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

(Contd. on page 15)

# Safety Data Sheet acc. to OSHA HCS

Printing date: 01/08/2025

Revision date: 01/08/2025

**Product Name: Agilent EPA 8270 Short Mix (1 x 1mL)**

(Contd. of page 14)

## · Carcinogenic categories

### · EPA (Environmental Protection Agency)

75-09-2	dichloromethane	L
62-53-3	aniline	B2
62-75-9	dimethylnitrosoamine	B2
65-85-0	benzoic acid	D
87-86-5	pentachlorophenol	L
91-94-1	3,3'-dichlorobenzidine	B2
92-87-5	benzidine	A
205-99-2	benz[e]acephenanthrylene	B2
207-08-9	benzo[k]fluoranthene	B2

### · TLV (Threshold Limit Value)

75-09-2	dichloromethane	A3
62-53-3	aniline	A3
62-75-9	dimethylnitrosoamine	A3
87-86-5	pentachlorophenol	A3
91-94-1	3,3'-dichlorobenzidine	A3
92-67-1	4-aminobiphenyl	A1
92-87-5	benzidine	A1
205-99-2	benz[e]acephenanthrylene	A2

### · NIOSH-Ca (National Institute for Occupational Safety and Health)

75-09-2	dichloromethane
62-53-3	aniline
62-75-9	dimethylnitrosoamine
91-94-1	3,3'-dichlorobenzidine
92-67-1	4-aminobiphenyl
92-87-5	benzidine

## · National regulations:

### · Additional classification according to Decree on Hazardous Materials:

Carcinogenic hazardous material group III (dangerous).

### · Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation.

Exceptions can be made by the authorities in certain cases.

### · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## 16 Other information

The information contained in this document is based on Agilent's state of knowledge at the time of preparation.  
No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

### · Contact:

· Date of preparation / last revision 01/08/2025 / 1

(Contd. on page 16)

**Safety Data Sheet**  
**acc. to OSHA HCS**

Printing date: 01/08/2025

Revision date: 01/08/2025

**Product Name: Agilent EPA 8270 Short Mix (1 x 1mL)**

(Contd. of page 15)

**· Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
DOT: US Department of Transportation  
IATA: International Air Transport Association  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
NFPA: National Fire Protection Association (USA)  
HMIS: Hazardous Materials Identification System (USA)  
VOC: Volatile Organic Compounds (USA, EU)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
NIOSH: National Institute for Occupational Safety  
OSHA: Occupational Safety & Health  
TLV: Threshold Limit Value  
PEL: Permissible Exposure Limit  
REL: Recommended Exposure Limit  
BEI: Biological Exposure Limit  
Skin Irritation 2: Skin corrosion/irritation – Category 2  
Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A  
Sensitization - Skin 1: Skin sensitisation – Category 1  
Carcinogenicity 1A: Carcinogenicity – Category 1A  
Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3  
Specific Target Organ Toxicity - Repeated Exposure 2: Specific target organ toxicity (repeated exposure) – Category 2

**· \* Data compared to the previous version altered.**

US