



Agilent Technologies

Kit Name: IntelliQuant Calibration Kit

Kit PN: 5191-3932

Kit Components

Component Part Number	Component Name	Volume or mass/ container	No. of component containers/ kit
5191-3933	IntelliQuant Multi-Element Standard 1	100 mL	1
5191-3934	IntelliQuant Multi-Element Standard 2	100 mL	1
5191-3935	IntelliQuant Multi-Element Standard 3	100 mL	1
5191-3936	IntelliQuant Multi-Element Standard 4	100 mL	1
5191-3937	IntelliQuant Multi-Element Standard 5	100 mL	1
5191-3938	IntelliQuant Multi-Element Standard 6	100 mL	1
5191-3939	IntelliQuant Multi-Element Standard 7	100 mL	1
5190-7001	Calibration blank solution 5pct HNO ₃	500 mL	1

SDSs for each component follow this cover sheet.

Transportation Information

DOT	IATA/ICAO	China
UN3264, Corrosive Liquid, Acidic, Inorganic, n.o.s. (Nitric Acid, Hydrochloric Acid, Hydrofluoric Acid), 8, II.	UN3264, Corrosive Liquid, Acidic, Inorganic, n.o.s. (Nitric Acid, Hydrochloric Acid, Hydrofluoric Acid), 8, II.	UN3264, Corrosive Liquid, Acidic, Inorganic, n.o.s. (Nitric Acid, Hydrochloric Acid, Hydrofluoric Acid), 8, II.

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 27.10.2021

Version number 1

Revision: 27.10.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· **1.1 Product identifier**

· **Product name: IntelliQuant Multi-Element Standard 1 [100mL bottle]**

· **Part number: 5191-3933**

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.

· **Application of the substance / the mixture** Reagents and Standards for Analytical Chemical Laboratory Use

· **1.3 Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:**

Agilent Technologies LDA UK Ltd.
5500 Lakeside Cheadle Royal Business Park,
Cheadle, Cheshire, SK8 3GR
United Kingdom

Tel: +44 (0) 345 712 5292

· **Further information obtainable from:** e-mail: pdl-msds_author@agilent.com

· **1.4 Emergency telephone number:** CHEMTREC®: +(44)-870-8200418

SECTION 2: Hazards identification

· **2.1 Classification of the substance or mixture**

· **Classification according to Regulation (EC) No 1272/2008**



corrosion

Met. Corr.1 H290 May be corrosive to metals.

Eye Dam. 1 H318 Causes serious eye damage.



Skin Irrit. 2 H315 Causes skin irritation.

· **2.2 Label elements**

· **Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.

· **Hazard pictograms**



GHS05

· **Signal word** Danger

· **Hazard-determining components of labelling:**
nitric acid

· **Hazard statements**

H290 May be corrosive to metals.

H315 Causes skin irritation.

H318 Causes serious eye damage.

(Contd. on page 2)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 27.10.2021

Version number 1

Revision: 27.10.2021

Product name: IntelliQuant Multi-Element Standard 1 [100mL bottle]

(Contd. from page 1)

Precautionary statements

- P280 Wear protective gloves / eye protection / face protection.
 P305+P351+P338 **IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P310 Immediately call a POISON CENTER/doctor.
 P321 Specific treatment (see on this label).
 P332+P313 If skin irritation occurs: Get medical advice/attention.
 P406 Store in a corrosion resistant container / container with a resistant inner liner.

Additional information:

Product contains: Restricted explosives precursors. Making available, introduction, possession and use according to Regulation (EU) 2019/1148, Article 5 (1) and (3).

2.3 Other hazards
Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Mixtures
Description:

Aqueous solution.

Also contains substances at levels not considered to be hazardous.

Dangerous components:

CAS: 7697-37-2 EINECS: 231-714-2 RTECS: QU5775000	nitric acid Ox. Liq. 3, H272; Acute Tox. 3, H331; Met. Corr.1, H290; Skin Corr. 1A, H314, EUH071 Specific concentration limits: Ox. Liq. 2; H272: C ≥ 99 % Ox. Liq. 3; H272: 70 % ≤ C < 99 %	<5%
CAS: 7439-92-1 EINECS: 231-100-4 RTECS: OF 7525000	Lead Carc. 2, H351; Repr. 1A, H360FD-H362; STOT RE 1, H372; Aquatic Acute 1, H400 (M=1); Aquatic Chronic 1, H410 (M=10) Specific concentration limit: Repr. 1A; H360D: C ≥ 0.03 %	<0.1%

Additional information:

The concentration of the acid stated in this SDS is calculated as an absolute mass concentration (%w/v). This is less than the acid concentration stated on the product label and COA, which reflects a percent value of the commercially available concentrated aqueous form of the acid.

For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

• **General information:** Immediately remove any clothing soiled by the product.

• **After inhalation:** Supply fresh air; consult doctor in case of complaints.

• **After skin contact:**

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

• **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.

• **After swallowing:** Rinse mouth. Do not induce vomiting.

• **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.

(Contd. on page 3)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 27.10.2021

Version number 1

Revision: 27.10.2021

Product name: IntelliQuant Multi-Element Standard 1 [100mL bottle]

(Contd. from page 2)

- **4.3 Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:** Use fire extinguishing methods suitable for surrounding conditions.
- **5.2 Special hazards arising from the substance or mixture**
Formation of toxic gases is possible during heating or in case of fire.
- **5.3 Advice for firefighters**
- **Protective equipment:** Wear self-contained respiratory protective device.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
- **6.2 Environmental precautions:**
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**
Use neutralising agent.
Dispose of contaminated material as waste according to item 13.
Absorb liquid components with liquid-binding material.
DO NOT USE SAWDUST.
- **6.4 Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** Store in cool, dry place in tightly closed receptacles.
- **Information about fire - and explosion protection:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**
Please refer to the manufacturer's certificate for specific storage and transport temperature conditions.
Store only in the original receptacle unless other advice is given on the CoA.
Keep container in a well-ventilated place. Keep away from sources of ignition and heat.
- **Information about storage in one common storage facility:** Store away from foodstuffs.
- **Further information about storage conditions:** Keep container tightly sealed.
- **7.3 Specific end use(s)** No further relevant information available.

GB

(Contd. on page 4)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 27.10.2021

Version number 1

Revision: 27.10.2021

Product name: IntelliQuant Multi-Element Standard 1 [100mL bottle]

(Contd. from page 3)

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· **Ingredients with limit values that require monitoring at the workplace:**

CAS: 7697-37-2 nitric acid

WEL Short-term value: 2.6 mg/m³, 1 ppm

· **Additional information:** Lists used were valid at the time of SDS preparation.

· 8.2 Exposure controls

· **Appropriate engineering controls** No further data; see item 7.

· **Individual protection measures, such as personal protective equipment**

· **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

· **Respiratory protection:**

Not required.

Use suitable respiratory protective device in case of insufficient ventilation.

· **Hand protection**

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374



Protective gloves

· **Material of gloves**

PVC gloves

Neoprene gloves

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye/face protection**



Tightly sealed goggles

SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· **Physical state**

Fluid

· **Colour:**

Colourless

(Contd. on page 5)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 27.10.2021

Version number 1

Revision: 27.10.2021

Product name: IntelliQuant Multi-Element Standard 1 [100mL bottle]

(Contd. from page 4)

· Odour:	Odourless
· Odour threshold:	Not determined.
· Melting point/freezing point:	Not determined.
	Not determined.
· Boiling point or initial boiling point and boiling range	Not determined.
· Flammability	Not determined.
· Lower and upper explosion limit	
· Lower:	Not determined.
· Upper:	Not determined.
· Flash point:	Not applicable.
· Auto-ignition temperature:	Product is not selfigniting.
· Decomposition temperature:	Not determined.
· pH	< 2
· Viscosity:	
· Kinematic viscosity	Not determined.
· Dynamic:	Not determined.
· Solubility	
· water:	Fully miscible.
· Partition coefficient n-octanol/water (log value)	Not determined.
· Vapour pressure:	Not determined.
· Density and/or relative density	
· Density:	Not determined.
· Relative density	Not determined.
· Vapour density	Not determined.

· 9.2 Other information	
· Appearance:	
· Form:	Liquid
· Important information on protection of health and environment, and on safety.	
· Ignition temperature:	Not determined
· Explosive properties:	Not determined.
· Change in condition	
· Evaporation rate	Not determined.

· Information with regard to physical hazard classes	
· Explosives	Not applicable
· Flammable gases	Not applicable
· Aerosols	Not applicable
· Oxidising gases	Not applicable
· Gases under pressure	Not applicable
· Flammable liquids	Not applicable
· Flammable solids	Not applicable
· Self-reactive substances and mixtures	Not applicable
· Pyrophoric liquids	Not applicable
· Pyrophoric solids	Not applicable
· Self-heating substances and mixtures	Not applicable
· Substances and mixtures, which emit flammable gases in contact with water	Not applicable
· Oxidising liquids	Not applicable
· Oxidising solids	Not applicable

(Contd. on page 6)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 27.10.2021

Version number 1

Revision: 27.10.2021

Product name: IntelliQuant Multi-Element Standard 1 [100mL bottle]

(Contd. from page 5)

- | | |
|--|--|
| <ul style="list-style-type: none"> · Organic peroxides · Corrosive to metals · Desensitised explosives | <ul style="list-style-type: none"> <i>Not applicable</i> <i>May be corrosive to metals.</i> <i>Not applicable</i> |
|--|--|

SECTION 10: Stability and reactivity

- **10.1 Reactivity**
Stable under normal conditions.
No further relevant information available.
- **10.2 Chemical stability** *Stable under normal conditions.*
- **Thermal decomposition / conditions to be avoided:**
Formation of toxic gases is possible during heating or in case of fire.
- **10.3 Possibility of hazardous reactions** *No dangerous reactions known.*
- **10.4 Conditions to avoid** *Heat.*
- **10.5 Incompatible materials:**
Strong oxidizing agents.
Metals.
- **10.6 Hazardous decomposition products:**
Formation of toxic gases is possible during heating or in case of fire.

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
 - **Acute toxicity**
- | | | |
|--|-----------------|---------------------------------|
| · LD/LC50 values relevant for classification: | | |
| CAS: 7697-37-2 nitric acid | | |
| <i>Inhalative</i> | <i>LC50/4 h</i> | <i>2.65 mg/l (rat)</i> |
| CAS: 7440-22-4 Silver, powder | | |
| <i>Oral</i> | <i>LD50</i> | <i>>10,000 mg/kg (mouse)</i> |
- **Skin corrosion/irritation** *Causes skin irritation.*
 - **Serious eye damage/irritation** *Causes serious eye damage.*
 - **Respiratory or skin sensitisation** *Based on available data, the classification criteria are not met.*
 - **11.2 Information on other hazards**

- | |
|---|
| · Endocrine disrupting properties |
| <i>None of the ingredients is listed.</i> |

SECTION 12: Ecological information

- **12.1 Toxicity**
 - **Aquatic toxicity:**
- | | |
|--------------------------------------|--------------------------------|
| CAS: 7697-37-2 nitric acid | |
| <i>LC50/48</i> | <i>180 mg/l (crustacean)</i> |
| CAS: 7440-22-4 Silver, powder | |
| <i>LC50/24</i> | <i>0.015 mg/L (crustacean)</i> |

(Contd. on page 7)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 27.10.2021

Version number 1

Revision: 27.10.2021

Product name: IntelliQuant Multi-Element Standard 1 [100mL bottle]

(Contd. from page 6)

EC50/72h	0.00198 mg/l (Algae)
LC50/96 h	0.00807 mg/l (fish)

- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Endocrine disrupting properties**
The product does not contain substances with endocrine disrupting properties.
- **12.7 Other adverse effects**
- **Additional ecological information:**
- **General notes:**
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
Do not allow undiluted product to reach ground water, water course or sewage system.
Must not reach sewage water or drainage ditch undiluted or unneutralised.

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packaging:**
- **Recommendation:** Dispose of in accordance with national regulations.
- **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

SECTION 14: Transport information

- **14.1 UN number or ID number**
 - **ADR, IMDG, IATA**
 - **ADR**
 - **IMDG, IATA**
- UN3264
3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID)
CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID)

- **14.3 Transport hazard class(es)**
- **ADR, IMDG, IATA**



- **Class**
 - **Label**
- 8 Corrosive substances.
8

- **14.4 Packing group**
 - **ADR, IMDG, IATA**
- III

- **14.5 Environmental hazards:**
- Not applicable.

(Contd. on page 8)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 27.10.2021

Version number 1

Revision: 27.10.2021

Product name: IntelliQuant Multi-Element Standard 1 [100mL bottle]

(Contd. from page 7)

<ul style="list-style-type: none"> · 14.6 Special precautions for user · Hazard identification number (Kemler code): · EMS Number: · Segregation groups · Stowage Category · Stowage Code 	<p>Warning: Corrosive substances.</p> <p>80</p> <p>F-A,S-B</p> <p>Acids</p> <p>A</p> <p>SW2 Clear of living quarters.</p>
<ul style="list-style-type: none"> · 14.7 Maritime transport in bulk according to IMO instruments 	<p>Not applicable.</p>
<ul style="list-style-type: none"> · Transport/Additional information: 	
<ul style="list-style-type: none"> · ADR · Limited quantities (LQ) · Excepted quantities (EQ) · Transport category · Tunnel restriction code 	<p>5L</p> <p>Code: E1</p> <p>Maximum net quantity per inner packaging: 30 ml</p> <p>Maximum net quantity per outer packaging: 1000 ml</p> <p>3</p> <p>E</p>
<ul style="list-style-type: none"> · UN "Model Regulation": 	<p>UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID), 8, III</p>

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

- **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Ox. Liq. 3: Oxidizing liquids – Category 3

Met. Corr.1: Corrosive to metals – Category 1

Acute Tox. 3: Acute toxicity – Category 3

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

(Contd. on page 9)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 27.10.2021

Version number 1

Revision: 27.10.2021

Product name: IntelliQuant Multi-Element Standard 1 [100mL bottle]

(Contd. from page 8)

Carc. 2: Carcinogenicity – Category 2

Repr. 1A: Reproductive toxicity – Category 1A

STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

· **Sources**

Tables 3.1 and 3.2 from Annex 6 of EC 1272/2008, EC 1907/2006, EH40/2005 as amended 2011, Registry of Toxic Effects of Chemical Substances (RTECS), The Dictionary of Substances and their Effects, 1st Edition, IUCLID.

· **Data compared to the previous version altered.** All sections have been updated.

GB

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 29.10.2021

Version number 1

Revision: 29.10.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking**· 1.1 Product identifier****· Product name: IntelliQuant Multi-Element Standard 2 [100 mL bottle]****· Part number: 5191-3934****· 1.2 Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

· Application of the substance / the mixture Reagents and Standards for Analytical Chemical Laboratory Use**· 1.3 Details of the supplier of the safety data sheet****· Manufacturer/Supplier:**Agilent Technologies LDA UK Ltd.
5500 Lakeside Cheadle Royal Business Park,
Cheadle, Cheshire, SK8 3GR
United Kingdom

Tel: +44 (0) 345 712 5292

· Further information obtainable from: e-mail: pdl-msds_author@agilent.com**· 1.4 Emergency telephone number: CHEMTREC®: +(44)-870-8200418****SECTION 2: Hazards identification****· 2.1 Classification of the substance or mixture****· Classification according to Regulation (EC) No 1272/2008**

corrosion

Met. Corr.1 H290 May be corrosive to metals.

Eye Dam. 1 H318 Causes serious eye damage.



Skin Irrit. 2 H315 Causes skin irritation.

· 2.2 Label elements**· Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms

GHS05

· Signal word Danger**· Hazard-determining components of labelling:**

nitric acid

· Hazard statements

H290 May be corrosive to metals.

H315 Causes skin irritation.

H318 Causes serious eye damage.

(Contd. on page 2)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 29.10.2021

Version number 1

Revision: 29.10.2021

Product name: IntelliQuant Multi-Element Standard 2 [100 mL bottle]

(Contd. from page 1)

· **Precautionary statements**

- P280 Wear protective gloves / eye protection / face protection.
 P305+P351+P338 **IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P310 Immediately call a POISON CENTER/doctor.
 P321 Specific treatment (see on this label).
 P332+P313 If skin irritation occurs: Get medical advice/attention.
 P406 Store in a corrosion resistant container / container with a resistant inner liner.

· **Additional information:**

Product contains: Restricted explosives precursors. Making available, introduction, possession and use according to Regulation (EU) 2019/1148, Article 5 (1) and (3).

· **2.3 Other hazards**

· **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
 · **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· **3.2 Mixtures**

· **Description:**

Aqueous solution.
 Also contains substances at levels not considered to be hazardous.

· **Dangerous components:**

CAS: 7697-37-2 EINECS: 231-714-2 RTECS: QU5775000	nitric acid <hr style="border-top: 1px dashed black;"/> ⚠ Ox. Liq. 3, H272; ⚠ Acute Tox. 3, H331; ⚠ Met. Corr.1, H290; Skin Corr. 1A, H314, EUH071 Specific concentration limits: Ox. Liq. 2; H272: C ≥ 99 % Ox. Liq. 3; H272: 70 % ≤ C < 99 %	<5%
---	---	-----

· **Additional information:**

The concentration of the acid stated in this SDS is calculated as an absolute mass concentration (%w/v). This is less than the acid concentration stated on the product label and COA, which reflects a percent value of the commercially available concentrated aqueous form of the acid.
 For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· **4.1 Description of first aid measures**

· **General information:** Immediately remove any clothing soiled by the product.

· **After inhalation:** Supply fresh air; consult doctor in case of complaints.

· **After skin contact:**

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.

· **After swallowing:** Rinse mouth. Do not induce vomiting.

· **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.

· **4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

GB

(Contd. on page 3)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 29.10.2021

Version number 1

Revision: 29.10.2021

Product name: IntelliQuant Multi-Element Standard 2 [100 mL bottle]

(Contd. from page 2)

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:** Use fire extinguishing methods suitable for surrounding conditions.
- **5.2 Special hazards arising from the substance or mixture**
Formation of toxic gases is possible during heating or in case of fire.
- **5.3 Advice for firefighters**
- **Protective equipment:** Wear self-contained respiratory protective device.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
- **6.2 Environmental precautions:**
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**
Use neutralising agent.
Dispose of contaminated material as waste according to item 13.
Absorb liquid components with liquid-binding material.
DO NOT USE SAWDUST.
- **6.4 Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** Store in cool, dry place in tightly closed receptacles.
- **Information about fire - and explosion protection:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**
Please refer to the manufacturer's certificate for specific storage and transport temperature conditions.
Store only in the original receptacle unless other advice is given on the CoA.
Keep container in a well-ventilated place. Keep away from sources of ignition and heat.
- **Information about storage in one common storage facility:** Store away from foodstuffs.
- **Further information about storage conditions:** Keep container tightly sealed.
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**
- **Ingredients with limit values that require monitoring at the workplace:**

CAS: 7697-37-2 nitric acid

WEL	Short-term value: 2.6 mg/m ³ , 1 ppm
-----	---

- **Additional information:** Lists used were valid at the time of SDS preparation.

(Contd. on page 4)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 29.10.2021

Version number 1

Revision: 29.10.2021

Product name: IntelliQuant Multi-Element Standard 2 [100 mL bottle]

(Contd. from page 3)

- **8.2 Exposure controls**
- **Appropriate engineering controls** No further data; see item 7.
- **Individual protection measures, such as personal protective equipment**
- **General protective and hygienic measures:**
 - Keep away from foodstuffs, beverages and feed.
 - Immediately remove all soiled and contaminated clothing
 - Wash hands before breaks and at the end of work.
 - Avoid contact with the skin.
 - Avoid contact with the eyes and skin.
- **Respiratory protection:**
 - Not required.
 - Use suitable respiratory protective device in case of insufficient ventilation.
- **Hand protection**
 - The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
 - Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
 - The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374



Protective gloves

- **Material of gloves**
 - PVC gloves
 - Neoprene gloves
- **Penetration time of glove material**
 - The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eyeface protection**



Tightly sealed goggles

SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**
- **General Information**
- **Physical state** Fluid
- **Colour:** Colourless
- **Odour:** Odourless
- **Odour threshold:** Not determined.
- **Melting point/freezing point:** Not determined.
- **Boiling point or initial boiling point and boiling range** Not determined.
- **Flammability** Not determined.

(Contd. on page 5)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 29.10.2021

Version number 1

Revision: 29.10.2021

Product name: IntelliQuant Multi-Element Standard 2 [100 mL bottle]

(Contd. from page 4)

· Lower and upper explosion limit	
· Lower:	Not determined.
· Upper:	Not determined.
· Flash point:	Not applicable.
· Auto-ignition temperature:	Product is not selfigniting.
· Decomposition temperature:	Not determined.
· pH	< 2
· Viscosity:	
· Kinematic viscosity	Not determined.
· Dynamic:	Not determined.
· Solubility	
· water:	Fully miscible.
· Partition coefficient n-octanol/water (log value)	Not determined.
· Vapour pressure:	Not determined.
· Density and/or relative density	
· Density:	Not determined.
· Relative density	Not determined.
· Vapour density	Not determined.

· 9.2 Other information	
· Appearance:	
· Form:	Liquid
· Important information on protection of health and environment, and on safety.	
· Ignition temperature:	Not determined
· Explosive properties:	Not determined.
· Change in condition	
· Evaporation rate	Not determined.

· Information with regard to physical hazard classes	
· Explosives	Not applicable
· Flammable gases	Not applicable
· Aerosols	Not applicable
· Oxidising gases	Not applicable
· Gases under pressure	Not applicable
· Flammable liquids	Not applicable
· Flammable solids	Not applicable
· Self-reactive substances and mixtures	Not applicable
· Pyrophoric liquids	Not applicable
· Pyrophoric solids	Not applicable
· Self-heating substances and mixtures	Not applicable
· Substances and mixtures, which emit flammable gases in contact with water	Not applicable
· Oxidising liquids	Not applicable
· Oxidising solids	Not applicable
· Organic peroxides	Not applicable
· Corrosive to metals	May be corrosive to metals.
· Desensitised explosives	Not applicable

GB

(Contd. on page 6)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 29.10.2021

Version number 1

Revision: 29.10.2021

Product name: IntelliQuant Multi-Element Standard 2 [100 mL bottle]

(Contd. from page 5)

SECTION 10: Stability and reactivity

- **10.1 Reactivity**
Stable under normal conditions.
No further relevant information available.
- **10.2 Chemical stability** Stable under normal conditions.
- **Thermal decomposition / conditions to be avoided:**
Formation of toxic gases is possible during heating or in case of fire.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** Heat.
- **10.5 Incompatible materials:**
Strong oxidizing agents.
Metals.
- **10.6 Hazardous decomposition products:**
Formation of toxic gases is possible during heating or in case of fire.

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
 - **Acute toxicity**
 - **LD/LC50 values relevant for classification:**
- | | | |
|-----------------------------------|----------|-----------------|
| CAS: 7697-37-2 nitric acid | | |
| Inhalative | LC50/4 h | 2.65 mg/l (rat) |
- **Skin corrosion/irritation** Causes skin irritation.
 - **Serious eye damage/irritation** Causes serious eye damage.
 - **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
 - **11.2 Information on other hazards**
 - **Endocrine disrupting properties**
- | |
|------------------------------------|
| None of the ingredients is listed. |
|------------------------------------|

SECTION 12: Ecological information

- **12.1 Toxicity**
 - **Aquatic toxicity:**
- | | |
|-----------------------------------|-----------------------|
| CAS: 7697-37-2 nitric acid | |
| LC50/48 | 180 mg/l (crustacean) |
- **12.2 Persistence and degradability** No further relevant information available.
 - **12.3 Bioaccumulative potential** No further relevant information available.
 - **12.4 Mobility in soil** No further relevant information available.
 - **12.5 Results of PBT and vPvB assessment**
 - **PBT:** Not applicable.
 - **vPvB:** Not applicable.
 - **12.6 Endocrine disrupting properties**
The product does not contain substances with endocrine disrupting properties.

(Contd. on page 7)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 29.10.2021

Version number 1

Revision: 29.10.2021

Product name: IntelliQuant Multi-Element Standard 2 [100 mL bottle]


(Contd. from page 6)

- **12.7 Other adverse effects**
- **Additional ecological information:**
- **General notes:**
*Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
 Do not allow undiluted product to reach ground water, water course or sewage system.
 Must not reach sewage water or drainage ditch undiluted or unneutralised.*

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packaging:**
- **Recommendation:** *Dispose of in accordance with national regulations.*
- **Recommended cleansing agents:** *Water, if necessary together with cleansing agents.*

SECTION 14: Transport information

- | | | |
|---|--|---|
| <ul style="list-style-type: none"> · 14.1 UN number or ID number · ADR, IMDG, IATA · ADR · IMDG, IATA | <p>UN3264
 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC,
 N.O.S. (NITRIC ACID)
 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
 (NITRIC ACID)</p> | |
| <ul style="list-style-type: none"> · 14.3 Transport hazard class(es) · ADR, IMDG, IATA | <div style="text-align: center; margin-bottom: 10px;">  </div> <ul style="list-style-type: none"> · Class · Label | <p>8 Corrosive substances.
 8</p> |
| <ul style="list-style-type: none"> · 14.4 Packing group · ADR, IMDG, IATA | <p>III</p> | |
| <ul style="list-style-type: none"> · 14.5 Environmental hazards: | <p>Not applicable.</p> | |
| <ul style="list-style-type: none"> · 14.6 Special precautions for user · Hazard identification number (Kemler code): · EMS Number: · Segregation groups · Stowage Category · Stowage Code | <p>Warning: Corrosive substances.
 80
 F-A,S-B
 Acids
 A
 SW2 Clear of living quarters.</p> | |
| <ul style="list-style-type: none"> · 14.7 Maritime transport in bulk according to IMO instruments | <p>Not applicable.</p> | |

(Contd. on page 8)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 29.10.2021

Version number 1

Revision: 29.10.2021

Product name: IntelliQuant Multi-Element Standard 2 [100 mL bottle]

(Contd. from page 7)

· Transport/Additional information:**· ADR****· Limited quantities (LQ)**

5L

· Excepted quantities (EQ)

Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

· Transport category

3

· Tunnel restriction code

E

· UN "Model Regulation":UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC,
N.O.S. (NITRIC ACID), 8, III**SECTION 15: Regulatory information**

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Ox. Liq. 3: Oxidizing liquids – Category 3

Met. Corr.1: Corrosive to metals – Category 1

Acute Tox. 3: Acute toxicity – Category 3

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

· Sources

Tables 3.1 and 3.2 from Annex 6 of EC 1272/2008, EC 1907/2006, EH40/2005 as amended 2011, Registry of Toxic Effects of Chemical Substances (RTECS), The Dictionary of Substances and their Effects, 1st Edition, IUCLID.

- **Data compared to the previous version altered.** All sections have been updated.

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 29.10.2021

Version number 1

Revision: 29.10.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· **1.1 Product identifier**

· **Product name: IntelliQuant Multi-Element Standard 3 [100 mL bottle]**

· **Part number:** 5191-3935

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.

· **Application of the substance / the mixture** Reagents and Standards for Analytical Chemical Laboratory Use

· **1.3 Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:**

Agilent Technologies LDA UK Ltd.
5500 Lakeside Cheadle Royal Business Park,
Cheadle, Cheshire, SK8 3GR
United Kingdom

Tel: +44 (0) 345 712 5292

· **Further information obtainable from:** e-mail: pdl-msds_author@agilent.com

· **1.4 Emergency telephone number:** CHEMTREC®: +(44)-870-8200418

SECTION 2: Hazards identification

· **2.1 Classification of the substance or mixture**

· **Classification according to Regulation (EC) No 1272/2008**



corrosion

Met. Corr.1 H290 May be corrosive to metals.

Eye Dam. 1 H318 Causes serious eye damage.



Skin Irrit. 2 H315 Causes skin irritation.

· **2.2 Label elements**

· **Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.

· **Hazard pictograms**



GHS05

· **Signal word** Danger

· **Hazard-determining components of labelling:**
nitric acid

· **Hazard statements**

H290 May be corrosive to metals.

H315 Causes skin irritation.

H318 Causes serious eye damage.

(Contd. on page 2)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 29.10.2021

Version number 1

Revision: 29.10.2021

Product name: IntelliQuant Multi-Element Standard 3 [100 mL bottle]

(Contd. from page 1)

Precautionary statements

- P280 Wear protective gloves / eye protection / face protection.
 P305+P351+P338 **IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P310 Immediately call a POISON CENTER/doctor.
 P321 Specific treatment (see on this label).
 P332+P313 If skin irritation occurs: Get medical advice/attention.
 P406 Store in a corrosion resistant container / container with a resistant inner liner.

Additional information:

Product contains: Restricted explosives precursors. Making available, introduction, possession and use according to Regulation (EU) 2019/1148, Article 5 (1) and (3).

2.3 Other hazards
Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Mixtures
Description:

Aqueous solution.
 Also contains substances at levels not considered to be hazardous.

Dangerous components:

CAS: 7697-37-2 EINECS: 231-714-2 RTECS: QU5775000	nitric acid <hr style="border-top: 1px dashed black;"/> ⚠ Ox. Liq. 3, H272; ⚠ Acute Tox. 3, H331; ⚠ Met. Corr.1, H290; Skin Corr. 1A, H314, EUH071 Specific concentration limits: Ox. Liq. 2; H272: C ≥ 99 % Ox. Liq. 3; H272: 70 % ≤ C < 99 %	<5%
---	---	-----

Additional information:

The concentration of the acid stated in this SDS is calculated as an absolute mass concentration (%w/v). This is less than the acid concentration stated on the product label and COA, which reflects a percent value of the commercially available concentrated aqueous form of the acid.
 For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

· **General information:** Immediately remove any clothing soiled by the product.

· **After inhalation:** Supply fresh air; consult doctor in case of complaints.

After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.

· **After swallowing:** Rinse mouth. Do not induce vomiting.

· **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

GB

(Contd. on page 3)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 29.10.2021

Version number 1

Revision: 29.10.2021

Product name: IntelliQuant Multi-Element Standard 3 [100 mL bottle]

(Contd. from page 2)

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:** Use fire extinguishing methods suitable for surrounding conditions.
- **5.2 Special hazards arising from the substance or mixture**
Formation of toxic gases is possible during heating or in case of fire.
- **5.3 Advice for firefighters**
- **Protective equipment:** Wear self-contained respiratory protective device.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
- **6.2 Environmental precautions:**
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**
Use neutralising agent.
Dispose of contaminated material as waste according to item 13.
Absorb liquid components with liquid-binding material.
DO NOT USE SAWDUST.
- **6.4 Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** Store in cool, dry place in tightly closed receptacles.
- **Information about fire - and explosion protection:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**
Please refer to the manufacturer's certificate for specific storage and transport temperature conditions.
Store only in the original receptacle unless other advice is given on the CoA.
Keep container in a well-ventilated place. Keep away from sources of ignition and heat.
- **Information about storage in one common storage facility:** Store away from foodstuffs.
- **Further information about storage conditions:** Keep container tightly sealed.
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**
- **Ingredients with limit values that require monitoring at the workplace:**

CAS: 7697-37-2 nitric acid

WEL	Short-term value: 2.6 mg/m ³ , 1 ppm
-----	---

- **Additional information:** Lists used were valid at the time of SDS preparation.

(Contd. on page 4)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 29.10.2021

Version number 1

Revision: 29.10.2021

Product name: IntelliQuant Multi-Element Standard 3 [100 mL bottle]

(Contd. from page 3)

- **8.2 Exposure controls**
- **Appropriate engineering controls** No further data; see item 7.
- **Individual protection measures, such as personal protective equipment**
- **General protective and hygienic measures:**
 - Keep away from foodstuffs, beverages and feed.
 - Immediately remove all soiled and contaminated clothing
 - Wash hands before breaks and at the end of work.
 - Avoid contact with the skin.
 - Avoid contact with the eyes and skin.
- **Respiratory protection:**
 - Not required.
 - Use suitable respiratory protective device in case of insufficient ventilation.
- **Hand protection**
 - The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
 - Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
 - The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374



Protective gloves

- **Material of gloves**
 - PVC gloves
 - Neoprene gloves
- **Penetration time of glove material**
 - The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eyeface protection**



Tightly sealed goggles

SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**
- **General Information**
- **Physical state** Fluid
- **Colour:** Colourless
- **Odour:** Odourless
- **Odour threshold:** Not determined.
- **Melting point/freezing point:** Not determined.
- **Boiling point or initial boiling point and boiling range** Not determined.
- **Flammability** Not determined.

(Contd. on page 5)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 29.10.2021

Version number 1

Revision: 29.10.2021

Product name: IntelliQuant Multi-Element Standard 3 [100 mL bottle]

(Contd. from page 4)

· Lower and upper explosion limit	
· Lower:	Not determined.
· Upper:	Not determined.
· Flash point:	Not applicable.
· Auto-ignition temperature:	Product is not selfigniting.
· Decomposition temperature:	Not determined.
· pH	< 2
· Viscosity:	
· Kinematic viscosity	Not determined.
· Dynamic:	Not determined.
· Solubility	
· water:	Fully miscible.
· Partition coefficient n-octanol/water (log value)	Not determined.
· Vapour pressure:	Not determined.
· Density and/or relative density	
· Density:	Not determined.
· Relative density	Not determined.
· Vapour density	Not determined.

· 9.2 Other information	
· Appearance:	
· Form:	Liquid
· Important information on protection of health and environment, and on safety.	
· Ignition temperature:	Not determined
· Explosive properties:	Not determined.
· Change in condition	
· Evaporation rate	Not determined.

· Information with regard to physical hazard classes	
· Explosives	Not applicable
· Flammable gases	Not applicable
· Aerosols	Not applicable
· Oxidising gases	Not applicable
· Gases under pressure	Not applicable
· Flammable liquids	Not applicable
· Flammable solids	Not applicable
· Self-reactive substances and mixtures	Not applicable
· Pyrophoric liquids	Not applicable
· Pyrophoric solids	Not applicable
· Self-heating substances and mixtures	Not applicable
· Substances and mixtures, which emit flammable gases in contact with water	Not applicable
· Oxidising liquids	Not applicable
· Oxidising solids	Not applicable
· Organic peroxides	Not applicable
· Corrosive to metals	May be corrosive to metals.
· Desensitised explosives	Not applicable

GB

(Contd. on page 6)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 29.10.2021

Version number 1

Revision: 29.10.2021

Product name: IntelliQuant Multi-Element Standard 3 [100 mL bottle]

(Contd. from page 5)

SECTION 10: Stability and reactivity

- **10.1 Reactivity**
Stable under normal conditions.
No further relevant information available.
- **10.2 Chemical stability** Stable under normal conditions.
- **Thermal decomposition / conditions to be avoided:**
Formation of toxic gases is possible during heating or in case of fire.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** Heat.
- **10.5 Incompatible materials:**
Strong oxidizing agents.
Metals.
- **10.6 Hazardous decomposition products:**
Formation of toxic gases is possible during heating or in case of fire.

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
 - **Acute toxicity**
 - **LD/LC50 values relevant for classification:**
- | | | |
|-----------------------------------|----------|-----------------|
| CAS: 7697-37-2 nitric acid | | |
| Inhalative | LC50/4 h | 2.65 mg/l (rat) |
- **Skin corrosion/irritation** Causes skin irritation.
 - **Serious eye damage/irritation** Causes serious eye damage.
 - **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
 - **11.2 Information on other hazards**
 - **Endocrine disrupting properties**
- | |
|------------------------------------|
| None of the ingredients is listed. |
|------------------------------------|

SECTION 12: Ecological information

- **12.1 Toxicity**
 - **Aquatic toxicity:**
- | | |
|-----------------------------------|-----------------------|
| CAS: 7697-37-2 nitric acid | |
| LC50/48 | 180 mg/l (crustacean) |
- **12.2 Persistence and degradability** No further relevant information available.
 - **12.3 Bioaccumulative potential** No further relevant information available.
 - **12.4 Mobility in soil** No further relevant information available.
 - **12.5 Results of PBT and vPvB assessment**
 - **PBT:** Not applicable.
 - **vPvB:** Not applicable.
 - **12.6 Endocrine disrupting properties**
The product does not contain substances with endocrine disrupting properties.

(Contd. on page 7)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 29.10.2021

Version number 1

Revision: 29.10.2021

Product name: IntelliQuant Multi-Element Standard 3 [100 mL bottle]


(Contd. from page 6)

- **12.7 Other adverse effects**
- **Additional ecological information:**
- **General notes:**
*Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
 Do not allow undiluted product to reach ground water, water course or sewage system.
 Must not reach sewage water or drainage ditch undiluted or unneutralised.*

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packaging:**
- **Recommendation:** *Dispose of in accordance with national regulations.*
- **Recommended cleansing agents:** *Water, if necessary together with cleansing agents.*

SECTION 14: Transport information

- | | |
|---|--|
| <ul style="list-style-type: none"> · 14.1 UN number or ID number · ADR, IMDG, IATA · ADR · IMDG, IATA | <p>UN3264
 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC,
 N.O.S. (NITRIC ACID)
 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
 (NITRIC ACID)</p> |
| <ul style="list-style-type: none"> · 14.3 Transport hazard class(es) · ADR, IMDG, IATA | <p style="text-align: center;">  </p> <p>· Class 8 Corrosive substances.
 · Label 8</p> |
| <ul style="list-style-type: none"> · 14.4 Packing group · ADR, IMDG, IATA | <p>III</p> |
| <ul style="list-style-type: none"> · 14.5 Environmental hazards: | <p>Not applicable.</p> |
| <ul style="list-style-type: none"> · 14.6 Special precautions for user · Hazard identification number (Kemler code): · EMS Number: · Segregation groups · Stowage Category · Stowage Code | <p>Warning: Corrosive substances.
 80
 F-A,S-B
 Acids
 A
 SW2 Clear of living quarters.</p> |
| <ul style="list-style-type: none"> · 14.7 Maritime transport in bulk according to IMO instruments | <p>Not applicable.</p> |

(Contd. on page 8)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 29.10.2021

Version number 1

Revision: 29.10.2021

Product name: IntelliQuant Multi-Element Standard 3 [100 mL bottle]

(Contd. from page 7)

· Transport/Additional information:

· ADR

· **Limited quantities (LQ)**

5L

· **Excepted quantities (EQ)**

Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

· **Transport category**

3

· **Tunnel restriction code**

E

· **UN "Model Regulation":**

UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC,
N.O.S. (NITRIC ACID), 8, III

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Ox. Liq. 3: Oxidizing liquids – Category 3

Met. Corr.1: Corrosive to metals – Category 1

Acute Tox. 3: Acute toxicity – Category 3

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

· Sources

Tables 3.1 and 3.2 from Annex 6 of EC 1272/2008, EC 1907/2006, EH40/2005 as amended 2011, Registry of Toxic Effects of Chemical Substances (RTECS), The Dictionary of Substances and their Effects, 1st Edition, IUCLID.

- **Data compared to the previous version altered.** All sections have been updated.

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 02.11.2021

Version number 1

Revision: 02.11.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· **1.1 Product identifier**

· **Product name: IntelliQuant Multi-Element Standard 4 [100 mL bottle]**

· **Part number: 5191-3936**

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.

· **Application of the substance / the mixture** Reagents and Standards for Analytical Chemical Laboratory Use

· **1.3 Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:**

Agilent Technologies LDA UK Ltd.
5500 Lakeside Cheadle Royal Business Park,
Cheadle, Cheshire, SK8 3GR
United Kingdom

Tel: +44 (0) 345 712 5292

· **Further information obtainable from:** e-mail: pdl-msds_author@agilent.com

· **1.4 Emergency telephone number:** CHEMTREC®: +(44)-870-8200418

SECTION 2: Hazards identification

· **2.1 Classification of the substance or mixture**

· **Classification according to Regulation (EC) No 1272/2008**



corrosion

Met. Corr.1 H290 May be corrosive to metals.

Eye Dam. 1 H318 Causes serious eye damage.



Skin Irrit. 2 H315 Causes skin irritation.

· **2.2 Label elements**

· **Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.

· **Hazard pictograms**



GHS05

· **Signal word** Danger

· **Hazard-determining components of labelling:**
nitric acid

· **Hazard statements**

H290 May be corrosive to metals.

H315 Causes skin irritation.

H318 Causes serious eye damage.

(Contd. on page 2)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 02.11.2021

Version number 1

Revision: 02.11.2021

Product name: IntelliQuant Multi-Element Standard 4 [100 mL bottle]

(Contd. from page 1)

· **Precautionary statements**

- P280 Wear protective gloves / eye protection / face protection.
 P305+P351+P338 **IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P310 Immediately call a POISON CENTER/doctor.
 P321 Specific treatment (see on this label).
 P332+P313 If skin irritation occurs: Get medical advice/attention.
 P406 Store in a corrosion resistant container / container with a resistant inner liner.

· **Additional information:**

Product contains: Restricted explosives precursors. Making available, introduction, possession and use according to Regulation (EU) 2019/1148, Article 5 (1) and (3).

· **2.3 Other hazards**

· **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
 · **vPvB:** Not applicable.




SECTION 3: Composition/information on ingredients

· **3.2 Mixtures**

· **Description:**

Aqueous solution.
 Also contains substances at levels not considered to be hazardous.

· **Dangerous components:**

CAS: 7697-37-2	nitric acid	<5%
EINECS: 231-714-2	 Ox. Liq. 3, H272;  Acute Tox. 3, H331;  Met. Corr.1, H290; Skin Corr. 1A, H314, EUH071	
RTECS: QU5775000	Specific concentration limits: Ox. Liq. 2; H272: C ≥ 99 % Ox. Liq. 3; H272: 70 % ≤ C < 99 %	

· **Additional information:**

The concentration of the acid stated in this SDS is calculated as an absolute mass concentration (%w/v). This is less than the acid concentration stated on the product label and COA, which reflects a percent value of the commercially available concentrated aqueous form of the acid.
 For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· **4.1 Description of first aid measures**

· **General information:** Immediately remove any clothing soiled by the product.

· **After inhalation:** Supply fresh air; consult doctor in case of complaints.

· **After skin contact:**

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.

· **After swallowing:** Rinse mouth. Do not induce vomiting.

· **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.

· **4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

GB

(Contd. on page 3)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 02.11.2021

Version number 1

Revision: 02.11.2021

Product name: IntelliQuant Multi-Element Standard 4 [100 mL bottle]

(Contd. from page 2)

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:** Use fire extinguishing methods suitable for surrounding conditions.
- **5.2 Special hazards arising from the substance or mixture**
Formation of toxic gases is possible during heating or in case of fire.
- **5.3 Advice for firefighters**
- **Protective equipment:** Wear self-contained respiratory protective device.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
- **6.2 Environmental precautions:**
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**
Use neutralising agent.
Dispose of contaminated material as waste according to item 13.
Absorb liquid components with liquid-binding material.
DO NOT USE SAWDUST.
- **6.4 Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** Store in cool, dry place in tightly closed receptacles.
- **Information about fire - and explosion protection:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**
Please refer to the manufacturer's certificate for specific storage and transport temperature conditions.
Store only in the original receptacle unless other advice is given on the CoA.
Keep container in a well-ventilated place. Keep away from sources of ignition and heat.
- **Information about storage in one common storage facility:** Store away from foodstuffs.
- **Further information about storage conditions:** Keep container tightly sealed.
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**
 - **Ingredients with limit values that require monitoring at the workplace:**
- | | |
|------|---|
| CAS: | 7697-37-2 nitric acid |
| WEL | Short-term value: 2.6 mg/m ³ , 1 ppm |
- **Additional information:** Lists used were valid at the time of SDS preparation.

(Contd. on page 4)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 02.11.2021

Version number 1

Revision: 02.11.2021

Product name: IntelliQuant Multi-Element Standard 4 [100 mL bottle]

(Contd. from page 3)

- **8.2 Exposure controls**
- **Appropriate engineering controls** No further data; see item 7.
- **Individual protection measures, such as personal protective equipment**
- **General protective and hygienic measures:**
 - Keep away from foodstuffs, beverages and feed.
 - Immediately remove all soiled and contaminated clothing
 - Wash hands before breaks and at the end of work.
 - Avoid contact with the skin.
 - Avoid contact with the eyes and skin.
- **Respiratory protection:**
 - Not required.
 - Use suitable respiratory protective device in case of insufficient ventilation.
- **Hand protection**
 - The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
 - Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
 - The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374



Protective gloves

- **Material of gloves**
 - PVC gloves
 - Neoprene gloves
- **Penetration time of glove material**
 - The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eyeface protection**



Tightly sealed goggles

SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**
- **General Information**
- **Physical state** Fluid
- **Colour:** Colourless
- **Odour:** Odourless
- **Odour threshold:** Not determined.
- **Melting point/freezing point:** Not determined.
- **Boiling point or initial boiling point and boiling range** Not determined.
- **Flammability** Not determined.

(Contd. on page 5)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 02.11.2021

Version number 1

Revision: 02.11.2021

Product name: IntelliQuant Multi-Element Standard 4 [100 mL bottle]

(Contd. from page 4)

· Lower and upper explosion limit	
· Lower:	Not determined.
· Upper:	Not determined.
· Flash point:	Not applicable.
· Auto-ignition temperature:	Product is not selfigniting.
· Decomposition temperature:	Not determined.
· pH	< 2
· Viscosity:	
· Kinematic viscosity	Not determined.
· Dynamic:	Not determined.
· Solubility	
· water:	Fully miscible.
· Partition coefficient n-octanol/water (log value)	Not determined.
· Vapour pressure:	Not determined.
· Density and/or relative density	
· Density:	Not determined.
· Relative density	Not determined.
· Vapour density	Not determined.

· 9.2 Other information	
· Appearance:	
· Form:	Liquid
· Important information on protection of health and environment, and on safety.	
· Ignition temperature:	Not determined
· Explosive properties:	Not determined.
· Change in condition	
· Evaporation rate	Not determined.

· Information with regard to physical hazard classes	
· Explosives	Not applicable
· Flammable gases	Not applicable
· Aerosols	Not applicable
· Oxidising gases	Not applicable
· Gases under pressure	Not applicable
· Flammable liquids	Not applicable
· Flammable solids	Not applicable
· Self-reactive substances and mixtures	Not applicable
· Pyrophoric liquids	Not applicable
· Pyrophoric solids	Not applicable
· Self-heating substances and mixtures	Not applicable
· Substances and mixtures, which emit flammable gases in contact with water	Not applicable
· Oxidising liquids	Not applicable
· Oxidising solids	Not applicable
· Organic peroxides	Not applicable
· Corrosive to metals	May be corrosive to metals.
· Desensitised explosives	Not applicable

GB

(Contd. on page 6)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 02.11.2021

Version number 1

Revision: 02.11.2021

Product name: IntelliQuant Multi-Element Standard 4 [100 mL bottle]

(Contd. from page 5)

SECTION 10: Stability and reactivity

- **10.1 Reactivity**
Stable under normal conditions.
No further relevant information available.
- **10.2 Chemical stability** Stable under normal conditions.
- **Thermal decomposition / conditions to be avoided:**
Formation of toxic gases is possible during heating or in case of fire.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** Heat.
- **10.5 Incompatible materials:**
Strong oxidizing agents.
Metals.
- **10.6 Hazardous decomposition products:**
Formation of toxic gases is possible during heating or in case of fire.

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
 - **Acute toxicity**
 - **LD/LC50 values relevant for classification:**
- | | | |
|-----------------------------------|----------|-----------------|
| CAS: 7697-37-2 nitric acid | | |
| Inhalative | LC50/4 h | 2.65 mg/l (rat) |
- **Skin corrosion/irritation** Causes skin irritation.
 - **Serious eye damage/irritation** Causes serious eye damage.
 - **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
 - **11.2 Information on other hazards**
 - **Endocrine disrupting properties**
- | |
|------------------------------------|
| None of the ingredients is listed. |
|------------------------------------|

SECTION 12: Ecological information

- **12.1 Toxicity**
 - **Aquatic toxicity:**
- | | |
|-----------------------------------|-----------------------|
| CAS: 7697-37-2 nitric acid | |
| LC50/48 | 180 mg/l (crustacean) |
- **12.2 Persistence and degradability** No further relevant information available.
 - **12.3 Bioaccumulative potential** No further relevant information available.
 - **12.4 Mobility in soil** No further relevant information available.
 - **12.5 Results of PBT and vPvB assessment**
 - **PBT:** Not applicable.
 - **vPvB:** Not applicable.
 - **12.6 Endocrine disrupting properties**
The product does not contain substances with endocrine disrupting properties.

(Contd. on page 7)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 02.11.2021

Version number 1

Revision: 02.11.2021

Product name: IntelliQuant Multi-Element Standard 4 [100 mL bottle]


(Contd. from page 6)

- **12.7 Other adverse effects**
- **Additional ecological information:**
- **General notes:**
*Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
 Do not allow undiluted product to reach ground water, water course or sewage system.
 Must not reach sewage water or drainage ditch undiluted or unneutralised.*

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packaging:**
- **Recommendation:** *Dispose of in accordance with national regulations.*
- **Recommended cleansing agents:** *Water, if necessary together with cleansing agents.*

SECTION 14: Transport information

- | | | |
|---|--|---|
| <ul style="list-style-type: none"> · 14.1 UN number or ID number · ADR, IMDG, IATA · ADR · IMDG, IATA | <p>UN3264
 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC,
 N.O.S. (NITRIC ACID)
 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
 (NITRIC ACID)</p> | |
| <ul style="list-style-type: none"> · 14.3 Transport hazard class(es) · ADR, IMDG, IATA | <div style="text-align: center; margin-bottom: 10px;">  </div> <ul style="list-style-type: none"> · Class · Label | <p>8 Corrosive substances.
 8</p> |
| <ul style="list-style-type: none"> · 14.4 Packing group · ADR, IMDG, IATA | <p>III</p> | |
| <ul style="list-style-type: none"> · 14.5 Environmental hazards: | <p>Not applicable.</p> | |
| <ul style="list-style-type: none"> · 14.6 Special precautions for user · Hazard identification number (Kemler code): · EMS Number: · Segregation groups · Stowage Category · Stowage Code | <p>Warning: Corrosive substances.
 80
 F-A,S-B
 Acids
 A
 SW2 Clear of living quarters.</p> | |
| <ul style="list-style-type: none"> · 14.7 Maritime transport in bulk according to IMO instruments | <p>Not applicable.</p> | |

(Contd. on page 8)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 02.11.2021

Version number 1

Revision: 02.11.2021

Product name: IntelliQuant Multi-Element Standard 4 [100 mL bottle]

(Contd. from page 7)

· Transport/Additional information:**· ADR****· Limited quantities (LQ)**

5L

· Excepted quantities (EQ)

Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

· Transport category

3

· Tunnel restriction code

E

· UN "Model Regulation":UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC,
N.O.S. (NITRIC ACID), 8, III**SECTION 15: Regulatory information**

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Ox. Liq. 3: Oxidizing liquids – Category 3

Met. Corr. 1: Corrosive to metals – Category 1

Acute Tox. 3: Acute toxicity – Category 3

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

· Sources

Tables 3.1 and 3.2 from Annex 6 of EC 1272/2008, EC 1907/2006, EH40/2005 as amended 2011, Registry of Toxic Effects of Chemical Substances (RTECS), The Dictionary of Substances and their Effects, 1st Edition, IUCLID.

- **Data compared to the previous version altered.** All sections have been updated.

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 02.11.2021

Version number 1

Revision: 02.11.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier****Product name: IntelliQuant Multi-Element Standard 5 [100 mL bottle]****Part number: 5191-3937****1.2 Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

Application of the substance / the mixture Reagents and Standards for Analytical Chemical Laboratory Use**1.3 Details of the supplier of the safety data sheet****Manufacturer/Supplier:**Agilent Technologies LDA UK Ltd.
5500 Lakeside Cheadle Royal Business Park,
Cheadle, Cheshire, SK8 3GR
United Kingdom

Tel: +44 (0) 345 712 5292

Further information obtainable from: e-mail: pdl-msds_author@agilent.com**1.4 Emergency telephone number:** CHEMTREC®: +(44)-870-8200418**SECTION 2: Hazards identification****2.1 Classification of the substance or mixture****Classification according to Regulation (EC) No 1272/2008**

corrosion

Met. Corr.1 H290 May be corrosive to metals.

Eye Dam. 1 H318 Causes serious eye damage.



Skin Irrit. 2 H315 Causes skin irritation.

2.2 Label elements**Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.

Hazard pictograms

GHS05

Signal word Danger**Hazard-determining components of labelling:**

nitric acid

Hazard statements

H290 May be corrosive to metals.

H315 Causes skin irritation.

H318 Causes serious eye damage.

(Contd. on page 2)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 02.11.2021

Version number 1

Revision: 02.11.2021

Product name: IntelliQuant Multi-Element Standard 5 [100 mL bottle]

(Contd. from page 1)

Precautionary statements

- P280 Wear protective gloves / eye protection / face protection.
 P305+P351+P338 **IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P310 Immediately call a POISON CENTER/doctor.
 P321 Specific treatment (see on this label).
 P332+P313 If skin irritation occurs: Get medical advice/attention.
 P406 Store in a corrosion resistant container / container with a resistant inner liner.

Additional information:

Product contains: Restricted explosives precursors. Making available, introduction, possession and use according to Regulation (EU) 2019/1148, Article 5 (1) and (3).

2.3 Other hazards
Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Mixtures
Description:

Aqueous solution.
 Also contains substances at levels not considered to be hazardous.

Dangerous components:

CAS: 7697-37-2 EINECS: 231-714-2 RTECS: QU5775000	nitric acid <hr style="border-top: 1px dashed black;"/> ⚠ Ox. Liq. 3, H272; ⚠ Acute Tox. 3, H331; ⚠ Met. Corr.1, H290; Skin Corr. 1A, H314, EUH071 Specific concentration limits: Ox. Liq. 2; H272: C ≥ 99 % Ox. Liq. 3; H272: 70 % ≤ C < 99 %	<5%
---	---	-----

Additional information:

The concentration of the acid stated in this SDS is calculated as an absolute mass concentration (%w/v). This is less than the acid concentration stated on the product label and COA, which reflects a percent value of the commercially available concentrated aqueous form of the acid.
 For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

· **General information:** Immediately remove any clothing soiled by the product.

· **After inhalation:** Supply fresh air; consult doctor in case of complaints.

After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.

· **After swallowing:** Rinse mouth. Do not induce vomiting.

· **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

GB

(Contd. on page 3)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 02.11.2021

Version number 1

Revision: 02.11.2021

Product name: IntelliQuant Multi-Element Standard 5 [100 mL bottle]

(Contd. from page 2)

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:** Use fire extinguishing methods suitable for surrounding conditions.
- **5.2 Special hazards arising from the substance or mixture**
Formation of toxic gases is possible during heating or in case of fire.
- **5.3 Advice for firefighters**
- **Protective equipment:** Wear self-contained respiratory protective device.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
- **6.2 Environmental precautions:**
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**
Use neutralising agent.
Dispose of contaminated material as waste according to item 13.
Absorb liquid components with liquid-binding material.
DO NOT USE SAWDUST.
- **6.4 Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** Store in cool, dry place in tightly closed receptacles.
- **Information about fire - and explosion protection:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**
Please refer to the manufacturer's certificate for specific storage and transport temperature conditions.
Store only in the original receptacle unless other advice is given on the CoA.
Keep container in a well-ventilated place. Keep away from sources of ignition and heat.
- **Information about storage in one common storage facility:** Store away from foodstuffs.
- **Further information about storage conditions:** Keep container tightly sealed.
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**
 - **Ingredients with limit values that require monitoring at the workplace:**
- | | |
|------|---|
| CAS: | 7697-37-2 nitric acid |
| WEL | Short-term value: 2.6 mg/m ³ , 1 ppm |
- **Additional information:** Lists used were valid at the time of SDS preparation.

(Contd. on page 4)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 02.11.2021

Version number 1

Revision: 02.11.2021

Product name: IntelliQuant Multi-Element Standard 5 [100 mL bottle]

(Contd. from page 3)

- **8.2 Exposure controls**
- **Appropriate engineering controls** No further data; see item 7.
- **Individual protection measures, such as personal protective equipment**
- **General protective and hygienic measures:**
 - Keep away from foodstuffs, beverages and feed.
 - Immediately remove all soiled and contaminated clothing
 - Wash hands before breaks and at the end of work.
 - Avoid contact with the skin.
 - Avoid contact with the eyes and skin.
- **Respiratory protection:**
 - Not required.
 - Use suitable respiratory protective device in case of insufficient ventilation.
- **Hand protection**
 - The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
 - Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
 - The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374



Protective gloves

- **Material of gloves**
 - PVC gloves
 - Neoprene gloves
- **Penetration time of glove material**
 - The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eyeface protection**



Tightly sealed goggles

SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**
- **General Information**
- **Physical state** Fluid
- **Colour:** Colourless
- **Odour:** Odourless
- **Odour threshold:** Not determined.
- **Melting point/freezing point:** Not determined.
- **Boiling point or initial boiling point and boiling range** Not determined.
- **Flammability** Not determined.

(Contd. on page 5)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 02.11.2021

Version number 1

Revision: 02.11.2021

Product name: IntelliQuant Multi-Element Standard 5 [100 mL bottle]

(Contd. from page 4)

· Lower and upper explosion limit	
· Lower:	Not determined.
· Upper:	Not determined.
· Flash point:	Not applicable.
· Auto-ignition temperature:	Product is not selfigniting.
· Decomposition temperature:	Not determined.
· pH	< 2
· Viscosity:	
· Kinematic viscosity	Not determined.
· Dynamic:	Not determined.
· Solubility	
· water:	Fully miscible.
· Partition coefficient n-octanol/water (log value)	Not determined.
· Vapour pressure:	Not determined.
· Density and/or relative density	
· Density:	Not determined.
· Relative density	Not determined.
· Vapour density	Not determined.

· 9.2 Other information	
· Appearance:	
· Form:	Liquid
· Important information on protection of health and environment, and on safety.	
· Ignition temperature:	Not determined
· Explosive properties:	Not determined.
· Change in condition	
· Evaporation rate	Not determined.

· Information with regard to physical hazard classes	
· Explosives	Not applicable
· Flammable gases	Not applicable
· Aerosols	Not applicable
· Oxidising gases	Not applicable
· Gases under pressure	Not applicable
· Flammable liquids	Not applicable
· Flammable solids	Not applicable
· Self-reactive substances and mixtures	Not applicable
· Pyrophoric liquids	Not applicable
· Pyrophoric solids	Not applicable
· Self-heating substances and mixtures	Not applicable
· Substances and mixtures, which emit flammable gases in contact with water	Not applicable
· Oxidising liquids	Not applicable
· Oxidising solids	Not applicable
· Organic peroxides	Not applicable
· Corrosive to metals	May be corrosive to metals.
· Desensitised explosives	Not applicable

GB

(Contd. on page 6)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 02.11.2021

Version number 1

Revision: 02.11.2021

Product name: IntelliQuant Multi-Element Standard 5 [100 mL bottle]

(Contd. from page 5)

SECTION 10: Stability and reactivity

- **10.1 Reactivity**
Stable under normal conditions.
No further relevant information available.
- **10.2 Chemical stability** Stable under normal conditions.
- **Thermal decomposition / conditions to be avoided:**
Formation of toxic gases is possible during heating or in case of fire.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** Heat.
- **10.5 Incompatible materials:**
Strong oxidizing agents.
Metals.
- **10.6 Hazardous decomposition products:**
Formation of toxic gases is possible during heating or in case of fire.

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
 - **Acute toxicity**
 - **LD/LC50 values relevant for classification:**
- | | | |
|-----------------------------------|----------|-----------------|
| CAS: 7697-37-2 nitric acid | | |
| Inhalative | LC50/4 h | 2.65 mg/l (rat) |
- **Skin corrosion/irritation** Causes skin irritation.
 - **Serious eye damage/irritation** Causes serious eye damage.
 - **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
 - **11.2 Information on other hazards**
 - **Endocrine disrupting properties**
- | |
|------------------------------------|
| None of the ingredients is listed. |
|------------------------------------|

SECTION 12: Ecological information

- **12.1 Toxicity**
 - **Aquatic toxicity:**
- | | |
|-----------------------------------|-----------------------|
| CAS: 7697-37-2 nitric acid | |
| LC50/48 | 180 mg/l (crustacean) |
- **12.2 Persistence and degradability** No further relevant information available.
 - **12.3 Bioaccumulative potential** No further relevant information available.
 - **12.4 Mobility in soil** No further relevant information available.
 - **12.5 Results of PBT and vPvB assessment**
 - **PBT:** Not applicable.
 - **vPvB:** Not applicable.
 - **12.6 Endocrine disrupting properties**
The product does not contain substances with endocrine disrupting properties.

(Contd. on page 7)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 02.11.2021

Version number 1

Revision: 02.11.2021

Product name: IntelliQuant Multi-Element Standard 5 [100 mL bottle]


(Contd. from page 6)

- **12.7 Other adverse effects**
- **Additional ecological information:**
- **General notes:**
*Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
 Do not allow undiluted product to reach ground water, water course or sewage system.
 Must not reach sewage water or drainage ditch undiluted or unneutralised.*

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packaging:**
- **Recommendation:** *Dispose of in accordance with national regulations.*
- **Recommended cleansing agents:** *Water, if necessary together with cleansing agents.*

SECTION 14: Transport information

- | | |
|---|--|
| <ul style="list-style-type: none"> · 14.1 UN number or ID number · ADR, IMDG, IATA · ADR · IMDG, IATA | <p>UN3264
 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC,
 N.O.S. (NITRIC ACID)
 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
 (NITRIC ACID)</p> |
| <ul style="list-style-type: none"> · 14.3 Transport hazard class(es) · ADR, IMDG, IATA | <p></p> <p>· Class 8 Corrosive substances.
 · Label 8</p> |
| <ul style="list-style-type: none"> · 14.4 Packing group · ADR, IMDG, IATA | <p>III</p> |
| <ul style="list-style-type: none"> · 14.5 Environmental hazards: | <p>Not applicable.</p> |
| <ul style="list-style-type: none"> · 14.6 Special precautions for user · Hazard identification number (Kemler code): · EMS Number: · Segregation groups · Stowage Category · Stowage Code | <p>Warning: Corrosive substances.
 80
 F-A,S-B
 Acids
 A
 SW2 Clear of living quarters.</p> |
| <ul style="list-style-type: none"> · 14.7 Maritime transport in bulk according to IMO instruments | <p>Not applicable.</p> |

(Contd. on page 8)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 02.11.2021

Version number 1

Revision: 02.11.2021

Product name: IntelliQuant Multi-Element Standard 5 [100 mL bottle]

(Contd. from page 7)

· Transport/Additional information:**· ADR****· Limited quantities (LQ)**

5L

· Excepted quantities (EQ)

Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

· Transport category

3

· Tunnel restriction code

E

· UN "Model Regulation":UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC,
N.O.S. (NITRIC ACID), 8, III**SECTION 15: Regulatory information**

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Ox. Liq. 3: Oxidizing liquids – Category 3

Met. Corr.1: Corrosive to metals – Category 1

Acute Tox. 3: Acute toxicity – Category 3

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

· Sources

Tables 3.1 and 3.2 from Annex 6 of EC 1272/2008, EC 1907/2006, EH40/2005 as amended 2011, Registry of Toxic Effects of Chemical Substances (RTECS), The Dictionary of Substances and their Effects, 1st Edition, IUCLID.

- **Data compared to the previous version altered.** All sections have been updated.

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 02.11.2021

Version number 1

Revision: 02.11.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· **1.1 Product identifier**

· **Product name: IntelliQuant Multi-Element Standard 6 [100mL Bottle]**

· **Part number:** 5191-3938

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.

· **Application of the substance / the mixture** Reagents and Standards for Analytical Chemical Laboratory Use

· **1.3 Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:**

Agilent Technologies LDA UK Ltd.
5500 Lakeside Cheadle Royal Business Park,
Cheadle, Cheshire, SK8 3GR
United Kingdom

Tel: +44 (0) 345 712 5292

· **Further information obtainable from:** e-mail: pdl-msds_author@agilent.com

· **1.4 Emergency telephone number:** CHEMTREC®: +(44)-870-8200418

SECTION 2: Hazards identification

· **2.1 Classification of the substance or mixture**

· **Classification according to Regulation (EC) No 1272/2008**



corrosion

Met. Corr.1 H290 May be corrosive to metals.

Eye Dam. 1 H318 Causes serious eye damage.



Skin Irrit. 2 H315 Causes skin irritation.

· **2.2 Label elements**

· **Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.

· **Hazard pictograms**



GHS05

· **Signal word** Danger

· **Hazard-determining components of labelling:**
nitric acid

· **Hazard statements**

H290 May be corrosive to metals.

H315 Causes skin irritation.

H318 Causes serious eye damage.

(Contd. on page 2)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 02.11.2021

Version number 1

Revision: 02.11.2021

Product name: IntelliQuant Multi-Element Standard 6 [100mL Bottle]

(Contd. from page 2)

- **After swallowing:** Rinse mouth. Do not induce vomiting.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:** Use fire extinguishing methods suitable for surrounding conditions.
- **5.2 Special hazards arising from the substance or mixture**
Formation of toxic gases is possible during heating or in case of fire.
- **5.3 Advice for firefighters**
- **Protective equipment:** Wear self-contained respiratory protective device.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
- **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**
Use neutralising agent.
Dispose of contaminated material as waste according to item 13.
Absorb liquid components with liquid-binding material.
DO NOT USE SAWDUST.
- **6.4 Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** Store in cool, dry place in tightly closed receptacles.
- **Information about fire - and explosion protection:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**
Please refer to the manufacturer's certificate for specific storage and transport temperature conditions.
Store only in the original receptacle unless other advice is given on the CoA.
Keep container in a well-ventilated place. Keep away from sources of ignition and heat.
- **Information about storage in one common storage facility:** Store away from foodstuffs.
- **Further information about storage conditions:** Keep container tightly sealed.
- **7.3 Specific end use(s)** No further relevant information available.

GB

(Contd. on page 4)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 02.11.2021

Version number 1

Revision: 02.11.2021

Product name: IntelliQuant Multi-Element Standard 6 [100mL Bottle]

(Contd. from page 3)

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· **Ingredients with limit values that require monitoring at the workplace:**

CAS: 7697-37-2 nitric acid

WEL Short-term value: 2.6 mg/m³, 1 ppm

CAS: 7664-39-3 hydrofluoric acid

WEL Short-term value: 2.5 mg/m³, 3 ppm
Long-term value: 1.5 mg/m³, 1.8 ppm

· **Additional information:** Lists used were valid at the time of SDS preparation.

· 8.2 Exposure controls

· **Appropriate engineering controls** No further data; see item 7.

· **Individual protection measures, such as personal protective equipment**

· **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

· **Respiratory protection:**

Not required.

Use suitable respiratory protective device in case of insufficient ventilation.

· **Hand protection**

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374



Protective gloves

· **Material of gloves**

PVC gloves

Neoprene gloves

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eyeface protection**



Tightly sealed goggles

GB

(Contd. on page 5)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 02.11.2021

Version number 1

Revision: 02.11.2021

Product name: IntelliQuant Multi-Element Standard 6 [100mL Bottle]

(Contd. from page 4)

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Physical state	Fluid
· Colour:	Colourless
· Odour:	Odourless
· Odour threshold:	Not determined.
· Melting point/freezing point:	Not determined.
· Boiling point or initial boiling point and boiling range	Not determined.
· Flammability	Not determined.
· Lower and upper explosion limit	
· Lower:	Not determined.
· Upper:	Not determined.
· Flash point:	Not applicable.
· Auto-ignition temperature:	Product is not selfigniting.
· Decomposition temperature:	Not determined.
· pH	< 2
· Viscosity:	
· Kinematic viscosity	Not determined.
· Dynamic:	Not determined.
· Solubility	
· water:	Not miscible or difficult to mix.
· Partition coefficient n-octanol/water (log value)	Not determined.
· Vapour pressure:	Not determined.
· Density and/or relative density	
· Density:	Not determined.
· Relative density	Not determined.
· Vapour density	Not determined.

· 9.2 Other information

· Appearance:	
· Form:	Liquid
· Important information on protection of health and environment, and on safety.	
· Ignition temperature:	Not determined
· Explosive properties:	Not determined.
· Change in condition	
· Evaporation rate	Not determined.

· Information with regard to physical hazard classes

· Explosives	Not applicable
· Flammable gases	Not applicable
· Aerosols	Not applicable
· Oxidising gases	Not applicable
· Gases under pressure	Not applicable
· Flammable liquids	Not applicable
· Flammable solids	Not applicable
· Self-reactive substances and mixtures	Not applicable
· Pyrophoric liquids	Not applicable

(Contd. on page 6)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 02.11.2021

Version number 1

Revision: 02.11.2021

Product name: IntelliQuant Multi-Element Standard 6 [100mL Bottle]

(Contd. from page 5)

- | | |
|--|-----------------------------|
| · Pyrophoric solids | Not applicable |
| · Self-heating substances and mixtures | Not applicable |
| · Substances and mixtures, which emit flammable gases in contact with water | Not applicable |
| · Oxidising liquids | Not applicable |
| · Oxidising solids | Not applicable |
| · Organic peroxides | Not applicable |
| · Corrosive to metals | May be corrosive to metals. |
| · Desensitised explosives | Not applicable |

SECTION 10: Stability and reactivity

- **10.1 Reactivity**
Stable under normal conditions.
No further relevant information available.
- **10.2 Chemical stability** Stable under normal conditions.
- **Thermal decomposition / conditions to be avoided:**
Formation of toxic gases is possible during heating or in case of fire.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** Heat.
- **10.5 Incompatible materials:**
Strong oxidizing agents.
Metals.
- **10.6 Hazardous decomposition products:**
Formation of toxic gases is possible during heating or in case of fire.

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity**

- **LD/LC50 values relevant for classification:**

CAS: 7697-37-2 nitric acid

Inhalative	LC50/4 h	2.65 mg/l (rat)
------------	----------	-----------------

- **Skin corrosion/irritation** Causes skin irritation.
- **Serious eye damage/irritation** Causes serious eye damage.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **11.2 Information on other hazards**

- **Endocrine disrupting properties**

None of the ingredients is listed.

GB

(Contd. on page 7)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 02.11.2021

Version number 1

Revision: 02.11.2021

Product name: IntelliQuant Multi-Element Standard 6 [100mL Bottle]

(Contd. from page 6)

SECTION 12: Ecological information

· **12.1 Toxicity**

· **Aquatic toxicity:**

CAS: 7697-37-2 nitric acid

LC50/48 180 mg/l (crustacean)

· **12.2 Persistence and degradability** No further relevant information available.

· **12.3 Bioaccumulative potential** No further relevant information available.

· **12.4 Mobility in soil** No further relevant information available.

· **12.5 Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **12.6 Endocrine disrupting properties**

The product does not contain substances with endocrine disrupting properties.

· **12.7 Other adverse effects**

· **Additional ecological information:**

· **General notes:**

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

SECTION 13: Disposal considerations

· **13.1 Waste treatment methods**

· **Recommendation**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· **Uncleaned packaging:**

· **Recommendation:** Dispose of in accordance with national regulations.

SECTION 14: Transport information

· **14.1 UN number or ID number**

· **ADR, IMDG, IATA**

· **ADR**

UN3264

3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID, HYDROFLUORIC ACID)

· **IMDG, IATA**

CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID, HYDROFLUORIC ACID)

· **14.3 Transport hazard class(es)**

· **ADR, IMDG, IATA**



· **Class**

8 Corrosive substances.

· **Label**

8

(Contd. on page 8)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 02.11.2021

Version number 1

Revision: 02.11.2021

Product name: IntelliQuant Multi-Element Standard 6 [100mL Bottle]

(Contd. from page 7)

· 14.4 Packing group · ADR, IMDG, IATA	III
· 14.5 Environmental hazards:	<i>Not applicable.</i>
· 14.6 Special precautions for user · Hazard identification number (Kemler code): · EMS Number: · Segregation groups · Stowage Category · Stowage Code	<i>Warning: Corrosive substances.</i> 80 <i>F-A,S-B</i> <i>Acids</i> <i>A</i> <i>SW2 Clear of living quarters.</i>
· 14.7 Maritime transport in bulk according to IMO instruments	<i>Not applicable.</i>
· Transport/Additional information:	
· ADR · Limited quantities (LQ) · Excepted quantities (EQ) · Transport category · Tunnel restriction code	5L <i>Code: E1</i> <i>Maximum net quantity per inner packaging: 30 ml</i> <i>Maximum net quantity per outer packaging: 1000 ml</i> 3 E
· UN "Model Regulation":	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID, HYDROFLUORIC ACID), 8, III

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

- **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods
 IATA: International Air Transport Association
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 LC50: Lethal concentration, 50 percent
 LD50: Lethal dose, 50 percent
 PBT: Persistent, Bioaccumulative and Toxic
 vPvB: very Persistent and very Bioaccumulative
 Ox. Liq. 3: Oxidizing liquids – Category 3

(Contd. on page 9)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 02.11.2021

Version number 1

Revision: 02.11.2021

Product name: IntelliQuant Multi-Element Standard 6 [100mL Bottle]

(Contd. from page 8)

Met. Corr.1: Corrosive to metals – Category 1
Acute Tox. 2: Acute toxicity – Category 2
Acute Tox. 1: Acute toxicity – Category 1
Acute Tox. 3: Acute toxicity – Category 3
Skin Corr. 1A: Skin corrosion/irritation – Category 1A
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1

• **Sources**

Tables 3.1 and 3.2 from Annex 6 of EC 1272/2008, EC 1907/2006, EH40/2005 as amended 2011, Registry of Toxic Effects of Chemical Substances (RTECS), The Dictionary of Substances and their Effects, 1st Edition, IUCLID.

- **Data compared to the previous version altered.** All sections have been updated.

GB

Fiche de données de sécurité
selon 1907/2006/CE, Article 31

Date d'impression : 03.11.2021


Numéro de version 1

Révision: 03.11.2021

RUBRIQUE 1: Identification de la substance/du mélange et de la société/de l'entreprise

- **1.1 Identificateur de produit**
- **Nom du produit: IntelliQuant Multi-Element Standard 7 [100 mL bottle]**
- **Code du produit: 5191-3939**
- **1.2 Utilisations identifiées pertinentes de la substance ou du mélange et utilisations déconseillées**
Pas d'autres informations importantes disponibles.
- **Emploi de la substance / de la préparation** Réactifs et étalons pour laboratoire de chimie analytique
- **1.3 Renseignements concernant le fournisseur de la fiche de données de sécurité**
- **Producteur/fournisseur:**
Agilent Technologies Manufacturing GmbH & Co. KG Tel: 0800 603 1000
Hewlett-Packard-Str. 8
76337 Waldbronn
Allemagne
- **Service chargé des renseignements:** e-mail: pdl-msds_author@agilent.com
- **1.4 Numéro d'appel d'urgence CHEMTREC®:** +(33)-975181407

RUBRIQUE 2: Identification des dangers

- **2.1 Classification de la substance ou du mélange**
 - **Classification selon le règlement (CE) n° 1272/2008**
- 
- GHS05 corrosion
- Met. Corr.1 H290 Peut être corrosif pour les métaux.
-
- **2.2 Éléments d'étiquetage**
 - **Étiquetage selon le règlement (CE) n° 1272/2008** Le produit est classifié et étiqueté selon le règlement CLP.
 - **Pictogrammes de danger**



GHS05

- **Mention d'avertissement** Attention
- **Mentions de danger**
H290 Peut être corrosif pour les métaux.
- **Conseils de prudence**
P234 Conserver uniquement dans l'emballage d'origine.
P390 Absorber toute substance répandue pour éviter qu'elle attaque les matériaux environnants.
P406 Stocker dans un récipient résistant à la corrosion/ récipient avec doublure intérieure.
- **2.3 Autres dangers**
- **Résultats des évaluations PBT et vPvB**
- **PBT:** Non applicable.
- **vPvB:** Non applicable.

FR

(suite page 2)

Fiche de données de sécurité selon 1907/2006/CE, Article 31

Date d'impression : 03.11.2021

Numéro de version 1

Révision: 03.11.2021

Nom du produit: IntelliQuant Multi-Element Standard 7 [100 mL bottle]

(suite de la page 1)

RUBRIQUE 3: Composition/informations sur les composants

· **3.2 Mélanges**

· **Description:**

Solution aqueuse.

Les substances contenues le sont à un niveau considéré comme non dangereux.

· **Composants dangereux:**

CAS: 7647-01-0 EINECS: 231-595-7 RTECS: MW 9620000	chlorure d'hydrogène ⚠ Skin Corr. 1B, H314; Eye Dam. 1, H318; ⚠ STOT SE 3, H335 Limites de concentration spécifiques: Skin Corr. 1B; H314: $C \geq 25\%$ Skin Irrit. 2; H315: $10\% \leq C < 25\%$ Eye Irrit. 2; H319: $10\% \leq C < 25\%$ STOT SE 3; $C \geq 10\%$	<10%
--	---	------

· **Indications complémentaires:**

La concentration de l'acide mentionnée dans cette FDS est calculée sous forme d'une concentration massique absolue (%p/v). Elle est inférieure à la concentration en acide indiquée sur l'étiquette du produit et le certificat d'analyse, laquelle correspond à une valeur en pourcentage de la forme concentrée aqueuse de l'acide disponible dans le commerce.

Pour le libellé des phrases de risque citées, se référer au chapitre 16.

RUBRIQUE 4: Premiers secours

· **4.1 Description des mesures de premiers secours**

· **Après inhalation:** Donner de l'air frais, consulter un médecin en cas de troubles.

· **Après contact avec la peau:** Laver immédiatement à l'eau et au savon et bien rincer.

· **Après contact avec les yeux:**

Rincer les yeux, sous l'eau courante, pendant plusieurs minutes, en écartant bien les paupières.

· **Après ingestion:** Rincer la bouche. Ne pas faire vomir.

· **4.2 Principaux symptômes et effets, aigus et différés** Pas d'autres informations importantes disponibles.

· **4.3 Indication des éventuels soins médicaux immédiats et traitements particuliers nécessaires**

Pas d'autres informations importantes disponibles.

RUBRIQUE 5: Mesures de lutte contre l'incendie

· **5.1 Moyens d'extinction**

· **Moyens d'extinction:** Adapter les mesures d'extinction d'incendie à l'environnement.

· **5.2 Dangers particuliers résultant de la substance ou du mélange**

Possibilité de formation de gaz toxiques en cas d'échauffement ou d'incendie.

· **5.3 Conseils aux pompiers**

· **Équipement spécial de sécurité:** Porter un appareil de respiration indépendant de l'air ambiant.

RUBRIQUE 6: Mesures à prendre en cas de dispersion accidentelle

· **6.1 Précautions individuelles, équipement de protection et procédures d'urgence**

Porter un équipement de sécurité. Eloigner les personnes non protégées.

· **6.2 Précautions pour la protection de l'environnement**

Diluer avec beaucoup d'eau.

Ne pas rejeter dans les canalisations, dans les eaux de surface et dans les nappes d'eau souterraines.

(suite page 3)

Fiche de données de sécurité
selon 1907/2006/CE, Article 31

Date d'impression : 03.11.2021

Numéro de version 1

Révision: 03.11.2021

Nom du produit: IntelliQuant Multi-Element Standard 7 [100 mL bottle]

(suite de la page 2)

· 6.3 Méthodes et matériel de confinement et de nettoyage:

Recueillir les liquides à l'aide d'un produit absorbant (sable, kieselguhr, neutralisant d'acide, liant universel, sciure).

Utiliser un neutralisant.

Evacuer les matériaux contaminés en tant que déchets conformément au point 13.

· 6.4 Référence à d'autres rubriques

Afin d'obtenir des informations pour une manipulation sûre, consulter le chapitre 7.

Afin d'obtenir des informations sur les équipements de protection personnels, consulter le chapitre 8.

Afin d'obtenir des informations sur l'élimination, consulter le chapitre 13.

RUBRIQUE 7: Manipulation et stockage**· 7.1 Précautions à prendre pour une manipulation sans danger**

Conserver au frais et au sec dans des fûts très bien fermés.

· **Préventions des incendies et des explosions:** Aucune mesure particulière n'est requise.

· 7.2 Conditions d'un stockage sûr, y compris les éventuelles incompatibilités**· Stockage:****· Exigences concernant les lieux et conteneurs de stockage:**

Veuillez vous reporter au certificat du producteur pour les conditions de stockage spécifiques et les températures d'expédition.

A conserver dans le récipient d'origine, sauf information contraire sur le certificat d'analyses

Conserver le récipient dans un endroit bien ventilé. Tenir à l'écart de toute source d'ignition et de chaleur.

· **Indications concernant le stockage commun:** Ne pas stocker avec les aliments.

· **Autres indications sur les conditions de stockage:** Tenir les emballages hermétiquement fermés.

· **7.3 Utilisation(s) finale(s) particulière(s)** Pas d'autres informations importantes disponibles.

RUBRIQUE 8: Contrôles de l'exposition/protection individuelle**· 8.1 Paramètres de contrôle**

· **Composants présentant des valeurs-seuil à surveiller par poste de travail:**

CAS: 7647-01-0 chlorure d'hydrogène

VLEP Valeur momentanée: 7,6 mg/m³, 5 ppm

· Remarques supplémentaires:

Le présent document s'appuie sur les listes en vigueur au moment de son élaboration.

· 8.2 Contrôles de l'exposition

· **Contrôles techniques appropriés** Sans autre indication, voir point 7.

· **Mesures de protection individuelle, telles que les équipements de protection individuelle**

· **Mesures générales de protection et d'hygiène:**

Tenir à l'écart des produits alimentaires, des boissons et de la nourriture pour animaux.

Retirer immédiatement les vêtements souillés ou humectés.

Se laver les mains avant les pauses et en fin de travail.

Eviter tout contact avec les yeux et avec la peau.

· **Protection respiratoire:**

N'est pas nécessaire.

Utiliser un appareil de protection respiratoire si la ventilation est insuffisante.

· **Protection des mains:**

Le matériau des gants doit être imperméable et résistant au produit / à la substance / à la préparation.

(suite page 4)

Fiche de données de sécurité selon 1907/2006/CE, Article 31

Date d'impression : 03.11.2021

Numéro de version 1

Révision: 03.11.2021

Nom du produit: IntelliQuant Multi-Element Standard 7 [100 mL bottle]

(suite de la page 3)

Choix du matériau des gants en fonction des temps de pénétration, du taux de perméabilité et de la dégradation.

Les gants de protection utilisés doivent répondre aux spécifications de la directive CE 89/686/CEE et de la norme correspondante EN374



Gants de protection

· **Matériau des gants**

Gants en PVC

Gants en néoprène

· **Temps de pénétration du matériau des gants**

Le temps de pénétration exact est à déterminer par le fabricant des gants de protection et à respecter.

· **Protection des yeux/du visage**



Lunettes de protection hermétiques

RUBRIQUE 9: Propriétés physiques et chimiques

· **9.1 Informations sur les propriétés physiques et chimiques essentielles**

· **Indications générales**

· **État physique**

Liquide

· **Couleur:**

Incolore

· **Odeur:**

Inodore

· **Seuil olfactif:**

Non déterminé.

· **Point de fusion/point de congélation:**

Non déterminé.

Non déterminé.

· **Point d'ébullition ou point initial d'ébullition et intervalle d'ébullition**

Non déterminé.

· **Inflammabilité**

Non déterminé.

· **Limites inférieure et supérieure d'explosion**

· **Inférieure:**

Non déterminé.

· **Supérieure:**

Non déterminé.

· **Point d'éclair**

Non applicable.

· **Température d'auto-inflammation**

Le produit ne s'enflamme pas spontanément.

· **Température de décomposition:**

Non déterminé.

· **pH**

< 2

· **Viscosité:**

· **Viscosité cinématique**

Non déterminé.

· **Dynamique:**

Non déterminé.

· **Solubilité**

· **l'eau:**

Entièrement miscible

· **Coefficient de partage n-octanol/eau (valeur log)**

Non déterminé.

· **Pression de vapeur:**

Non déterminé.

· **Densité et/ou densité relative**

· **Densité:**

Non déterminée.

· **Densité relative**

Non déterminé.

(suite page 5)

Fiche de données de sécurité selon 1907/2006/CE, Article 31

Date d'impression : 03.11.2021

Numéro de version 1

Révision: 03.11.2021

Nom du produit: IntelliQuant Multi-Element Standard 7 [100 mL bottle]

(suite de la page 4)

· **Densité de vapeur:** Non déterminé.

· **9.2 Autres informations**

· **Aspect:**

· **Forme:**

Liquide

· **Indications importantes pour la protection de la santé et de l'environnement ainsi que pour la sécurité**

· **Température d'inflammation:**

Non déterminé.

· **Propriétés explosives:**

Non déterminé.

· **Changement d'état**

· **Taux d'évaporation:**

Non déterminé.

· **Informations concernant les classes de danger physique**

· **Substances et mélanges explosibles**

néant

· **Gaz inflammables**

néant

· **Aérosols**

néant

· **Gaz comburants**

néant

· **Gaz sous pression**

néant

· **Liquides inflammables**

néant

· **Matières solides inflammables**

néant

· **Substances et mélanges autoréactifs**

néant

· **Liquides pyrophoriques**

néant

· **Matières solides pyrophoriques**

néant

· **Matières et mélanges auto-échauffants**

néant

· **Substances et mélanges qui dégagent des gaz inflammables au contact de l'eau**

néant

· **Liquides comburants**

néant

· **Matières solides comburantes**

néant

· **Peroxydes organiques**

néant

· **Substances ou mélanges corrosifs pour les métaux** Peut être corrosif pour les métaux.

· **Explosibles désensibilisés**

néant

RUBRIQUE 10: Stabilité et réactivité

· **10.1 Réactivité**

Stable dans les conditions normales.

Pas d'autres informations importantes disponibles.

· **10.2 Stabilité chimique** Stable dans les conditions normales.

· **Décomposition thermique/conditions à éviter:**

Possibilité de formation de gaz toxiques en cas d'échauffement ou d'incendie.

· **10.3 Possibilité de réactions dangereuses** Aucune réaction dangereuse connue.

· **10.4 Conditions à éviter** Chaleur.

· **10.5 Matières incompatibles:**

Oxydants forts.

Métaux.

· **10.6 Produits de décomposition dangereux:**

Possibilité de formation de gaz toxiques en cas d'échauffement ou d'incendie.

FR

(suite page 6)

Fiche de données de sécurité selon 1907/2006/CE, Article 31

Date d'impression : 03.11.2021

Numéro de version 1

Révision: 03.11.2021

Nom du produit: IntelliQuant Multi-Element Standard 7 [100 mL bottle]

(suite de la page 5)

RUBRIQUE 11: Informations toxicologiques

- **11.1 Informations sur les classes de danger telles que définies dans le règlement (CE) no 1272/2008**
- **Toxicité aiguë** Compte tenu des données disponibles, les critères de classification ne sont pas remplis.
- **Corrosion cutanée/irritation cutanée**
Compte tenu des données disponibles, les critères de classification ne sont pas remplis.
- **Lésions oculaires graves/irritation oculaire**
Compte tenu des données disponibles, les critères de classification ne sont pas remplis.
- **Sensibilisation respiratoire ou cutanée**
Compte tenu des données disponibles, les critères de classification ne sont pas remplis.
- **Mutagenicité sur les cellules germinales**
Compte tenu des données disponibles, les critères de classification ne sont pas remplis.
- **Cancérogénicité** Compte tenu des données disponibles, les critères de classification ne sont pas remplis.
- **Toxicité pour la reproduction**
Compte tenu des données disponibles, les critères de classification ne sont pas remplis.
- **Toxicité spécifique pour certains organes cibles (STOT) - exposition unique**
Compte tenu des données disponibles, les critères de classification ne sont pas remplis.
- **Toxicité spécifique pour certains organes cibles (STOT) - exposition répétée**
Compte tenu des données disponibles, les critères de classification ne sont pas remplis.
- **Danger par aspiration**
Compte tenu des données disponibles, les critères de classification ne sont pas remplis.
- **11.2 Informations sur les autres dangers**

- **Propriétés perturbant le système endocrinien**

Aucun des composants n'est compris.

RUBRIQUE 12: Informations écologiques

- **12.1 Toxicité**
- **Toxicité aquatique:** Pas d'autres informations importantes disponibles.
- **12.2 Persistance et dégradabilité** Pas d'autres informations importantes disponibles.
- **12.3 Potentiel de bioaccumulation** Pas d'autres informations importantes disponibles.
- **12.4 Mobilité dans le sol** Pas d'autres informations importantes disponibles.
- **12.5 Résultats des évaluations PBT et vPvB**
- **PBT:** Non applicable.
- **vPvB:** Non applicable.
- **12.6 Propriétés perturbant le système endocrinien**
Le produit ne contient pas de substances avec des propriétés perturbatrices endocriniennes.
- **12.7 Autres effets néfastes**
- **Autres indications écologiques:**
- **Indications générales:**
Catégorie de pollution des eaux 1 (D) (Classification propre): peu polluant
Ne pas laisser le produit, non dilué ou en grande quantité, pénétrer la nappe phréatique, les eaux ou les canalisations.
Ne doit pas pénétrer à l'état non dilué ou non neutralisé dans les eaux usées ou le collecteur.

FR

(suite page 7)

Fiche de données de sécurité selon 1907/2006/CE, Article 31

Date d'impression : 03.11.2021

Numéro de version 1

Révision: 03.11.2021

Nom du produit: IntelliQuant Multi-Element Standard 7 [100 mL bottle]

(suite de la page 6)

RUBRIQUE 13: Considérations relatives à l'élimination

- **13.1 Méthodes de traitement des déchets**
- **Recommandation:**
Ne doit pas être évacué avec les ordures ménagères. Ne pas laisser pénétrer dans les égouts.
- **Catalogue européen des déchets**
Le code de déchets selon le catalogue européen des déchets dépend de la source ou du processus de production.
- **Emballages non nettoyés:**
- **Recommandation:** Evacuation conformément aux prescriptions légales.
- **Produit de nettoyage recommandé:** Eau, éventuellement avec des produits de nettoyage

RUBRIQUE 14: Informations relatives au transport

- | | |
|---|---|
| <ul style="list-style-type: none"> · 14.1 Numéro ONU ou numéro d'identification · ADR, IMDG, IATA · ADR · IMDG, IATA | <p>UN1789
1789 ACIDE CHLORHYDRIQUE solution
HYDROCHLORIC ACID solution</p> |
| <ul style="list-style-type: none"> · 14.3 Classe(s) de danger pour le transport · ADR, IMDG, IATA | <p>8 Matières corrosives.
8</p> |
| <ul style="list-style-type: none"> · 14.4 Groupe d'emballage · ADR, IMDG, IATA | <p>II</p> |
| <ul style="list-style-type: none"> · 14.5 Dangers pour l'environnement | <p>Non applicable.</p> |
| <ul style="list-style-type: none"> · 14.6 Précautions particulières à prendre par l'utilisateur · Numéro d'identification du danger (Indice Kemler): · No EMS: · Segregation groups · Stowage Category · Stowage Code | <p>Attention: Matières corrosives.
80
F-A,S-B
Acids
A
SW2 Clear of living quarters.</p> |
| <ul style="list-style-type: none"> · 14.7 Transport maritime en vrac conformément aux instruments de l'OMI | <p>Non applicable.</p> |
| <ul style="list-style-type: none"> · Indications complémentaires de transport: | |
| <ul style="list-style-type: none"> · ADR · Quantités limitées (LQ) | <p>1L</p> |

(suite page 8)

Fiche de données de sécurité selon 1907/2006/CE, Article 31

Date d'impression : 03.11.2021

Numéro de version 1

Révision: 03.11.2021

Nom du produit: IntelliQuant Multi-Element Standard 7 [100 mL bottle]

(suite de la page 7)

· Quantités exceptées (EQ)	Code: E2 Quantité maximale nette par emballage intérieur: 30 ml Quantité maximale nette par emballage extérieur: 500 ml
· Catégorie de transport	2
· Code de restriction en tunnels	E
· "Règlement type" de l'ONU:	UN 1789 ACIDE CHLORHYDRIQUE SOLUTION, 8, II

RUBRIQUE 15: Informations relatives à la réglementation

· **15.1 Réglementations/législation particulières à la substance ou au mélange en matière de sécurité, de santé et d'environnement**

· **Directive 2012/18/UE**

· **Substances dangereuses désignées - ANNEXE I** Aucun des composants n'est compris.

· **Directive 2011/65/UE relative à la limitation de l'utilisation de certaines substances dangereuses dans les équipements électriques et électroniques – Annexe II**

Aucun des composants n'est compris.

· **RÈGLEMENT (UE) 2019/1148**

· **Annexe I - PRÉCURSEURS D'EXPLOSIFS FAISANT L'OBJET DE RESTRICTIONS (Valeur limite maximale aux fins de l'octroi d'une licence en vertu de l'article 5, paragraphe 3)**

Aucun des composants n'est compris.

· **Annexe II - PRÉCURSEURS D'EXPLOSIFS DEVANT FAIRE L'OBJET D'UN SIGNALEMENT**

Aucun des composants n'est compris.

· **15.2 Évaluation de la sécurité chimique:** Une évaluation de la sécurité chimique n'a pas été réalisée.

RUBRIQUE 16: Autres informations

Les informations contenues dans le présent document reflètent l'état de connaissances d'Agilent à la date de rédaction du manuel. Par conséquent, Agilent ne peut garantir expressément ou implicitement la validité, l'exactitude, l'exhaustivité ou la pertinence desdites informations.

· **Phrases importantes**

H314 Provoque de graves brûlures de la peau et de graves lésions des yeux.

H318 Provoque de graves lésions des yeux.

H335 Peut irriter les voies respiratoires.

· **Acronymes et abréviations:**

ADR: Accord relatif au transport international des marchandises dangereuses par route

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Met. Corr.1: Substances ou mélanges corrosifs pour les métaux – Catégorie 1

Skin Corr. 1B: Corrosion cutanée/irritation cutanée – Catégorie 1B

Eye Dam. 1: Lésions oculaires graves/irritation oculaire – Catégorie 1

(suite page 9)

Fiche de données de sécurité
selon 1907/2006/CE, Article 31

Date d'impression : 03.11.2021

Numéro de version 1

Révision: 03.11.2021

Nom du produit: IntelliQuant Multi-Element Standard 7 [100 mL bottle]

(suite de la page 8)

*STOT SE 3: Toxicité spécifique pour certains organes cibles (exposition unique) – Catégorie 3***· Sources***Tables 3.1 and 3.2 from Annex 6 of EC 1272/2008, EC 1907/2006, EH40/2005 as amended 2011, Registry of Toxic Effects of Chemical Substances (RTECS), The Dictionary of Substances and their Effects, 1st Edition, IUCLID.***· Données modifiées par rapport à la version précédente** Toutes les sections ont été réactualisées.

FR

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 03.11.2021

Version number 1

Revision: 03.11.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· **1.1 Product identifier**

· **Product name:** Calibration blank solution 5pct HNO₃ [500 mL bottle]

· **Part number:** 5190-7001

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

· **Application of the substance / the mixture** Reagents and Standards for Analytical Chemical Laboratory Use

· **1.3 Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:**

Agilent Technologies LDA UK Ltd.
5500 Lakeside Cheadle Royal Business Park,
Cheadle, Cheshire, SK8 3GR
United Kingdom

Tel: +44 (0) 345 712 5292

· **Further information obtainable from:** e-mail: pdl-msds_author@agilent.com

· **1.4 Emergency telephone number:** CHEMTREC®: +(44)-870-8200418

SECTION 2: Hazards identification

· **2.1 Classification of the substance or mixture**

· **Classification according to Regulation (EC) No 1272/2008**



corrosion

Met. Corr.1 H290 May be corrosive to metals.

Eye Dam. 1 H318 Causes serious eye damage.



Skin Irrit. 2 H315 Causes skin irritation.

· **2.2 Label elements**

· **Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.

· **Hazard pictograms**



GHS05

· **Signal word** Danger

· **Hazard-determining components of labelling:**

nitric acid

· **Hazard statements**

H290 May be corrosive to metals.

H315 Causes skin irritation.

H318 Causes serious eye damage.

(Contd. on page 2)



Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 03.11.2021

Version number 1

Revision: 03.11.2021

Product name: Calibration blank solution 5pct HNO3 [500 mL bottle]

(Contd. from page 1)

Precautionary statements

- P280 Wear protective gloves / eye protection / face protection.
- P305+P351+P338 **IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P310 Immediately call a POISON CENTER/doctor.
- P321 Specific treatment (see on this label).
- P332+P313 If skin irritation occurs: Get medical advice/attention.
- P406 Store in a corrosion resistant container / container with a resistant inner liner.

2.3 Other hazards

Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description:

Aqueous solution.
Also contains substances at levels not considered to be hazardous.

Dangerous components:

CAS: 7697-37-2	nitric acid	<5%
EINECS: 231-714-2	☠ Ox. Liq. 3, H272; ☠ Acute Tox. 3, H331; ☠ Met. Corr. 1, H290; Skin Corr. 1A, H314, EUH071	
RTECS: QU5775000	Specific concentration limits: Ox. Liq. 2; H272: C ≥ 99 % Ox. Liq. 3; H272: 70 % ≤ C < 99 %	

Additional information:

The concentration of the acid stated in this SDS is calculated as an absolute mass concentration (%w/v). This is less than the acid concentration stated on the product label and COA, which reflects a percent value of the commercially available concentrated aqueous form of the acid.
For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:**
Immediately wash with water and soap and rinse thoroughly.
If skin irritation continues, consult a doctor.
- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:** Rinse mouth. Do not induce vomiting.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

GB

(Contd. on page 3)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 03.11.2021

Version number 1

Revision: 03.11.2021

Product name: Calibration blank solution 5pct HNO₃ [500 mL bottle]

(Contd. from page 2)

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:** Use fire extinguishing methods suitable for surrounding conditions.
- **5.2 Special hazards arising from the substance or mixture**
Formation of toxic gases is possible during heating or in case of fire.
- **5.3 Advice for firefighters**
- **Protective equipment:** Wear self-contained respiratory protective device.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
- **6.2 Environmental precautions:**
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**
Use neutralising agent.
Dispose of contaminated material as waste according to item 13.
Absorb liquid components with liquid-binding material.
DO NOT USE SAWDUST.
- **6.4 Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** Store in cool, dry place in tightly closed receptacles.
- **Information about fire - and explosion protection:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**
Please refer to the manufacturer's certificate for specific storage and transport temperature conditions.
Store only in the original receptacle unless other advice is given on the CoA.
Keep container in a well-ventilated place. Keep away from sources of ignition and heat.
- **Information about storage in one common storage facility:** Store away from foodstuffs.
- **Further information about storage conditions:** Keep container tightly sealed.
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**
 - **Ingredients with limit values that require monitoring at the workplace:**
- | | |
|------|---|
| CAS: | 7697-37-2 nitric acid |
| WEL | Short-term value: 2.6 mg/m ³ , 1 ppm |
- **Additional information:** Lists used were valid at the time of SDS preparation.

(Contd. on page 4)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 03.11.2021

Version number 1

Revision: 03.11.2021

Product name: Calibration blank solution 5pct HNO₃ [500 mL bottle]

(Contd. from page 3)

- **8.2 Exposure controls**
- **Appropriate engineering controls** No further data; see item 7.
- **Individual protection measures, such as personal protective equipment**
- **General protective and hygienic measures:**
 - Keep away from foodstuffs, beverages and feed.
 - Immediately remove all soiled and contaminated clothing
 - Wash hands before breaks and at the end of work.
 - Avoid contact with the skin.
 - Avoid contact with the eyes and skin.
- **Respiratory protection:**
 - Not required.
 - Use suitable respiratory protective device in case of insufficient ventilation.
- **Hand protection**
 - The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
 - Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
 - The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374



Protective gloves

- **Material of gloves**
 - PVC gloves
 - Neoprene gloves
- **Penetration time of glove material**
 - The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eyeface protection**



Tightly sealed goggles

SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**
- **General Information**
- **Physical state** Fluid
- **Colour:** Colourless
- **Odour:** Odourless
- **Odour threshold:** Not determined.
- **Melting point/freezing point:** Not determined.
- **Boiling point or initial boiling point and boiling range** Not determined.
- **Flammability** Not determined.

(Contd. on page 5)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 03.11.2021

Version number 1

Revision: 03.11.2021

Product name: Calibration blank solution 5pct HNO₃ [500 mL bottle]

(Contd. from page 4)

· Lower and upper explosion limit	
· Lower:	Not determined.
· Upper:	Not determined.
· Flash point:	Not applicable.
· Auto-ignition temperature:	Product is not selfigniting.
· Decomposition temperature:	Not determined.
· pH	< 2
· Viscosity:	
· Kinematic viscosity	Not determined.
· Dynamic:	Not determined.
· Solubility	
· water:	Fully miscible.
· Partition coefficient n-octanol/water (log value)	Not determined.
· Vapour pressure:	Not determined.
· Density and/or relative density	
· Density:	Not determined.
· Relative density	Not determined.
· Vapour density	Not determined.

· 9.2 Other information	
· Appearance:	
· Form:	Liquid
· Important information on protection of health and environment, and on safety.	
· Ignition temperature:	Not determined
· Explosive properties:	Not determined.
· Change in condition	
· Evaporation rate	Not determined.

· Information with regard to physical hazard classes	
· Explosives	Not applicable
· Flammable gases	Not applicable
· Aerosols	Not applicable
· Oxidising gases	Not applicable
· Gases under pressure	Not applicable
· Flammable liquids	Not applicable
· Flammable solids	Not applicable
· Self-reactive substances and mixtures	Not applicable
· Pyrophoric liquids	Not applicable
· Pyrophoric solids	Not applicable
· Self-heating substances and mixtures	Not applicable
· Substances and mixtures, which emit flammable gases in contact with water	Not applicable
· Oxidising liquids	Not applicable
· Oxidising solids	Not applicable
· Organic peroxides	Not applicable
· Corrosive to metals	May be corrosive to metals.
· Desensitised explosives	Not applicable

GB

(Contd. on page 6)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 03.11.2021

Version number 1

Revision: 03.11.2021

Product name: Calibration blank solution 5pct HNO₃ [500 mL bottle]

(Contd. from page 5)

SECTION 10: Stability and reactivity

- **10.1 Reactivity**
Stable under normal conditions.
No further relevant information available.
- **10.2 Chemical stability** Stable under normal conditions.
- **Thermal decomposition / conditions to be avoided:**
Formation of toxic gases is possible during heating or in case of fire.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** Heat.
- **10.5 Incompatible materials:**
Strong oxidizing agents.
Metals.
- **10.6 Hazardous decomposition products:**
Formation of toxic gases is possible during heating or in case of fire.

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
 - **Acute toxicity**
 - **LD/LC50 values relevant for classification:**
- | | | |
|-----------------------------------|----------|-----------------|
| CAS: 7697-37-2 nitric acid | | |
| Inhalative | LC50/4 h | 2.65 mg/l (rat) |
- **Skin corrosion/irritation** Causes skin irritation.
 - **Serious eye damage/irritation**
Causes serious eye damage.
 - **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
 - **11.2 Information on other hazards**
 - **Endocrine disrupting properties**
- | |
|------------------------------------|
| None of the ingredients is listed. |
|------------------------------------|

SECTION 12: Ecological information

- **12.1 Toxicity**
 - **Aquatic toxicity:**
- | | |
|-----------------------------------|-----------------------|
| CAS: 7697-37-2 nitric acid | |
| LC50/48 | 180 mg/l (crustacean) |
- **12.2 Persistence and degradability** No further relevant information available.
 - **12.3 Bioaccumulative potential** No further relevant information available.
 - **12.4 Mobility in soil** No further relevant information available.
 - **12.5 Results of PBT and vPvB assessment**
 - **PBT:** Not applicable.
 - **vPvB:** Not applicable.
 - **12.6 Endocrine disrupting properties**
The product does not contain substances with endocrine disrupting properties.

(Contd. on page 7)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 03.11.2021

Version number 1

Revision: 03.11.2021

Product name: Calibration blank solution 5pct HNO₃ [500 mL bottle]


(Contd. from page 6)

- **12.7 Other adverse effects**
- **Additional ecological information:**
- **General notes:**
 Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
 Do not allow undiluted product to reach ground water, water course or sewage system.
 Must not reach sewage water or drainage ditch undiluted or unneutralised.

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**
 Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packaging:**
- **Recommendation:** Dispose of in accordance with national regulations.
- **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

SECTION 14: Transport information

- | | | |
|--|--|------------------------------|
| <ul style="list-style-type: none"> · 14.1 UN number or ID number · ADR, IMDG, IATA · ADR · IMDG, IATA | UN3264
3264 CORROSIVE LIQUID, ACIDIC, INORGANIC,
N.O.S. (NITRIC ACID)
CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
(NITRIC ACID) | |
| <ul style="list-style-type: none"> · 14.3 Transport hazard class(es) · ADR, IMDG, IATA | <div style="text-align: center; margin-bottom: 10px;">  </div> <ul style="list-style-type: none"> · Class · Label | 8 Corrosive substances.
8 |
| <ul style="list-style-type: none"> · 14.4 Packing group · ADR, IMDG, IATA | III | |
| <ul style="list-style-type: none"> · 14.5 Environmental hazards: | Not applicable. | |
| <ul style="list-style-type: none"> · 14.6 Special precautions for user · Hazard identification number (Kemler code): · EMS Number: · Segregation groups · Stowage Category | Warning: Corrosive substances.
80
F-A,S-B
Acids
D | |
| <ul style="list-style-type: none"> · 14.7 Maritime transport in bulk according to IMO instruments | Not applicable. | |

(Contd. on page 8)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 03.11.2021

Version number 1

Revision: 03.11.2021

Product name: Calibration blank solution 5pct HNO₃ [500 mL bottle]

(Contd. from page 7)

· Transport/Additional information:

· ADR

· **Limited quantities (LQ)**

5L

· **Excepted quantities (EQ)**

Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

· **Transport category**

3

· **Tunnel restriction code**

E

· **UN "Model Regulation":**

UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC,
N.O.S. (NITRIC ACID), 8, III

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Ox. Liq. 3: Oxidizing liquids – Category 3

Met. Corr.1: Corrosive to metals – Category 1

Acute Tox. 3: Acute toxicity – Category 3

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

· Sources

Tables 3.1 and 3.2 from Annex 6 of EC 1272/2008, EC 1907/2006, EH40/2005 as amended 2011, Registry of Toxic Effects of Chemical Substances (RTECS), The Dictionary of Substances and their Effects, 1st Edition, IUCLID.

- **Data compared to the previous version altered.** All sections have been updated.