SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 26-Jul-2024 **Revision Number** 2.01

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Code(s) 5191-4533

Product Name ICH/USP 232 Class1&2 Parenteral Elements

Form Not applicable

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Reagents and Standards for Analytical Chemical Laboratory Use

Uses advised against

1.3. Details of the supplier of the safety data sheet

Supplier

Agilent Technologies LDA UK Ltd.
5500 Lakeside Cheadle Royal Business Park,
Cheadle, Cheshire, SK8 3GR
United Kindgom

+44 (0) 345 712 5292

For further information, please contact

E-mail address pdl-msds_author@agilent.com

1.4. Emergency telephone number

Emergency Telephone CHEMTREC®: +44 20 3807 3798

Emergency Telephone - §45 - (EC)1272/2008	
Europe	**112**
Austria	No information available
Bulgaria	
Croatia	
Cyprus	
Czech Republic	
Denmark	
France	

Hungary	
Ireland	
Italy	
Lithuania	
Luxembourg	
Netherlands	
Norway	
Portugal	
Romania	
Slovakia	
Slovenia	
Spain	
Sweden	
Switzerland	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to
Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation	Category 2 - (H315)
Serious eye damage/eye irritation	Category 2 - (H319)
Corrosive to metals	Category 1 - (H290)

2.2. Label elements

Signal word
Warning

Hazard statements
H315 - Causes skin irritation
H319 - Causes serious eye irritation
H290 - May be corrosive to metals
EUH071 - Corrosive to the respiratory tract

Precautionary Statements - EU (§28, 1272/2008)
P264 - Wash face, hands and any exposed skin thoroughly after handling

P280 - Wear protective gloves and eye/face protection
P332 + P313 - If skin irritation occurs: Get medical advice/attention
P337 + P313 - If eye irritation persists: Get medical advice/attention
P390 - Absorb spillage to prevent material damage
P406 - Store in corrosion resistant stainless steel container with a resistant inner liner

2.3. Other hazards

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors.

Chemical name	EU - REACH (1907/2006) - Article 59(1) - Candidate List of Substances of Very High Concern (SVHC) for Authorisation	EU - REACH (1907/2006) - Endocrine Disruptor Assessment List of Substances
Nitric Acid	-	-
Nickel	-	-
Arsenic	-	-
vanadium pentoxide	-	-
Lead	-	-
Cobalt	-	-
Mercury	-	-
Cadmium	-	-

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical nature aqueous solution.

Chemical name	Weight-%	REACH registration number	EC No (EU Index No)	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
Nitric Acid 7697-37-2	1 - <3	-	231-714-2	Met. Corr. 1 (H290) Ox. Liq. 2 (H272) Acute Tox. 3 (H331) Skin Corr. 1A (H314)	Ox. Liq. 2 :: C>=99% Ox. Liq. 3 :: C≥65%		

				(EUH071)	Skin Corr. 1A :: C>=20% Skin Corr. 1B :: 5%<=C<20%		
Nickel 7440-02-0	<0.1	-	231-111-4 (028-002-00-7)	Skin Sens. 1 (H317) Carc. 2 (H351) STOT RE 1 (H372) Aquatic Chronic 3 (H412)			
Arsenic 7440-38-2	<0.1	-	231-148-6 (033-001-00-X)	Acute Tox. 3 (H301) Acute Tox. 3 (H331) Carc. 1A (H350) Repr. 1A (H360) STOT RE 1 (H372) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)			
vanadium pentoxide 1314-62-1	<0.1	-	215-239-8 (023-001-00-8)	Acute Tox. 2 (H300) Acute Tox. 2 (H330) Carc. 1B (H350) Muta. 2 (H341) Repr. 2 (H361fd) Lact. (H362) STOT SE 3 (H335) STOT RE 1 (H372) Aquatic Chronic 2 (H411)			
Lead 7439-92-1	<0.1	-	231-100-4 (082-014-00-7)	Carc. 2 (H351) Repr. 1A (H360FD) Lact. (H362) STOT RE 1 (H372) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	Repr. 1A :: C>=0.03%	1	10
Cobalt 7440-48-4	<0.1	-	231-158-0 (027-001-00-9)	Acute Tox. 4 (H302) Eye Irrit. 2 (H319) Resp. Sens. 1 (H334) Skin Sens. 1 (H317) Muta. 2 (H341) Carc. 1B (H350) Repr. 1B (H360F) Aquatic Chronic 2 (H411) EUH071			

				EUH201			
Mercury 7439-97-6	<0.1	-	231-106-7 (080-001-00-0)	Acute Tox. 2 (H330) Repr. 1B (H360D) STOT RE 1 (H372) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	STOT RE 2 :: C>=0.1%		
Cadmium 7440-43-9	<0.1	-	231-152-8 (048-002-00-0)	Acute Tox. 4 (H302) Acute Tox. 2 (H330) Muta. 2 (H341) Carc. 1B (H350) Repr. 2 (H361fd) STOT RE 1 (H372) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)			

Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate
If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	Oral LD50 mg/kg	Dermal LD50 mg/kg	Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapour - mg/L	Inhalation LC50 - 4 hour - gas - ppm
Nitric Acid 7697-37-2	No data available	No data available	No data available	2.65	No data available
Nickel 7440-02-0	9000	No data available	No data available	No data available	No data available
Arsenic 7440-38-2	15	No data available	No data available	No data available	No data available
vanadium pentoxide 1314-62-1	220 + 10	2500	2.21	No data available	No data available
Cobalt 7440-48-4	6171	No data available	No data available	No data available	No data available
Cadmium 7440-43-9	1140	No data available	No data available	No data available	No data available

+ This value is the harmonised acute toxicity estimate (ATE) listed in CLP Annex VI, Part 3. This harmonised ATE value must be used when calculating the acute toxicity estimate (ATEmix) for classifying a mixture containing the listed substance

Additional information
The concentration of the acid stated in this SDS is calculated as an absolute mass concentration (%w/v). This is less than the acid concentration stated on the product label and COA, which reflects a percent value of the commercially available concentrated

aqueous form of the acid..
This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance.

Inhalation Remove to fresh air. Get medical attention immediately if symptoms occur.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and persists.

Skin contact Wash off immediately with soap and plenty of water for at least 15 minutes. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a doctor.

Self-protection of the first aider Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

4.2. Most important symptoms and effects, both acute and delayed

Symptoms May cause redness and tearing of the eyes. Burning sensation.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical	No information available.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required.
Other information	Refer to protective measures listed in Sections 7 and 8.
For emergency responders	Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions	Prevent further leakage or spillage if safe to do so.

6.3. Methods and material for containment and cleaning up

Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Take up mechanically, placing in appropriate containers for disposal.
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections	See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash it before reuse.

General hygiene considerations Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Wash hands before breaks and after work. Wear suitable gloves and eye/face protection. Regular cleaning of equipment, work area and clothing is recommended.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Please refer to the manufacturer's certificate for specific storage and transport temperature conditions. Store only in the original receptacle unless other advice is given on the CoA. Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from moisture. Store locked up. Keep out of the reach of children. Store away from other materials.

7.3. Specific end use(s)

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

Chemical name	European Union	Austria	Belgium	Bulgaria	Croatia
Nitric Acid 7697-37-2	-	STEL 1 ppm STEL 2.6 mg/m³	STEL: 1 ppm STEL: 2.6 mg/m³	STEL: 1 ppm STEL: 2.6 mg/m³	STEL: 1 ppm STEL: 2.6 mg/m³
Nickel 7440-02-0	-	Sa+ Sh+	TWA: 1 mg/m³	TWA: 0.05 mg/m³	TWA: 0.5 mg/m³ Skin Sensitisation
Arsenic 7440-38-2	-	-	TWA: 0.01 mg/m³	-	TWA: 0.1 mg/m³
vanadium pentoxide 1314-62-1	-	TWA: 0.05 mg/m³ STEL 0.25 mg/m³	TWA: 0.05 mg/m³	TWA: 0.05 mg/m³	TWA: 0.05 mg/m³
Lead 7439-92-1	TWA: 0.15 mg/m³	TWA: 0.1 mg/m³ STEL 0.4 mg/m³	-	TWA: 0.05 mg/m³	TWA: 0.15 mg/m³
Cobalt 7440-48-4	-	Sk* Sa+ Sh+	TWA: 0.02 mg/m³	TWA: 0.1 mg/m³	TWA: 0.1 mg/m³ Skin Sensitisation Respiratory Sensitisation
Mercury 7439-97-6	TWA: 0.02 mg/m³	TWA: 0.02 mg/m³ STEL 0.08 mg/m³ Sk* Sh+	TWA: 0.02 mg/m³ Sk*	TWA: 0.05 mg/m³ TWA: 0.02 mg/m³	TWA: 0.02 mg/m³
Cadmium 7440-43-9	TWA: 0.001 mg/m³	-	TWA: 0.01 mg/m³ TWA: 0.004 mg/m³	TWA: 0.004 mg/m³	TWA: 0.004 mg/m³

Chemical name	Cyprus	Czech Republic	Denmark	Estonia	Finland
Nitric Acid 7697-37-2	STEL: 1 ppm STEL: 2.6 mg/m³	TWA: 1 mg/m³ Ceiling: 2.5 mg/m³	STEL: 1 ppm STEL: 2.6 mg/m³	STEL: 1 ppm STEL: 2.6 mg/m³	TWA: 0.5 ppm TWA: 1.3 mg/m³ STEL: 1 ppm STEL: 2.6 mg/m³
Nickel 7440-02-0	-	TWA: 0.5 mg/m³ S+ Ceiling: 1 mg/m³	TWA: 0.05 mg/m³ STEL: 0.1 mg/m³	TWA: 0.5 mg/m³ S+	TWA: 0.01 mg/m³
Arsenic 7440-38-2	-	TWA: 0.1 mg/m³ Ceiling: 0.4 mg/m³	TWA: 0.0028 mg/m³ STEL: 0.0056 mg/m³	TWA: 0.03 mg/m³ TWA: 0.01 mg/m³	TWA: 0.01 mg/m³
vanadium pentoxide 1314-62-1	-	TWA: 0.05 mg/m³ Ceiling: 0.1 mg/m³	TWA: 0.03 mg/m³ STEL: 0.06 mg/m³	TWA: 0.2 mg/m³ STEL: 0.05 mg/m³	TWA: 0.02 mg/m³
Lead 7439-92-1	TWA: 0.15 mg/m³	TWA: 0.05 mg/m³ Ceiling: 0.2 mg/m³	TWA: 0.05 mg/m³ STEL: 0.1 mg/m³	TWA: 0.1 mg/m³ TWA: 0.05 mg/m³	TWA: 0.1 mg/m³
Cobalt 7440-48-4	-	TWA: 0.05 mg/m³ S+ Ceiling: 0.1 mg/m³	TWA: 0.01 mg/m³ STEL: 0.02 mg/m³	TWA: 0.05 mg/m³ S+	TWA: 0.02 mg/m³
Mercury 7439-97-6	TWA: 0.02 mg/m³	TWA: 0.02 mg/m³ Sk* Ceiling: 0.15 mg/m³	TWA: 0.02 mg/m³ STEL: 0.04 mg/m³ Sk*	TWA: 0.02 mg/m³	TWA: 0.02 mg/m³ Sk*
Cadmium 7440-43-9	TWA: 0.001 mg/m³	TWA: 0.004 mg/m³ Sk* Ceiling: 0.008 mg/m³	TWA: 0.001 mg/m³ STEL: 0.002 mg/m³	TWA: 0.004 mg/m³	TWA: 0.004 mg/m³

Chemical name	France	Germany TRGS	Germany DFG	Greece	Hungary
Nitric Acid 7697-37-2	STEL: 1 ppm STEL: 2.6 mg/m³	TWA: 1 ppm TWA: 2.6 mg/m³	-	STEL: 1 ppm STEL: 2.6 mg/m³	STEL: 2.6 mg/m³ STEL: 1 ppm
Nickel 7440-02-0	TWA: 1 mg/m³	TWA: 0.03 mg/m³ TWA: 0.006 mg/m³ Sh+	respiratory and skin sensitizer inhalable fraction, respiratory sensitization confirmed for water soluble Nickel compounds only	TWA: 1 mg/m³	TWA: 0.01 mg/m³ sz+
Arsenic 7440-38-2	-	-	-	TWA: 0.1 mg/m³	TWA: 0.01 mg/m³ Sk*
vanadium pentoxide 1314-62-1	TWA: 0.05 mg/m³	TWA: 0.005 mg/m³ TWA: 0.03 mg/m³	TWA: 0.005 mg/m³ Peak: 0.01 mg/m³	TWA: 0.5 mg/m³ TWA: 0.05 mg/m³	TWA: 0.05 mg/m³ STEL: 0.2 mg/m³ sz+
Lead 7439-92-1	TWA: 0.1 mg/m³	-	TWA: 0.004 mg/m³ Peak: 0.032 mg/m³	TWA: 0.15 mg/m³	TWA: 0.1 mg/m³ TWA: 0.05 mg/m³
Cobalt 7440-48-4	-	-	Sk* respiratory and skin sensitizer	TWA: 0.1 mg/m³	TWA: 0.02 mg/m³ sz+
Mercury 7439-97-6	TWA: 0.02 mg/m³	TWA: 0.02 mg/m³ Sk*	TWA: 0.02 mg/m³ Peak: 0.16 mg/m³	TWA: 0.02 mg/m³	TWA: 0.02 mg/m³ Sk*

		Sh+	Sk* skin sensitizer		sz+
Cadmium 7440-43-9	TWA: 0.004 mg/m³	TWA: 0.002 mg/m³	Sk*	TWA: 0.001 mg/m³	TWA: 0.004 mg/m³
Chemical name	Ireland	Italy MDLPS	Italy AIDII	Latvia	Lithuania
Nitric Acid 7697-37-2	STEL: 1 ppm STEL: 2.6 mg/m³	STEL: 1 ppm STEL: 2.6 mg/m³	TWA: 2 ppm TWA: 5.2 mg/m³ STEL: 4 ppm STEL: 10.3 mg/m³	TWA: 0.78 ppm TWA: 2 mg/m³ STEL: 1 ppm STEL: 2.6 mg/m³	STEL: 1 ppm STEL: 2.6 mg/m³
Nickel 7440-02-0	TWA: 0.5 mg/m³ STEL: 1.5 mg/m³ Sens+	-	TWA: 1.5 mg/m³	TWA: 0.05 mg/m³	TWA: 0.5 mg/m³ J+
Arsenic 7440-38-2	TWA: 0.01 mg/m³ STEL: 0.03 mg/m³	-	TWA: 0.01 mg/m³	-	-
vanadium pentoxide 1314-62-1	TWA: 0.05 mg/m³ STEL: 0.15 mg/m³	-	TWA: 0.05 mg/m³	TWA: 0.1 mg/m³	TWA: 0.2 mg/m³ Ceiling: 0.05 mg/m³
Lead 7439-92-1	TWA: 0.15 mg/m³ STEL: 0.45 mg/m³	TWA: 0.15 mg/m³	TWA: 0.05 mg/m³	TWA: 0.05 mg/m³ STEL: 0.1 mg/m³	TWA: 0.15 mg/m³ TWA: 0.07 mg/m³
Cobalt 7440-48-4	TWA: 0.02 mg/m³ STEL: 0.3 mg/m³ Sens+	-	TWA: 0.02 mg/m³ senR+ senD+	TWA: 0.5 mg/m³	TWA: 0.05 mg/m³ J+
Mercury 7439-97-6	TWA: 0.02 mg/m³ STEL: 0.06 mg/m³	TWA: 0.02 mg/m³ Sk*	TWA: 0.025 mg/m³ Sk*	TWA: 0.02 mg/m³	TWA: 0.02 mg/m³
Cadmium 7440-43-9	TWA: 0.001 mg/m³ TWA: 0.004 mg/m³ STEL: 0.003 mg/m³ STEL: 0.012 mg/m³	TWA: 0.001 mg/m³ TWA: 0.004 mg/m³	TWA: 0.01 mg/m³	TWA: 0.001 mg/m³	TWA: 0.004 mg/m³
Chemical name	Luxembourg	Malta	Netherlands	Norway	Poland
Nitric Acid 7697-37-2	STEL: 1 ppm STEL: 2.6 mg/m³	STEL: 1 ppm STEL: 2.6 mg/m³	STEL: 0.5 ppm STEL: 1.3 mg/m³	TWA: 2 ppm TWA: 5 mg/m³ STEL: 4 ppm STEL: 10 mg/m³	TWA: 1.4 mg/m³ STEL: 2.6 mg/m³
Nickel 7440-02-0	-	-	-	TWA: 0.05 mg/m³ STEL: 0.15 mg/m³ A+	TWA: 0.25 mg/m³
Arsenic 7440-38-2	-	-	TWA: 0.28 µg/m³	TWA: 0.005 mg/m³ STEL: 0.015 mg/m³ Sk*	TWA: 0.01 mg/m³
vanadium pentoxide 1314-62-1	-	-	TWA: 0.01 mg/m³ STEL: 0.03 mg/m³	-	TWA: 0.05 mg/m³
Lead 7439-92-1	TWA: 0.15 mg/m³	-	TWA: 0.15 mg/m³	TWA: 0.05 mg/m³ STEL: 0.15 mg/m³	TWA: 0.05 mg/m³
Cobalt 7440-48-4	-	-	TWA: 0.02 mg/m³	TWA: 0.02 mg/m³ STEL: 0.06 mg/m³ A+	TWA: 0.02 mg/m³

Mercury 7439-97-6	TWA: 0.02 mg/m³	TWA: 0.02 mg/m³	TWA: 0.02 mg/m³	TWA: 0.02 mg/m³ STEL: 0.06 mg/m³ A+	TWA: 0.02 mg/m³ Sk*
Cadmium 7440-43-9	-	-	TWA: 0.004 mg/m³	TWA: 0.001 mg/m³ STEL: 0.003 mg/m³	TWA: 0.004 mg/m³
Chemical name	Portugal	Romania	Slovakia	Slovenia	Spain
Nitric Acid 7697-37-2	TWA: 2 ppm STEL: 1 ppm STEL: 2.6 mg/m³	STEL: 1 ppm STEL: 2.6 mg/m³	Ceiling: 2.6 mg/m³	TWA: 1 ppm TWA: 2.6 mg/m³ STEL: 1 ppm STEL: 2.6 mg/m³	STEL: 1 ppm STEL: 2.6 mg/m³
Nickel 7440-02-0	TWA: 1.5 mg/m³	TWA: 0.1 mg/m³ STEL: 0.5 mg/m³	TWA: 0.5 mg/m³ STEL: 0.05 mg/m³ S+	TWA: 0.006 mg/m³ STEL: 0.048 mg/m³	TWA: 1 mg/m³ Sen+
Arsenic 7440-38-2	TWA: 0.01 mg/m³	TWA: 0.01 mg/m³ STEL: 0.1 mg/m³	-	-	TWA: 0.01 mg/m³
vanadium pentoxide 1314-62-1	TWA: 0.05 mg/m³	TWA: 0.05 mg/m³ TWA: 0.1 mg/m³ STEL: 0.1 mg/m³	TWA: 0.2 mg/m³ TWA: 0.05 mg/m³	TWA: 0.005 mg/m³ TWA: 0.030 mg/m³ STEL: 0.005 mg/m³ STEL: 0.030 mg/m³	TWA: 0.05 mg/m³ Sk*
Lead 7439-92-1	TWA: 0.05 mg/m³	TWA: 0.15 mg/m³	TWA: 0.15 mg/m³ TWA: 0.5 mg/m³	TWA: 0.1 mg/m³ STEL: 0.4 mg/m³	TWA: 0.15 mg/m³
Cobalt 7440-48-4	TWA: 0.02 mg/m³	TWA: 0.05 mg/m³ STEL: 0.1 mg/m³	TWA: 0.05 mg/m³ S+	-	TWA: 0.02 mg/m³ Sen+
Mercury 7439-97-6	TWA: 0.02 mg/m³ Sk*	TWA: 0.02 mg/m³	TWA: 0.1 mg/m³ Sk* S+	TWA: 0.02 mg/m³ STEL: 0.16 mg/m³ Sk*	TWA: 0.02 mg/m³
Cadmium 7440-43-9	TWA: 0.001 mg/m³ TWA: 0.004 mg/m³	TWA: 0.001 mg/m³	TWA: 0.03 mg/m³ TWA: 0.15 mg/m³ STEL: 0.15 mg/m³ STEL: 0.75 mg/m³	TWA: 0.004 mg/m³	TWA: 0.01 mg/m³ TWA: 0.002 mg/m³

Chemical name	Sweden	Switzerland	United Kingdom
Nitric Acid 7697-37-2	NGV: 0.5 ppm NGV: 1.3 mg/m³ Bindande KGV: 1 ppm Bindande KGV: 2.6 mg/m³	TWA: 2 ppm TWA: 5 mg/m³ STEL: 2 ppm STEL: 5 mg/m³	STEL: 1 ppm STEL: 2.6 mg/m³
Nickel 7440-02-0	NGV: 0.5 mg/m³ S+	TWA: 0.5 mg/m³ S+	TWA: 0.5 mg/m³ STEL: 1.5 mg/m³ Sk*
Arsenic 7440-38-2	NGV: 0.01 mg/m³	TWA: 0.01 mg/m³ Sk*	TWA: 0.1 mg/m³ STEL: 0.3 mg/m³
vanadium pentoxide 1314-62-1	NGV: 0.2 mg/m³ Bindande KGV: 0.05 mg/m³	TWA: 0.05 mg/m³ STEL: 0.05 mg/m³	TWA: 0.05 mg/m³ STEL: 0.15 mg/m³
Lead 7439-92-1	NGV: 0.1 mg/m³ NGV: 0.05 mg/m³	TWA: 0.1 mg/m³ STEL: 0.8 mg/m³	TWA: 0.15 mg/m³ STEL: 0.45 mg/m³
Cobalt	NGV: 0.02 mg/m³	TWA: 0.05 mg/m³	TWA: 0.1 mg/m³

7440-48-4	Sk* S+	Sk* S+	STEL: 0.3 mg/m³ Sen+
Mercury 7439-97-6	NGV: 0.02 mg/m³	TWA: 0.005 ppm TWA: 0.05 mg/m³ STEL: 0.04 ppm STEL: 0.4 mg/m³ Sk* S+	TWA: 0.02 mg/m³ STEL: 0.06 mg/m³
Cadmium 7440-43-9	NGV: 0.001 mg/m³ NGV: 0.004 mg/m³	TWA: 0.001 mg/m³ Sk*	TWA: 0.025 mg/m³ STEL: 0.075 mg/m³

Biological occupational exposure limits

Chemical name	European Union	Austria	Bulgaria	Croatia	Czech Republic
Nickel 7440-02-0	-	Check 7 µg/L (urine - spontaneous urine after end of work day, at the end of a work week/end of the shift) (-)	45 µg/L - urine (Nickel) - after several work shifts	10 µg/L - plasma (Nickel) - at the end of the work shift 8 µg/g Creatinine - urine (Nickel) - at the end of the work shift	0.077 µmol/mmol Creatinine (urine - Nickel discretionary) 0.04 mg/g Creatinine (urine - Nickel discretionary)
Arsenic 7440-38-2	-	Check 3.2 million/µL Erythrocytes (red and white blood count - not provided) 3.8 million/µL Erythrocytes (red and white blood count - not provided) 4000 Leukocytes/µL (red and white blood count - not provided) 13000 Leukocytes/µL (red and white blood count - not provided) 10 g/dL Hemoglobin (red and white blood	-	70 µg/L - urine (Arsenic) - at the end of the work shift or urine collected over 24 hours	0.05 mg/g Creatinine (urine - Arsenic end of workweek) 0.075 µmol/mmol Creatinine (urine - Arsenic end of workweek)

		count - not provided) 12 g/dL Hemoglobin (red and white blood count - not provided) 30 % Hematocrit (red and white blood count - not provided) 35 % Hematocrit (red and white blood count - not provided) 50 µg/L (urine - after end of work day, at the end of a work week/end of the shift)			
Lead 7439-92-1	70 µg/100 mL - blood (Lead) - no restriction 0.075 mg/m³ - air (Lead) - 40 hours per week 40 µg/100 mL - blood (Lead) - no restriction	Check 120 µg/100 mL RBC Erythrocyte protoporphyrin (blood - Ethylenediaminetetraacetic acid not provided) 30 µg/100 mL blood Lead (blood - Ethylenediaminetetraacetic acid not provided) 3.8 million/µL Erythrocytes (blood - Ethylenediaminetetraacetic acid not provided) 12 g/dL Hemoglobin (blood - Ethylenediaminetetraacetic acid not provided) 35 % Hematocrit (blood - Ethylenediaminetetraacetic acid not	300 µg/L - blood (Lead) - not fixed 400 µg/L - blood (Lead) - not fixed	400 µg Pb/L - blood (Lead) - not critical 300 µg Pb/L - blood (Lead) - not critical 15 U/LE - blood (.delta.-Aminolevulinic acid dehydratase) - not critical 1.50 mg/LE - blood (Protoporphyrin in erythrocytes) - after exposure during 2-3 months (sample protected from light)	13 µmol/mmol Creatinine (urine - 5-Aminolevulinic acid discretionary) 0.035 µmol/mmol Creatinine (urine - Coproporphyrin discretionary) 15 mg/g Creatinine (urine - 5-Aminolevulinic acid discretionary) 0.2 mg/g Creatinine (urine - Coproporphyrin discretionary) 0.4 mg/L (blood - Lead discretionary)

		provided) 10 mg/L (urine - .delta.-Aminolevulinic acid not provided) 3.2 million/µL Erythrocytes (blood - Ethylenediaminetetraacetic acid not provided) 10 g/dL Hemoglobin (blood - Ethylenediaminetetraacetic acid not provided) 30 % Hematocrit (blood - Ethylenediaminetetraacetic acid not provided) 6 mg/L (urine - .delta.-Aminolevulinic acid not provided)			
Cobalt 7440-48-4	-	Check 10 µg/L (urine - spontaneous urine after end of work day, at the end of a work week/end of the shift) (-)	-	-	-
Mercury 7439-97-6	-	Check 25 µg/g Creatinine (urine - after end of work day, at the end of a work week/end of the shift)	100 µg/L - urine (Mercury) - not fixed	10 µg/L - blood (Mercury) - not critical 30 µg/g Creatinine - urine (Mercury) - single sample or urine collected over 24 hours	0.056 µmol/mmol Creatinine (urine - Mercury discretionary) 0.1 mg/g Creatinine (urine - Mercury discretionary)
Cadmium 7440-43-9	-	Check 2.5 µg/g Creatinine (urine - N-Acetylglucosaminidase not provided) (-)	-	5 µg/L - blood (Cadmium) - not critical 5 µg/g Creatinine - urine (Cadmium) - single sample or urine collected over 24 hours	0.005 µmol/mmol Creatinine (urine - Cadmium discretionary) 0.005 mg/g Creatinine (urine - Cadmium discretionary)

					0.045 µmol/L (blood - Cadmium discretionary) 0.005 mg/L (blood - Cadmium discretionary)
Chemical name	Denmark	Finland	France	Germany DFG	Germany TRGS
Nickel 7440-02-0	-	0.1 µmol/L (urine - Nickel after the shift after a working week or exposure period)	-	3 µg/L - BAR (for long-term exposures: at the end of the shift after several shifts) urine 15 µg/L - (long-term exposure: at the end of the shift after several shifts) - urine 30 µg/L - (long-term exposure: at the end of the shift after several shifts) - urine 45 µg/L - (long-term exposure: at the end of the shift after several shifts) - urine	-
Arsenic 7440-38-2	-	70 nmol/L (urine - Arsenic, inorganic after the work phase or shift after a working week or exposure period)	- urine (Metabolites of inorganic Arsenic) - end of workweek	10 µg/L - BLW (end of exposure or end of shift) urine 0.5 µg/L - BAR (end of exposure or end of shift) urine 2 µg/L - BAR (end of exposure or end of shift) urine 10 µg/L - BAR (end of exposure or end of shift) urine 2 µg/L - (end of exposure or end of shift) - urine 2.5 µg/L - (end of exposure or end of shift) - urine 3 µg/L - (end of exposure or end of shift) - urine 8 µg/L - (end of	-

				exposure or end of shift) - urine 11 µg/L - (end of exposure or end of shift) - urine 13 µg/L - (end of exposure or end of shift) - urine 36 µg/L - (end of exposure or end of shift) - urine 57 µg/L - (end of exposure or end of shift) - urine	
vanadium pentoxide 1314-62-1	-	-	- urine (Vanadium) - end of shift at end of workweek	0.15 µg/L - BAR (for long-term exposures: at the end of the shift after several shifts) urine	-
Lead 7439-92-1	20 µg/100 mL (blood - Lead)	1.4 µmol/L (blood - Lead time of day does not matter) 50 µg/dL (blood - Lead) 40 µg/dL (blood - Lead)	400 µg/L - blood (Lead) - 180 µg/L - blood (Lead) - indifferent sampling time 300 µg/L - blood (Lead) - 200 µg/L - blood (Lead) - 100 µg/L - blood (Lead) -	150 µg/L (whole blood - Lead no restriction) 150 µg/L - BAT (no restriction in steady state) blood 30 µg/L - BAR (no restriction in steady state) blood 40 µg/L - BAR (no restriction in steady state) blood	150 µg/L (whole blood - Lead no restriction)
Cobalt 7440-48-4	-	130 nmol/L (urine - Cobalt after the work phase or shift after a working week or exposure period)	- blood (Cobalt) - end of shift at end of workweek 0,005 mg/g creatinine - urine (Cobalt) - end of shift at end of workweek	35 µg/L - BLW (for long-term exposures: at the end of the shift after several shifts) urine 1.5 µg/L - BAR (for long-term exposures: at the end of the shift after several shifts) urine 6 µg/L - (long-term exposure: at the end of the shift after several shifts) - urine 15 µg/L - (long-term	-

				exposure: at the end of the shift after several shifts) - urine 30 µg/L - (long-term exposure: at the end of the shift after several shifts) - urine 60 µg/L - (long-term exposure: at the end of the shift after several shifts) - urine 300 µg/L - (long-term exposure: at the end of the shift after several shifts) - urine 3 µg/L - (long-term exposure: at the end of the shift after several shifts) - urine	
Mercury 7439-97-6	-	140 nmol/L (urine - Mercury in the morning after a working day at the end of a working week or exposure period) 50 nmol/L (blood - Mercury, inorganic at the end of a working week; time of day does not matter)	- blood (Total inorganic Mercury) - end of shift at end of workweek - urine (Total inorganic Mercury) - prior to shift	25 µg/g Creatinine (urine - Mercury no restriction) 25 µg/g Creatinine - BAT (no restriction in steady state) urine	25 µg/g Creatinine (urine - Mercury no restriction)
Cadmium 7440-43-9	-	20 nmol/L (urine - Cadmium at the end of a working week; time of day does not matter)	0.005 mg/g creatinine - urine (Cadmium) - not critical 0.004 mg/L - blood (Cadmium) - not critical	1 µg/L - BAR (no restriction in steady state) blood 0.8 µg/L - BAR (no restriction in steady state) urine	-

Chemical name	Hungary	Ireland	Italy MDLPS	Italy AIDII
Nickel 7440-02-0	0.003 mg/L (urine - Nickel at end of workweek, end of shift) 0.051 µmol/L (urine - Nickel at end of workweek, end of shift)	3 µg/L (urine - Nickel after several consecutive working shifts)	-	-

Arsenic 7440-38-2	0.05 mg/L (urine - Arsenic end of shift) 0.67 µmol/L (urine - Arsenic end of shift)	35 µg/L (urine - inorganic Arsenic plus methylated metabolites end of workweek)	-	35 µg As/L - urine (Inorganic arsenic plus methylated metabolites) - end of workweek
Lead 7439-92-1	-	70 µg/100 mL (blood - Lead not critical) 40 µg/100 mL (blood - Lead not critical) 30 µg/100 mL (blood - Lead not critical)	60 Pb µg/100 mL (blood - end of workweek)	30 µg/100 mL - blood (Lead) - not critical
Cobalt 7440-48-4	0.01 mg/g Creatinine (urine - Cobalt end of shift) 0.019 µmol/mmol Creatinine (urine - Cobalt end of shift)	15 µg/L (urine - Cobalt end of shift at end of workweek) 1 µg/L (blood - Cobalt end of shift at end of workweek)	-	15 µg/L - urine (Cobalt) - end of shift at end of workweek
Mercury 7439-97-6	0.030 mg/g Creatinine (urine - Mercury not critical) 0.017 µmol/mmol Creatinine (urine - Mercury not critical)	10 µg/L (blood - Mercury) 30 µg/g Creatinine (urine - Mercury)	-	20 µg/g Creatinine - urine (Total inorganic mercury) - prior to shift
Cadmium 7440-43-9	0.02 mg/g Creatinine (urine - Cadmium not critical) 0.02 µmol/mmol Creatinine (urine - Cadmium not critical)	2 µg/g Creatinine (urine - not critical)	-	5 µg/g Creatinine - urine (Cadmium) - not critical 5 µg/L - blood (Cadmium) - not critical
Chemical name	Latvia	Luxembourg	Romania	Slovakia
Nickel 7440-02-0	3 µg/L - urine (Nickel) -	-	3 µg/L - urine (Nickel) - end of shift	0.03 mg/L (blood - Nickel end of exposure or work shift)
Arsenic 7440-38-2	-	-	50 µg/g Creatinine - urine (Arsenic) - end of work week 0.5 mg/100 g - hair (Arsenic) - end of work week	-
vanadium pentoxide 1314-62-1	-	-	-	50 µg/g creatinine (urine - Vanadium after all work shifts) 50 µg/g creatinine (urine - Vanadium end of exposure or work shift)
Lead 7439-92-1	30 µg/100 mL - blood (Lead) -	70 µg/100 mL - blood (Lead) -	150 µg/L - urine (Lead) - end of shift	400 µg/L (blood - Lead not critical)

	100 µg/g Creatinine - urine (Coproporphyrin) - 5 mg/g Creatinine - urine (Aminolevulinic acid) -	0.072 mg/m³ - blood (Lead) - 40 µg/100 mL - blood (Lead) -	70 µg/100 mL - blood (Lead) - end of shift 3 mg/cm - hair (Lead) - end of shift 10 mg/L - urine (.delta.-Aminolevulinic acid) - end of shift 300 µg/L - urine (Coproporphyrin) - end of shift 100 µg/100 mL Erythrocyte - blood (free Erythrocytes protoporphyrin) - end of shift	100 µg/L (blood - Lead not critical) 15 mg/L (urine - .delta.-Aminolevulinic acid not critical) 6 mg/L (urine - .delta.-Aminolevulinic acid not critical) 0.30 mg/L (urine - Coproporphyrins not critical)
Cobalt 7440-48-4	-	-	15 µg/L - urine (Cobalt) - end of work week 1 µg/L - blood (Cobalt) - end of work week	30 µg/L (urine - Cobalt not critical)
Mercury 7439-97-6	10 µg/L - blood (Mercury) - 30 µg/g Creatinine - urine (Mercury) -	-	10 µg/L - blood (Mercury) - end of shift 30 µg/g Creatinine - urine (Mercury) - beginning of next shift	37.5 µg/L (urine - Mercury not critical) 15 mg/L (blood - Mercury after all work shifts)
Cadmium 7440-43-9	2 µg/L - urine (Cadmium) -	-	2 µg/g Creatinine - urine (Cadmium) - end of shift 5 µg/L - blood (Cadmium) - end of shift 2 mg/L - urine (Protein) - end of shift	3.1 µg/L (urine - Cadmium not critical)
Chemical name	Slovenia	Spain	Switzerland	United Kingdom
Nickel 7440-02-0	-	-	45 µg/L (urine - Nickel end of shift, and after several shifts (for long-term exposures)) 766.6 nmol/L (urine - Nickel end of shift, and after several shifts (for long-term exposures))	-
Arsenic 7440-38-2	-	35 µg As/L (urine - Inorganic arsenic plus Methylated metabolites end of workweek)	50 µg/L (urine - inorganic Arsenic and Methylated metabolite end of shift, and after several shifts (for long-term exposures)) 667 nmol/L (urine - inorganic Arsenic and	-

			Methylated metabolite end of shift, and after several shifts (for long-term exposures))	
vanadium pentoxide 1314-62-1	-	50 µg/g Creatinine (urine - Vanadium end of workweek)	70 µg/g creatinine (urine - Vanadium end of shift, and after several shifts (for long-term exposures)) 155 nmol/mmol creatinine (urine - Vanadium end of shift, and after several shifts (for long-term exposures))	-
Lead 7439-92-1	400 µg/L - blood (Lead) - not relevant 300 µg/L - blood (Lead) - not relevant	70 µg/dL (blood - Lead not critical)	400 µg/L (whole blood - Lead no restrictions) 1.93 µmol/L (whole blood - Lead no restrictions) 100 µg/L (whole blood - Lead no restrictions) 0.48 µmol/L (whole blood - Lead no restrictions)	-
Cobalt 7440-48-4	-	15 µg/L (urine - Cobalt end of workweek) 1 µg/L (blood - Cobalt end of workweek)	30 µg/L (urine - Cobalt end of shift) 509 nmol/L (urine - Cobalt end of shift)	-
Mercury 7439-97-6	0.25 µg/g Creatinine - urine (Mercury) - not relevant 30 µg/L urine - urine (Mercury) - not relevant	30 µg/g Creatinine (urine - total Inorganic mercury pre-shift) 10 µg/L (blood - total Inorganic mercury end of workweek)	25 µg/g creatinine (urine - Mercury inorganic before subsequent shift) 14.3 nmol/mmol creatinine (urine - Mercury inorganic before subsequent shift) 15 µg/L (whole blood - Mercury inorganic end of shift, and after several shifts (for long-term exposures)) 75 nmol/L (whole blood - Mercury inorganic end of shift, and after several shifts (for long-term exposures))	20 µmol/mol creatinine - urine (Mercury) - random
Cadmium 7440-43-9	-	2 µg/g Creatinine (urine - Cadmium not critical) 5 µg/L (blood - Cadmium not critical)	2 µg/g creatinine (urine - Cadmium no restrictions) 2.01 nmol/mmol creatinine (urine -	-

			Cadmium no restrictions)	

Derived No Effect Level (DNEL) No information available.
Predicted No Effect Concentration (PNEC) No information available.

8.2. Exposure controls

Personal protective equipment

Eye/face protection Avoid contact with eyes. Wear safety glasses with side shields (or goggles). If splashes are likely to occur, wear safety glasses with side-shields.

Hand protection Wear protective Neoprene™ gloves. The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374. Wear suitable gloves. Impervious gloves.

Skin and body protection Wear suitable protective clothing. Long sleeved clothing.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Wash hands before breaks and after work. Wear suitable gloves and eye/face protection. Regular cleaning of equipment, work area and clothing is recommended.

Environmental exposure controls Do not allow into any sewer, on the ground or into any body of water.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Liquid
Appearance Liquid
Colour colourless
Odour Odourless.
Odour threshold No information available

Property	Values	Remarks • Method
Melting point / freezing point	0 °C	None known
Initial boiling point and boiling range	100 °C	None known
Flammability	No data available	None known
Flammability Limit in Air		None known

Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Flash point	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature	100 °C	None known
pH	No data available	None known
pH (as aqueous solution)	No data available	No information available
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
Water solubility	No data available	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Vapour pressure	23 hPa	@ 20°C
Relative density	0.99821 g/cm3 at 20 °C	None known
Bulk density	No data available	
Liquid Density	No data available	
Relative vapour density	No data available	None known
Particle characteristics		
Particle Size	No information available	
Particle Size Distribution	No information available	

9.2. Other information

9.2.1. Information with regards to physical hazard classes
Not applicable 100 °C 100 °C

9.2.2. Other safety characteristics
No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity No information available.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data
Sensitivity to mechanical impact None.
Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Exposure to air or moisture over prolonged periods.

10.5. Incompatible materials

Incompatible materials Oxidising agent. Strong acids. Strong bases.

Hazardous decomposition products None known based on information supplied.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available.

Eye contact Specific test data for the substance or mixture is not available. Causes serious eye irritation. (based on components). May cause redness, itching, and pain.

Skin contact Specific test data for the substance or mixture is not available. Causes skin irritation. (based on components).

Ingestion Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Redness. May cause redness and tearing of the eyes.

Numerical measures of toxicity

Acute toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	99,999.00	mg/kg
ATEmix (dermal)	99,999.00	mg/kg
ATEmix (inhalation-gas)	99,999.00	ppm

ATEmix (inhalation-dust/mist) 99,999.00 mg/l
ATEmix (inhalation-vapour) 139.50 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Nitric Acid			= 2500 ppm (Rat) 1 h ATE (vapours) = 2.65 mg/L
Nickel	> 9000 mg/kg (Rat)		> 10.2 mg/L (Rat) 1 h
Arsenic	= 15 mg/kg (Rat)		
vanadium pentoxide	= 466.93 mg/kg (Rat) = 10 mg/kg (Rat)	> 2500 mg/kg (Rat)	= 4.4 mg/L (Rat) 4 h = 2.21 mg/L (Rat) 4 h
Cobalt	= 6171 mg/kg (Rat)		< 0.05 mg/L (Rat) 4 h
Mercury			< 27 mg/m³ (Rat) 2 h
Cadmium	= 1140 mg/kg (Rat)		= 25 mg/m³ (Rat) 30 min

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Classification based on data available for ingredients. Causes skin irritation.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes serious eye irritation.

Respiratory or skin sensitisation No information available.

Germ cell mutagenicity No information available.

The table below indicates ingredients above the cut-off threshold considered as relevant which are listed as mutagenic.

Chemical name	European Union
vanadium pentoxide	Muta. 2
Cobalt	Muta. 2
Cadmium	Muta. 2

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	European Union
Nickel	Carc. 2
vanadium pentoxide	Carc. 1B
Cobalt	Carc. 1B
Cadmium	Carc. 1B

Reproductive toxicity No information available.

The table below indicates ingredients above the cut-off threshold considered as relevant which are listed as reproductive toxins.

Chemical name	European Union
vanadium pentoxide	Repr. 2 Lact.
Lead	Repr. 1A Lact.
Cobalt	Repr. 1B
Mercury	Repr. 1B
Cadmium	Repr. 2

STOT - single exposure No information available.

STOT - repeated exposure No information available.

Aspiration hazard No information available.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties No information available.

11.2.2. Other information

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity

Unknown aquatic toxicity Contains 0 % of components with unknown hazards to the aquatic environment.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Nickel	EC50: =0.18mg/L (72h, Pseudokirchneriella subcapitata) EC50: 0.174 - 0.311mg/L (96h, Pseudokirchneriella subcapitata)	LC50: >100mg/L (96h, Brachydanio rerio) LC50: =1.3mg/L (96h, Cyprinus carpio) LC50: =10.4mg/L (96h, Cyprinus carpio)	-	EC50: >100mg/L (48h, Daphnia magna) EC50: =1mg/L (48h, Daphnia magna)
vanadium pentoxide	-	LC50: 5.2 mg/L (96h, Oncorhynchus mykiss)	-	LC50: 1.52 mg/L (48h, Daphnia magna)
Lead	-	LC50: =0.44mg/L (96h, Cyprinus carpio) LC50: =1.17mg/L (96h, Oncorhynchus mykiss) LC50: =1.32mg/L (96h, Oncorhynchus mykiss)	-	EC50: =600µg/L (48h, water flea)
Cobalt	-	LC50: >100mg/L (96h, Brachydanio rerio)	-	-
Mercury	-	LC50: =0.5mg/L (96h, Cyprinus carpio) LC50: =0.16mg/L (96h, Cyprinus carpio) LC50: =0.18mg/L (96h, Cyprinus carpio) LC50: =0.9mg/L (96h, Oryzias latipes)	-	-
Cadmium	-	LC50: =0.003mg/L (96h, Oncorhynchus mykiss) LC50: =0.006mg/L (96h, Oncorhynchus mykiss) LC50: =0.002mg/L (96h, Cyprinus carpio) LC50: =4.26mg/L (96h, Cyprinus carpio) LC50: =0.24mg/L (96h, Cyprinus carpio) LC50: =21.1mg/L (96h, Lepomis macrochirus) LC50: =0.016mg/L (96h, Oryzias latipes) LC50: 0.0004 - 0.003mg/L (96h, Pimephales promelas)	-	EC50: =0.0244mg/L (48h, Daphnia magna)

12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulation There is no data for this product.

Component Information

Chemical name	Partition coefficient
Nitric Acid	-2.3

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment No information available.

Chemical name	PBT and vPvB assessment
Nitric Acid	The substance is not PBT / vPvB
Nickel	The substance is not PBT / vPvB
Arsenic	PBT assessment does not apply
vanadium pentoxide	PBT assessment does not apply
Lead	PBT assessment does not apply
Cobalt	The substance is not PBT / vPvB
Cadmium	PBT assessment does not apply

12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

12.7. Other adverse effects
No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Do not reuse empty containers.

SECTION 14: Transport information

IATA

14.1 UN number or ID number	UN3264
14.2 UN proper shipping name	Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid)
14.3 Transport hazard class(es)	8
14.4 Packing group	III
Description	UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid), 8, III
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
Special Provisions	A3, A803
ERG Code	8L

IMDG

14.1 UN number or ID number	UN3264
14.2 UN proper shipping name	Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid)
14.3 Transport hazard class(es)	8
14.4 Packing group	III
Description	UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid), 8, III
14.5 Marine pollutant	NP
14.6 Special precautions for user	
Special Provisions	223, 274
EmS-No.	F-A, S-B No information available
14.7 Maritime transport in bulk according to IMO instruments	No information available

RID

14.1 UN number or ID number	UN3264
14.2 UN proper shipping name	Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid)
14.3 Transport hazard class(es)	8
14.4 Packing group	III
Description	UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid), 8, III
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
Special Provisions	274
Classification code	C1

ADR

14.1 UN number or ID number	UN3264
14.2 UN proper shipping name	Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid)
14.3 Transport hazard class(es)	8
14.4 Packing group	III
Description	UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid), 8, III, (E)
14.5 Environmental hazards	Not applicable

14.6 Special precautions for user

Special Provisions	274
Classification code	C1
Tunnel restriction code	(E)

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

France

Occupational Illnesses (R-463-3, France)

Chemical name	French RG number	Title
Arsenic 7440-38-2	RG 20,RG 20bis	-
vanadium pentoxide 1314-62-1	RG 66	-
Lead 7439-92-1	RG 1	-
Cobalt 7440-48-4	RG 65,RG 70,RG 70bis,RG 70ter	-
Mercury 7439-97-6	RG 2	-
Cadmium 7440-43-9	RG 61,RG 61bis	-

Germany

Water hazard class (WGK) slightly hazardous to water (WGK 1)

Netherlands

Chemical name	Netherlands - List of Carcinogens	Netherlands - List of Carcinogens	Netherlands - List of Reproductive Toxins
Arsenic	Present	-	Can be harmful via breastfeeding Development Category 1B Fertility Category 1B
vanadium pentoxide	Present	-	Development Category 2 Fertility Category 2
Lead	-	-	Fertility Category 1A Development Category 1A Can be harmful via

Chemical name	Netherlands - List of Carcinogens	Netherlands - List of Carcinogens	Netherlands - List of Reproductive Toxins
			breastfeeding
Cobalt	Present	-	Fertility Category 1B
Mercury	-	-	Development Category 1B
Cadmium	Present	-	Fertility Category 1B;including stabilized, pyrophoric Development Category 1B;including stabilized, pyrophoric Can be harmful via breastfeeding including stabilized, pyrophoric

Poland

SDS created according to the following Polish regulation: Act of February 25, 2011 on chemical substances and their mixtures (Journal of Laws of 2018, item 143, as amended). Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH), establishing the European Chemicals Agency (EC) as amended. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labeling and packaging of substances and mixtures, as amended. Regulation of the Minister of Health of 10 August 2012 on the criteria and method of classifying chemical substances and their mixtures (Journal of Laws of 2012, item 1018). Regulation of the Minister of Health of 20 April 2012 on labeling packaging of hazardous substances and mixtures and some mixtures (Journal of Laws of 2012, item 445). Regulation of the Minister of Family, Labor and Social Policy of 12 June 2018 on the maximum allowable concentrations and intensities of factors harmful to health in the work environment (Journal of Laws of 2018, item 1286). Announcement of the Minister of Economy, Labor and Social Policy of August 28, 2003 on the publication of the unified text of the Ordinance of the Minister of Labor and Social Policy on general health and safety at work regulations (Journal of Laws of 2003, No. 169, item 1650) . Regulation of the Minister of Health of 30 December 2004 on occupational safety and health related to the presence of chemical agents in the workplace (Journal of Laws of 2005, No. 11, item 86). Act of December 14, 2012 on waste (Journal of Laws of 2013, item 21) Regulation of the Minister of Health of December 30, 2004 on occupational health and safety related to the presence of chemical agents in the workplace (Journal U. of 2005, No. 11, item 86). Waste Act of December 14, 2012 (Journal of Laws of 2013, item 21). Act of 13 June 2013 on the management of packaging and packaging waste, Journal of Laws 2013, item 888). Government statement of September 24, 2002 - European Agreement on the International Carriage of Dangerous Goods by Road (ADR) (Journal of Laws No. 194, item 1629 and Journal of Laws of 2003, No. 207, item 2013 and 2014).

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Authorisations and/or restrictions on use:
This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

DIRECTIVE (EU) 2021/1187 on the marketing and use of explosives precursors
Not applicable

Chemical name	RESTRICTED EXPLOSIVES PRECURSORS - ANNEX I	REPORTABLE EXPLOSIVES PRECURSORS - ANNEX II
Nitric Acid - 7697-37-2	3 %w/w	-

Chemical name	Restricted substance per REACH Annex XVII	Substance subject to authorisation per REACH Annex XIV
Nitric Acid - 7697-37-2	75.	
Nickel - 7440-02-0	27. 75.	
Arsenic - 7440-38-2	75.	
vanadium pentoxide - 1314-62-1	75. 28.	
Lead - 7439-92-1	72. 30. 63. 75.	
Cobalt - 7440-48-4	30. 28. 75.	
Mercury - 7439-97-6	18[a]. 30. 75.	
Cadmium - 7440-43-9	72. 23. 28. 75.	

Persistent Organic Pollutants
Not applicable

Export Notification requirements
This product contains substances which are regulated pursuant to Regulation (EC) No. 649/2012 of the European parliament and of the council concerning the export and import of dangerous chemicals

Chemical name	European Export/Import Restrictions per (EC) 649/2012 - Annex Number
Lead - 7439-92-1	I.1
Mercury - 7439-97-6	I.1 I.2

	V
Cadmium - 7440-43-9	I.1 I.2

Ozone-depleting substances (ODS) regulation (EC) 1005/2009
Not applicable

EU - Water Framework Directive (2000/60/EC)

Chemical name	EU - Water Framework Directive (2000/60/EC)
Nickel - 7440-02-0	Priority substance
Lead - 7439-92-1	Priority substance
Mercury - 7439-97-6	Priority hazardous substance
Cadmium - 7440-43-9	Priority hazardous substance

EU - Environmental Quality Standards (2008/105/EC)

Chemical name	EU - Environmental Quality Standards (2008/105/EC)
Nickel - 7440-02-0	Priority substance
Lead - 7439-92-1	Priority substance
Mercury - 7439-97-6	Priority hazardous substance
Cadmium - 7440-43-9	Priority hazardous substance

International Inventories

TSCA	LGC, to the best of its ability, has confirmed that the chemical substances in this product are listed as “Active” in the EPA (Environmental Protection Agency) “TSCA Inventory Notification (Active-Inactive) Requirements Rule” (“the Final Rule”) of Feb 2019, as amended Feb 2021.”
DSL/NDSL	Contact supplier for inventory compliance status
EINECS/ELINCS	Contact supplier for inventory compliance status
ENCS	Contact supplier for inventory compliance status
IECSC	Contact supplier for inventory compliance status
KECI	Contact supplier for inventory compliance status
PICCS	Contact supplier for inventory compliance status
AIIC	Contact supplier for inventory compliance status

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

15.2. Chemical safety assessment

Chemical Safety Report A Chemical Safety Assessment is not required for this substance

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3
EUH071 - Corrosive to the respiratory tract
H272 - May intensify fire; oxidiser
H290 - May be corrosive to metals
H300 - Fatal if swallowed
H301 - Toxic if swallowed
H302 - Harmful if swallowed
H314 - Causes severe skin burns and eye damage
H317 - May cause an allergic skin reaction
H319 - Causes serious eye irritation
H330 - Fatal if inhaled
H331 - Toxic if inhaled
H332 - Harmful if inhaled
H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled
H335 - May cause respiratory irritation
H341 - Suspected of causing genetic defects
H350 - May cause cancer
H351 - Suspected of causing cancer
H360 - May damage fertility or the unborn child
H360D - May damage the unborn child
H360F - May damage fertility
H360FD - May damage fertility. May damage the unborn child
H361fd - Suspected of damaging fertility. Suspected of damaging the unborn child
H362 - May cause harm to breast-fed children
H372 - Causes damage to organs through prolonged or repeated exposure
H400 - Very toxic to aquatic life
H410 - Very toxic to aquatic life with long lasting effects
H411 - Toxic to aquatic life with long lasting effects
H412 - Harmful to aquatic life with long lasting effects

Legend
SVHC: Substances of Very High Concern for Authorisation:

Legend Section 8: Exposure controls/personal protection

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	Sk*	Skin designation

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - Vapour	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	On basis of test data
Serious eye damage/eye irritation	On basis of test data
Respiratory sensitisation	Calculation method
Skin sensitisation	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method
Corrosive to metals	On basis of test data

Key literature references and sources for data used to compile the SDS
Agency for Toxic Substances and Disease Registry (ATSDR)
U.S. Environmental Protection Agency ChemView Database
European Food Safety Authority (EFSA)
EPA (Environmental Protection Agency)
Acute Exposure Guideline Level(s) (AEGL(s))
U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act
U.S. Environmental Protection Agency High Production Volume Chemicals
Food Research Journal
Hazardous Substance Database
International Uniform Chemical Information Database (IUCLID)
Japan GHS Classification
Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
NIOSH (National Institute for Occupational Safety and Health)
National Library of Medicine's ChemID Plus (NLM CIP)
National Library of Medicine’s PubMed database (NLM PUBMED)
National Toxicology Program (NTP)
New Zealand's Chemical Classification and Information Database (CCID)
Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications
Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme

Organisation for Economic Co-operation and Development Screening Information Data Set
World Health Organization

Revision date 26-Jul-2024

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006
Disclaimer
The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

End of Safety Data Sheet