



Agilent Technologies

Kit Name: Cannabis and Hemp Potency Kit

Kit PN: 5610-2036

This product is a kit, composed of the following individual chemical components:

Kit Components

Component Part Number	Component Name	Volume or mass/ container and unit	No. of component containers/ kit
G2453-85060	Formic acid, 5 ml	5mL	1
699975-302	Agilent InfinityLab Poroshell 120 EC-C18, 3.0 × 50 mm, 2.7 μm	<10mL Solvent	1 LC Column
5183-2072	Vial, screw top, amber, write-on spot, deactivated (silanized), certified, 2 mL, 100/pk	(Only contains hardware/non-chemical containing)	
5182-0718	Cap, screw, green, PTFE/red silicone septa, 100/pk		
5610-2049	50 mL centrifuge tubes, 25/pk		
5190-5107	0.45 μm Regenerated cellulose (RC) syringe filter, 100/pk		
9301-6476	Syringe, 5 mL, 100/pk		
5982-9313	Ceramic Homogenizers, for 50 mL tubes, 100/pk		

SDSs for each component follow this cover sheet.

Transportation Information for the Kit:

Proper Shipping Names:

DOT	IATA/ICAO	China
UN3316 Chemical Kits, 9, II	UN3316 Chemical Kit, 9, II	UN3316 Chemical Kits, 9, II

Ficha de Informações de Segurança de Produtos Químicos

em conformidade com ABNT NBR 14725-4

data da impressão 10.04.2020

Número da versão 4

Revisão: 10.04.2020

1 Identificação

- **Identificador do produto**
- **Nome comercial:** Formic acid Reagent Grade (1 x 5mL)
- **Código do produto:** G2453-85060
- **N° CAS:**
64-18-6
- **Número CE:**
200-579-1
- **Número de índice:**
607-001-00-0
- **Utilizações identificadas relevantes da substância ou mistura e utilizações desaconselhadas**
Reagentes e padrões para uso laboratorial de química analítica
- **Identificação do fornecedor da ficha de dados de segurança**
- **Fabricante/fornecedor:**
Agilent Technologies, Inc.
5301 Stevens Creek Blvd.
Santa Clara, CA 95051 USA
- **Entidade para obtenção de informações adicionais:**
Phone: 800-227-9770
e-mail: pdl-msds_author@agilent.com
- **Telefone para emergências:** CHEMTREC®: +(55) - 2139581449

2 Identificação de perigos

- **Classificação da substância ou mistura**



GHS02 Chama

Líquidos inflamáveis – Categoria 3

H226 Líquido e vapores inflamáveis.



GHS06 Crânio e ossos cruzados

Toxicidade aguda - Inalação – Categoria 3

H331 Tóxico se inalado.



GHS05 Corrosão

Corrosão/irritação à pele – Categoria 1A

H314 Provoca queimadura severa à pele e dano aos olhos.

Lesões oculares graves/irritação ocular – Categoria 1

H318 Provoca lesões oculares graves.



GHS07

Toxicidade aguda - Oral – Categoria 4

H302 Nocivo se ingerido.

- **Elementos de rotulagem**

- **Elementos de rotulagem do GHS**

A substância classificou-se e está etiquetado em conformidade com ABNT-NBR 14725.

(continuação na página 2)

Ficha de Informações de Segurança de Produtos Químicos

em conformidade com ABNT NBR 14725-4

data da impressão 10.04.2020

Número da versão 4

Revisão: 10.04.2020

Nome comercial: Formic acid Reagent Grade (1 x 5mL)

(continuação da página 1)

· Pictogramas de perigo

GHS02 GHS05 GHS06

· Palavra-sinal Perigo**· Componentes determinantes para os perigos constantes do rótulo:**

ácido fórmico

· Frases de perigo

Líquido e vapores inflamáveis.

Nocivo se ingerido.

Tóxico se inalado.

Provoca queimadura severa à pele e dano aos olhos.

· Frases de prudência

Se for necessário consultar um médico, tenha em mãos a embalagem ou o rótulo.

Mantenha fora do alcance das crianças.

Leia o rótulo antes de utilizar o produto.

Mantenha afastado do calor/fáscia/chama aberta/superfícies quentes. – Não fume.

Aterre o vaso contendor e o receptor do produto durante transferências.

Utilize equipamento elétrico/de ventilação/de iluminação à prova de explosão.

Utilize apenas ferramentas antifaiscantes.

Evite o acúmulo de cargas eletrostáticas.

Não inale as poeiras ou névoas.

Lave cuidadosamente após o manuseio.

Não coma, beba ou fume durante a utilização deste produto.

Utilize apenas ao ar livre ou em locais bem ventilados.

Use luvas de proteção/roupa de proteção/proteção ocular/proteção facial.

EM CASO DE INGESTÃO: Caso sinta indisposição, contate um CENTRO DE INFORMAÇÃO TOXICOLÓGICA/médico.

EM CASO DE INGESTÃO: Enxágue a boca. NÃO provoque vômito.

EM CASO DE CONTATO COM A PELE (ou com o cabelo): Retire imediatamente toda a roupa contaminada.

Enxágue a pele com água/ tome uma ducha.

EM CASO DE INALAÇÃO: Remova a pessoa para local ventilado e a mantenha em repouso numa posição que não dificulte a respiração.

EM CASO DE CONTATO COM OS OLHOS: Enxágue cuidadosamente com água durante vários minutos. No caso de uso de lentes de contato, remova-as, se for fácil. Continue enxaguando.

Contate imediatamente um CENTRO DE INFORMAÇÃO TOXICOLÓGICA/ médico.

Tratamento específico (veja neste rótulo).

Lave a roupa contaminada antes de usá-la novamente.

Em caso de incêndio: Para a extinção utilize CO₂, pó extintor ou jacto de água.

Armazene em local bem ventilado. Mantenha o recipiente hermeticamente fechado.

Armazene em local bem ventilado. Mantenha em local fresco.

Armazene em local fechado à chave.

Eliminar o conteúdo/recipiente de acordo com a legislação local/regional/nacional/internacional.

· Método de classificação:**· Classificação NFPA (escala 0 - 4)**

Saúde = 3

Inflamabilidade = 2

Reactividade = 0

(continuação na página 3)

Ficha de Informações de Segurança de Produtos Químicos

em conformidade com ABNT NBR 14725-4

data da impressão 10.04.2020

Número da versão 4

Revisão: 10.04.2020

Nome comercial: Formic acid Reagent Grade (1 x 5mL)

(continuação da página 2)

· Classificação HMIS (escala 0 - 4)

HEALTH	*3	Saúde = *3
FIRE	2	Inflamabilidade = 2
REACTIVITY	0	Reatividade = 0

- **Outros perigos**
- **Resultados da avaliação PBT e mPmB**
- **PBT:** Não aplicável.
- **mPmB:** Não aplicável.

3 Composição e informações sobre os ingredientes

- **Caracterização química: Substâncias**
- **Designação CAS nº**
64-18-6 ácido fórmico
- **Número(s) de identificação**
- **Número CE:** 200-579-1
- **Número de índice:** 607-001-00-0

4 Medidas de primeiros-socorros

- **Descrição das medidas de primeiros socorros**
- **Indicações gerais:**
O vestuário contaminado com substâncias perigosas deve ser imediatamente removido.
Os sintomas de envenenamento podem surgir apenas após várias horas, por isso é necessária vigilância médica pelo menos 48 horas após o acidente.
Tirar a protecção respiratória apenas depois de ter sido despido o vestuário contaminado.
Em caso de respiração irregular ou paragem da respiração, executar respiração artificial.
- **Em caso de inalação:**
Ar fresco ou entrada de oxigénio; solicitar auxílio médico.
Se a vítima estiver inconsciente, posicioná-la e transportá-la com estabilidade, deitada lateralmente.
- **Em caso de contato com a pele:** Lavar imediatamente com água e sabão e enxaguar abundantemente.
- **Em caso de contato com os olhos:**
Enxaguar os olhos durante alguns minutos sob água corrente, mantendo as pálpebras abertas, e consultar o médico.
- **Em caso de ingestão:**
Consultar imediatamente o médico
Beber bastante água e respirar ar fresco. Consultar imediatamente um médico.
- **Notas para o médico:**
- **Sintomas e efeitos mais importantes, agudos ou tardios**
Não existe mais nenhuma informação relevante disponível.
- **Indicações sobre cuidados médicos urgentes e tratamentos especiais necessários**
Não existe mais nenhuma informação relevante disponível.

5 Medidas de combate a incêndio

- **Meios de extinção**
- **Meios adequados de extinção:**
CO₂, pó extintor ou jacto de água. Um incêndio de grandes dimensões deve ser combatido com jacto de água ou espuma resistente ao álcool.

(continuação na página 4)

Ficha de Informações de Segurança de Produtos Químicos

em conformidade com ABNT NBR 14725-4

data da impressão 10.04.2020

Número da versão 4

Revisão: 10.04.2020

Nome comercial: Formic acid Reagent Grade (1 x 5mL)

(continuação da página 3)

- **Perigos específicos da substância ou mistura**
Formação de gases tóxicos devido a aquecimento ou em caso de incêndio.
- **Medidas de proteção da equipe de combate a incêndio**
- **Equipamento especial de proteção:** Colocar máscara de respiração.

6 Medidas de controle para derramamento ou vazamento

- **Precauções pessoais, equipamento de proteção e procedimentos de emergência**
Colocar máscara de respiração.
Usar equipamento de proteção. Manter as pessoas desprotegidas afastadas.
- **Precauções ao meio ambiente:**
Diluir em bastante água.
Evitar que penetre na canalização / águas superficiais / águas subterrâneas.
- **Métodos e materiais para a contenção e limpeza:**
Recolher com produtos que absorvam líquidos (areia, seixos, absorventes universais, serradura).
Aplicar um agente de neutralização.
Eliminar residualmente as substâncias contaminadas como um resíduo segundo o Ponto 13.
Assegurar uma ventilação adequada.
- **Remissão para outras secções**
Para informações sobre uma manipulação segura, ver o capítulo 7.
Para informações referentes ao equipamento de proteção individual, ver o capítulo 8.
Para informações referentes à eliminação residual, ver o capítulo 13.

7 Manuseio e armazenamento

- **Manuseamento:**
- **Precauções para manuseio seguro**
Assegurar uma boa ventilação / exaustão no local de trabalho.
Abrir e manusear o recipiente com cuidado
Evitar a formação de aerossóis.
- **Precauções para prevenir incêndios e explosões:**
Manter afastado de fontes de ignição - não fumar.
Proteger contra descargas electrostáticas.
Manter uma máscara de respiração sempre preparada.
- **Condições de armazenamento seguro, incluindo qualquer incompatibilidade**
- **Armazenagem:**
- **Requisitos para espaços ou contentores para armazenagem:** Sem requisitos especiais.
- **Avisos para armazenagem conjunta:** Não necessário.
- **Outros avisos sobre as condições de armazenagem:** Manter o recipiente hermeticamente fechado.
- **Utilizações finais específicas** Não existe mais nenhuma informação relevante disponível.

8 Controle de exposição e proteção individual

- **Indicações adicionais para concepção de instalações técnicas:** Não existem outras informações, ver ponto 7.
(continuação na página 5)

Ficha de Informações de Segurança de Produtos Químicos em conformidade com ABNT NBR 14725-4

data da impressão 10.04.2020

Número da versão 4

Revisão: 10.04.2020

Nome comercial: Formic acid Reagent Grade (1 x 5mL)

(continuação da página 4)

· Parâmetros de controle**· Componentes cujo valor do limite de exposição no local de trabalho deve ser monitorizado:****64-18-6 ácido fórmico**

PEL (US)	Valor para exposição longa: 9 mg/m ³ , 5 ppm
REL (US)	Valor para exposição longa: 9 mg/m ³ , 5 ppm
TLV (US)	Valor para exposição curta: 19 mg/m ³ , 10 ppm Valor para exposição longa: 9,4 mg/m ³ , 5 ppm

· Indicações adicionais: Foram utilizadas como base as listas válidas à data da elaboração.**· Medidas de controle de engenharia:****· Medidas de proteção pessoal:****· Medidas gerais de protecção e higiene:**

- Manter afastado de alimentos, bebidas e forragens.
- Despir imediatamente a roupa contaminada e embebida.
- Lavar as mãos antes das pausas e no fim do trabalho.
- Guardar o vestuário de protecção separadamente.
- Evitar o contacto com os olhos.
- Evitar o contacto com os olhos e com a pele.

· Protecção respiratória:

Quando usado conforme planejado com instrumentos da Agilent, o uso do produto em condições laboratoriais normais e com práticas padrão não resulta em exposições atmosféricas significativas e, por isso, não é necessária protecção respiratória.

Em uma condição de emergência na qual uma protecção respiratória for considerada necessária, use um equipamento aprovado pela NIOSH ou equivalente com cartucho de gás ácido orgânico ou ácido correto.

· Protecção das mãos:

Embora não sejam recomendadas para contato constante com os químicos ou para limpeza, são recomendadas luvas de nitrilo de 0,28 a 0,33 mm de espessura para uso normal.

O período de permeação é de 1 hora.

Para limpar um derramamento onde há contato direto da substância química, luvas de borracha de butil são recomendadas com espessura de 0,30 a 0,38 mm com períodos de permeação acima de 4 horas. As recomendações do fabricante devem ser seguidas.

· Material das luvas

Para uso normal:

borracha de nitrilo, espessura de 0,28 a 0,33 mm

Para contato direto com a substância química:

borracha de butil, espessura de 0,30 a 0,38 mm

A escolha das luvas mais adequadas não depende apenas do material, mas também de outras características qualitativas e varia de fabricante para fabricante.

· Tempo de penetração no material das luvas

Para uso normal:

borracha de nitrilo:

1 hora

Para contato direto com a substância química:

borracha de butil:

acima de 4 horas

(continuação na página 6)

Ficha de Informações de Segurança de Produtos Químicos

em conformidade com ABNT NBR 14725-4

data da impressão 10.04.2020

Número da versão 4

Revisão: 10.04.2020

Nome comercial: Formic acid Reagent Grade (1 x 5mL)

(continuação da página 5)

 · **Proteção dos olhos/face:**


Óculos de protecção totalmente fechados

9 Propriedades físicas e químicas

 · **Informações sobre propriedades físicas e químicas de base**

 · **Informações gerais**

 · **Aspecto:**

· Forma:	Líquido
· Cor:	Incolor
· Odor:	Agudo
· Limite de odor:	Não determinado.

 · **valor pH:** Não determinado.

 · **Mudança do estado:**

· Ponto de fusão/ponto de congelamento:	-9 °C
· Ponto de ebulição inicial e faixa de temperatura de ebulição:	107 °C

 · **Ponto de fulgor:** 59 °C

 · **Inflamabilidade (sólido, gás):** Não aplicável.

 · **Temperatura de ignição:** 520 °C

 · **Temperatura de decomposição:** Não determinado.

 · **Temperatura de autoignição:** Não determinado.

 · **Propriedades explosivas:** Não determinado.

 · **Limites de explosão:**

· Inferior:	14 Vol %
· Superior:	33 Vol %

 · **Pressão de vapor em 20 °C:** 30 hPa

 · **Densidade em 20 °C:** 1,2 g/cm³

 · **Densidade relativa** Não determinado.

 · **Densidade de vapor** Não determinado.

 · **Taxa de evaporação:** Não determinado.

 · **Solubilidade em / miscibilidade com água:**

Completamente misturável.

 · **Coefficiente de partição – n-octanol/água:** Não determinado.

 · **Viscosidade:**

· Dinâmico:	Não determinado.
· Cinemático:	Não determinado.

 · **Percentagem de solvente:**

VOC (UE) 0,00 %

(continuação na página 7)

Ficha de Informações de Segurança de Produtos Químicos

em conformidade com ABNT NBR 14725-4

data da impressão 10.04.2020

Número da versão 4

Revisão: 10.04.2020

Nome comercial: Formic acid Reagent Grade (1 x 5mL)

(continuação da página 6)

Percentagem de substâncias sólidas:	0,0 %
· Outras informações	Não existe mais nenhuma informação relevante disponível.

10 Estabilidade e reatividade

- **Reactividade** Não existe mais nenhuma informação relevante disponível.
- **Estabilidade química**
- **Decomposição térmica / condições a evitar:** Não existe decomposição se usado de acordo com as especificações.
- **Possibilidade de reações perigosas** Não se conhecem reações perigosas.
- **Condições a serem evitadas** Não existe mais nenhuma informação relevante disponível.
- **Materiais incompatíveis:** Não existe mais nenhuma informação relevante disponível.
- **Produtos perigosos da decomposição:** Não se conhecem produtos de decomposição perigosos.

11 Informações toxicológicas

- **Informações sobre os efeitos toxicológicos**
- **Toxicidade aguda:**

- **Valores LD/LC50 relevantes para a classificação:**

ATE (Estimativa de toxicidade aguda (ETA))

por via oral	LD50	730 mg/kg (rat)
por inalação	LC50/4 h	7,4 mg/L (rat)

64-18-6 ácido fórmico

por via oral	LD50	730 mg/kg (rat)
por inalação	LC50/4 h	7,4 mg/L (rat)

- **Efeito de irritabilidade primário:**
- **Corrosão / irritação da pele** Forte efeito corrosivo na pele e nas mucosas.
- **Lesões oculares graves/ irritação ocular**
Forte efeito corrosivo.
Forte efeito irritante com perigo de lesões oculares graves.
- **Sensibilização respiratória ou à pele** Não são conhecidos efeitos sensibilizantes.
- **Avisos adicionais de toxicologia:**
Em caso de ingestão surgem fortes efeitos corrosivos na boca e na garganta, existindo ainda o risco de perfuração do esôfago e do estômago.

12 Informações ecológicas

- **Toxicidade**
- **Toxicidade aquática:** Não existe mais nenhuma informação relevante disponível.
- **Persistência e degradabilidade** Não existe mais nenhuma informação relevante disponível.
- **Comportamento em sistemas ambientais:**
- **Potencial bioacumulativo** Não existe mais nenhuma informação relevante disponível.
- **Mobilidade no solo** Não existe mais nenhuma informação relevante disponível.

(continuação na página 8)

Ficha de Informações de Segurança de Produtos Químicos

em conformidade com ABNT NBR 14725-4

data da impressão 10.04.2020

Número da versão 4

Revisão: 10.04.2020

Nome comercial: Formic acid Reagent Grade (1 x 5mL)





(continuação da página 7)

- **Outras indicações ecológicas:**
- **Indicações gerais:**
 Classe de perigo para a água 1 (D) (classificação pelas listas): pouco perigoso para a água
 Não deixar chegar substâncias concentradas, ou seja quantidades grandes, às águas subterrâneas, aos cursos de água ou à canalização.
 Substâncias concentradas, ou seja não neutralizadas, não podem chegar aos esgotos nem às águas.
- **Resultados da avaliação PBT e mPmB**
- **PBT:** Não aplicável.
- **mPmB:** Não aplicável.
- **Outros efeitos adversos** Não existe mais nenhuma informação relevante disponível.

13 Considerações sobre destinação final

- **Métodos recomendados para destinação final**
- **Recomendação:** Não se pode eliminar juntamente com o lixo doméstico. Não permita que chegue à canalização.
- **Embalagens contaminadas:**
- **Recomendação:** Eliminação residual conforme o regulamento dos serviços públicos.
- **Meio de limpeza recomendado:** Água, eventualmente com adição de produtos de limpeza

14 Informações sobre transporte

- | | |
|---|-----------------------------------|
| · Número ONU
· ANTT, IMDG, IATA | UN1779 |
| · Nome apropriado para embarque
· ANTT
· IMDG, IATA | 1779 ÁCIDO FÓRMICO
FORMIC ACID |
| · Classe /subclasse de risco principal e subsidiário
· ANTT | |
|   | 8 Matérias corrosivas
8+3 |
| · IMDG | |
|   | 8 Matérias corrosivas
8/3 |

(continuação na página 9)

Ficha de Informações de Segurança de Produtos Químicos

em conformidade com ABNT NBR 14725-4

data da impressão 10.04.2020

Número da versão 4

Revisão: 10.04.2020

Nome comercial: Formic acid Reagent Grade (1 x 5mL)

(continuação da página 8)

· IATA



· Class	8 Matérias corrosivas
· Label	8 (3)

· Grupo de embalagem	II
· ANTT, IMDG, IATA	II

· Perigo ao meio ambiente:	Não aplicável.
----------------------------	----------------

· Precauções especiais para o utilizador	Atenção: Matérias corrosivas
· Número de identificação de perigo (Nº Kemler):	80
· Nº EMS:	8-05
· Segregation groups	Acids
· Stowage Category	A
· Segregation Code	SG36 Stow "separated from" SGG18-alkalis. SG49 Stow "separated from" SGG6-cyanides

· Transporte a granel em conformidade com o anexo II da Convenção Marpol 73/78 e o Código IBC	Não aplicável.
---	----------------

· Transporte/outras informações:

· ANTT	
· Quantidades Limitadas (LQ)	1L
· Quantidades exceptuadas (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· Categoria de transporte	2
· Código de restrição em túneis	E

· IMDG	
· Limited quantities (LQ)	1L
· Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml

· UN "Model Regulation":	UN 1779 ÁCIDO FÓRMICO, 8 (3), II
--------------------------	----------------------------------

15 Informações sobre regulamentações

· Avaliação da segurança química: Não foi realizada nenhuma Avaliação de Segurança Química.

16 Outras informações

A informação contida neste documento baseia-se no estado de conhecimento da Agilent aquando da sua preparação. Não é dada nenhuma garantia, expressa ou implícita, quanto à sua exactidão, exaustividade, ou adequação a um fim particular.

(continuação na página 10)

Ficha de Informações de Segurança de Produtos Químicos

em conformidade com ABNT NBR 14725-4

data da impressão 10.04.2020

Número da versão 4

Revisão: 10.04.2020

Nome comercial: Formic acid Reagent Grade (1 x 5mL)

(continuação da página 9)

· Abreviaturas e acrónimos:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

· * Dados alterados em comparação à versão anterior

BR

SAFETY DATA SHEET

Poroshell 120 EC-C18 Chromatography Columns with Acetonitrile and Water less than 10mL

Section 1. Identification

This product is considered an article. This Safety Data Sheet is written based on the encapsulated substance or mixture in this article.

1.1 Product identifier

Product name : Poroshell 120 EC-C18 Chromatography Columns with Acetonitrile and Water less than 10mL

Part no. : 690975-902, 693975-902, 695775-922, 695975-902, 697975-902, 699775-922, 699975-902, 691975-902, 693975-302, 695975-302, 697975-302, 699975-302, 691975-302, 693775-902, 695775-902, 697775-902, 699775-902, 691775-902, 821725-911, 823750-911, 820750-911, 699770-902, 695770-902, 693770-902, 650750-902, 699970-302, 695970-302, 693970-302, 690970-302, 699970-902, 695970-902, 693970-902, 690970-902, 821725-916, 823750-916, 820750-916, 650750-902T, 690970-302T, 690970-902T, 690975-902T, 691775-902T, 691975-302T, 691975-902T, 693770-902T, 693775-902T, 693970-302T, 693970-902T, 693975-302T, 693975-902T, 695770-902T, 695775-902T, 695970-302T, 695970-902T, 695975-302T, 695975-902T, 697775-902T, 697975-302T, 697975-902T, 699770-902T, 699775-902T, 699970-302T, 699970-902T, 699975-302T, 699975-902T, 699675-902, 695675-902, 693675-902, 699675-302, 695675-302, 693675-302, 821725-940, 823750-940, 695575-902, 693575-902, 695575-302, 693575-302, 691775-302

Validation date : 10/14/2019

1.2 Relevant identified uses of the substance or mixture and uses advised against

Material uses : Analytical chemistry.
HPLC column
Solvent volume: <10 ml

690975-902	Poroshell 120, EC-C18, 4.6x250mm, 2.7um
693975-902	Poroshell 120, EC-C18, 4.6x150mm, 2.7um
695775-922	Poroshell 120, EC-C18, 2.1x100mm, 2.7um 2pk
695975-902	Poroshell 120, EC-C18, 4.6x100mm, 2.7um
697975-902	Poroshell 120, EC-C18, 4.6x75mm, 2.7um
699775-922	Poroshell 120, EC-C18, 2.1x50mm, 2.7um 2pk
699975-902	Poroshell 120, EC-C18, 4.6x50mm, 2.7um
691975-902	Poroshell 120, EC-C18, 4.6x30mm, 2.7um
693975-302	Poroshell 120, EC-C18, 3.0x150mm, 2.7um
695975-302	Poroshell 120, EC-C18, 3.0x100mm, 2.7um
697975-302	Poroshell 120, EC-C18, 3.0x75mm, 2.7um
699975-302	Poroshell 120, EC-C18, 3.0x50mm, 2.7um
691975-302	Poroshell 120, EC-C18, 3.0x30mm, 2.7um
693775-902	Poroshell 120, EC-C18, 2.1x150mm, 2.7um
695775-902	Poroshell 120, EC-C18, 2.1x100mm, 2.7um
697775-902	Poroshell 120, EC-C18, 2.1x75mm, 2.7um
699775-902	Poroshell 120, EC-C18, 2.1x50mm, 2.7um
691775-902	Poroshell 120, EC-C18, 2.1x30mm, 2.7um
821725-911	Poroshell 120, UHPLC Guard, EC-C18, 2.1mm
823750-911	Poroshell 120, UHPLC Guard, EC-C18, 3.0mm
820750-911	Poroshell 120, UHPLC Guard, EC-C18, 4.6mm
699770-902	Poroshell 120, EC-C18, 2.1x50mm, 4um
695770-902	Poroshell 120, EC-C18, 2.1x100mm, 4um
693770-902	Poroshell 120, EC-C18, 2.1x150mm, 4um
650750-902	Poroshell 120, EC-C18, 2.1x250mm, 4um
699970-302	Poroshell 120, EC-C18, 3x50mm, 4um
695970-302	Poroshell 120, EC-C18, 3x100mm, 4um
693970-302	Poroshell 120, EC-C18, 3x150mm, 4um
690970-302	Poroshell 120, EC-C18, 3x250mm, 4um
699970-902	Poroshell 120, EC-C18, 4.6x50mm, 4um
695970-902	Poroshell 120, EC-C18, 4.6x100mm, 4um

Section 1. Identification

693970-902	Poroshell 120, EC-C18, 4.6x150mm, 4um
690970-902	Poroshell 120, EC-C18, 4.6x250mm, 4um
821725-916	Poroshell 120, UHPLC Grd, EC-C18, 2.1mm, 4um
823750-916	Poroshell 120, UHPLC Grd, EC-C18, 3mm, 4um
820750-916	Poroshell 120, UHPLC Grd, EC-C18, 4.6mm, 4um
650750-902T	Poroshell 120, EC-C18, 2.1x 250mm, 4um, T
690970-302T	Poroshell 120, EC-C18, 3x 250mm, 4um, T
690970-902T	Poroshell 120, EC-C18, 4.6x 250mm, 4um, T
690975-902T	Poroshell 120, EC-C18, 4.6x 250mm, 2.7um, T
691775-902T	Poroshell 120, EC-C18, 2.1x 30mm, 2.7um, T
691975-302T	Poroshell 120, EC-C18, 3x 30mm, 2.7um, T
691975-902T	Poroshell 120, EC-C18, 4.6x 30mm, 2.7um, T
693770-902T	Poroshell 120, EC-C18, 2.1x 150mm, 4um, T
693775-902T	Poroshell 120, EC-C18, 2.1x 150mm, 2.7um, T
693970-302T	Poroshell 120, EC-C18, 3x 150mm, 4um, T
693970-902T	Poroshell 120, EC-C18, 4.6x 150mm, 4um, T
693975-302T	Poroshell 120, EC-C18, 3x 150mm, 2.7um, T
693975-902T	Poroshell 120, EC-C18, 4.6x 150mm, 2.7um, T
695770-902T	Poroshell 120, EC-C18, 2.1x 100mm, 4um, T
695775-902T	Poroshell 120, EC-C18, 2.1x 100mm, 2.7um, T
695970-302T	Poroshell 120, EC-C18, 3x 100mm, 4um, T
695970-902T	Poroshell 120, EC-C18, 4.6x 100mm, 4um, T
695975-302T	Poroshell 120, EC-C18, 3x 100mm, 2.7um, T
695975-902T	Poroshell 120, EC-C18, 4.6x 100mm, 2.7um, T
697775-902T	Poroshell 120, EC-C18, 2.1x 75mm, 2.7um, T
697975-302T	Poroshell 120, EC-C18, 3x 75mm, 2.7um, T
697975-902T	Poroshell 120, EC-C18, 4.6x 75mm, 2.7um, T
699770-902T	Poroshell 120, EC-C18, 2.1x 50mm, 4um, T
699775-902T	Poroshell 120, EC-C18, 2.1x 50mm, 2.7um, T
699970-302T	Poroshell 120, EC-C18, 3x 50mm, 4um, T
699970-902T	Poroshell 120, EC-C18, 4.6x 50mm, 4um, T
699975-302T	Poroshell 120, EC-C18, 3x 50mm, 2.7um, T
699975-902T	Poroshell 120, EC-C18, 4.6x 50mm, 2.7um, T
699675-902	Poroshell 120 EC-C18, 2.1x50mm, 1.9um, T
695675-902	Poroshell 120 EC-C18, 2.1x100mm, 1.9um, T
693675-902	Poroshell 120 EC-C18, 2.1x150mm, 1.9um, T
699675-302	Poroshell 120 EC-C18, 3x50mm, 1.9um, T
695675-302	Poroshell 120 EC-C18, 3x100mm, 1.9um, T
693675-302	Poroshell 120 EC-C18, 3x150mm, 1.9um, T
821725-940	UHPLC Grd, P120 EC-C18, 2.1mm, 1.9um, 3pk
823750-940	UHPLC Grd, P120 EC-C18, 3mm, 1.9um, 3pk
695575-902	Poroshell 120, EC-C18, 2.1x100mm, 2.7u, 1000bar
693575-902	Poroshell 120, EC-C18, 2.1x150mm, 2.7u, 1000bar
695575-302	Poroshell 120, EC-C18, 3.0x100mm, 2.7u, 1000bar
693575-302	Poroshell 120, EC-C18, 3.0x150mm, 2.7u, 1000bar
691775-302	Poroshell 120, EC-C18, 3.0x30mm, 1.9um, T

1.3 Details of the supplier of the safety data sheet

Supplier/Manufacturer : Agilent Technologies, Inc.
5301 Stevens Creek Blvd
Santa Clara, CA 95051, USA
800-227-9770

1.4 Emergency telephone number

In case of emergency : CHEMTREC®: 1-800-424-9300

Section 2. Hazards identification

This article, when used under reasonable conditions and in accordance with the directions for use, should not present a health hazard. The substance or mixture is encapsulated in the article. Only if released due to use or processing of the article in a manner not in accordance with the product's directions for use it may present potential health and safety hazards.

2.1 Classification of the substance or mixture

OSHA/HCS status : This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Classification of the substance or mixture

H225 FLAMMABLE LIQUIDS - Category 2
 H319 EYE IRRITATION - Category 2A
 H373 SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) (blood system, central nervous system (CNS), kidneys, liver) - Category 2

2.2 GHS label elements

Hazard pictograms



Signal word

: Danger

Hazard statements

: H225 - Highly flammable liquid and vapor.
 H319 - Causes serious eye irritation.
 H373 - May cause damage to organs through prolonged or repeated exposure. (blood system, central nervous system (CNS), kidneys, liver)

Precautionary statements

Prevention

: P280 - Wear protective gloves. Wear eye or face protection.
 P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
 P241 - Use explosion-proof electrical, ventilating, lighting and all material-handling equipment.
 P242 - Use only non-sparking tools.
 P243 - Take precautionary measures against static discharge.
 P233 - Keep container tightly closed.
 P260 - Do not breathe vapor.
 P264 - Wash hands thoroughly after handling.

Response

: P314 - Get medical attention if you feel unwell.
 P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
 P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P337 + P313 - If eye irritation persists: Get medical attention.

Storage

: P403 - Store in a well-ventilated place.
 P235 - Keep cool.

Disposal

: P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.

2.3 Other hazards

Hazards not otherwise classified

: None known.

Section 3. Composition/information on ingredients

This article, when used under reasonable conditions and in accordance with the directions for use, should not present a health hazard. The substance or mixture is encapsulated in the article. Only if released due to use or processing of the article in a manner not in accordance with the product's directions for use it may present potential health and safety hazards.

Substance/mixture : Mixture (encapsulated in article)

Ingredient name	%	CAS number
Acetonitrile	≥10 - <22	75-05-8

Contains: Organosilane bonded silica gel

Note: To the best of our knowledge, the acute and chronic toxicological properties of bonded silica gels have not been investigated. This product contains synthetic amorphous silica, and should not be confused with crystalline silica such as quartz, cristobalite, or tridymite, or with diatomaceous earth or other naturally occurring forms of amorphous silica that frequently contain crystalline forms of silica.

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

4.1 Description of necessary first aid measures

- Eye contact** : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
- Inhalation** : Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention following exposure or if feeling unwell. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
- Skin contact** : Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at least 10 minutes. Get medical attention following exposure or if feeling unwell. Wash clothing before reuse. Clean shoes thoroughly before reuse.
- Ingestion** : Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention following exposure or if feeling unwell. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

4.2 Most important symptoms/effects, acute and delayed

Potential acute health effects

- Eye contact** : Causes serious eye irritation.
- Inhalation** : No known significant effects or critical hazards.
- Skin contact** : No known significant effects or critical hazards.

Section 4. First aid measures

Ingestion : No known significant effects or critical hazards.

Over-exposure signs/symptoms

Eye contact : Adverse symptoms may include the following:
pain or irritation
watering
redness

Inhalation : No specific data.

Skin contact : No specific data.

Ingestion : No specific data.

4.3 Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician : In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

Specific treatments : No specific treatment.

Protection of first-aiders : No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media : Use dry chemical, CO₂, water spray (fog) or foam.

Unsuitable extinguishing media : Do not use water jet.

5.2 Special hazards arising from the substance or mixture

Specific hazards arising from the chemical : Highly flammable liquid and vapor. Runoff to sewer may create fire or explosion hazard. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion.

Hazardous thermal decomposition products : Decomposition products may include the following materials:
carbon dioxide
carbon monoxide
nitrogen oxides
metal oxide/oxides
cyanides

5.3 Advice for firefighters

Special protective actions for fire-fighters : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.

Special protective equipment for fire-fighters : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

- For non-emergency personnel** : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
- For emergency responders** : If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

- 6.2 Environmental precautions** : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

6.3 Methods and materials for containment and cleaning up

- Methods for cleaning up** : Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Section 7. Handling and storage

7.1 Precautions for safe handling

- Protective measures** : Put on appropriate personal protective equipment (see Section 8). Do not breathe vapor or mist. Do not ingest. Avoid contact with eyes, skin and clothing. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not enter storage areas and confined spaces unless adequately ventilated. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use only non-sparking tools. Take precautionary measures against electrostatic discharges. Empty containers retain product residue and can be hazardous. Do not reuse container.
- Advice on general occupational hygiene** : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

- 7.2 Conditions for safe storage, including any incompatibilities** : Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

7.3 Specific end use(s)

- Recommendations** : Industrial applications, Professional applications.
- Industrial sector specific solutions** : Not applicable.

Section 8. Exposure controls/personal protection

Since the hazardous ingredient in this article is encapsulated, the risk of exposure by inhalation, ingestion, skin contact and eyes contact is minimum.

8.1 Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
Acetonitrile	<p>ACGIH TLV (United States, 3/2018). Absorbed through skin. TWA: 20 ppm 8 hours.</p> <p>OSHA PEL 1989 (United States, 3/1989). TWA: 40 ppm 8 hours. TWA: 70 mg/m³ 8 hours. STEL: 60 ppm 15 minutes. STEL: 105 mg/m³ 15 minutes.</p> <p>NIOSH REL (United States, 10/2016). TWA: 20 ppm 10 hours. TWA: 34 mg/m³ 10 hours.</p> <p>OSHA PEL (United States, 5/2018). TWA: 40 ppm 8 hours. TWA: 70 mg/m³ 8 hours.</p>

8.2 Exposure controls

Appropriate engineering controls

- : Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapor or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.

Environmental exposure controls

- : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

Hygiene measures

- : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection

- : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.

Skin protection

Hand protection

- : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

Section 8. Exposure controls/personal protection

- Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. When there is a risk of ignition from static electricity, wear anti-static protective clothing. For the greatest protection from static discharges, clothing should include anti-static overalls, boots and gloves.
- Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Respiratory protection** : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

- Physical state** : Solid. (containing flammable liquid)
- Color** : Not available.
- Odor** : Not available.
- Odor threshold** : Not available.
- pH** : Not available.
- Melting point** : Not available.
- Boiling point** : Not available.
- Flash point** : Closed cup: -18 to 23°C (-0.4 to 73.4°F)
- Evaporation rate** : Not available.
- Flammability (solid, gas)** : Contains: Flammable liquid.
- Lower and upper explosive (flammable) limits** : Not available.
- Vapor pressure** : Not available.
- Vapor density** : Not available.
- Relative density** : Not available.
- Solubility** : Mobile phase: Soluble
Stationary phase: Insoluble
- Partition coefficient: n-octanol/water** : Not available.
- Auto-ignition temperature** : Not available.
- Decomposition temperature** : Not available.
- Viscosity** : Not available.

Section 10. Stability and reactivity

- 10.1 Reactivity** : No specific test data related to reactivity available for this product or its ingredients.
- 10.2 Chemical stability** : The product is stable.
- 10.3 Possibility of hazardous reactions** : Under normal conditions of storage and use, hazardous reactions will not occur.
- 10.4 Conditions to avoid** : Avoid all possible sources of ignition (spark or flame). Do not pressurize, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition.

Section 10. Stability and reactivity

10.5 Incompatible materials : Reactive or incompatible with the following materials:
oxidizing materials
Incompatible with hydrogen fluoride.

10.6 Hazardous decomposition products : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Acetonitrile	LC50 Inhalation Vapor	Rat	17100 ppm	4 hours
	LD50 Oral	Rat	2460 mg/kg	-

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Acetonitrile	Eyes - Moderate irritant	Rabbit	-	24 hours 100 microliters	-
	Skin - Mild irritant	Rabbit	-	500 milligrams	-

Sensitization

Not available.

Mutagenicity

Conclusion/Summary : Not available.

Carcinogenicity

Conclusion/Summary : Not available.

Reproductive toxicity

Conclusion/Summary : Not available.

Teratogenicity

Conclusion/Summary : Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Name	Category	Route of exposure	Target organs
Acetonitrile	Category 2	Not determined	blood system, central nervous system (CNS), kidneys and liver

Aspiration hazard

Not available.

Information on the likely routes of exposure : Routes of entry anticipated: Oral, Dermal, Inhalation.

Potential acute health effects

Eye contact : Causes serious eye irritation.

Section 11. Toxicological information

- Inhalation** : No known significant effects or critical hazards.
Skin contact : No known significant effects or critical hazards.
Ingestion : No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

- Eye contact** : Adverse symptoms may include the following:
 pain or irritation
 watering
 redness
- Inhalation** : No specific data.
Skin contact : No specific data.
Ingestion : No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

- Potential immediate effects** : Not available.
Potential delayed effects : Not available.

Long term exposure

- Potential immediate effects** : Not available.
Potential delayed effects : Not available.

Potential chronic health effects

- General** : May cause damage to organs through prolonged or repeated exposure.
Carcinogenicity : No known significant effects or critical hazards.
Mutagenicity : No known significant effects or critical hazards.
Teratogenicity : No known significant effects or critical hazards.
Developmental effects : No known significant effects or critical hazards.
Fertility effects : No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Product/ingredient name	Oral (mg/kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapors) (mg/l)	Inhalation (dusts and mists) (mg/l)
Poroshell 120 EC-C18 Chromatography Columns with Acetonitrile and Water less than 10mL	2381	5238.1	N/A	52.4	N/A
Acetonitrile	500	1100	N/A	11	N/A

Section 12. Ecological information

12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
Acetonitrile	Acute IC50 3685000 µg/l Fresh water	Aquatic plants - Lemna minor	96 hours
	Acute LC50 3600000 µg/l Fresh water	Daphnia - Daphnia magna	48 hours
	Acute LC50 1000000 µg/l Fresh water	Fish - Pimephales promelas	96 hours
	Chronic NOEC 1000000 µg/l Fresh water	Aquatic plants - Lemna minor	96 hours
	Chronic NOEC 160000 µg/l Fresh water	Daphnia - Daphnia magna	21 days

12.2 Persistence and degradability

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
Acetonitrile	-	-	Readily

12.3 Bioaccumulative potential

Product/ingredient name	LogP _{ow}	BCF	Potential
Acetonitrile	-0.34	3	low

12.4 Mobility in soil

Soil/water partition coefficient (K_{oc}) : Not available.

12.5 Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

13.1 Waste treatment methods

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Vapor from product residues may create a highly flammable or explosive atmosphere inside the container. Do not cut, weld or grind used containers unless they have been cleaned thoroughly internally. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Toxic hazardous waste "U" List

Ingredient	CAS #	Status	Reference number
Acetonitrile (I,T)	75-05-8	Listed	U003

Section 13. Disposal considerations

Disposal should be in accordance with applicable regional, national and local laws and regulations. Local regulations may be more stringent than regional or national requirements.

The information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

Section 14. Transport information

This Safety Data Sheet is written based on the encapsulated substance or mixture in this article. Since the hazardous ingredient is encapsulated, the risk of exposure by inhalation, ingestion, skin contact and eyes contact is minimum.

DOT / TDG / Mexico / IMDG / IATA : Not regulated.

Remarks: Special provisions

DOT: 47

TDG: 56

MX: 216

IATA: A46

IMDG: 216

Special precautions for user : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according to Annex II of MARPOL and the IBC Code : Not available.

Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

U.S. Federal regulations : **TSCA 8(a) PAIR:** Acetonitrile
TSCA 8(a) CDR Exempt/Partial exemption: Not determined
Clean Water Act (CWA) 307: Acetonitrile

Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs) : Listed

Clean Air Act Section 602 Class I Substances : Not listed

Clean Air Act Section 602 Class II Substances : Not listed

DEA List I Chemicals (Precursor Chemicals) : Not listed

DEA List II Chemicals (Essential Chemicals) : Not listed

SARA 302/304

Section 15. Regulatory information

Composition/information on ingredients

No products were found.

SARA 304 RQ : Not applicable.

SARA 311/312

Classification : FLAMMABLE LIQUIDS - Category 2
EYE IRRITATION - Category 2A
SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) (blood system, central nervous system (CNS), kidneys, liver) - Category 2

Composition/information on ingredients

Name	%	Classification
Organosilane bonded silica gel	≥50 - ≤75	COMBUSTIBLE DUSTS
Acetonitrile	≥10 - <22	FLAMMABLE LIQUIDS - Category 2 ACUTE TOXICITY (oral) - Category 4 ACUTE TOXICITY (dermal) - Category 4 ACUTE TOXICITY (inhalation) - Category 4 EYE IRRITATION - Category 2A SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) (blood system, central nervous system (CNS), kidneys, liver) - Category 2

SARA 313

	Product name	CAS number	%
Form R - Reporting requirements	Acetonitrile	75-05-8	≥10 - <22
Supplier notification	Acetonitrile	75-05-8	≥10 - <22

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations

Massachusetts : The following components are listed: ACETONITRILE
New York : The following components are listed: Acetonitrile; Ethanenitrile
New Jersey : The following components are listed: ACETONITRILE; CYANOMETHANE
Pennsylvania : The following components are listed: ACETONITRILE

California Prop. 65

This product does not require a Safe Harbor warning under California Prop. 65.

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Inventory list

Australia : All components are listed or exempted.

Section 15. Regulatory information

Canada	: Not determined.
China	: All components are listed or exempted.
Europe	: All components are listed or exempted.
Japan	: Japan inventory (ENCS) : All components are listed or exempted. Japan inventory (ISHL) : All components are listed or exempted.
New Zealand	: All components are listed or exempted.
Philippines	: Not determined.
Republic of Korea	: Not determined.
Taiwan	: All components are listed or exempted.
Thailand	: Not determined.
Turkey	: All components are listed or exempted.
United States	: All components are listed or exempted.
Viet Nam	: Not determined.

Section 16. Other information

History

Date of issue	: 10/14/2019
Date of previous issue	: 05/03/2019
Version	: 9.1

Key to abbreviations

: ATE = Acute Toxicity Estimate
: BCF = Bioconcentration Factor
: GHS = Globally Harmonized System of Classification and Labelling of Chemicals
: IATA = International Air Transport Association
: IBC = Intermediate Bulk Container
: IMDG = International Maritime Dangerous Goods
: LogPow = logarithm of the octanol/water partition coefficient
: MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
: N/A = Not available
: UN = United Nations

Procedure used to derive the classification

Classification	Justification
FLAMMABLE LIQUIDS - Category 2 EYE IRRITATION - Category 2A SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) (blood system, central nervous system (CNS), kidneys, liver) - Category 2	On basis of test data Calculation method Calculation method

Indicates information that has changed from previously issued version.

Notice to reader

Disclaimer: The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.