



Agilent Technologies

Kit Name: Cannabis and Hemp Potency Kit

Kit PN: 5610-2036

This product is a kit, composed of the following individual chemical components:

Kit Components

| Component Part Number | Component Name | Volume or mass/ container and unit | No. of component containers/ kit |
|-----------------------|---|--|----------------------------------|
| G2453-85060 | Formic acid, 5 ml | 5mL | 1 |
| 699975-302 | Agilent InfinityLab Poroshell 120 EC-C18, 3.0 × 50 mm, 2.7 μm | <10mL Solvent | 1 LC Column |
| 5183-2072 | Vial, screw top, amber, write-on spot, deactivated (silanized), certified, 2 mL, 100/pk | (Only contains hardware/non-chemical containing) | |
| 5182-0718 | Cap, screw, green, PTFE/red silicone septa, 100/pk | | |
| 5610-2049 | 50 mL centrifuge tubes, 25/pk | | |
| 5190-5107 | 0.45 μm Regenerated cellulose (RC) syringe filter, 100/pk | | |
| 9301-6476 | Syringe, 5 mL, 100/pk | | |
| 5982-9313 | Ceramic Homogenizers, for 50 mL tubes, 100/pk | | |

SDSs for each component follow this cover sheet.

Transportation Information for the Kit:

Proper Shipping Names:

| DOT | IATA/ICAO | China |
|--------------------------------|-------------------------------|--------------------------------|
| UN3316 Chemical Kits, 9, II | UN3316 Chemical Kit, 9, II | UN3316 Chemical Kits, 9, II |

**Ficha de datos de seguridad
según 1907/2006/CE, Artículo 31**

fecha de impresión 10.04.2020

Número de versión 4

Revisión: 10.04.2020

1 Identificación de la sustancia o la mezcla y de la sociedad o la empresa

- **Identificador del producto**
- **Nombre comercial: Formic acid Reagent Grade (1 x 5mL)**
- **Número del artículo:** G2453-85060
- **Número CAS:**
64-18-6
- **Número CE:**
200-579-1
- **Número de clasificación:**
607-001-00-0
- **Usos pertinentes identificados de la sustancia o de la mezcla y usos desaconsejados**
Reactivos y patrones para uso en laboratorios de química analítica
- **Datos del proveedor de la ficha de datos de seguridad**
- **Fabricante/distribuidor:**
Agilent Technologies Manufacturing GmbH & Co. KG
Hewlett-Packard-Str.8
76337 Waldbronn
Alemania
- **Área de información:**
Telephone: 0800 603 1000
pdl-msds_author@agilent.com
- **Teléfono de emergencia:** CHEMTREC®: 900-868538

2 Identificación de los peligros

- **Clasificación de la sustancia o de la mezcla**
- **Clasificación con arreglo al Reglamento (CE) n° 1272/2008**



GHS02 llama

Flam. Liq. 3 H226 Líquidos y vapores inflamables.



GHS06 calavera y tibias cruzadas

Acute Tox. 3 H331 Tóxico en caso de inhalación.



GHS05 corrosión

Skin Corr. 1A H314 Provoca quemaduras graves en la piel y lesiones oculares graves.

Eye Dam. 1 H318 Provoca lesiones oculares graves.



GHS07

Acute Tox. 4 H302 Nocivo en caso de ingestión.

(se continua en página 2)

**Ficha de datos de seguridad
según 1907/2006/CE, Artículo 31**

fecha de impresión 10.04.2020

Número de versión 4

Revisión: 10.04.2020

Nombre comercial: Formic acid Reagent Grade (1 x 5mL)

(se continua en página 1)

· **Elementos de la etiqueta**· **Etiquetado con arreglo al Reglamento (CE) n° 1272/2008**

La sustancia se ha clasificado y etiquetado de conformidad con el reglamento CLP.

· **Pictogramas de peligro**

GHS02 GHS05 GHS06

· **Palabra de advertencia Peligro**· **Componentes peligrosos a indicar en el etiquetaje:**

ácido fórmico

· **Indicaciones de peligro**

H226 Líquidos y vapores inflamables.

H302 Nocivo en caso de ingestión.

H331 Tóxico en caso de inhalación.

H314 Provoca quemaduras graves en la piel y lesiones oculares graves.

· **Consejos de prudencia**

- P101 Si se necesita consejo médico, tener a mano el envase o la etiqueta.
P102 Mantener fuera del alcance de los niños.
P103 Leer la etiqueta antes del uso.
P210 Mantener alejado del calor, de superficies calientes, de chispas, de llamas abiertas y de cualquier otra fuente de ignición. No fumar.
P240 Toma de tierra y enlace equipotencial del recipiente y del equipo receptor.
P241 Utilizar material [eléctrico/ de ventilación/iluminación] antideflagrante.
P242 No utilizar herramientas que produzcan chispas.
P243 Tomar medidas de precaución contra las descargas electrostáticas.
P260 No respirar polvos o nieblas.
P264 Lavarse concienzudamente tras la manipulación.
P270 No comer, beber ni fumar durante su utilización.
P271 Utilizar únicamente en exteriores o en un lugar bien ventilado.
P280 Llevar guantes/prendas/gafas/máscara de protección.
P301+P312 EN CASO DE INGESTIÓN: Llamar a un CENTRO DE TOXICOLOGÍA/médico si la persona se encuentra mal.
P301+P330+P331 EN CASO DE INGESTIÓN: Enjuagar la boca. NO provocar el vómito.
P303+P361+P353 EN CASO DE CONTACTO CON LA PIEL (o el pelo): Quitar inmediatamente toda la ropa contaminada. Enjuagar la piel con agua [o ducharse].
P304+P340 EN CASO DE INHALACIÓN: Transportar a la persona al aire libre y mantenerla en una posición que le facilite la respiración.
P305+P351+P338 EN CASO DE CONTACTO CON LOS OJOS: Enjuagar con agua cuidadosamente durante varios minutos. Quitar las lentes de contacto cuando estén presentes y pueda hacerse con facilidad. Proseguir con el lavado.
P310 Llamar inmediatamente a un CENTRO DE TOXICOLOGÍA/médico.
P321 Se necesita un tratamiento específico (ver en esta etiqueta).
P363 Lavar las prendas contaminadas antes de volver a usarlas.
P370+P378 En caso de incendio: Utilizar para apagarlo: CO₂, polvo extintor o chorro de agua rociada.
P403+P233 Almacenar en un lugar bien ventilado. Mantener el recipiente cerrado herméticamente.
P403+P235 Almacenar en un lugar bien ventilado. Mantener en lugar fresco.
P405 Guardar bajo llave.

(se continua en página 3)

Ficha de datos de seguridad según 1907/2006/CE, Artículo 31

fecha de impresión 10.04.2020

Número de versión 4

Revisión: 10.04.2020

Nombre comercial: Formic acid Reagent Grade (1 x 5mL)

P501

Eliminar el contenido o el recipiente conforme a la reglamentación local/regional/nacional/
internacional.

(se continua en página 2)

- **Otros peligros**
- **Resultados de la valoración PBT y mPmB**
- **PBT:** No aplicable.
- **mPmB:** No aplicable.

3 Composición/información sobre los componentes

- **Caracterización química: Sustancias**
- **Denominación N° CAS**
64-18-6 ácido fórmico
- **Número(s) de identificación**
- **Número CE:** 200-579-1
- **Número de clasificación:** 607-001-00-0

4 Primeros auxilios

- **Descripción de los primeros auxilios**
- **Instrucciones generales:**
Quitarse de inmediato toda prenda contaminada con el producto.
Los síntomas de intoxicación pueden presentarse después de muchas horas, por lo que se requiere una supervisión médica durante un mínimo de 48 horas después del accidente.
Antes de quitarse la protección respiratoria, quítese la ropa contaminada.
En caso de respiración irregular o apnea (paro respiratorio), hágase la respiración artificial.
- **En caso de inhalación del producto:**
Suministrar aire fresco u oxígeno; solicitar ayuda médica.
Las personas desmayadas deben tenderse y transportarse de lado con la suficiente estabilidad.
- **En caso de contacto con la piel:** Lavar inmediatamente con agua y jabón y enjuagar bien.
- **En caso de con los ojos:**
Limpiar los ojos abiertos durante varios minutos con agua corriente y consultar un médico.
- **En caso de ingestión:**
Consultar inmediatamente un médico.
Beber mucha agua a respirar aire fresco. Solicitar asistencia médica inmediatamente.
- **Indicaciones para el médico:**
- **Principales síntomas y efectos, agudos y retardados** No existen más datos relevantes disponibles.
- **Indicación de toda atención médica y de los tratamientos especiales que deban dispensarse inmediatamente**
No existen más datos relevantes disponibles.

5 Medidas de lucha contra incendios

- **Medios de extinción**
- **Sustancias extintoras apropiadas:**
CO₂, polvo extintor o chorro de agua rociada. Combatir incendios mayores con chorro de agua rociada o espuma resistente al alcohol.
- **Peligros específicos derivados de la sustancia o la mezcla**
Posible formación de gases tóxicos en caso de calentamiento o incendio.

(se continua en página 4)

**Ficha de datos de seguridad
según 1907/2006/CE, Artículo 31**

fecha de impresión 10.04.2020

Número de versión 4

Revisión: 10.04.2020

Nombre comercial: Formic acid Reagent Grade (1 x 5mL)

(se continua en página 3)

- **Recomendaciones para el personal de lucha contra incendios**
- **Equipo especial de protección:** Colocarse la protección respiratoria.

6 Medidas en caso de vertido accidental

- **Precauciones personales, equipo de protección y procedimientos de emergencia**
Colocarse el aparato de protección respiratoria.
Llevar puesto equipo de protección. Mantener alejadas las personas sin protección.
- **Precauciones relativas al medio ambiente:**
Diluir con mucha agua.
Evitar que penetre en la canalización /aguas de superficie /agua subterráneas.
- **Métodos y material de contención y de limpieza:**
Quitar con material absorbente (arena, kieselgur, aglutinante de ácidos, aglutinante universal, aserrín).
Utilizar un neutralizador.
Desechar el material contaminado como vertido según item 13.
Asegurar suficiente ventilación.
- **Referencia a otras secciones**
Ver capítulo 7 para mayor información sobre una manipulación segura.
Ver capítulo 8 para mayor información sobre el equipo personal de protección.
Para mayor información sobre cómo desechar el producto, ver capítulo 13.

7 Manipulación y almacenamiento

- **Manipulación:**
- **Precauciones para una manipulación segura**
Asegurar suficiente ventilación /aspiración en el puesto de trabajo.
Abrir y manejar el recipiente con cuidado.
Evitar la formación de aerosoles.
- **Prevención de incendios y explosiones:**
Mantener alejadas las fuentes de encendido. No fumar.
Tomar medidas contra las cargas electrostáticas.
Tener preparados los aparatos respiratorios.
- **Condiciones de almacenamiento seguro, incluidas posibles incompatibilidades**
- **Almacenamiento:**
- **Exigencias con respecto al almacén y los recipientes:** No se requieren medidas especiales.
- **Normas en caso de un almacenamiento conjunto:** No es necesario.
- **Indicaciones adicionales sobre las condiciones de almacenamiento:**
Mantener el recipiente cerrado herméticamente.
- **Usos específicos finales** No existen más datos relevantes disponibles.

*** 8 Controles de exposición/protección individual**

- **Instrucciones adicionales para el acondicionamiento de instalaciones técnicas:**
Sin datos adicionales, ver punto 7.

(se continua en página 5)

**Ficha de datos de seguridad
según 1907/2006/CE, Artículo 31**

fecha de impresión 10.04.2020

Número de versión 4

Revisión: 10.04.2020

Nombre comercial: Formic acid Reagent Grade (1 x 5mL)

(se continua en página 4)

· Parámetros de control**· Componentes con valores límite admisibles que deben controlarse en el puesto de trabajo:****64-18-6 ácido fórmico**

| | |
|---------|--|
| LEP | Valor de larga duración: 9 mg/m ³ , 5 ppm VLI, s |
| VLA(ED) | VLA(ED): 9 mg/m ³ , 5 ppm |

· Indicaciones adicionales: Como base se han utilizado las listas vigentes en el momento de la elaboración.**· Controles de la exposición****· Equipo de protección individual:****· Medidas generales de protección e higiene:**

Mantener alejado de alimentos, bebidas y alimentos para animales.

Quitarse de inmediato la ropa ensuciada o impregnada.

Lavarse las manos antes de las pausas y al final del trabajo.

Guardar la ropa protectora por separado.

Evitar el contacto con los ojos.

Evitar el contacto con los ojos y la piel.

· Protección respiratoria:

Cuando se usa del modo previsto con instrumentos de Agilent, el uso del producto en las condiciones normales del laboratorio y con las prácticas estándar no provoca exposiciones significativas de las vías aéreas, por lo que no se precisa protección respiratoria.

En caso de emergencia, si se considera necesario el uso de un equipo respiratorio, utilice un dispositivo aprobado por el NIOSH o equivalente con el cartucho de gas orgánico o ácido adecuado.

· Protección de manos:

Pese a que no se recomiendan para un contacto constante con los productos químicos o para el lavado, en caso de un uso normal se recomiendan guantes de nitrilo de 0,28-0,33 mm de grosor.

El tiempo de penetración es de 1 h.

Para limpiar un derrame, donde hay contacto directo con el producto químico, se recomiendan guantes de goma de butilo de 0,30-0,38 mm de grosor con tiempos de penetración superiores a las 4h. Deben seguirse las recomendaciones del proveedor.

· Material de los guantes

Para uso normal:

goma de nitrilo de 0,28-0,33 mm de grosor

Para contacto directo con el producto químico:

goma de butilo de 0,30-0,38 mm de grosor

La elección del guante adecuado no depende únicamente del material, sino también de otras características de calidad, que pueden variar de un fabricante a otro.

· Tiempo de penetración del material de los guantes

Para uso normal:

goma de nitrilo:

1 hora

Para contacto directo con el producto químico:

goma de butilo:

> 4 horas

(se continua en página 6)

Ficha de datos de seguridad según 1907/2006/CE, Artículo 31

fecha de impresión 10.04.2020

Número de versión 4

Revisión: 10.04.2020

Nombre comercial: Formic acid Reagent Grade (1 x 5mL)

(se continua en página 5)

· Protección de ojos:



Gafas de protección herméticas

9 Propiedades físicas y químicas

· Información sobre propiedades físicas y químicas básicas

· Datos generales

· Aspecto:

| | |
|--------------------|-----------------|
| · Forma: | Líquido |
| · Color: | Incoloro |
| · Olor: | Penetrante |
| · Umbral olfativo: | No determinado. |

· valor pH: No determinado.

· Cambio de estado

| | |
|--|--------|
| · Punto de fusión/punto de congelación: | -9 °C |
| · Punto inicial de ebullición e intervalo de ebullición: | 107 °C |

· Punto de inflamación: 59 °C

· Inflamabilidad (sólido, gas): No aplicable.

· Temperatura de ignición: 520 °C

· Temperatura de descomposición: No determinado.

· Temperatura de auto-inflamación: No determinado.

· Propiedades explosivas: No determinado.

· Límites de explosión:

| | |
|-------------|----------|
| · Inferior: | 14 Vol % |
| · Superior: | 33 Vol % |

· Presión de vapor a 20 °C: 30 hPa

 · Densidad a 20 °C: 1,2 g/cm³

· Densidad relativa: No determinado.

· Densidad de vapor: No determinado.

· Tasa de evaporación: No determinado.

· Solubilidad en / miscibilidad con agua:

Completamente mezclable.

· Coeficiente de reparto: n-octanol/agua: No determinado.

· Viscosidad:

| | |
|---------------|-----------------|
| · Dinámica: | No determinado. |
| · Cinemática: | No determinado. |

· Concentración del disolvente:

VOC (CE) 0,00 %

Contenido de cuerpos sólidos: 0,0 %

(se continua en página 7)

Ficha de datos de seguridad según 1907/2006/CE, Artículo 31

fecha de impresión 10.04.2020

Número de versión 4

Revisión: 10.04.2020

Nombre comercial: Formic acid Reagent Grade (1 x 5mL)

(se continua en página 6)

 · **Otros datos**

No existen más datos relevantes disponibles.

10 Estabilidad y reactividad

- **Reactividad** No existen más datos relevantes disponibles.
- **Estabilidad química**
- **Descomposición térmica / condiciones que deben evitarse:** No se descompone al emplearse adecuadamente.
- **Posibilidad de reacciones peligrosas** No se conocen reacciones peligrosas.
- **Condiciones que deben evitarse** No existen más datos relevantes disponibles.
- **Materiales incompatibles:** No existen más datos relevantes disponibles.
- **Productos de descomposición peligrosos:** No se conocen productos de descomposición peligrosos.

11 Información toxicológica

 · **Información sobre los efectos toxicológicos**

 · **Toxicidad aguda**

Nocivo en caso de ingestión.

Tóxico en caso de inhalación.

 · **Valores LD/LC50 (dosis letal /dosis letal = 50%) relevantes para la clasificación:**
ATE (Estimación de la toxicidad aguda (ETA))

| | | |
|-------------|----------|-----------------|
| Oral | LD50 | 730 mg/kg (rat) |
| Inhalatorio | LC50/4 h | 7,4 mg/L (rat) |

64-18-6 ácido fórmico

| | | |
|-------------|----------|-----------------|
| Oral | LD50 | 730 mg/kg (rat) |
| Inhalatorio | LC50/4 h | 7,4 mg/L (rat) |

 · **Efecto estimulante primario:**

 · **Corrosión o irritación cutáneas**

Provoca quemaduras graves en la piel y lesiones oculares graves.

 · **Lesiones o irritación ocular graves**

Provoca lesiones oculares graves.

 · **Sensibilización respiratoria o cutánea**

A la vista de los datos disponibles, no se cumplen los criterios de clasificación.

 · **Efectos CMR (carcinogenicidad, mutagenicidad y toxicidad para la reproducción)**

 · **Mutagenicidad en células germinales**

A la vista de los datos disponibles, no se cumplen los criterios de clasificación.

 · **Carcinogenicidad** A la vista de los datos disponibles, no se cumplen los criterios de clasificación.

 · **Toxicidad para la reproducción** A la vista de los datos disponibles, no se cumplen los criterios de clasificación.

 · **Toxicidad específica en determinados órganos (STOT) – exposición única**

A la vista de los datos disponibles, no se cumplen los criterios de clasificación.

 · **Toxicidad específica en determinados órganos (STOT) – exposición repetida**

A la vista de los datos disponibles, no se cumplen los criterios de clasificación.

 · **Peligro de aspiración** A la vista de los datos disponibles, no se cumplen los criterios de clasificación.

ES

(se continua en página 8)

Ficha de datos de seguridad según 1907/2006/CE, Artículo 31

fecha de impresión 10.04.2020

Número de versión 4

Revisión: 10.04.2020

Nombre comercial: Formic acid Reagent Grade (1 x 5mL)

(se continua en página 7)

12 Información ecológica

- **Toxicidad**
- **Toxicidad acuática:** No existen más datos relevantes disponibles.
- **Persistencia y degradabilidad** No existen más datos relevantes disponibles.
- **Comportamiento en sistemas ecológicos:**
- **Potencial de bioacumulación** No existen más datos relevantes disponibles.
- **Movilidad en el suelo** No existen más datos relevantes disponibles.
- **Indicaciones medioambientales adicionales:**
- **Indicaciones generales:**
 Nivel de riesgo para el agua 1 (clasificación de listas): escasamente peligroso para el agua
 En estado no diluido o no neutralizado, no dejar que se infiltre en aguas subterráneas, aguas superficiales o en alcantarillados.
 En estado no diluido o no neutralizado, no verter en el alcantarillado o en otros sistemas de desagüe.
- **Resultados de la valoración PBT y mPmB**
- **PBT:** No aplicable.
- **mPmB:** No aplicable.
- **Otros efectos adversos** No existen más datos relevantes disponibles.

13 Consideraciones relativas a la eliminación

- **Métodos para el tratamiento de residuos**
- **Recomendación:** No debe desecharse con la basura doméstica. No debe llegar al alcantarillado.

· Catálogo europeo de residuos

| | |
|-----|-----------------|
| HP3 | Inflamable |
| HP6 | Toxicidad aguda |
| HP8 | Corrosivo |

- **Embalajes sin limpiar:**
- **Recomendación:** Eliminar conforme a las disposiciones oficiales.
- **Producto de limpieza recomendado:** Agua, eventualmente añadiendo productos de limpieza.

14 Información relativa al transporte

- **Número ONU**
- **ADR, IMDG, IATA** UN1779
- **Designación oficial de transporte de las Naciones Unidas**
- **ADR** 1779 ÁCIDO FÓRMICO
- **IMDG, IATA** FORMIC ACID

· Clase(s) de peligro para el transporte

- **ADR**



- **Clase** 8 Materias corrosivas

(se continua en página 9)

Ficha de datos de seguridad según 1907/2006/CE, Artículo 31



fecha de impresión 10.04.2020

Número de versión 4

Revisión: 10.04.2020

Nombre comercial: Formic acid Reagent Grade (1 x 5mL)

(se continua en página 8)

| | |
|---|---|
| · Etiqueta | 8+3 |
| · IMDG | |
|  | |
| · Class | 8 Materias corrosivas |
| · Label | 8/3 |
| · IATA | |
|  | |
| · Class | 8 Materias corrosivas |
| · Label | 8 (3) |
| · Grupo de embalaje | |
| · ADR, IMDG, IATA | II |
| · Peligros para el medio ambiente: | No aplicable. |
| · Precauciones particulares para los usuarios | Atención: Materias corrosivas |
| · Número de identificación de peligro (Número Kemler): | 80 |
| · Número EMS: | 8-05 |
| · Segregation groups | Acids |
| · Stowage Category | A |
| · Segregation Code | SG36 Stow "separated from" SGG18-alkalis. SG49 Stow "separated from" SGG6-cyanides |
| · Transporte a granel con arreglo al anexo II del Convenio MARPOL y el Código IBC | No aplicable. |
| · Transporte/datos adicionales: | |
| · ADR | |
| · Cantidades limitadas (LQ) | 1L |
| · Cantidades exceptuadas (EQ) | Código: E2 Cantidad neta máxima por envase interior: 30 ml Cantidad neta máxima por embalaje exterior: 500 ml |
| · Categoría de transporte | 2 |
| · Código de restricción del túnel | E |
| · IMDG | |
| · Limited quantities (LQ) | 1L |
| · Excepted quantities (EQ) | Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml |
| · "Reglamentación Modelo" de la UNECE: | UN 1779 ÁCIDO FÓRMICO, 8 (3), II |

ES

(se continua en página 10)

**Ficha de datos de seguridad
según 1907/2006/CE, Artículo 31**

fecha de impresión 10.04.2020

Número de versión 4

Revisión: 10.04.2020

Nombre comercial: Formic acid Reagent Grade (1 x 5mL)

(se continua en página 9)

15 Información reglamentaria

- **Reglamentación y legislación en materia de seguridad, salud y medio ambiente específicas para la sustancia o la mezcla**
- **Directiva 2012/18/UE**
- **Sustancias peligrosas nominadas - ANEXO I** No contiene la sustancia.
- **Categoría Seveso**
H2 TOXICIDAD AGUDA
P5c LÍQUIDOS INFLAMABLES
- **Cantidad umbral (toneladas) a efectos de aplicación de los requisitos de nivel inferior** 50 t
- **Cantidad umbral (toneladas) a efectos de aplicación de los requisitos de nivel superior** 200 t
- **REGLAMENTO (CE) n° 1907/2006 ANEXO XVII** Restricciones: 3
- **Evaluación de la seguridad química:** Una evaluación de la seguridad química no se ha llevado a cabo.

16 Otra información

Exención de responsabilidad: La información contenida en este documento está basada en el estado de conocimientos de Agilent en el momento de su elaboración. No se ofrece garantía alguna, expresa o implícita, en cuanto a su exactitud, integridad o idoneidad para un propósito particular.

· Abreviaturas y acrónimos:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
VOC: Volatile Organic Compounds (USA, EU)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Flam. Liq. 3: Líquidos inflamables – Categoría 3
Acute Tox. 4: Toxicidad aguda - oral – Categoría 4
Acute Tox. 3: Toxicidad aguda - por inhalación – Categoría 3
Skin Corr. 1A: Corrosión o irritación cutáneas – Categoría 1A
Eye Dam. 1: Lesiones oculares graves o irritación ocular – Categoría 1

· * Datos modificados en relación a la versión anterior

SAFETY DATA SHEET



Poroshell 120 EC-C18 Chromatography Columns with Acetonitrile and Water less than 10mL

SECTION 1: Identification of the substance/mixture and of the company/undertaking

This product is considered an article. This Safety Data Sheet is written based on the encapsulated substance or mixture in this article.

1.1 Product identifier

- Product name** : Poroshell 120 EC-C18 Chromatography Columns with Acetonitrile and Water less than 10mL
- Part no.** : 690975-902, 693975-902, 695775-922, 695975-902, 697975-902, 699775-922, 699975-902, 691975-902, 693975-302, 695975-302, 697975-302, 699975-302, 691975-302, 693775-902, 695775-902, 697775-902, 699775-902, 691775-902, 821725-911, 823750-911, 820750-911, 699770-902, 695770-902, 693770-902, 650750-902, 699970-302, 695970-302, 693970-302, 690970-302, 699970-902, 695970-902, 693970-902, 690970-902, 821725-916, 823750-916, 820750-916, 650750-902T, 690970-302T, 690970-902T, 690975-902T, 691775-902T, 691975-302T, 691975-902T, 693770-902T, 693775-902T, 693970-302T, 693970-902T, 693975-302T, 693975-902T, 695770-902T, 695775-902T, 695970-302T, 695970-902T, 695975-302T, 695975-902T, 697775-902T, 697975-302T, 697975-902T, 699770-902T, 699775-902T, 699970-302T, 699970-902T, 699975-302T, 699975-902T, 699675-902, 695675-902, 693675-902, 699675-302, 695675-302, 693675-302, 821725-940, 823750-940, 695575-902, 693575-902, 695575-302, 693575-302, 691775-302

1.2 Relevant identified uses of the substance or mixture and uses advised against

- Material uses** : Analytical chemistry.
HPLC column
Solvent volume: <10 ml
- | | |
|------------|---|
| 690975-902 | Poroshell 120, EC-C18, 4.6x250mm, 2.7um |
| 693975-902 | Poroshell 120, EC-C18, 4.6x150mm, 2.7um |
| 695775-922 | Poroshell 120, EC-C18, 2.1x100mm, 2.7um 2pk |
| 695975-902 | Poroshell 120, EC-C18, 4.6x100mm, 2.7um |
| 697975-902 | Poroshell 120, EC-C18, 4.6x75mm, 2.7um |
| 699775-922 | Poroshell 120, EC-C18, 2.1x50mm, 2.7um 2pk |
| 699975-902 | Poroshell 120, EC-C18, 4.6x50mm, 2.7um |
| 691975-902 | Poroshell 120, EC-C18, 4.6x30mm, 2.7um |
| 693975-302 | Poroshell 120, EC-C18, 3.0x150mm, 2.7um |
| 695975-302 | Poroshell 120, EC-C18, 3.0x100mm, 2.7um |
| 697975-302 | Poroshell 120, EC-C18, 3.0x75mm, 2.7um |
| 699975-302 | Poroshell 120, EC-C18, 3.0x50mm, 2.7um |
| 691975-302 | Poroshell 120, EC-C18, 3.0x30mm, 2.7um |
| 693775-902 | Poroshell 120, EC-C18, 2.1x150mm, 2.7um |
| 695775-902 | Poroshell 120, EC-C18, 2.1x100mm, 2.7um |
| 697775-902 | Poroshell 120, EC-C18, 2.1x75mm, 2.7um |
| 699775-902 | Poroshell 120, EC-C18, 2.1x50mm, 2.7um |
| 691775-902 | Poroshell 120, EC-C18, 2.1x30mm, 2.7um |
| 821725-911 | Poroshell 120, UHPLC Guard, EC-C18, 2.1mm |
| 823750-911 | Poroshell 120, UHPLC Guard, EC-C18, 3.0mm |
| 820750-911 | Poroshell 120, UHPLC Guard, EC-C18, 4.6mm |
| 699770-902 | Poroshell 120, EC-C18, 2.1x50mm, 4um |
| 695770-902 | Poroshell 120, EC-C18, 2.1x100mm, 4um |
| 693770-902 | Poroshell 120, EC-C18, 2.1x150mm, 4um |
| 650750-902 | Poroshell 120, EC-C18, 2.1x250mm, 4um |
| 699970-302 | Poroshell 120, EC-C18, 3x50mm, 4um |
| 695970-302 | Poroshell 120, EC-C18, 3x100mm, 4um |
| 693970-302 | Poroshell 120, EC-C18, 3x150mm, 4um |
| 690970-302 | Poroshell 120, EC-C18, 3x250mm, 4um |
| 699970-902 | Poroshell 120, EC-C18, 4.6x50mm, 4um |
| 695970-902 | Poroshell 120, EC-C18, 4.6x100mm, 4um |
| 693970-902 | Poroshell 120, EC-C18, 4.6x150mm, 4um |
| 690970-902 | Poroshell 120, EC-C18, 4.6x250mm, 4um |

Poroshell 120 EC-C18 Chromatography Columns with Acetonitrile and Water less than 10mL

**SECTION 1: Identification of the substance/mixture and of the company/
undertaking**

| | |
|-------------|--|
| 821725-916 | Poroshell 120, UHPLC Grd, EC-C18, 2.1mm, 4um |
| 823750-916 | Poroshell 120, UHPLC Grd, EC-C18, 3mm, 4um |
| 820750-916 | Poroshell 120, UHPLC Grd, EC-C18, 4.6mm, 4um |
| 650750-902T | Poroshell 120, EC-C18, 2.1x 250mm, 4um, T |
| 690970-302T | Poroshell 120, EC-C18, 3x 250mm, 4um, T |
| 690970-902T | Poroshell 120, EC-C18, 4.6x 250mm, 4um, T |
| 690975-902T | Poroshell 120, EC-C18, 4.6x 250mm, 2.7um, T |
| 691775-902T | Poroshell 120, EC-C18, 2.1x 30mm, 2.7um, T |
| 691975-302T | Poroshell 120, EC-C18, 3x 30mm, 2.7um, T |
| 691975-902T | Poroshell 120, EC-C18, 4.6x 30mm, 2.7um, T |
| 693770-902T | Poroshell 120, EC-C18, 2.1x 150mm, 4um, T |
| 693775-902T | Poroshell 120, EC-C18, 2.1x 150mm, 2.7um, T |
| 693970-302T | Poroshell 120, EC-C18, 3x 150mm, 4um, T |
| 693970-902T | Poroshell 120, EC-C18, 4.6x 150mm, 4um, T |
| 693975-302T | Poroshell 120, EC-C18, 3x 150mm, 2.7um, T |
| 693975-902T | Poroshell 120, EC-C18, 4.6x 150mm, 2.7um, T |
| 695770-902T | Poroshell 120, EC-C18, 2.1x 100mm, 4um, T |
| 695775-902T | Poroshell 120, EC-C18, 2.1x 100mm, 2.7um, T |
| 695970-302T | Poroshell 120, EC-C18, 3x 100mm, 4um, T |
| 695970-902T | Poroshell 120, EC-C18, 4.6x 100mm, 4um, T |
| 695975-302T | Poroshell 120, EC-C18, 3x 100mm, 2.7um, T |
| 695975-902T | Poroshell 120, EC-C18, 4.6x 100mm, 2.7um, T |
| 697775-902T | Poroshell 120, EC-C18, 2.1x 75mm, 2.7um, T |
| 697975-302T | Poroshell 120, EC-C18, 3x 75mm, 2.7um, T |
| 697975-902T | Poroshell 120, EC-C18, 4.6x 75mm, 2.7um, T |
| 699770-902T | Poroshell 120, EC-C18, 2.1x 50mm, 4um, T |
| 699775-902T | Poroshell 120, EC-C18, 2.1x 50mm, 2.7um, T |
| 699970-302T | Poroshell 120, EC-C18, 3x 50mm, 4um, T |
| 699970-902T | Poroshell 120, EC-C18, 4.6x 50mm, 4um, T |
| 699975-302T | Poroshell 120, EC-C18, 3x 50mm, 2.7um, T |
| 699975-902T | Poroshell 120, EC-C18, 4.6x 50mm, 2.7um, T |
| 699675-902 | Poroshell 120 EC-C18,2.1x50mm,1.9um,T |
| 695675-902 | Poroshell 120 EC-C18,2.1x100mm,1.9um,T |
| 693675-902 | Poroshell 120 EC-C18,2.1x150mm,1.9um,T |
| 699675-302 | Poroshell 120 EC-C18,3x50mm,1.9um,T |
| 695675-302 | Poroshell 120 EC-C18,3x100mm,1.9um,T |
| 693675-302 | Poroshell 120 EC-C18,3x150mm,1.9um,T |
| 821725-940 | UHPLC Grd,P120 EC-C18,2.1mm,1.9um,3pk |
| 823750-940 | UHPLC Grd,P120 EC-C18,3mm,1.9um,3pk |
| 695575-902 | Poroshell 120,EC-C18,2.1x100mm,2.7u,1000bar |
| 693575-902 | Poroshell 120,EC-C18,2.1x150mm,2.7u,1000bar |
| 695575-302 | Poroshell 120,EC-C18,3.0x100mm,2.7u,1000bar |
| 693575-302 | Poroshell 120,EC-C18,3.0x150mm,2.7u,1000bar |
| 691775-302 | Poroshell 120, EC-C18, 3.0x30mm, 1.9um, T |

1.3 Details of the supplier of the safety data sheet

Agilent Technologies Manufacturing GmbH & Co. KG
Hewlett-Packard-Str. 8
76337 Waldbronn
Germany
0800 603 1000

e-mail address of person responsible for this SDS : pdl-msds_author@agilent.com

1.4 Emergency telephone number

Emergency telephone number (with hours of operation) : CHEMTREC®: +(44)-870-8200418

SECTION 2: Hazards identification

This article, when used under reasonable conditions and in accordance with the directions for use, should not present a health hazard. The substance or mixture is encapsulated in the article. Only if released due to use or processing of the article in a manner not in accordance with the product's directions for use it may present potential health and safety hazards.

2.1 Classification of the substance or mixture

Product definition : Mixture (encapsulated in article)

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

H225 FLAMMABLE LIQUIDS - Category 2
H319 SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H225 - Highly flammable liquid and vapour.
H319 - Causes serious eye irritation.

Precautionary statements

Prevention : P280 - Wear protective gloves. Wear protective clothing. Wear eye or face protection.
P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Response : P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

Storage : Not applicable.

Disposal : P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.

Supplemental label elements : Not applicable.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles : Not applicable.

Special packaging requirements

Tactile warning of danger : Not applicable.

2.3 Other hazards

Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII : This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

Other hazards which do not result in classification : None known.

SECTION 3: Composition/information on ingredients

This article, when used under reasonable conditions and in accordance with the directions for use, should not present a health hazard. The substance or mixture is encapsulated in the article. Only if released due to use or processing of the article in a manner not in accordance with the product's directions for use it may present potential health and safety hazards.

3.1 Substances : Mixture (encapsulated in article)

| Product/ingredient name | Identifiers | % | Regulation (EC) No. 1272/2008 [CLP] | Type |
|-------------------------|--|-----------|---|---------|
| Acetonitrile | EC: 200-835-2 CAS: 75-05-8 Index: 608-001-00-3 | ≥10 - <25 | Flam. Liq. 2, H225 Acute Tox. 4, H302 Acute Tox. 4, H312 Acute Tox. 4, H332 Eye Irrit. 2, H319 See Section 16 for the full text of the H statements declared above. | [1] [2] |

Contains: Organosilane bonded silica gel

Note: To the best of our knowledge, the acute and chronic toxicological properties of bonded silica gels have not been investigated. This product contains synthetic amorphous silica, and should not be confused with crystalline silica such as quartz, cristobalite, or tridymite, or with diatomaceous earth or other naturally occurring forms of amorphous silica that frequently contain crystalline forms of silica.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Type

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

[3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII

[4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII

[5] Substance of equivalent concern

[6] Additional disclosure due to company policy

SECTION 4: First aid measures

4.1 Description of first aid measures

- Eye contact** : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
- Inhalation** : Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
- Skin contact** : Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
- Ingestion** : Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Poroshell 120 EC-C18 Chromatography Columns with Acetonitrile and Water less than 10mL

SECTION 4: First aid measures

Protection of first-aiders : No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

4.2 Most important symptoms and effects, both acute and delayed

Potential acute health effects

- Eye contact** : Causes serious eye irritation.
Inhalation : No known significant effects or critical hazards.
Skin contact : No known significant effects or critical hazards.
Ingestion : No known significant effects or critical hazards.

Over-exposure signs/symptoms

- Eye contact** : Adverse symptoms may include the following:
pain or irritation
watering
redness
- Inhalation** : No specific data.
Skin contact : No specific data.
Ingestion : No specific data.

4.3 Indication of any immediate medical attention and special treatment needed

- Notes to physician** : In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
- Specific treatments** : No specific treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

- Suitable extinguishing media** : Use dry chemical, CO₂, water spray (fog) or foam.
- Unsuitable extinguishing media** : Do not use water jet.

5.2 Special hazards arising from the substance or mixture

- Hazards from the substance or mixture** : Highly flammable liquid and vapour. Runoff to sewer may create fire or explosion hazard. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion.
- Hazardous combustion products** : Decomposition products may include the following materials:
carbon dioxide
carbon monoxide
nitrogen oxides
metal oxide/oxides
cyanides

5.3 Advice for firefighters

- Special precautions for fire-fighters** : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.
- Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

- For non-emergency personnel** : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
- For emergency responders** : If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

- 6.2 Environmental precautions** : Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

6.3 Methods and material for containment and cleaning up

- Methods for cleaning up** : Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

- 6.4 Reference to other sections** : See Section 1 for emergency contact information.
See Section 8 for information on appropriate personal protective equipment.
See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

- Protective measures** : Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapour or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not enter storage areas and confined spaces unless adequately ventilated. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use only non-sparking tools. Take precautionary measures against electrostatic discharges. Empty containers retain product residue and can be hazardous. Do not reuse container.
- Advice on general occupational hygiene** : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

- Storage** : Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Seveso Directive - Reporting thresholds (in tonnes)

Danger criteria

Poroshell 120 EC-C18 Chromatography Columns with Acetonitrile and Water less than 10mL

SECTION 7: Handling and storage

| Category | Notification and MAPP threshold | Safety report threshold |
|----------|---------------------------------|-------------------------|
| P5c | 5000 tonne | 50000 tonne |

7.3 Specific end use(s)

Recommendations : Industrial applications, Professional applications.

Industrial sector specific solutions : Not applicable.

SECTION 8: Exposure controls/personal protection

Since the hazardous ingredient in this article is encapsulated, the risk of exposure by inhalation, ingestion, skin contact and eyes contact is minimum.

8.1 Control parameters

Occupational exposure limits

| Product/ingredient name | Exposure limit values |
|-------------------------|---|
| Acetonitrile | EH40/2005 WELs (United Kingdom (UK), 8/2018). STEL: 102 mg/m ³ 15 minutes. STEL: 60 ppm 15 minutes. TWA: 40 ppm 8 hours. TWA: 68 mg/m ³ 8 hours. |

Recommended monitoring procedures : If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

DNELs/DMELs

| Product/ingredient name | Type | Exposure | Value | Population | Effects |
|-------------------------|------|-----------------------|-----------------------|--------------------|----------|
| Acetonitrile | DNEL | Short term Oral | 0.6 mg/kg bw/day | General population | Systemic |
| | DNEL | Long term Inhalation | 4.8 mg/m ³ | General population | Local |
| | DNEL | Long term Inhalation | 4.8 mg/m ³ | General population | Systemic |
| | DNEL | Short term Inhalation | 22 mg/m ³ | General population | Local |
| | DNEL | Long term Dermal | 32.2 mg/kg bw/day | Workers | Systemic |
| | DNEL | Short term Inhalation | 68 mg/m ³ | Workers | Local |
| | DNEL | Long term Inhalation | 68 mg/m ³ | Workers | Local |
| | DNEL | Short term Inhalation | 68 mg/m ³ | Workers | Systemic |
| | DNEL | Long term Inhalation | 68 mg/m ³ | Workers | Systemic |
| | DNEL | Short term Inhalation | 220 mg/m ³ | General population | Systemic |

PNECs

SECTION 8: Exposure controls/personal protection

No PNECs available

8.2 Exposure controls

Appropriate engineering controls : Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapour or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.

Individual protection measures

Hygiene measures : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.

Skin protection

Hand protection : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

Body protection : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. When there is a risk of ignition from static electricity, wear anti-static protective clothing. For the greatest protection from static discharges, clothing should include anti-static overalls, boots and gloves. Refer to European Standard EN 1149 for further information on material and design requirements and test methods.

Other skin protection : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Environmental exposure controls : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

- Physical state** : Solid. (containing flammable liquid)
- Colour** : Not available.
- Odour** : Not available.
- Odour threshold** : Not available.
- pH** : Not available.
- Melting point/freezing point** : Not available.
- Initial boiling point and boiling range** : Not available.

Poroshell 120 EC-C18 Chromatography Columns with Acetonitrile and Water less than 10mL

SECTION 9: Physical and chemical properties

| | |
|---|--|
| Flash point | : Closed cup: -18 to 23°C |
| Evaporation rate | : Not available. |
| Flammability (solid, gas) | : Contains: Flammable liquid. |
| Upper/lower flammability or explosive limits | : Not available. |
| Vapour pressure | : Not available. |
| Vapour density | : Not available. |
| Relative density | : Not available. |
| Solubility(ies) | : Mobile phase: Soluble Stationary phase: Insoluble |
| Partition coefficient: n-octanol/water | : Not available. |
| Auto-ignition temperature | : Not available. |
| Decomposition temperature | : Not available. |
| Viscosity | : Not available. |
| Explosive properties | : Not available. |
| Oxidising properties | : Not available. |

9.2 Other information

No additional information.

SECTION 10: Stability and reactivity

| | |
|--|---|
| 10.1 Reactivity | : No specific test data related to reactivity available for this product or its ingredients. |
| 10.2 Chemical stability | : The product is stable. |
| 10.3 Possibility of hazardous reactions | : Under normal conditions of storage and use, hazardous reactions will not occur. |
| 10.4 Conditions to avoid | : Avoid all possible sources of ignition (spark or flame). Do not pressurise, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition. |
| 10.5 Incompatible materials | : Reactive or incompatible with the following materials: oxidizing materials Incompatible with hydrogen fluoride. |
| 10.6 Hazardous decomposition products | : Under normal conditions of storage and use, hazardous decomposition products should not be produced. |

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

| Product/ingredient name | Result | Species | Dose | Exposure |
|-------------------------|------------------------|---------|------------|----------|
| Acetonitrile | LC50 Inhalation Vapour | Rat | 17100 ppm | 4 hours |
| | LD50 Oral | Rat | 2460 mg/kg | - |

Acute toxicity estimates

Poroshell 120 EC-C18 Chromatography Columns with Acetonitrile and Water less than 10mL

SECTION 11: Toxicological information

| Product/ingredient name | Oral (mg/kg) | Dermal (mg/kg) | Inhalation (gases) (ppm) | Inhalation (vapours) (mg/l) | Inhalation (dusts and mists) (mg/l) |
|--|--------------|----------------|--------------------------|-----------------------------|-------------------------------------|
| Poroshell 120 EC-C18 Chromatography Columns with Acetonitrile and Water less than 10mL | 2381 | 5238.1 | N/A | 52.4 | N/A |
| Acetonitrile | 500 | 1100 | N/A | 11 | N/A |

Irritation/Corrosion

| Product/ingredient name | Result | Species | Score | Exposure | Observation |
|-------------------------|--------------------------|---------|-------|--|-------------|
| Acetonitrile | Eyes - Moderate irritant | Rabbit | - | 24 hours 100 microliters 500 milligrams | - |
| | Skin - Mild irritant | Rabbit | - | | - |

Sensitiser

Conclusion/Summary : Not available.

Mutagenicity

Conclusion/Summary : Not available.

Carcinogenicity

Conclusion/Summary : Not available.

Reproductive toxicity

Conclusion/Summary : Not available.

Teratogenicity

Conclusion/Summary : Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on likely routes of exposure : Routes of entry anticipated: Oral, Dermal, Inhalation.

Potential acute health effects

- Inhalation** : No known significant effects or critical hazards.
- Ingestion** : No known significant effects or critical hazards.
- Skin contact** : No known significant effects or critical hazards.
- Eye contact** : Causes serious eye irritation.

Symptoms related to the physical, chemical and toxicological characteristics

- Inhalation** : No specific data.
- Ingestion** : No specific data.
- Skin contact** : No specific data.
- Eye contact** : Adverse symptoms may include the following:
pain or irritation
watering
redness

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Short term exposure

Potential immediate effects : Not available.

Poroshell 120 EC-C18 Chromatography Columns with Acetonitrile and Water less than 10mL

SECTION 11: Toxicological information

Potential delayed effects : Not available.

Long term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Potential chronic health effects

General : No known significant effects or critical hazards.

Carcinogenicity : No known significant effects or critical hazards.

Mutagenicity : No known significant effects or critical hazards.

Teratogenicity : No known significant effects or critical hazards.

Developmental effects : No known significant effects or critical hazards.

Fertility effects : No known significant effects or critical hazards.

SECTION 12: Ecological information

12.1 Toxicity

| Product/ingredient name | Result | Species | Exposure |
|-------------------------|---------------------------------------|------------------------------|----------|
| Acetonitrile | Acute IC50 3685000 µg/l Fresh water | Aquatic plants - Lemna minor | 96 hours |
| | Acute LC50 3600000 µg/l Fresh water | Daphnia - Daphnia magna | 48 hours |
| | Acute LC50 1000000 µg/l Fresh water | Fish - Pimephales promelas | 96 hours |
| | Chronic NOEC 1000000 µg/l Fresh water | Aquatic plants - Lemna minor | 96 hours |
| | Chronic NOEC 160000 µg/l Fresh water | Daphnia - Daphnia magna | 21 days |

12.2 Persistence and degradability

Not available.

| Product/ingredient name | Aquatic half-life | Photolysis | Biodegradability |
|-------------------------|-------------------|------------|------------------|
| Acetonitrile | - | - | Readily |

12.3 Bioaccumulative potential

| Product/ingredient name | LogP _{ow} | BCF | Potential |
|-------------------------|--------------------|-----|-----------|
| Acetonitrile | -0.34 | 3 | low |

12.4 Mobility in soil

Soil/water partition coefficient (K_{oc}) : Not available.

Mobility : Not available.

12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

12.6 Other adverse effects : No known significant effects or critical hazards.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Methods of disposal : The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

Hazardous waste : The classification of the product may meet the criteria for a hazardous waste.

Packaging

Methods of disposal : The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

Special precautions : This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Vapour from product residues may create a highly flammable or explosive atmosphere inside the container. Do not cut, weld or grind used containers unless they have been cleaned thoroughly internally. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

This Safety Data Sheet is written based on the encapsulated substance or mixture in this article. Since the hazardous ingredient is encapsulated, the risk of exposure by inhalation, ingestion, skin contact and eyes contact is minimum.

| | ADR/RID | IMDG | IATA |
|---------------------------------|----------------|----------------|----------------|
| 14.1 UN number | Not regulated. | Not regulated. | Not regulated. |
| 14.2 UN proper shipping name | - | - | - |
| 14.3 Transport hazard class(es) | - | - | - |
| 14.4 Packing group | - | - | - |
| 14.5 Environmental hazards | No. | No. | No. |

Additional information

Remarks: Special provisions

ADR: 216

IATA: A46

IMDG: 216

14.6 Special precautions for user : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code : Not available.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorisation

Annex XIV

None of the components are listed.

Substances of very high concern

None of the components are listed.

Annex XVII - Restrictions : Not applicable.
**on the manufacture,
placing on the market
and use of certain
dangerous substances,
mixtures and articles**

Other EU regulations

**Industrial emissions
(integrated pollution
prevention and control) -
Air** : Listed

**Industrial emissions
(integrated pollution
prevention and control) -
Water** : Listed

Ozone depleting substances (1005/2009/EU)

Not listed.

Prior Informed Consent (PIC) (649/2012/EU)

Not listed.

Seveso Directive

This product is controlled under the Seveso Directive.

Danger criteria

| Category |
|----------|
| P5c |

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol (Annexes A, B, C, E)

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Inventory list

Australia : All components are listed or exempted.
Canada : Not determined.
China : All components are listed or exempted.
Europe : All components are listed or exempted.

Poroshell 120 EC-C18 Chromatography Columns with Acetonitrile and Water less than 10mL

SECTION 15: Regulatory information

- Japan** : **Japan inventory (ENCS):** All components are listed or exempted.
Japan inventory (ISHL): All components are listed or exempted.
- New Zealand** : All components are listed or exempted.
- Philippines** : Not determined.
- Republic of Korea** : Not determined.
- Taiwan** : All components are listed or exempted.
- Thailand** : Not determined.
- Turkey** : All components are listed or exempted.
- United States** : All components are listed or exempted.
- Viet Nam** : Not determined.

15.2 Chemical safety assessment : This product contains substances for which Chemical Safety Assessments might still be required.

SECTION 16: Other information

✔ Indicates information that has changed from previously issued version.

- Abbreviations and acronyms** :
- ATE = Acute Toxicity Estimate
 - CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]
 - DMEL = Derived Minimal Effect Level
 - DNEL = Derived No Effect Level
 - EUH statement = CLP-specific Hazard statement
 - N/A = Not available
 - PBT = Persistent, Bioaccumulative and Toxic
 - PNEC = Predicted No Effect Concentration
 - RRN = REACH Registration Number
 - vPvB = Very Persistent and Very Bioaccumulative

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

| Classification | Justification |
|--|---|
| Flam. Liq. 2, H225 Eye Irrit. 2, H319 | On basis of test data Calculation method |

Full text of abbreviated H statements

| | |
|--------------------------------------|--|
| H225 H302 H312 H319 H332 | Highly flammable liquid and vapour. Harmful if swallowed. Harmful in contact with skin. Causes serious eye irritation. Harmful if inhaled. |
|--------------------------------------|--|

Full text of classifications [CLP/GHS]

| | |
|--|--|
| Acute Tox. 4, H302 Acute Tox. 4, H312 Acute Tox. 4, H332 Eye Irrit. 2, H319 Flam. Liq. 2, H225 | ACUTE TOXICITY (oral) - Category 4 ACUTE TOXICITY (dermal) - Category 4 ACUTE TOXICITY (inhalation) - Category 4 SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2 FLAMMABLE LIQUIDS - Category 2 |
|--|--|

Date of issue/ Date of revision : 14/10/2019

Date of previous issue : 03/05/2019

Version : 3.1

Notice to reader

Disclaimer: The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.