



Agilent Technologies

Kit Name: Cannabis and Hemp Potency Kit

Kit PN: 5610-2036

This product is a kit, composed of the following individual chemical components:

Kit Components

Component Part Number	Component Name	Volume or mass/ container and unit	No. of component containers/ kit
G2453-85060	Formic acid, 5 ml	5mL	1
699975-302	Agilent InfinityLab Poroshell 120 EC-C18, 3.0 × 50 mm, 2.7 μm	<10mL Solvent	1 LC Column
5183-2072	Vial, screw top, amber, write-on spot, deactivated (silanized), certified, 2 mL, 100/pk	(Only contains hardware/non-chemical containing)	
5182-0718	Cap, screw, green, PTFE/red silicone septa, 100/pk		
5610-2049	50 mL centrifuge tubes, 25/pk		
5190-5107	0.45 μm Regenerated cellulose (RC) syringe filter, 100/pk		
9301-6476	Syringe, 5 mL, 100/pk		
5982-9313	Ceramic Homogenizers, for 50 mL tubes, 100/pk		

SDSs for each component follow this cover sheet.

Transportation Information for the Kit:

Proper Shipping Names:

DOT	IATA/ICAO	China
UN3316 Chemical Kits, 9, II	UN3316 Chemical Kit, 9, II	UN3316 Chemical Kits, 9, II

물질안전보건자료 GHS에 따라

인쇄일자: 2020.04.10

Version Number 4

개정: 2020.04.10

1 화학제품과 회사에 관한 정보

- 제품 식별자
- 제품명: Formic acid Reagent Grade (1 x 5mL)
- 상품번호: G2453-85060
- CAS-번호
64-18-6
- EC 의번호:
200-579-1
- 색인 번호:
607-001-00-0
- 해당 순물질이나 혼합물의 관련 하위용도 및 사용금지용도 분석 화학 실험실 용도의 시약 및 표준
- 안전데이터표(Safety Data Sheet)내 공급업체 관련 상세 정보
- 제조자/수입자/유통업자 정보:
서울시 서초구 강남대로 369, 9, 10, 11, 13, 14층
(서초동, 에이플러스에셋타워)
(우) 06621
- 추가적인 정보 획득 가능:
Phone Number: 080 004 5090
e-mail: pdl-msds_author@agilent.com
- 비상연락 전화번호: CHEMTREC®: 00-308-13-2549

2 유해성·위험성

· 순물질 또는 혼합물의 분류



화염

인화성 액체 – 구분 3

H226 인화성 액체 및 증기



두개골과 대퇴골

급성 독성 - 흡입 – 구분 3

H331 흡입하면 유독함



부식

피부 부식성/피부 자극성 – 구분 1 H314 피부에 심한 화상과 눈에 손상을 일으킴

심한 눈 손상성/눈 자극성 – 구분 1 H318 눈에 심한 손상을 일으킴



급성 독성 - 경구 – 구분 4

H302 삼키면 유해함

· 라벨표기 요소

· GHS 라벨 요소

본 화학물질은 화학물질의 분류 및 표기에 관한 국제조화시스템(GHS)에 따라 분류 및 표기되었습니다.

(2 쪽에 계속)

물질안전보건자료 GHS에 따라

인쇄일자: 2020.04.10

Version Number 4

개정: 2020.04.10

제품명: Formic acid Reagent Grade (1 x 5mL)

(1 쪽부터계속)

· 그림문자


GHS02 GHS05 GHS06

· 신호어 위험
· 상표상에명확히위험성이표시된성분:

개미산

· 유해·위험 문구

인화성 액체 및 증기

삼키면 유해함

흡입하면 유독함

피부에 심한 화상과 눈에 손상을 일으킴

· 예방조치 문구

의학적인 조치가 필요한 경우, 제품의 용기 또는 라벨을 보여주세요.

어린이 손이 닿지 않는 곳에 보관하세요.

사용 전에 라벨을 읽으세요.

열·스파크·화염·고열로부터 멀리하세요 - 금연

용기·수용설비를 접지·접합시키세요.

폭발 방지용 전기·환기·조명·장비를 사용하세요.

스파크가 발생하지 않는 도구를 사용하세요.

정전기 방지 조치를 취하세요.

분진을 연무를흡입하지 마세요.

취급 후에는 취급 부위를 철저히 씻으세요.

이 제품을 사용할 때에는 먹거나, 마시거나 흡연하지 마세요.

옥외 또는 환기가 잘 되는 곳에서만 취급하세요.

보호장갑·보호의·보안경·안면보호구를 착용하세요.

삼켰을 시: 몸에 이상이 있을 시 독성물질 센터/병원 연락 필요.

삼켰다면 입을 씻어내세요. 토하게 하려 하지 마세요.

피부(또는 머리카락)에 묻으면 오염된 모든 의복은 벗거나 제거하세요. 피부를 물로 씻으세요/샤워하세요

흡입하면 신선한 공기가 있는 곳으로 옮기고 호흡하기 쉬운 자세로 안정을 취하세요.

눈에 묻으면 몇 분간 물로 조심해서 씻으세요. 가능하면 콘택트렌즈를 제거하세요. 계속 씻으세요.

즉시 독성물질센터/병원 연락 필요.

(라벨 참조) 처치를 하세요.

다시 사용전 오염된 의류는 세척하세요.

화재 발생 시: 진압 목적으로 사용: 이산화탄소, 파우더, 살수차.

용기는 환기가 잘 되는 곳에 단단히 밀폐하여 저장하세요.

환기가 잘 되는 곳에 보관하고 저온으로 유지하세요

밀봉하여 저장하세요.

(지방/지역/국가/국제 규정에 따라) 에 내용물/용기를 폐기하세요.

· 기타 유해성

· PBT(잔류성, 생물농축성, 독성 물질) 및 vPvB(고 잔류성, 고 생물농축성 물질) 평가 결과

· PBT(잔류성, 생물농축성, 독성 물질): 해당사항 없음.

· vPvB(고 잔류성, 고 생물농축성 물질): 해당사항 없음.

KR

(3 쪽에계속)

물질안전보건자료 GHS에 따라

인쇄일자: 2020.04.10

Version Number 4

개정: 2020.04.10

제품명: Formic acid Reagent Grade (1 x 5mL)

(2 쪽부터계속)

3 구성성분의 명칭 및 함유량

- 화학적 특성: 화학물질
- CAS-번호표시
64-18-6 개미산
- 식별 번호
- EC 의번호: 200-579-1
- 색인 번호: 607-001-00-0

4 응급조치 요령

- 응급조치요령 내용
- 일반적 정보:
이제품에 의해 오염된 의상은 즉시제거한다.
중독증상은 몇시간이 지난 뒤에 발생할 수 있다. 따라서 사고가 발생한 후에 적어도 48시간동안은 의료진의 관찰을 받아야 한다.
반드시 오염된 의상을 완전히 제거한 후에 호흡보호기를 떼어낸다.
불규칙적인 호흡이나 호흡정지상태에서는 인공호흡을 실시한다.
- 흡입했을 때:
신선한 공기나 산소를 공급받고, 의료진의 도움을 구한다.
환자가 의식을 잃었을 경우에는 안전한 자세에서 환자를 운반한다.
- 피부에 접촉했을 때: 즉시물과비누로씻고잘행군다.
- 눈에 들어갔을 때: 흐르는 물에 눈을 몇분동안 씻어내고나서, 의사와 상담한다
- 먹었을 때:
즉시 의사의 도움을 구한다.
물을 충분히 마시고 신선한 공기를 쐬다. 즉시 의사의 도움을 구한다.
- 기타 의사의 주의사항:
· 가장 중요한 급·만성 증상 및 영향 추가적인 정보가 존재하지 않습니다.
· 즉각적인 의료처리 및 특별치료가 필요함을 시사하는 징후 추가적인 정보가 존재하지 않습니다.

5 폭발·화재시 대처방법

- 소화제
- 적절한 소화제:
이산화탄소, 진화용 석회가루 또는 물방사를 사용하고, 더큰 화재는 물을 분사하거나 알코올이 함유된거품으로 끈다.
- 본 화학물질이나 혼합물에서 발생하는 특별 유해성
가열되거나 혹은 화재발생시유독성가스가 발생한다.
- 소방관에 대한 권고사항
- 화재 진압 시 착용할 보호구 및 예방조치: 호흡보호장비설치.

6 누출 사고 시 대처방법

- 개인적 예방조치, 보호장비 및 응급처리 절차
호흡안전장비설치.
안전장비 착용하고, 무방비 의 사람은 격리시킨다.
- 환경 관련 예방조치:
많은 물로 희석시킨다.
하수도망/해수면위의물/지하수로도달하지않게한다.

(4 쪽에계속)

물질안전보건자료 GHS에 따라

인쇄일자: 2020.04.10

Version Number 4

개정: 2020.04.10

제품명: Formic acid Reagent Grade (1 x 5mL)

(3 쪽부터계속)

- **밀폐 및 정화 방법과 소재:**
액체가 혼합된 물질 (모래, 규조토, 산성 결합물, 일반 결합물, 톱밥)에 흡입되도록 한다.
중성제를 사용한다.
항목 13에 따라 오염된 물질을 쓰레기로 처분한다.
충분한 환기가 되도록 한다.
- **타 섹션 참조**
안전관리에 대한 정보는 제7 장을 참고하십시오.
개인보호장비에 대한 정보는 제8 장을 참고하십시오.
쓰레기처리에 대한 정보는 제13 장을 참고하십시오.

7 취급 및 저장방법

- **취급:**
- **안전 취급을 위한 예방조치**
작업장에서는 통풍이 잘 되고/습기 제거가 잘 되게 주의한다.
조심스럽게 용기를 개봉하거나 취급한다.
연무질이 형성되는 것을 피한다.
- **화재 및 폭발 사고 예방대책에 관한 정보:**
발화 요소는 멀리 둔다. 급연.
정전기의 충전으로부터 보호한다.
호흡보호장비를 항상 비치한다.
- **혼합위험성 등 안전 저장 조건**
- **보관:**
- **안전한 저장 방법:** 특별한 요구사항이 없음.
- **하나의 공동 보관 시설에 대한 보관 관련 정보:** 필요없음
- **보관 조건에 관한 추가적인 정보:** 용기를 새지 않게 밀폐한 채 보관한다.
- **구체적 최종 사용자** 추가적인 정보가 존재하지 않습니다.

* 8 노출방지 및 개인보호구

- **첨단시설 디자인에 대한 추가정보:** 더 이상의 자료는 없음. 항목 7을 참고하십시오.

- **통제 변수**

- **화학물질의 노출기준, 생물학적 노출기준 등:**

64-18-6 개미산

TLV	장기간의값: 5 ppm
-----	--------------

- **추가 정보:** 제조할 당시에 유효한 목록을 기초로 사용했다.

- **노출 통제**

- **개인 보호구**

- **일반적보호조치및위생조치:**

- 식료품, 음료수와 사료로부터 멀리 떨어져 두어 놓는다.
- 더러워지거나 음료수가 묻은 옷은 즉시 탈의한다.
- 휴식 전이나 작업이 끝날 때 마다 손을 씻는다.
- 방호복은 따로 보관한다.
- 눈과의 접촉을 피한다.
- 눈과 피부와의 접촉을 피한다.

- **호흡기 보호:**

Agilent instruments를 의도된 용도로 사용할 경우, 정상 실험실 조건에서 표준 관행을 준수하여 제품을 사용하면 심각한 공기 중 노출이 발생하지 않습니다. 따라서 호흡기 보호가 필요하지 않습니다.

호흡기 보호가 필요할 것으로 판단되는 비상 상황에서는 NIOSH 또는 이와 동등한 등급의 승인 장치/장

(5 쪽에계속)

물질안전보건자료 GHS에 따라

인쇄일자: 2020.04.10

Version Number 4

개정: 2020.04.10

제품명: Formic acid Reagent Grade (1 x 5mL)

(4 쪽부터계속)

비(적절한 유기 가스 또는 산성 가스 카트리지를 장착)를 사용하십시오.

· 손 보호:

화학물질에 대한 지속적인 접촉이나 세척은 권장되지 않지만, 정상 사용 시에는 니트릴 장갑의 두께가 0.28-0.33mm인 것이 좋습니다.

파과 시간은 1시간입니다.

화학물질과 직접 접촉하여 해당 물질을 닦아낼 때는, 파과 시간이 4시간을 넘는 경우 두께가 0.30-0.38mm인 부틸 고무 장갑을 사용하는 것이 좋습니다. 공급업체의 권고 사항을 따르십시오.

· 장갑의재료

정상 사용 시:

니트릴 고무, 두께 0.28-0.33mm

화학물질에 직접 접촉하는 경우:

부틸 고무, 두께 0.30-0.38mm

적합한장갑의선택은재질차이뿐아니라품질기준의차이도고려하여이루어져야하고제조업자에따라서도다르게선정되어야한다.

· 장갑재료의투과시간

정상 사용 시:

니트릴 고무:

1시간

화학물질에 직접 접촉하는 경우:

부틸 고무:

> 4시간

· 눈 보호:



꼭조이는보안경

9 물리화학적 특성

· 기본 물리 및 화학적 특성에 대한 정보

· 일반정보

· 외형

· 물리적 상태:	액체
· 색:	색소가없는
· 냄새:	찌르는듯한
· 후각역치	알맞지않다.

· pH: 알맞지않다.

· 상태변화

· 녹는점/어는점:	-9 °C
· 초기 끓는점과 끓는점 범위:	107 °C
· 인화점:	59 °C
· 인화성(고체, 기체):	해당사항 없음.

· 점화온도: 520 °C

· 분해 온도: 알맞지않다.

· 자기점화: 알맞지않다.

· 폭발위험: 알맞지않다.

(6 쪽에계속)

물질안전보건자료 GHS에 따라

인쇄일자: 2020.04.10

Version Number 4

개정: 2020.04.10

제품명: Formic acid Reagent Grade (1 x 5mL)

(5 쪽부터계속)

· 인화 또는 폭발 범위의 상한/하한 아래로:	14 Vol %
위로:	33 Vol %
· 증기압 의경우 20 °C:	30 hPa
· 밀도 의경우 20 °C:	1.2 g/cm ³
· 비중:	알맞지않다.
· 증기밀도:	알맞지않다.
· 증발 속도:	알맞지않다.
· 용해도:	
물:	완전히혼합할수있는
· n 옥탄올/물 분배계수:	알맞지않다.
· 점도:	
역학성:	알맞지않다.
동점성:	알맞지않다.
· 용매내용물 VOC (EU)	0.00 %
고체의 함량:	0.0 %
· 기타 정보	추가적인 정보가 존재하지 않습니다.

10 안정성 및 반응성

- 반응성 추가적인 정보가 존재하지 않습니다.
- 화학적 안정성
- 화학적 안정성 및 유해 반응의 가능성 / 피해야 할 조건: 규정에따라사용할경우해체는없다
- 유해반응 가능성 위험한반응으로는알려지지않았다.
- 피해야 할 조건 추가적인 정보가 존재하지 않습니다.
- 혼합 금지 물질: 추가적인 정보가 존재하지 않습니다.
- 유해분해물질: 위험성있는분해물들은알려지지않았다.

* 11 독성에 관한 정보

- 독성학적 영향에 대한 정보
- 급성 독성:

· LD/LC50-수치에 따른 분류:		
ATE (급성독성 추정치)		
구강의	LD50	730 mg/kg (rat)
흡입의	LC50/4 h	7.4 mg/L (rat)
64-18-6 개미산		
구강의	LD50	730 mg/kg (rat)
흡입의	LC50/4 h	7.4 mg/L (rat)

- 일차적 자극 효과:
- 피부 부식성 또는 자극성: 피부와점막에강한부식작용.
- 심한 눈 손상 또는 자극성:
강한부식작용

(7 쪽에계속)

물질안전보건자료 GHS에 따라

인쇄일자: 2020.04.10

Version Number 4

개정: 2020.04.10

제품명: Formic acid Reagent Grade (1 x 5mL)

(6 쪽부터계속)

심각한안구상처의위험이있는강한자극

 · **감각화:** 민감한영향이없는것으로알려져있다.

 · **추가적인 독성에 관한 정보:**

삼킬경우식도나위등의내장기관벽에상처를주는위험과마찬가지로입주변이나구강에강한부식작용을한다

12 환경에 미치는 영향

 · **독성**

 · **수생독성:** 추가적인 정보가 존재하지 않습니다.

 · **지속성 및 분해성** 추가적인 정보가 존재하지 않습니다.

 · **환경 시스템에서의 행동:**

 · **생물농축 잠재성** 추가적인 정보가 존재하지 않습니다.

 · **토양내 이동성** 추가적인 정보가 존재하지 않습니다.

 · **추가적인 생태학 정보:**

 · **일반 특징:**

수질오염등급 1 (목록분류): 약하게수질오염이된

희석시키지않은채대량으로지하수나, 하천으로그리고하수도망에도달하지않게한다.

희석시키지않은채또는중화시키지않은채하수도나배수로에도달하지않게해야한다.

 · **PBT(잔류성, 생물농축성, 독성 물질) 및 vPvB(고 잔류성, 고 생물농축성 물질) 평가 결과**

 · **PBT(잔류성, 생물농축성, 독성 물질):** 해당사항 없음.

 · **vPvB(고 잔류성, 고 생물농축성 물질):** 해당사항 없음.

 · **기타 부작용** 추가적인 정보가 존재하지 않습니다.

13 폐기시 주의사항

 · **폐기물 처리 방법**

 · **권고:** 생활쓰레기와함께처리되어서는안된다. 하수도망으로유입되어서는안된다.

 · **비위생적 포장:**

 · **권고:** 당국의지침에입각한쓰레기처리.

 · **추천 세정제:** 경우에따라서세제가첨가된물

14 운송에 필요한 정보

 · **유엔 번호**

 · **ADR, IMDG, IATA**

UN1779

 · **UN 적정 선적명**

 · **ADR**

1779 FORMIC ACID

 · **IMDG, IATA**

FORMIC ACID

 · **교통 위험 클래스**

 · **ADR**

 · **등급**

8 부식작용하는물질

(8 쪽에계속)

물질안전보건자료 GHS에 따라



인쇄일자: 2020.04.10

Version Number 4

개정: 2020.04.10

제품명: Formic acid Reagent Grade (1 x 5mL)

(7 쪽부터계속)

· 위험물 라벨 · IMDG  · Class · Label	8+3 8 부식작용하는물질 8/3
· IATA  · Class · Label	8 부식작용하는물질 8 (3)
· 용기등급 · ADR, IMDG, IATA	II
· 환경적 유해물질:	해당사항 없음.
· 이용자 특별 예방조치 · 위험 코드: · EMS-번호: · Segregation groups · Stowage Category · Segregation Code	경고: 부식작용하는물질 80 8-05 Acids A SG36 Stow "separated from" SGG18-alkalis. SG49 Stow "separated from" SGG6-cyanides
· MARPOL73/78(선박으로부터의 해양오염방지협약) 부속서2 및 IBC Code(국제선적화물코드)에 따른 벌크(bulk) 운송	해당사항 없음.
· 운 송/추가 정보: · ADR · 한정 수량 (LQ) · Excepted quantities (EQ) · 운송 구분 · 터널 제한 코드	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml 2 E
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN "모범 규제":	UN 1779 FORMIC ACID, 8 (3), II

KR

(9 쪽에계속)

물질안전보건자료 GHS에 따라

인쇄일자: 2020.04.10

Version Number 4

개정: 2020.04.10

제품명: Formic acid Reagent Grade (1 x 5mL)

(8 쪽부터계속)

15 법적 규제현황

· 산업안전보건법에 의한 규제:

· 제조 등 금지물질:

성분이포함되어있지않다

· 허가대상물질:

성분이포함되어있지않다

· 관리대상유해물질:

성분이포함되어있다

· 작업환경측정 대상 유해인자

ICI

· 특수건강진단 대상 유해인자

성분이포함되어있지않다

· 해당 순물질 또는 혼합물에 대한 안전, 보건 및 환경 규제/법률

· Korean Existing Chemical Inventory

KE-17233

· 화학물질관리법

· 사고대비물질

성분이포함되어있다

· 금지물질

성분이포함되어있지않다

· 제한물질

성분이포함되어있지않다

· 유독물질

성분이포함되어있지않다

· 허가물질

성분이포함되어있다

· 위험물안전관리법 (위험물 및 지정수량) True

· 등록 또는 신고 면제대상 화학물질

성분이포함되어있지않다

· ‘21년까지 등록하여야 할 암, 돌연변이, 생식능력 이상을 일으키거나 일으킬 우려가 있는 기존화학물질

성분이포함되어있지않다

· 중점관리물질의 지정

· 표1 중점관리물질(제2조 관련)

성분이포함되어있지않다

· 표2 중점관리물질(제2조 관련)

성분이포함되어있지않다

· 화학물질 안전성 평가: 화학물질 안전성 평가가 수행되지 않음

KR

(10 쪽에계속)

물질안전보건자료 GHS에 따라

인쇄일자: 2020.04.10

Version Number 4

개정: 2020.04.10

제품명: Formic acid Reagent Grade (1 x 5mL)

(9 쪽부터계속)

16 그 밖의 참고사항

면책 조항 : 이 문서에 포함 된 정보는 해당 문서를 준비하는 시점에 애질런트가 알고 있는 바에 근거한 것 입니다. 정보의 정확성, 완전성 또는 특정 목적에 대한 적합성에 관한 어떠한 명시적 또는 묵시적 보증을 하지 않습니다.

- **최초 작성일자:** 2017.06.06
- **개정 횟수 및 최종 개정일자:** 4 / 2020.04.10
- **약어와 두문자어:**
 - ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
 - IMDG: International Maritime Code for Dangerous Goods
 - IATA: International Air Transport Association
 - EINECS: European Inventory of Existing Commercial Chemical Substances
 - CAS: Chemical Abstracts Service (division of the American Chemical Society)
 - VOC: Volatile Organic Compounds (USA, EU)
 - LC50: Lethal concentration, 50 percent
 - LD50: Lethal dose, 50 percent
 - PBT: Persistent, Bioaccumulative and Toxic
 - vPvB: very Persistent and very Bioaccumulative
- *** 이전 버전과 비교해서 데이터가 변경 됨**

KR

SAFETY DATA SHEET

Poroshell 120 EC-C18 Chromatography Columns with Acetonitrile and Water less than 10mL

Section 1. Identification

This product is considered an article. This Safety Data Sheet is written based on the encapsulated substance or mixture in this article.

1.1 Product identifier

Product name : Poroshell 120 EC-C18 Chromatography Columns with Acetonitrile and Water less than 10mL

Part no. : 690975-902, 693975-902, 695775-922, 695975-902, 697975-902, 699775-922, 699975-902, 691975-902, 693975-302, 695975-302, 697975-302, 699975-302, 691975-302, 693775-902, 695775-902, 697775-902, 699775-902, 691775-902, 821725-911, 823750-911, 820750-911, 699770-902, 695770-902, 693770-902, 650750-902, 699970-302, 695970-302, 693970-302, 690970-302, 699970-902, 695970-902, 693970-902, 690970-902, 821725-916, 823750-916, 820750-916, 650750-902T, 690970-302T, 690970-902T, 690975-902T, 691775-902T, 691975-302T, 691975-902T, 693770-902T, 693775-902T, 693970-302T, 693970-902T, 693975-302T, 693975-902T, 695770-902T, 695775-902T, 695970-302T, 695970-902T, 695975-302T, 695975-902T, 697775-902T, 697975-302T, 697975-902T, 699770-902T, 699775-902T, 699970-302T, 699970-902T, 699975-302T, 699975-902T, 699675-902, 695675-902, 693675-902, 699675-302, 695675-302, 693675-302, 821725-940, 823750-940, 695575-902, 693575-902, 695575-302, 693575-302, 691775-302

Validation date : 10/14/2019

1.2 Relevant identified uses of the substance or mixture and uses advised against

Material uses : Analytical chemistry.
HPLC column
Solvent volume: <10 ml

690975-902	Poroshell 120, EC-C18, 4.6x250mm, 2.7um
693975-902	Poroshell 120, EC-C18, 4.6x150mm, 2.7um
695775-922	Poroshell 120, EC-C18, 2.1x100mm, 2.7um 2pk
695975-902	Poroshell 120, EC-C18, 4.6x100mm, 2.7um
697975-902	Poroshell 120, EC-C18, 4.6x75mm, 2.7um
699775-922	Poroshell 120, EC-C18, 2.1x50mm, 2.7um 2pk
699975-902	Poroshell 120, EC-C18, 4.6x50mm, 2.7um
691975-902	Poroshell 120, EC-C18, 4.6x30mm, 2.7um
693975-302	Poroshell 120, EC-C18, 3.0x150mm, 2.7um
695975-302	Poroshell 120, EC-C18, 3.0x100mm, 2.7um
697975-302	Poroshell 120, EC-C18, 3.0x75mm, 2.7um
699975-302	Poroshell 120, EC-C18, 3.0x50mm, 2.7um
691975-302	Poroshell 120, EC-C18, 3.0x30mm, 2.7um
693775-902	Poroshell 120, EC-C18, 2.1x150mm, 2.7um
695775-902	Poroshell 120, EC-C18, 2.1x100mm, 2.7um
697775-902	Poroshell 120, EC-C18, 2.1x75mm, 2.7um
699775-902	Poroshell 120, EC-C18, 2.1x50mm, 2.7um
691775-902	Poroshell 120, EC-C18, 2.1x30mm, 2.7um
821725-911	Poroshell 120, UHPLC Guard, EC-C18, 2.1mm
823750-911	Poroshell 120, UHPLC Guard, EC-C18, 3.0mm
820750-911	Poroshell 120, UHPLC Guard, EC-C18, 4.6mm
699770-902	Poroshell 120, EC-C18, 2.1x50mm, 4um
695770-902	Poroshell 120, EC-C18, 2.1x100mm, 4um
693770-902	Poroshell 120, EC-C18, 2.1x150mm, 4um
650750-902	Poroshell 120, EC-C18, 2.1x250mm, 4um
699970-302	Poroshell 120, EC-C18, 3x50mm, 4um
695970-302	Poroshell 120, EC-C18, 3x100mm, 4um
693970-302	Poroshell 120, EC-C18, 3x150mm, 4um
690970-302	Poroshell 120, EC-C18, 3x250mm, 4um
699970-902	Poroshell 120, EC-C18, 4.6x50mm, 4um
695970-902	Poroshell 120, EC-C18, 4.6x100mm, 4um

Section 1. Identification

693970-902	Poroshell 120, EC-C18, 4.6x150mm, 4um
690970-902	Poroshell 120, EC-C18, 4.6x250mm, 4um
821725-916	Poroshell 120, UHPLC Grd, EC-C18, 2.1mm, 4um
823750-916	Poroshell 120, UHPLC Grd, EC-C18, 3mm, 4um
820750-916	Poroshell 120, UHPLC Grd, EC-C18, 4.6mm, 4um
650750-902T	Poroshell 120, EC-C18, 2.1x 250mm, 4um, T
690970-302T	Poroshell 120, EC-C18, 3x 250mm, 4um, T
690970-902T	Poroshell 120, EC-C18, 4.6x 250mm, 4um, T
690975-902T	Poroshell 120, EC-C18, 4.6x 250mm, 2.7um, T
691775-902T	Poroshell 120, EC-C18, 2.1x 30mm, 2.7um, T
691975-302T	Poroshell 120, EC-C18, 3x 30mm, 2.7um, T
691975-902T	Poroshell 120, EC-C18, 4.6x 30mm, 2.7um, T
693770-902T	Poroshell 120, EC-C18, 2.1x 150mm, 4um, T
693775-902T	Poroshell 120, EC-C18, 2.1x 150mm, 2.7um, T
693970-302T	Poroshell 120, EC-C18, 3x 150mm, 4um, T
693970-902T	Poroshell 120, EC-C18, 4.6x 150mm, 4um, T
693975-302T	Poroshell 120, EC-C18, 3x 150mm, 2.7um, T
693975-902T	Poroshell 120, EC-C18, 4.6x 150mm, 2.7um, T
695770-902T	Poroshell 120, EC-C18, 2.1x 100mm, 4um, T
695775-902T	Poroshell 120, EC-C18, 2.1x 100mm, 2.7um, T
695970-302T	Poroshell 120, EC-C18, 3x 100mm, 4um, T
695970-902T	Poroshell 120, EC-C18, 4.6x 100mm, 4um, T
695975-302T	Poroshell 120, EC-C18, 3x 100mm, 2.7um, T
695975-902T	Poroshell 120, EC-C18, 4.6x 100mm, 2.7um, T
697775-902T	Poroshell 120, EC-C18, 2.1x 75mm, 2.7um, T
697975-302T	Poroshell 120, EC-C18, 3x 75mm, 2.7um, T
697975-902T	Poroshell 120, EC-C18, 4.6x 75mm, 2.7um, T
699770-902T	Poroshell 120, EC-C18, 2.1x 50mm, 4um, T
699775-902T	Poroshell 120, EC-C18, 2.1x 50mm, 2.7um, T
699970-302T	Poroshell 120, EC-C18, 3x 50mm, 4um, T
699970-902T	Poroshell 120, EC-C18, 4.6x 50mm, 4um, T
699975-302T	Poroshell 120, EC-C18, 3x 50mm, 2.7um, T
699975-902T	Poroshell 120, EC-C18, 4.6x 50mm, 2.7um, T
699675-902	Poroshell 120 EC-C18, 2.1x50mm, 1.9um, T
695675-902	Poroshell 120 EC-C18, 2.1x100mm, 1.9um, T
693675-902	Poroshell 120 EC-C18, 2.1x150mm, 1.9um, T
699675-302	Poroshell 120 EC-C18, 3x50mm, 1.9um, T
695675-302	Poroshell 120 EC-C18, 3x100mm, 1.9um, T
693675-302	Poroshell 120 EC-C18, 3x150mm, 1.9um, T
821725-940	UHPLC Grd, P120 EC-C18, 2.1mm, 1.9um, 3pk
823750-940	UHPLC Grd, P120 EC-C18, 3mm, 1.9um, 3pk
695575-902	Poroshell 120, EC-C18, 2.1x100mm, 2.7u, 1000bar
693575-902	Poroshell 120, EC-C18, 2.1x150mm, 2.7u, 1000bar
695575-302	Poroshell 120, EC-C18, 3.0x100mm, 2.7u, 1000bar
693575-302	Poroshell 120, EC-C18, 3.0x150mm, 2.7u, 1000bar
691775-302	Poroshell 120, EC-C18, 3.0x30mm, 1.9um, T

[1.3 Details of the supplier of the safety data sheet](#)

Supplier/Manufacturer : Agilent Technologies, Inc.
5301 Stevens Creek Blvd
Santa Clara, CA 95051, USA
800-227-9770

[1.4 Emergency telephone number](#)

In case of emergency : CHEMTREC®: 1-800-424-9300

Section 2. Hazards identification

This article, when used under reasonable conditions and in accordance with the directions for use, should not present a health hazard. The substance or mixture is encapsulated in the article. Only if released due to use or processing of the article in a manner not in accordance with the product's directions for use it may present potential health and safety hazards.

2.1 Classification of the substance or mixture

OSHA/HCS status : This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Classification of the substance or mixture

H225 FLAMMABLE LIQUIDS - Category 2
 H319 EYE IRRITATION - Category 2A
 H373 SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) (blood system, central nervous system (CNS), kidneys, liver) - Category 2

2.2 GHS label elements

Hazard pictograms



Signal word

: Danger

Hazard statements

: H225 - Highly flammable liquid and vapor.
 H319 - Causes serious eye irritation.
 H373 - May cause damage to organs through prolonged or repeated exposure. (blood system, central nervous system (CNS), kidneys, liver)

Precautionary statements

Prevention

: P280 - Wear protective gloves. Wear eye or face protection.
 P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
 P241 - Use explosion-proof electrical, ventilating, lighting and all material-handling equipment.
 P242 - Use only non-sparking tools.
 P243 - Take precautionary measures against static discharge.
 P233 - Keep container tightly closed.
 P260 - Do not breathe vapor.
 P264 - Wash hands thoroughly after handling.

Response

: P314 - Get medical attention if you feel unwell.
 P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
 P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P337 + P313 - If eye irritation persists: Get medical attention.

Storage

: P403 - Store in a well-ventilated place.
 P235 - Keep cool.

Disposal

: P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.

2.3 Other hazards

Hazards not otherwise classified

: None known.

Section 3. Composition/information on ingredients

This article, when used under reasonable conditions and in accordance with the directions for use, should not present a health hazard. The substance or mixture is encapsulated in the article. Only if released due to use or processing of the article in a manner not in accordance with the product's directions for use it may present potential health and safety hazards.

Substance/mixture : Mixture (encapsulated in article)

Ingredient name	%	CAS number
Acetonitrile	≥10 - <22	75-05-8

Contains: Organosilane bonded silica gel

Note: To the best of our knowledge, the acute and chronic toxicological properties of bonded silica gels have not been investigated. This product contains synthetic amorphous silica, and should not be confused with crystalline silica such as quartz, cristobalite, or tridymite, or with diatomaceous earth or other naturally occurring forms of amorphous silica that frequently contain crystalline forms of silica.

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

4.1 Description of necessary first aid measures

- Eye contact** : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
- Inhalation** : Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention following exposure or if feeling unwell. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
- Skin contact** : Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at least 10 minutes. Get medical attention following exposure or if feeling unwell. Wash clothing before reuse. Clean shoes thoroughly before reuse.
- Ingestion** : Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention following exposure or if feeling unwell. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

4.2 Most important symptoms/effects, acute and delayed

Potential acute health effects

- Eye contact** : Causes serious eye irritation.
- Inhalation** : No known significant effects or critical hazards.
- Skin contact** : No known significant effects or critical hazards.

Section 4. First aid measures

Ingestion : No known significant effects or critical hazards.

Over-exposure signs/symptoms

Eye contact : Adverse symptoms may include the following:
pain or irritation
watering
redness

Inhalation : No specific data.

Skin contact : No specific data.

Ingestion : No specific data.

4.3 Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician : In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

Specific treatments : No specific treatment.

Protection of first-aiders : No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media : Use dry chemical, CO₂, water spray (fog) or foam.

Unsuitable extinguishing media : Do not use water jet.

5.2 Special hazards arising from the substance or mixture

Specific hazards arising from the chemical : Highly flammable liquid and vapor. Runoff to sewer may create fire or explosion hazard. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion.

Hazardous thermal decomposition products : Decomposition products may include the following materials:
carbon dioxide
carbon monoxide
nitrogen oxides
metal oxide/oxides
cyanides

5.3 Advice for firefighters

Special protective actions for fire-fighters : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.

Special protective equipment for fire-fighters : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

- For non-emergency personnel** : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
- For emergency responders** : If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

- 6.2 Environmental precautions** : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

6.3 Methods and materials for containment and cleaning up

- Methods for cleaning up** : Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Section 7. Handling and storage

7.1 Precautions for safe handling

- Protective measures** : Put on appropriate personal protective equipment (see Section 8). Do not breathe vapor or mist. Do not ingest. Avoid contact with eyes, skin and clothing. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not enter storage areas and confined spaces unless adequately ventilated. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use only non-sparking tools. Take precautionary measures against electrostatic discharges. Empty containers retain product residue and can be hazardous. Do not reuse container.
- Advice on general occupational hygiene** : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

- 7.2 Conditions for safe storage, including any incompatibilities** : Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

7.3 Specific end use(s)

- Recommendations** : Industrial applications, Professional applications.
- Industrial sector specific solutions** : Not applicable.

Section 8. Exposure controls/personal protection

Since the hazardous ingredient in this article is encapsulated, the risk of exposure by inhalation, ingestion, skin contact and eyes contact is minimum.

8.1 Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
Acetonitrile	<p>ACGIH TLV (United States, 3/2018). Absorbed through skin. TWA: 20 ppm 8 hours.</p> <p>OSHA PEL 1989 (United States, 3/1989). TWA: 40 ppm 8 hours. TWA: 70 mg/m³ 8 hours. STEL: 60 ppm 15 minutes. STEL: 105 mg/m³ 15 minutes.</p> <p>NIOSH REL (United States, 10/2016). TWA: 20 ppm 10 hours. TWA: 34 mg/m³ 10 hours.</p> <p>OSHA PEL (United States, 5/2018). TWA: 40 ppm 8 hours. TWA: 70 mg/m³ 8 hours.</p>

8.2 Exposure controls

Appropriate engineering controls

- : Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapor or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.

Environmental exposure controls

- : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

Hygiene measures

- : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection

- : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.

Skin protection

Hand protection

- : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

Section 8. Exposure controls/personal protection

- Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. When there is a risk of ignition from static electricity, wear anti-static protective clothing. For the greatest protection from static discharges, clothing should include anti-static overalls, boots and gloves.
- Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Respiratory protection** : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

- Physical state** : Solid. (containing flammable liquid)
- Color** : Not available.
- Odor** : Not available.
- Odor threshold** : Not available.
- pH** : Not available.
- Melting point** : Not available.
- Boiling point** : Not available.
- Flash point** : Closed cup: -18 to 23°C (-0.4 to 73.4°F)
- Evaporation rate** : Not available.
- Flammability (solid, gas)** : Contains: Flammable liquid.
- Lower and upper explosive (flammable) limits** : Not available.
- Vapor pressure** : Not available.
- Vapor density** : Not available.
- Relative density** : Not available.
- Solubility** : Mobile phase: Soluble
Stationary phase: Insoluble
- Partition coefficient: n-octanol/water** : Not available.
- Auto-ignition temperature** : Not available.
- Decomposition temperature** : Not available.
- Viscosity** : Not available.

Section 10. Stability and reactivity

- 10.1 Reactivity** : No specific test data related to reactivity available for this product or its ingredients.
- 10.2 Chemical stability** : The product is stable.
- 10.3 Possibility of hazardous reactions** : Under normal conditions of storage and use, hazardous reactions will not occur.
- 10.4 Conditions to avoid** : Avoid all possible sources of ignition (spark or flame). Do not pressurize, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition.

Section 10. Stability and reactivity

10.5 Incompatible materials : Reactive or incompatible with the following materials:
oxidizing materials
Incompatible with hydrogen fluoride.

10.6 Hazardous decomposition products : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Acetonitrile	LC50 Inhalation Vapor	Rat	17100 ppm	4 hours
	LD50 Oral	Rat	2460 mg/kg	-

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Acetonitrile	Eyes - Moderate irritant	Rabbit	-	24 hours 100 microliters	-
	Skin - Mild irritant	Rabbit	-	500 milligrams	-

Sensitization

Not available.

Mutagenicity

Conclusion/Summary : Not available.

Carcinogenicity

Conclusion/Summary : Not available.

Reproductive toxicity

Conclusion/Summary : Not available.

Teratogenicity

Conclusion/Summary : Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Name	Category	Route of exposure	Target organs
Acetonitrile	Category 2	Not determined	blood system, central nervous system (CNS), kidneys and liver

Aspiration hazard

Not available.

Information on the likely routes of exposure : Routes of entry anticipated: Oral, Dermal, Inhalation.

Potential acute health effects

Eye contact : Causes serious eye irritation.

Section 11. Toxicological information

- Inhalation** : No known significant effects or critical hazards.
Skin contact : No known significant effects or critical hazards.
Ingestion : No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

- Eye contact** : Adverse symptoms may include the following:
 pain or irritation
 watering
 redness
- Inhalation** : No specific data.
Skin contact : No specific data.
Ingestion : No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

- Potential immediate effects** : Not available.
Potential delayed effects : Not available.

Long term exposure

- Potential immediate effects** : Not available.
Potential delayed effects : Not available.

Potential chronic health effects

- General** : May cause damage to organs through prolonged or repeated exposure.
Carcinogenicity : No known significant effects or critical hazards.
Mutagenicity : No known significant effects or critical hazards.
Teratogenicity : No known significant effects or critical hazards.
Developmental effects : No known significant effects or critical hazards.
Fertility effects : No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Product/ingredient name	Oral (mg/kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapors) (mg/l)	Inhalation (dusts and mists) (mg/l)
Poroshell 120 EC-C18 Chromatography Columns with Acetonitrile and Water less than 10mL	2381	5238.1	N/A	52.4	N/A
Acetonitrile	500	1100	N/A	11	N/A

Section 12. Ecological information

12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
Acetonitrile	Acute IC50 3685000 µg/l Fresh water	Aquatic plants - Lemna minor	96 hours
	Acute LC50 3600000 µg/l Fresh water	Daphnia - Daphnia magna	48 hours
	Acute LC50 1000000 µg/l Fresh water	Fish - Pimephales promelas	96 hours
	Chronic NOEC 1000000 µg/l Fresh water	Aquatic plants - Lemna minor	96 hours
	Chronic NOEC 160000 µg/l Fresh water	Daphnia - Daphnia magna	21 days

12.2 Persistence and degradability

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
Acetonitrile	-	-	Readily

12.3 Bioaccumulative potential

Product/ingredient name	LogP _{ow}	BCF	Potential
Acetonitrile	-0.34	3	low

12.4 Mobility in soil

Soil/water partition coefficient (K_{oc}) : Not available.

12.5 Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

13.1 Waste treatment methods

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Vapor from product residues may create a highly flammable or explosive atmosphere inside the container. Do not cut, weld or grind used containers unless they have been cleaned thoroughly internally. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Toxic hazardous waste "U" List

Ingredient	CAS #	Status	Reference number
Acetonitrile (I,T)	75-05-8	Listed	U003

Section 13. Disposal considerations

Disposal should be in accordance with applicable regional, national and local laws and regulations. Local regulations may be more stringent than regional or national requirements.

The information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

Section 14. Transport information

This Safety Data Sheet is written based on the encapsulated substance or mixture in this article. Since the hazardous ingredient is encapsulated, the risk of exposure by inhalation, ingestion, skin contact and eyes contact is minimum.

DOT / TDG / Mexico / IMDG / IATA : Not regulated.

Remarks: Special provisions

DOT: 47

TDG: 56

MX: 216

IATA: A46

IMDG: 216

Special precautions for user : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according to Annex II of MARPOL and the IBC Code : Not available.

Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

U.S. Federal regulations : **TSCA 8(a) PAIR:** Acetonitrile
TSCA 8(a) CDR Exempt/Partial exemption: Not determined
Clean Water Act (CWA) 307: Acetonitrile

Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs) : Listed

Clean Air Act Section 602 Class I Substances : Not listed

Clean Air Act Section 602 Class II Substances : Not listed

DEA List I Chemicals (Precursor Chemicals) : Not listed

DEA List II Chemicals (Essential Chemicals) : Not listed

SARA 302/304

Section 15. Regulatory information

Composition/information on ingredients

No products were found.

SARA 304 RQ : Not applicable.

SARA 311/312

Classification : FLAMMABLE LIQUIDS - Category 2
EYE IRRITATION - Category 2A
SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) (blood system, central nervous system (CNS), kidneys, liver) - Category 2

Composition/information on ingredients

Name	%	Classification
Organosilane bonded silica gel	≥50 - ≤75	COMBUSTIBLE DUSTS
Acetonitrile	≥10 - <22	FLAMMABLE LIQUIDS - Category 2 ACUTE TOXICITY (oral) - Category 4 ACUTE TOXICITY (dermal) - Category 4 ACUTE TOXICITY (inhalation) - Category 4 EYE IRRITATION - Category 2A SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) (blood system, central nervous system (CNS), kidneys, liver) - Category 2

SARA 313

	Product name	CAS number	%
Form R - Reporting requirements	Acetonitrile	75-05-8	≥10 - <22
Supplier notification	Acetonitrile	75-05-8	≥10 - <22

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations

Massachusetts : The following components are listed: ACETONITRILE
New York : The following components are listed: Acetonitrile; Ethanenitrile
New Jersey : The following components are listed: ACETONITRILE; CYANOMETHANE
Pennsylvania : The following components are listed: ACETONITRILE

California Prop. 65

This product does not require a Safe Harbor warning under California Prop. 65.

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Inventory list

Australia : All components are listed or exempted.

Section 15. Regulatory information

Canada	: Not determined.
China	: All components are listed or exempted.
Europe	: All components are listed or exempted.
Japan	: Japan inventory (ENCS) : All components are listed or exempted. Japan inventory (ISHL) : All components are listed or exempted.
New Zealand	: All components are listed or exempted.
Philippines	: Not determined.
Republic of Korea	: Not determined.
Taiwan	: All components are listed or exempted.
Thailand	: Not determined.
Turkey	: All components are listed or exempted.
United States	: All components are listed or exempted.
Viet Nam	: Not determined.

Section 16. Other information

History

Date of issue	: 10/14/2019
Date of previous issue	: 05/03/2019
Version	: 9.1

Key to abbreviations

: ATE = Acute Toxicity Estimate
: BCF = Bioconcentration Factor
: GHS = Globally Harmonized System of Classification and Labelling of Chemicals
: IATA = International Air Transport Association
: IBC = Intermediate Bulk Container
: IMDG = International Maritime Dangerous Goods
: LogPow = logarithm of the octanol/water partition coefficient
: MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
: N/A = Not available
: UN = United Nations

Procedure used to derive the classification

Classification	Justification
FLAMMABLE LIQUIDS - Category 2 EYE IRRITATION - Category 2A SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) (blood system, central nervous system (CNS), kidneys, liver) - Category 2	On basis of test data Calculation method Calculation method

Indicates information that has changed from previously issued version.

Notice to reader

Disclaimer: The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.