

# SAFETY DATA SHEET

T7 RNA Polymerase 5000U, Part Number 600123

## Section 1. Identification

**Product identifier** : T7 RNA Polymerase 5000U, Part Number 600123  
**Part no. (chemical kit)** : 600123  
**Part no.** : T7 RNA Polymerase 600123-51  
 RNA Polymerase Dilution Buffer 600110-83  
 5X Transcription Buffer 600110-82

### Relevant identified uses of the substance or mixture and uses advised against

**Material uses** : Analytical reagent.  
 T7 RNA Polymerase 1 ml (5000 U 50 U/μl)  
 RNA Polymerase Dilution Buffer 1 ml  
 5X Transcription Buffer 1 ml

**Supplier/Manufacturer** : Agilent Technologies Australia Pty Ltd  
 679 Springvale Road  
 Mulgrave  
 Victoria 3170, Australia  
 1800 802 402

**Emergency telephone number (with hours of operation)** : CHEMTREC®: +(61)-290372994

## Section 2. Hazard(s) identification

### Classification of the substance or mixture

**5X Transcription Buffer**  
 H412 LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 3

### GHS label elements

**Signal word** : T7 RNA Polymerase No signal word.  
 RNA Polymerase Dilution Buffer No signal word.  
 5X Transcription Buffer No signal word.

**Hazard statements** : T7 RNA Polymerase No known significant effects or critical hazards.  
 RNA Polymerase Dilution Buffer No known significant effects or critical hazards.  
 5X Transcription Buffer H412 - Harmful to aquatic life with long lasting effects.

**Precautionary statements**

**Prevention** : T7 RNA Polymerase Not applicable.  
 RNA Polymerase Dilution Buffer Not applicable.  
 5X Transcription Buffer P273 - Avoid release to the environment.

**Response** : T7 RNA Polymerase Not applicable.  
 RNA Polymerase Dilution Buffer Not applicable.  
 5X Transcription Buffer Not applicable.

**Storage** : T7 RNA Polymerase Not applicable.  
 RNA Polymerase Dilution Buffer Not applicable.  
 5X Transcription Buffer Not applicable.

## Section 2. Hazard(s) identification

|  |                                |  |
|--|--------------------------------|--|
| <b>Disposal</b>  | : T7 RNA Polymerase            | Not applicable.  |
|  | RNA Polymerase Dilution Buffer | Not applicable.  |
|  | 5X Transcription Buffer        | P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations. |
| <b>Supplemental label elements</b>                         |                                |  |
| <b>Additional warning phrases</b>                          | : T7 RNA Polymerase            | Not applicable.  |
|  | RNA Polymerase Dilution Buffer | Not applicable.  |
|  | 5X Transcription Buffer        | Not applicable.  |
| <b>Other hazards which do not result in classification</b> | : T7 RNA Polymerase            | None known.  |
|  | RNA Polymerase Dilution Buffer | None known.  |
|  | 5X Transcription Buffer        | None known.  |

## Section 3. Composition and ingredient information

|                          |                                |         |
|--------------------------|--------------------------------|---------|
| <b>Substance/mixture</b> | : T7 RNA Polymerase            | Mixture |
|                          | RNA Polymerase Dilution Buffer | Mixture |
|                          | 5X Transcription Buffer        | Mixture |

### CAS number/other identifiers

| Ingredient name                               | % (w/w)   | CAS number |
|---|-----------|------------|
| T7 RNA Polymerase<br>Glycerol                 | ≥30 - ≤60 | 56-81-5    |
| RNA Polymerase Dilution Buffer<br>Glycerol    | ≥30 - ≤60 | 56-81-5    |
| 5X Transcription Buffer<br>Magnesium chloride | ≤1        | 7786-30-3  |

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

## Section 4. First aid measures

### Description of necessary first aid measures

|                    |                                |  |
|--------------------|--------------------------------|--|
| <b>Eye contact</b> | : T7 RNA Polymerase            | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.  |
|                    | RNA Polymerase Dilution Buffer | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.  |
|                    | 5X Transcription Buffer        | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs. |

## Section 4. First aid measures

|                     |                                |  |
|---------------------|--------------------------------|--|
| <b>Inhalation</b>   | : T7 RNA Polymerase            | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.  |
|                     | RNA Polymerase Dilution Buffer | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.  |
|                     | 5X Transcription Buffer        | Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. |
| <b>Skin contact</b> | : T7 RNA Polymerase            | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.   |
|                     | RNA Polymerase Dilution Buffer | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.   |
|                     | 5X Transcription Buffer        | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.  |
| <b>Ingestion</b>    | : T7 RNA Polymerase            | Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.   |
|                     | RNA Polymerase Dilution Buffer | Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.   |
|                     | 5X Transcription Buffer        | Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.                                   |

### Most important symptoms/effects, acute and delayed

#### Potential acute health effects

|                    |                                |   |
|--------------------|--------------------------------|---|
| <b>Eye contact</b> | : T7 RNA Polymerase            | No known significant effects or critical hazards. |
|                    | RNA Polymerase Dilution Buffer | No known significant effects or critical hazards. |
|                    | 5X Transcription Buffer        | No known significant effects or critical hazards. |

## Section 4. First aid measures

|                     |   |  |
|---------------------|---|--|
| <b>Inhalation</b>   | : T7 RNA Polymerase<br>RNA Polymerase Dilution<br>Buffer<br>5X Transcription Buffer | No known significant effects or critical hazards.<br>No known significant effects or critical hazards. |
| <b>Skin contact</b> | : T7 RNA Polymerase<br>RNA Polymerase Dilution<br>Buffer<br>5X Transcription Buffer | No known significant effects or critical hazards.<br>No known significant effects or critical hazards. |
| <b>Ingestion</b>    | : T7 RNA Polymerase<br>RNA Polymerase Dilution<br>Buffer<br>5X Transcription Buffer | No known significant effects or critical hazards.<br>No known significant effects or critical hazards. |

### Over-exposure signs/symptoms

|                     |   |  |
|---------------------|---|--|
| <b>Eye contact</b>  | : T7 RNA Polymerase<br>RNA Polymerase Dilution<br>Buffer<br>5X Transcription Buffer | No specific data.<br>No specific data. |
| <b>Inhalation</b>   | : T7 RNA Polymerase<br>RNA Polymerase Dilution<br>Buffer<br>5X Transcription Buffer | No specific data.<br>No specific data. |
| <b>Skin contact</b> | : T7 RNA Polymerase<br>RNA Polymerase Dilution<br>Buffer<br>5X Transcription Buffer | No specific data.<br>No specific data. |
| <b>Ingestion</b>    | : T7 RNA Polymerase<br>RNA Polymerase Dilution<br>Buffer<br>5X Transcription Buffer | No specific data.<br>No specific data. |

### Indication of immediate medical attention and special treatment needed, if necessary

|                                   |   |   |
|-----------------------------------|---|---|
| <b>Notes to physician</b>         | : T7 RNA Polymerase<br><br>RNA Polymerase Dilution<br>Buffer<br><br>5X Transcription Buffer | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.<br>Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.<br>In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. |
| <b>Specific treatments</b>        | : T7 RNA Polymerase<br>RNA Polymerase Dilution<br>Buffer<br>5X Transcription Buffer         | No specific treatment.<br>No specific treatment.  |
| <b>Protection of first-aiders</b> | : T7 RNA Polymerase<br><br>RNA Polymerase Dilution<br>Buffer<br>5X Transcription Buffer     | No action shall be taken involving any personal risk or without suitable training.<br>No action shall be taken involving any personal risk or without suitable training.<br>No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.  |

See toxicological information (Section 11)

## Section 5. Firefighting measures

### Extinguishing media

|                                     |                                |   |
|-------------------------------------|--------------------------------|---|
| <b>Suitable extinguishing media</b> | : T7 RNA Polymerase            | Use an extinguishing agent suitable for the surrounding fire. |
|                                     | RNA Polymerase Dilution Buffer | Use an extinguishing agent suitable for the surrounding fire. |
|                                     | 5X Transcription Buffer        | Use an extinguishing agent suitable for the surrounding fire. |

|                                       |                                |             |
|---------------------------------------|--------------------------------|-------------|
| <b>Unsuitable extinguishing media</b> | : T7 RNA Polymerase            | None known. |
|                                       | RNA Polymerase Dilution Buffer | None known. |
|                                       | 5X Transcription Buffer        | None known. |

### Specific hazards arising from the chemical

|                     |                                |   |
|---------------------|--------------------------------|---|
| : T7 RNA Polymerase | RNA Polymerase Dilution Buffer | In a fire or if heated, a pressure increase will occur and the container may burst.   |
|                     | RNA Polymerase Dilution Buffer | In a fire or if heated, a pressure increase will occur and the container may burst.   |
|                     | 5X Transcription Buffer        | In a fire or if heated, a pressure increase will occur and the container may burst. This material is harmful to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain. |

### Hazardous thermal decomposition products

|                     |                                |  |
|---------------------|--------------------------------|--|
| : T7 RNA Polymerase | RNA Polymerase Dilution Buffer | Decomposition products may include the following materials:<br>carbon dioxide<br>carbon monoxide   |
|                     | RNA Polymerase Dilution Buffer | Decomposition products may include the following materials:<br>carbon dioxide<br>carbon monoxide   |
|                     | 5X Transcription Buffer        | Decomposition products may include the following materials:<br>carbon dioxide<br>carbon monoxide<br>nitrogen oxides<br>halogenated compounds<br>metal oxide/oxides |

### Special protective actions for fire-fighters

|                     |                                |   |
|---------------------|--------------------------------|---|
| : T7 RNA Polymerase | RNA Polymerase Dilution Buffer | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
|                     | RNA Polymerase Dilution Buffer | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
|                     | 5X Transcription Buffer        | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |

### Special protective equipment for fire-fighters



|                     |                                |   |
|---------------------|--------------------------------|---|
| : T7 RNA Polymerase | RNA Polymerase Dilution Buffer | Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |
|                     | RNA Polymerase Dilution Buffer | Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |
|                     | 5X Transcription Buffer        | Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive                |

## Section 5. Firefighting measures

pressure mode.

## Section 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

|                                    |  |   |
|------------------------------------|--|---|
| <b>For non-emergency personnel</b> | :  RNA Polymerase   | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.   |
|                                    | RNA Polymerase Dilution Buffer   | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.   |
|                                    | 5X Transcription Buffer  | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. |
| <b>For emergency responders</b>    | : T7 RNA Polymerase  | If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".   |
|                                    | RNA Polymerase Dilution Buffer   | If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".   |
|                                    | 5X Transcription Buffer  | If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".   |
| <b>Environmental precautions</b>   | :  RNA Polymerase | Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).   |
|                                    | RNA Polymerase Dilution Buffer   | Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).   |
|                                    | 5X Transcription Buffer  | Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.  |


### Methods and material for containment and cleaning up

## Section 6. Accidental release measures

|                                |                                |   |
|--------------------------------|--------------------------------|---|
| <b>Methods for cleaning up</b> | : T7 RNA Polymerase            | Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |
|                                | RNA Polymerase Dilution Buffer | Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |
|                                | 5X Transcription Buffer        | Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |

## Section 7. Handling and storage

### Precautions for safe handling

|   |  |  |
|---|--|--|
| <b>Protective measures</b>                    | :  RNA Polymerase | Put on appropriate personal protective equipment (see Section 8).  |
|   | RNA Polymerase Dilution Buffer   | Put on appropriate personal protective equipment (see Section 8).  |
|   | 5X Transcription Buffer  | Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapour or mist. Avoid release to the environment. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container. |
| <b>Advice on general occupational hygiene</b> | : T7 RNA Polymerase  | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.  |
|   | RNA Polymerase Dilution Buffer   | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.  |
|   | 5X Transcription Buffer  | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.  |

## Section 7. Handling and storage

**Conditions for safe storage, including any incompatibilities** : T7 RNA Polymerase

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

RNA Polymerase Dilution Buffer

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

5X Transcription Buffer

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

## Section 8. Exposure controls and personal protection

[Control parameters](#)

[Occupational exposure limits](#)

| Ingredient name                            | Exposure limits  |
|--|--|
| T7 RNA Polymerase<br>Glycerol              | <b>Safe Work Australia (Australia, 12/2019).</b><br>TWA: 10 mg/m <sup>3</sup> 8 hours. |
| RNA Polymerase Dilution Buffer<br>Glycerol | <b>Safe Work Australia (Australia, 12/2019).</b><br>TWA: 10 mg/m <sup>3</sup> 8 hours. |

**Appropriate engineering controls** : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

**Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

[Individual protection measures](#)

## Section 8. Exposure controls and personal protection

- Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
- Eye/face protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
- Skin protection**
- Hand protection** :  Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
- Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Respiratory protection** : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

## Section 9. Physical and chemical properties and safety characteristics

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

### Appearance

|                                     |                                |                |
|-------------------------------------|--------------------------------|----------------|
| <b>Physical state</b>               | T7 RNA Polymerase              | Liquid.        |
|                                     | RNA Polymerase Dilution Buffer | Liquid.        |
|                                     | 5X Transcription Buffer        | Liquid.        |
| <b>Colour</b>                       | T7 RNA Polymerase              | Not available. |
|                                     | RNA Polymerase Dilution Buffer | Not available. |
|                                     | 5X Transcription Buffer        | Not available. |
| <b>Odour</b>                        | T7 RNA Polymerase              | Not available. |
|                                     | RNA Polymerase Dilution Buffer | Not available. |
|                                     | 5X Transcription Buffer        | Not available. |
| <b>Odour threshold</b>              | T7 RNA Polymerase              | Not available. |
|                                     | RNA Polymerase Dilution Buffer | Not available. |
|                                     | 5X Transcription Buffer        | Not available. |
| <b>pH</b>                           | T7 RNA Polymerase              | 7.7            |
|                                     | RNA Polymerase Dilution Buffer | 7.7            |
|                                     | 5X Transcription Buffer        | 8              |
| <b>Melting point/freezing point</b> | T7 RNA Polymerase              | Not available. |
|                                     | RNA Polymerase Dilution Buffer | Not available. |
|                                     | 5X Transcription Buffer        | 0°C (32°F)     |

## Section 9. Physical and chemical properties and safety characteristics

**Boiling point, initial boiling point, and boiling range** : T7 RNA Polymerase Not available.  
RNA Polymerase Dilution Not available.  
Buffer  
5X Transcription Buffer 100°C (212°F)

**Flash point** :

| Ingredient name                               | Closed cup |      |           | Open cup |    |        |
|---|------------|------|-----------|----------|----|--------|
|   | °C         | °F   | Method    | °C       | °F | Method |
| <b>T7 RNA Polymerase</b>                      |            |      |           |          |    |        |
| Edetic acid                                   | >100       | >212 | DIN 51758 |          |    |        |
| (R*,R*)<br>-1,4-Dimercaptobutane-<br>2,3-diol | >110       | >230 |           |          |    |        |
| <b>RNA Polymerase Dilution Buffer</b>         |            |      |           |          |    |        |
| Edetic acid                                   | >100       | >212 | DIN 51758 |          |    |        |
| (R*,R*)<br>-1,4-Dimercaptobutane-<br>2,3-diol | >110       | >230 |           |          |    |        |

**Evaporation rate** : T7 RNA Polymerase Not available.  
RNA Polymerase Dilution Not available.  
Buffer  
5X Transcription Buffer Not available.

**Flammability** : T7 RNA Polymerase Not applicable.  
RNA Polymerase Dilution Not applicable.  
Buffer  
5X Transcription Buffer Not applicable.

**Lower and upper explosion limit/flammability limit** : T7 RNA Polymerase Not available.  
RNA Polymerase Dilution Not available.  
Buffer  
5X Transcription Buffer Not available.

**Vapour pressure** :

| Ingredient name                       | Vapour Pressure at 20°C |         |        | Vapour pressure at 50°C |         |        |
|---------------------------------------|-------------------------|---------|--------|-------------------------|---------|--------|
|                                       | mm Hg                   | kPa     | Method | mm Hg                   | kPa     | Method |
| <b>T7 RNA Polymerase</b>              |                         |         |        |                         |         |        |
| Water                                 | 23.8                    | 3.2     |        | 92.258                  | 12.3    |        |
| Glycerol                              | 0.000075                | 0.00001 |        | 0.0025                  | 0.00033 |        |
| <b>RNA Polymerase Dilution Buffer</b> |                         |         |        |                         |         |        |
| Water                                 | 23.8                    | 3.2     |        | 92.258                  | 12.3    |        |
| Glycerol                              | 0.000075                | 0.00001 |        | 0.0025                  | 0.00033 |        |
| <b>5X Transcription Buffer</b>        |                         |         |        |                         |         |        |
| Water                                 | 23.8                    | 3.2     |        | 92.258                  | 12.3    |        |
| Trometamol                            | <0.00075006             | <0.0001 |        |                         |         |        |

**Relative vapour density** : T7 RNA Polymerase Not available.  
RNA Polymerase Dilution Not available.  
Buffer  
5X Transcription Buffer Not available.

**Relative density** : T7 RNA Polymerase Not available.  
RNA Polymerase Dilution Not available.  
Buffer  
5X Transcription Buffer Not available.

## Section 9. Physical and chemical properties and safety characteristics

| <b>Solubility</b>                             | : T7 RNA Polymerase<br>RNA Polymerase Dilution Buffer<br>5X Transcription Buffer   | Easily soluble in the following materials: cold water and hot water.<br>Soluble in the following materials: cold water and hot water.<br>Easily soluble in the following materials: cold water and hot water. |          |    |        |                          |  |  |  |          |     |     |          |             |      |      |                                       |  |  |  |          |     |     |          |             |      |      |  |
|---|--|---|----------|----|--------|--------------------------|--|--|--|----------|-----|-----|----------|-------------|------|------|---------------------------------------|--|--|--|----------|-----|-----|----------|-------------|------|------|--|
| <b>Partition coefficient: n-octanol/water</b> | : T7 RNA Polymerase<br>RNA Polymerase Dilution Buffer<br>5X Transcription Buffer   | Not applicable.<br>Not applicable.<br>Not applicable.   |          |    |        |                          |  |  |  |          |     |     |          |             |      |      |                                       |  |  |  |          |     |     |          |             |      |      |  |
| <b>Auto-ignition temperature</b>              | : <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">Ingredient name</th> <th style="text-align: center;">°C</th> <th style="text-align: center;">°F</th> <th style="text-align: left;">Method</th> </tr> </thead> <tbody> <tr> <td colspan="4"><b>T7 RNA Polymerase</b></td> </tr> <tr> <td>Glycerol</td> <td style="text-align: center;">370</td> <td style="text-align: center;">698</td> <td rowspan="2" style="vertical-align: middle;">VDI 2263</td> </tr> <tr> <td>Edetic acid</td> <td style="text-align: center;">&gt;400</td> <td style="text-align: center;">&gt;752</td> </tr> <tr> <td colspan="4"><b>RNA Polymerase Dilution Buffer</b></td> </tr> <tr> <td>Glycerol</td> <td style="text-align: center;">370</td> <td style="text-align: center;">698</td> <td rowspan="2" style="vertical-align: middle;">VDI 2263</td> </tr> <tr> <td>Edetic acid</td> <td style="text-align: center;">&gt;400</td> <td style="text-align: center;">&gt;752</td> </tr> </tbody> </table> | Ingredient name   | °C       | °F | Method | <b>T7 RNA Polymerase</b> |  |  |  | Glycerol | 370 | 698 | VDI 2263 | Edetic acid | >400 | >752 | <b>RNA Polymerase Dilution Buffer</b> |  |  |  | Glycerol | 370 | 698 | VDI 2263 | Edetic acid | >400 | >752 |  |
| Ingredient name                               | °C   | °F  | Method   |    |        |                          |  |  |  |          |     |     |          |             |      |      |                                       |  |  |  |          |     |     |          |             |      |      |  |
| <b>T7 RNA Polymerase</b>                      |  |   |          |    |        |                          |  |  |  |          |     |     |          |             |      |      |                                       |  |  |  |          |     |     |          |             |      |      |  |
| Glycerol                                      | 370  | 698   | VDI 2263 |    |        |                          |  |  |  |          |     |     |          |             |      |      |                                       |  |  |  |          |     |     |          |             |      |      |  |
| Edetic acid                                   | >400   | >752  |          |    |        |                          |  |  |  |          |     |     |          |             |      |      |                                       |  |  |  |          |     |     |          |             |      |      |  |
| <b>RNA Polymerase Dilution Buffer</b>         |  |   |          |    |        |                          |  |  |  |          |     |     |          |             |      |      |                                       |  |  |  |          |     |     |          |             |      |      |  |
| Glycerol                                      | 370  | 698   | VDI 2263 |    |        |                          |  |  |  |          |     |     |          |             |      |      |                                       |  |  |  |          |     |     |          |             |      |      |  |
| Edetic acid                                   | >400   | >752  |          |    |        |                          |  |  |  |          |     |     |          |             |      |      |                                       |  |  |  |          |     |     |          |             |      |      |  |
| <b>Decomposition temperature</b>              | : T7 RNA Polymerase<br>RNA Polymerase Dilution Buffer<br>5X Transcription Buffer   | Not available.<br>Not available.<br>Not available.  |          |    |        |                          |  |  |  |          |     |     |          |             |      |      |                                       |  |  |  |          |     |     |          |             |      |      |  |
| <b>Viscosity</b>                              | : T7 RNA Polymerase<br>RNA Polymerase Dilution Buffer<br>5X Transcription Buffer   | Not available.<br>Not available.<br>Not available.  |          |    |        |                          |  |  |  |          |     |     |          |             |      |      |                                       |  |  |  |          |     |     |          |             |      |      |  |
| <b>Particle characteristics</b>               |  |   |          |    |        |                          |  |  |  |          |     |     |          |             |      |      |                                       |  |  |  |          |     |     |          |             |      |      |  |
| <b>Median particle size</b>                   | : T7 RNA Polymerase<br>RNA Polymerase Dilution Buffer<br>5X Transcription Buffer   | Not applicable.<br>Not applicable.<br>Not applicable.   |          |    |        |                          |  |  |  |          |     |     |          |             |      |      |                                       |  |  |  |          |     |     |          |             |      |      |  |

## Section 10. Stability and reactivity

|   |  |  |
|---|--|--|
| <b>Reactivity</b>                         | : T7 RNA Polymerase<br>RNA Polymerase Dilution Buffer<br>5X Transcription Buffer | No specific test data related to reactivity available for this product or its ingredients.<br>No specific test data related to reactivity available for this product or its ingredients.<br>No specific test data related to reactivity available for this product or its ingredients. |
| <b>Chemical stability</b>                 | : T7 RNA Polymerase<br>RNA Polymerase Dilution Buffer<br>5X Transcription Buffer | The product is stable.<br>The product is stable.<br>The product is stable.   |
| <b>Possibility of hazardous reactions</b> | : T7 RNA Polymerase<br>RNA Polymerase Dilution Buffer<br>5X Transcription Buffer | Under normal conditions of storage and use, hazardous reactions will not occur.<br>Under normal conditions of storage and use, hazardous reactions will not occur.<br>Under normal conditions of storage and use, hazardous reactions will not occur.                                  |

## Section 10. Stability and reactivity

|   |  |  |
|---|--|--|
| <b>Conditions to avoid</b>              | : T7 RNA Polymerase<br>RNA Polymerase Dilution Buffer<br>5X Transcription Buffer         | No specific data.<br>No specific data.<br>No specific data.  |
| <b>Incompatible materials</b>           | : T7 RNA Polymerase<br>RNA Polymerase Dilution Buffer<br>5X Transcription Buffer         | May react or be incompatible with oxidising materials.<br>May react or be incompatible with oxidising materials.<br>May react or be incompatible with oxidising materials.   |
| <b>Hazardous decomposition products</b> | : T7 RNA Polymerase<br><br>RNA Polymerase Dilution Buffer<br><br>5X Transcription Buffer | Under normal conditions of storage and use, hazardous decomposition products should not be produced.<br>Under normal conditions of storage and use, hazardous decomposition products should not be produced.<br>Under normal conditions of storage and use, hazardous decomposition products should not be produced. |

## Section 11. Toxicological information

### Information on toxicological effects

#### Acute toxicity

| Product/ingredient name                              | Result      | Species               | Dose        | Exposure |
|--|-------------|-----------------------|-------------|----------|
| <b>T7 RNA Polymerase</b><br>Glycerol                 | LD50 Oral   | Rat                   | 12600 mg/kg | -        |
| <b>RNA Polymerase Dilution Buffer</b><br>Glycerol    | LD50 Oral   | Rat                   | 12600 mg/kg | -        |
| <b>5X Transcription Buffer</b><br>Magnesium chloride | LD50 Dermal | Rat - Male,<br>Female | >2000 mg/kg | -        |
|  | LD50 Oral   | Rat                   | 2800 mg/kg  | -        |

#### Irritation/Corrosion

| Product/ingredient name                           | Result               | Species | Score | Exposure        | Observation |
|---|----------------------|---------|-------|-----------------|-------------|
| <b>T7 RNA Polymerase</b><br>Glycerol              | Eyes - Mild irritant | Rabbit  | -     | 24 hours 500 mg | -           |
|   | Skin - Mild irritant | Rabbit  | -     | 24 hours 500 mg | -           |
| <b>RNA Polymerase Dilution Buffer</b><br>Glycerol | Eyes - Mild irritant | Rabbit  | -     | 24 hours 500 mg | -           |
|   | Skin - Mild irritant | Rabbit  | -     | 24 hours 500 mg | -           |

#### Sensitisation

Not available.

#### Mutagenicity

**Conclusion/Summary** : Not available.

#### Carcinogenicity

**Conclusion/Summary** : Not available.

#### Reproductive toxicity

## Section 11. Toxicological information

**Conclusion/Summary** : Not available.

### Teratogenicity

**Conclusion/Summary** : Not available.

### Specific target organ toxicity (single exposure)

Not available.

### Specific target organ toxicity (repeated exposure)

Not available.

### Aspiration hazard

Not available.

**Information on likely routes of exposure** : T7 RNA Polymerase RNA Polymerase Dilution Buffer 5X Transcription Buffer  
Routes of entry anticipated: Oral, Dermal, Inhalation.  
Routes of entry anticipated: Oral, Dermal, Inhalation.  
Routes of entry anticipated: Oral, Dermal, Inhalation.

### Potential acute health effects

|                     |  |  |
|---------------------|--|--|
| <b>Eye contact</b>  | : T7 RNA Polymerase<br>RNA Polymerase Dilution Buffer<br>5X Transcription Buffer | No known significant effects or critical hazards.<br>No known significant effects or critical hazards. |
| <b>Inhalation</b>   | : T7 RNA Polymerase<br>RNA Polymerase Dilution Buffer<br>5X Transcription Buffer | No known significant effects or critical hazards.<br>No known significant effects or critical hazards. |
| <b>Skin contact</b> | : T7 RNA Polymerase<br>RNA Polymerase Dilution Buffer<br>5X Transcription Buffer | No known significant effects or critical hazards.<br>No known significant effects or critical hazards. |
| <b>Ingestion</b>    | : T7 RNA Polymerase<br>RNA Polymerase Dilution Buffer<br>5X Transcription Buffer | No known significant effects or critical hazards.<br>No known significant effects or critical hazards. |

### Symptoms related to the physical, chemical and toxicological characteristics

|                     |  |  |
|---------------------|--|--|
| <b>Eye contact</b>  | : T7 RNA Polymerase<br>RNA Polymerase Dilution Buffer<br>5X Transcription Buffer | No specific data.<br>No specific data. |
| <b>Inhalation</b>   | : T7 RNA Polymerase<br>RNA Polymerase Dilution Buffer<br>5X Transcription Buffer | No specific data.<br>No specific data. |
| <b>Skin contact</b> | : T7 RNA Polymerase<br>RNA Polymerase Dilution Buffer<br>5X Transcription Buffer | No specific data.<br>No specific data. |
| <b>Ingestion</b>    | : T7 RNA Polymerase<br>RNA Polymerase Dilution Buffer<br>5X Transcription Buffer | No specific data.<br>No specific data. |

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

#### Short term exposure

**Potential immediate effects** : Not available.

**Potential delayed effects** : Not available.

## Section 11. Toxicological information

### Long term exposure

**Potential immediate effects** : Not available.

**Potential delayed effects** : Not available.

### Potential chronic health effects

|                              |  |  |
|------------------------------|--|--|
| <b>General</b>               | : T7 RNA Polymerase<br>RNA Polymerase Dilution Buffer<br>5X Transcription Buffer | No known significant effects or critical hazards.<br>No known significant effects or critical hazards. |
| <b>Carcinogenicity</b>       | : T7 RNA Polymerase<br>RNA Polymerase Dilution Buffer<br>5X Transcription Buffer | No known significant effects or critical hazards.<br>No known significant effects or critical hazards. |
| <b>Mutagenicity</b>          | : T7 RNA Polymerase<br>RNA Polymerase Dilution Buffer<br>5X Transcription Buffer | No known significant effects or critical hazards.<br>No known significant effects or critical hazards. |
| <b>Reproductive toxicity</b> | : T7 RNA Polymerase<br>RNA Polymerase Dilution Buffer<br>5X Transcription Buffer | No known significant effects or critical hazards.<br>No known significant effects or critical hazards. |

### Numerical measures of toxicity

#### Acute toxicity estimates

| Product/ingredient name                       | Oral (mg/kg) | Dermal (mg/kg) | Inhalation (gases) (ppm) | Inhalation (vapours) (mg/l) | Inhalation (dusts and mists) (mg/l) |
|---|--------------|----------------|--------------------------|-----------------------------|-------------------------------------|
| T7 RNA Polymerase<br>Glycerol                 | 12600        | N/A            | N/A                      | N/A                         | N/A                                 |
| RNA Polymerase Dilution Buffer<br>Glycerol    | 12600        | N/A            | N/A                      | N/A                         | N/A                                 |
| 5X Transcription Buffer<br>Magnesium chloride | 2800         | N/A            | N/A                      | N/A                         | N/A                                 |

## Section 12. Ecological information

### Toxicity

| Product/ingredient name                       | Result                             | Species  | Exposure |
|---|------------------------------------|--|----------|
| T7 RNA Polymerase<br>Glycerol                 | Acute LC50 54000 mg/l Fresh water  | Fish - Oncorhynchus mykiss                             | 96 hours |
| RNA Polymerase Dilution Buffer<br>Glycerol    | Acute LC50 54000 mg/l Fresh water  | Fish - Oncorhynchus mykiss                             | 96 hours |
| 5X Transcription Buffer<br>Magnesium chloride | Acute EC50 >100 mg/l Fresh water   | Algae - Desmodesmus subspicatus                        | 72 hours |
|   | Acute EC50 180000 µg/l Fresh water | Crustaceans - Eudiaptomus padanus ssp. padanus - Adult | 48 hours |
|   | Acute IC50 6.8 mg/l Fresh water    | Aquatic plants - Lemna aequinoctialis                  | 96 hours |
|   | Acute LC50 32000 µg/l Fresh water  | Daphnia - Daphnia hyalina -                            | 48 hours |

## Section 12. Ecological information

|  |  |   |                                 |
|--|--|---|---------------------------------|
|  | Acute LC50 2120 mg/l Fresh water<br>Acute NOEC 100 mg/l Fresh water<br>Chronic NOEC 0.1 mg/l Fresh water | Adult<br>Fish - Pimephales promelas<br>Algae - Desmodesmus<br>subspicatus<br>Fish - Cyprinus carpio | 96 hours<br>72 hours<br>35 days |
|--|--|---|---------------------------------|

### Persistence and degradability

| Product/ingredient name                               | Test  | Result         | Dose | Inoculum |
|---|---|----------------|------|----------|
| <b>T7 RNA Polymerase</b><br>Glycerol                  | 301D Ready<br>Biodegradability -<br>Closed Bottle<br>Test | 93 % - 30 days | -    | -        |
| <b>RNA Polymerase Dilution<br/>Buffer</b><br>Glycerol | 301D Ready<br>Biodegradability -<br>Closed Bottle<br>Test | 93 % - 30 days | -    | -        |

### Bioaccumulative potential

| Product/ingredient name                               | LogP <sub>ow</sub> | BCF | Potential |
|---|--------------------|-----|-----------|
| <b>T7 RNA Polymerase</b><br>Glycerol                  | -1.76              | -   | low       |
| <b>RNA Polymerase Dilution<br/>Buffer</b><br>Glycerol | -1.76              | -   | low       |

### Mobility in soil

**Soil/water partition coefficient (K<sub>oc</sub>)** : Not available.

**Other adverse effects** : No known significant effects or critical hazards.

## Section 13. Disposal considerations

**Disposal methods** : The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

## Section 14. Transport information

**ADG / IMDG / IATA** : Not regulated as Dangerous Goods according to the ADG Code .

**Special precautions for user** : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

**Transport in bulk according to IMO instruments** : Not available.

## Section 15. Regulatory information

### Standard for the Uniform Scheduling of Medicines and Poisons

Not regulated.

### Model Work Health and Safety Regulations - Scheduled Substances

No listed substance

### International regulations

#### Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

#### Montreal Protocol

Not listed.

#### Stockholm Convention on Persistent Organic Pollutants

Not listed.

#### Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

#### UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

### Inventory list

|                          |  |
|--------------------------|--|
| <b>Australia</b>         | : Not determined.  |
| <b>Canada</b>            | : At least one component is not listed in DSL but all such components are listed in NDSL.          |
| <b>China</b>             | : All components are listed or exempted.   |
| <b>Europe</b>            | : All components are listed or exempted.   |
| <b>Japan</b>             | : <b>Japan inventory (CSCL):</b> Not determined.<br><b>Japan inventory (ISHL):</b> Not determined. |
| <b>New Zealand</b>       | : All components are listed or exempted.   |
| <b>Philippines</b>       | : Not determined.  |
| <b>Republic of Korea</b> | : Not determined.  |
| <b>Taiwan</b>            | : All components are listed or exempted.   |
| <b>Thailand</b>          | : Not determined.  |
| <b>Turkey</b>            | : Not determined.  |
| <b>United States</b>     | : <input checked="" type="checkbox"/> All components are active or exempted.                       |
| <b>Viet Nam</b>          | : <input checked="" type="checkbox"/> All components are listed or exempted.                       |

## Section 16. Any other relevant information

### History

Date of issue/Date of revision : 22/03/2022

Date of previous issue : 30/05/2017

Version : 6

### Key to abbreviations

: ADG = Australian Dangerous Goods  
 ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road  
 ATE = Acute Toxicity Estimate  
 BCF = Bioconcentration Factor  
 GHS = Globally Harmonized System of Classification and Labelling of Chemicals  
 IATA = International Air Transport Association  
 IBC = Intermediate Bulk Container  
 IMDG = International Maritime Dangerous Goods  
 LogPow = logarithm of the octanol/water partition coefficient  
 MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)  
 N/A = Not available  
 SUSMP = Standard Uniform Schedule of Medicine and Poisons  
 UN = United Nations

### Procedure used to derive the classification

| Classification   | Justification      |
|--|--------------------|
| <del>5</del> X Transcription Buffer<br>LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 3 | Calculation method |

References : Not available.

✓ Indicates information that has changed from previously issued version.

### Notice to reader

**Disclaimer:** The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.