

SAFETY DATA SHEET

PfuTurbo Hotstart DNA Polymerase, Part Number 600322

Section 1. Identification

1.1 Product identifier

Product name : PfuTurbo Hotstart DNA Polymerase, Part Number 600322
Part no. (chemical kit) : 600322
Part no. : PfuTurbo Hotstart DNA polymerase 600322-51
 10X Cloned Pfu Reaction Buffer 600153-82
Validation date : 11/29/2022

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Analytical reagent.
 PfuTurbo Hotstart DNA polymerase 0.2 ml (500 U 2.5 U/μl)
 10X Cloned Pfu Reaction Buffer 1 ml

1.3 Details of the supplier of the safety data sheet

Supplier/Manufacturer : Agilent Technologies, Inc.
 5301 Stevens Creek Blvd
 Santa Clara, CA 95051, USA
 800-227-9770

1.4 Emergency telephone number

In case of emergency : CHEMTREC®: 1-800-424-9300

Section 2. Hazards identification

2.1 Classification of the substance or mixture

OSHA/HCS status : PfuTurbo Hotstart DNA polymerase This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
 10X Cloned Pfu Reaction Buffer This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
 Buffer

Classification of the substance or mixture

PfuTurbo Hotstart DNA polymerase
 H320 EYE IRRITATION - Category 2B
10X Cloned Pfu Reaction Buffer
 H319 EYE IRRITATION - Category 2A
 H412 AQUATIC HAZARD (LONG-TERM) - Category 3

2.2 GHS label elements

Hazard pictograms : 10X Cloned Pfu Reaction Buffer



Signal word : PfuTurbo Hotstart DNA polymerase Warning
 10X Cloned Pfu Reaction Buffer Warning

Section 2. Hazards identification

Hazard statements	: PfuTurbo Hotstart DNA polymerase 10X Cloned Pfu Reaction Buffer	H320 - Causes eye irritation. H319 - Causes serious eye irritation. H412 - Harmful to aquatic life with long lasting effects.
Precautionary statements		
Prevention	: PfuTurbo Hotstart DNA polymerase 10X Cloned Pfu Reaction Buffer	Not applicable. P280 - Wear eye or face protection. P273 - Avoid release to the environment.
Response	: PfuTurbo Hotstart DNA polymerase 10X Cloned Pfu Reaction Buffer	P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists: Get medical advice or attention. P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists: Get medical advice or attention.
Storage	: PfuTurbo Hotstart DNA polymerase 10X Cloned Pfu Reaction Buffer	Not applicable. Not applicable.
Disposal	: PfuTurbo Hotstart DNA polymerase 10X Cloned Pfu Reaction Buffer	Not applicable. P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.
Supplemental label elements	: PfuTurbo Hotstart DNA polymerase 10X Cloned Pfu Reaction Buffer	None known. None known.
2.3 Other hazards		
Hazards not otherwise classified	: PfuTurbo Hotstart DNA polymerase 10X Cloned Pfu Reaction Buffer	None known. None known.

Section 3. Composition/information on ingredients

Substance/mixture	: PfuTurbo Hotstart DNA polymerase 10X Cloned Pfu Reaction Buffer	Mixture Mixture
--------------------------	--	--------------------

Ingredient name	%	CAS number
PfuTurbo Hotstart DNA polymerase		
Glycerol	≥50 - ≤75	56-81-5
Poly(oxy-1,2-ethanediyl), .alpha.-[(1,1,3,3-tetramethylbutyl)phenyl]-.omega.-hydroxy-	<0.25	9036-19-5
10X Cloned Pfu Reaction Buffer		
Ammonium sulphate	≤3	7783-20-2
Polyoxyethylene octyl phenyl ether	<2.5	9002-93-1

Section 3. Composition/information on ingredients

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

4.1 Description of necessary first aid measures

Eye contact	: PfuTurbo Hotstart DNA polymerase	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. If irritation persists, get medical attention.
	10X Cloned Pfu Reaction Buffer	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
Inhalation	: PfuTurbo Hotstart DNA polymerase	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
	10X Cloned Pfu Reaction Buffer	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Skin contact	: PfuTurbo Hotstart DNA polymerase	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
	10X Cloned Pfu Reaction Buffer	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Section 4. First aid measures

Ingestion	: PfuTurbo Hotstart DNA polymerase	Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
	10X Cloned Pfu Reaction Buffer	Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

4.2 Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact	: PfuTurbo Hotstart DNA polymerase 10X Cloned Pfu Reaction Buffer	Causes eye irritation. Causes serious eye irritation.
Inhalation	: PfuTurbo Hotstart DNA polymerase 10X Cloned Pfu Reaction Buffer	No known significant effects or critical hazards. No known significant effects or critical hazards.
Skin contact	: PfuTurbo Hotstart DNA polymerase 10X Cloned Pfu Reaction Buffer	No known significant effects or critical hazards. No known significant effects or critical hazards.
Ingestion	: PfuTurbo Hotstart DNA polymerase 10X Cloned Pfu Reaction Buffer	No known significant effects or critical hazards. No known significant effects or critical hazards.

Over-exposure signs/symptoms

Eye contact	: PfuTurbo Hotstart DNA polymerase 10X Cloned Pfu Reaction Buffer	Adverse symptoms may include the following: irritation watering redness Adverse symptoms may include the following: pain or irritation watering redness
Inhalation	: PfuTurbo Hotstart DNA polymerase 10X Cloned Pfu Reaction Buffer	No specific data. No specific data.

Section 4. First aid measures

Skin contact	: PfuTurbo Hotstart DNA polymerase	No specific data.
	10X Cloned Pfu Reaction Buffer	No specific data.
Ingestion	: PfuTurbo Hotstart DNA polymerase	No specific data.
	10X Cloned Pfu Reaction Buffer	No specific data.

4.3 Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician	: PfuTurbo Hotstart DNA polymerase	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	10X Cloned Pfu Reaction Buffer	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	: PfuTurbo Hotstart DNA polymerase	No specific treatment.
	10X Cloned Pfu Reaction Buffer	No specific treatment.
Protection of first-aiders	: PfuTurbo Hotstart DNA polymerase	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
	10X Cloned Pfu Reaction Buffer	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media	: PfuTurbo Hotstart DNA polymerase	Use an extinguishing agent suitable for the surrounding fire.
	10X Cloned Pfu Reaction Buffer	Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: PfuTurbo Hotstart DNA polymerase	None known.
	10X Cloned Pfu Reaction Buffer	None known.

5.2 Special hazards arising from the substance or mixture

Specific hazards arising from the chemical	: PfuTurbo Hotstart DNA polymerase	In a fire or if heated, a pressure increase will occur and the container may burst.
	10X Cloned Pfu Reaction Buffer	In a fire or if heated, a pressure increase will occur and the container may burst. This material is harmful to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.
Hazardous thermal decomposition products	: PfuTurbo Hotstart DNA polymerase	Decomposition products may include the following materials: carbon dioxide carbon monoxide
	10X Cloned Pfu Reaction Buffer	Decomposition products may include the following materials: carbon dioxide carbon monoxide

Section 5. Fire-fighting measures

nitrogen oxides
sulfur oxides
halogenated compounds

5.3 Advice for firefighters

Special protective actions for fire-fighters

: PfuTurbo Hotstart DNA polymerase

10X Cloned Pfu Reaction Buffer

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters

: PfuTurbo Hotstart DNA polymerase

10X Cloned Pfu Reaction Buffer

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: PfuTurbo Hotstart DNA polymerase

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

10X Cloned Pfu Reaction Buffer

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

For emergency responders

: PfuTurbo Hotstart DNA polymerase

If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

10X Cloned Pfu Reaction Buffer

Section 6. Accidental release measures

6.2 Environmental precautions	: PfuTurbo Hotstart DNA polymerase	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
	10X Cloned Pfu Reaction Buffer	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up	: PfuTurbo Hotstart DNA polymerase	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	10X Cloned Pfu Reaction Buffer	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Section 7. Handling and storage

7.1 Precautions for safe handling

Protective measures	: PfuTurbo Hotstart DNA polymerase	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
	10X Cloned Pfu Reaction Buffer	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Avoid release to the environment. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	: PfuTurbo Hotstart DNA polymerase	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
	10X Cloned Pfu Reaction Buffer	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment

Section 7. Handling and storage

7.2 Conditions for safe storage, including any incompatibilities

: PfuTurbo Hotstart DNA polymerase

before entering eating areas. See also Section 8 for additional information on hygiene measures.

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

10X Cloned Pfu Reaction Buffer

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

7.3 Specific end use(s)

Recommendations

: PfuTurbo Hotstart DNA polymerase
10X Cloned Pfu Reaction Buffer

Industrial applications, Professional applications.

Industrial applications, Professional applications.

Industrial sector specific solutions

: PfuTurbo Hotstart DNA polymerase
10X Cloned Pfu Reaction Buffer

Not available.

Not available.

Section 8. Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
PfuTurbo Hotstart DNA polymerase	OSHA PEL 1989 (United States, 3/1989). TWA: 5 mg/m ³ 8 hours. Form: Respirable fraction TWA: 10 mg/m ³ 8 hours. Form: Total dust OSHA PEL (United States, 5/2018). TWA: 5 mg/m ³ 8 hours. Form: Respirable fraction TWA: 15 mg/m ³ 8 hours. Form: Total dust
Glycerol	
Poly(oxy-1,2-ethanediyl), .alpha.-[(1,1,3,3-tetramethylbutyl)phenyl]-.omega.-hydroxy-	None.
10X Cloned Pfu Reaction Buffer	None.
Ammonium sulphate	
Polyoxyethylene octyl phenyl ether	

Biological exposure indices

Section 8. Exposure controls/personal protection

No exposure indices known.

8.2 Exposure controls

- Appropriate engineering controls** : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
- Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

- Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
- Eye/face protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.
- Skin protection**
- Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
- Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Respiratory protection** : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties and safety characteristics

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

Appearance

- Physical state** : PfuTurbo Hotstart DNA polymerase Liquid.
10X Cloned Pfu Reaction Buffer Liquid.
- Color** : PfuTurbo Hotstart DNA polymerase Not available.
10X Cloned Pfu Reaction Buffer Not available.
- Odor** : PfuTurbo Hotstart DNA polymerase Not available.
10X Cloned Pfu Reaction Buffer Not available.

Section 9. Physical and chemical properties and safety characteristics

Odor threshold	: PfuTurbo Hotstart DNA polymerase	Not available.
	: 10X Cloned Pfu Reaction Buffer	Not available.
pH	: PfuTurbo Hotstart DNA polymerase	8.2
	: 10X Cloned Pfu Reaction Buffer	8.8
Melting point/freezing point	: PfuTurbo Hotstart DNA polymerase	Not available.
	: 10X Cloned Pfu Reaction Buffer	Not available.
Boiling point, initial boiling point, and boiling range	: PfuTurbo Hotstart DNA polymerase	Not available.
	: 10X Cloned Pfu Reaction Buffer	Not available.

Flash point	:		Closed cup			Open cup		
		Ingredient name	°C	°F	Method	°C	°F	Method
		PfuTurbo Hotstart DNA polymerase						
		Glycerol				177	350.6	
		10X Cloned Pfu Reaction Buffer						
		Polyoxyethylene octyl phenyl ether	251	483.8				

Evaporation rate	: PfuTurbo Hotstart DNA polymerase	Not available.
	: 10X Cloned Pfu Reaction Buffer	Not available.
Flammability	: PfuTurbo Hotstart DNA polymerase	Not applicable.
	: 10X Cloned Pfu Reaction Buffer	Not applicable.
Lower and upper explosion limit/flammability limit	: PfuTurbo Hotstart DNA polymerase	Not available.
	: 10X Cloned Pfu Reaction Buffer	Not available.

Vapor pressure	:		Vapor Pressure at 20°C			Vapor pressure at 50°C		
		Ingredient name	mm Hg	kPa	Method	mm Hg	kPa	Method
		PfuTurbo Hotstart DNA polymerase						
		water	23.8	3.2		92.258	12.3	
		Glycerol	0.000075	0.00001		0.0025	0.00033	
		10X Cloned Pfu Reaction Buffer						
		water	23.8	3.2		92.258	12.3	
		Polyoxyethylene octyl phenyl ether	0.997581	0.13				

Relative vapor density	: PfuTurbo Hotstart DNA polymerase	Not available.
	: 10X Cloned Pfu Reaction Buffer	Not available.

Section 9. Physical and chemical properties and safety characteristics

Relative density : PfuTurbo Hotstart DNA polymerase Not available.
10X Cloned Pfu Reaction Buffer Not available.

Solubility(ies)	Media	Result
	PfuTurbo Hotstart DNA polymerase water	Soluble
	10X Cloned Pfu Reaction Buffer water	Soluble

Partition coefficient: n-octanol/water : PfuTurbo Hotstart DNA polymerase Not applicable.
10X Cloned Pfu Reaction Buffer Not applicable.

Auto-ignition temperature	Ingredient name	°C	°F	Method
	PfuTurbo Hotstart DNA polymerase			
	Glycerol	370	698	

Decomposition temperature : PfuTurbo Hotstart DNA polymerase Not available.
10X Cloned Pfu Reaction Buffer Not available.

Viscosity : PfuTurbo Hotstart DNA polymerase Not available.
10X Cloned Pfu Reaction Buffer Not available.

Particle characteristics

Median particle size : PfuTurbo Hotstart DNA polymerase Not applicable.
10X Cloned Pfu Reaction Buffer Not applicable.

Section 10. Stability and reactivity

10.1 Reactivity : PfuTurbo Hotstart DNA polymerase No specific test data related to reactivity available for this product or its ingredients.
10X Cloned Pfu Reaction Buffer No specific test data related to reactivity available for this product or its ingredients.

10.2 Chemical stability : PfuTurbo Hotstart DNA polymerase The product is stable.
10X Cloned Pfu Reaction Buffer The product is stable.

10.3 Possibility of hazardous reactions : PfuTurbo Hotstart DNA polymerase Under normal conditions of storage and use, hazardous reactions will not occur.
10X Cloned Pfu Reaction Buffer Under normal conditions of storage and use, hazardous reactions will not occur.

10.4 Conditions to avoid : PfuTurbo Hotstart DNA polymerase No specific data.
10X Cloned Pfu Reaction Buffer No specific data.

10.5 Incompatible materials : PfuTurbo Hotstart DNA polymerase May react or be incompatible with oxidizing materials.
10X Cloned Pfu Reaction Buffer May react or be incompatible with oxidizing materials.

Section 10. Stability and reactivity

10.6 Hazardous decomposition products	: PfuTurbo Hotstart DNA polymerase	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	10X Cloned Pfu Reaction Buffer	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
PfuTurbo Hotstart DNA polymerase				
Glycerol	LD50 Oral	Rat	12600 mg/kg	-
Poly(oxy-1,2-ethanediyl), . alpha.-[(1,1,3,3-tetramethylbutyl) phenyl]-.omega.-hydroxy-	LD50 Oral	Rat	2800 mg/kg	-
10X Cloned Pfu Reaction Buffer				
Ammonium sulphate	LD50 Oral	Rat	2840 mg/kg	-
Polyoxyethylene octyl phenyl ether	LD50 Oral	Rat	1800 mg/kg	-

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
PfuTurbo Hotstart DNA polymerase					
Glycerol	Eyes - Mild irritant	Rabbit	-	24 hours 500 mg	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 mg	-
Poly(oxy-1,2-ethanediyl), . alpha.-[(1,1,3,3-tetramethylbutyl) phenyl]-.omega.-hydroxy-	Eyes - Severe irritant	Rabbit	-	1 %	-
10X Cloned Pfu Reaction Buffer					
Polyoxyethylene octyl phenyl ether	Skin - Mild irritant	Rabbit	-	24 hours 500 uL	-

Sensitization

Not available.

Mutagenicity

Conclusion/Summary : Not available.

Carcinogenicity

Conclusion/Summary : Not available.

Reproductive toxicity

Conclusion/Summary : Not available.

Teratogenicity

Conclusion/Summary : Not available.

Specific target organ toxicity (single exposure)

Section 11. Toxicological information

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on the likely routes of exposure : PfuTurbo Hotstart DNA polymerase
10X Cloned Pfu Reaction Buffer

Routes of entry anticipated: Oral, Dermal, Inhalation, Eyes.
Routes of entry anticipated: Oral, Dermal, Inhalation, Eyes.

Potential acute health effects

Eye contact : PfuTurbo Hotstart DNA polymerase
10X Cloned Pfu Reaction Buffer

Causes eye irritation.
Causes serious eye irritation.

Inhalation : PfuTurbo Hotstart DNA polymerase
10X Cloned Pfu Reaction Buffer

No known significant effects or critical hazards.
No known significant effects or critical hazards.

Skin contact : PfuTurbo Hotstart DNA polymerase
10X Cloned Pfu Reaction Buffer

No known significant effects or critical hazards.
No known significant effects or critical hazards.

Ingestion : PfuTurbo Hotstart DNA polymerase
10X Cloned Pfu Reaction Buffer

No known significant effects or critical hazards.
No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact : PfuTurbo Hotstart DNA polymerase
10X Cloned Pfu Reaction Buffer

Adverse symptoms may include the following:
irritation
watering
redness
Adverse symptoms may include the following:
pain or irritation
watering
redness

Inhalation : PfuTurbo Hotstart DNA polymerase
10X Cloned Pfu Reaction Buffer

No specific data.
No specific data.

Skin contact : PfuTurbo Hotstart DNA polymerase
10X Cloned Pfu Reaction Buffer

No specific data.
No specific data.

Ingestion : PfuTurbo Hotstart DNA polymerase
10X Cloned Pfu Reaction Buffer

No specific data.
No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Long term exposure

Potential immediate effects : Not available.

Section 11. Toxicological information

Potential delayed effects : Not available.

Potential chronic health effects

General	: PfuTurbo Hotstart DNA polymerase 10X Cloned Pfu Reaction Buffer	No known significant effects or critical hazards. No known significant effects or critical hazards.
Carcinogenicity	: PfuTurbo Hotstart DNA polymerase 10X Cloned Pfu Reaction Buffer	No known significant effects or critical hazards. No known significant effects or critical hazards.
Mutagenicity	: PfuTurbo Hotstart DNA polymerase 10X Cloned Pfu Reaction Buffer	No known significant effects or critical hazards. No known significant effects or critical hazards.
Reproductive toxicity	: PfuTurbo Hotstart DNA polymerase 10X Cloned Pfu Reaction Buffer	No known significant effects or critical hazards. No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Product/ingredient name	Oral (mg/kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapors) (mg/l)	Inhalation (dusts and mists) (mg/l)
PfuTurbo Hotstart DNA polymerase					
Glycerol	12600	N/A	N/A	N/A	N/A
Poly(oxy-1,2-ethanediyl), .alpha.-[(1,1,3,3-tetramethylbutyl)phenyl]-.omega.-hydroxy-	500	N/A	N/A	N/A	N/A
10X Cloned Pfu Reaction Buffer					
10X Cloned Pfu Reaction Buffer	98687.3	N/A	N/A	N/A	N/A
Ammonium sulphate	2840	N/A	N/A	N/A	N/A
Polyoxyethylene octyl phenyl ether	1800	N/A	N/A	N/A	N/A

Other information : PfuTurbo Hotstart DNA polymerase
10X Cloned Pfu Reaction Buffer

Adverse symptoms may include the following: May cause skin sensitization.
Not available.

Section 12. Ecological information

12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
PfuTurbo Hotstart DNA polymerase			
Glycerol	Acute LC50 54000 mg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours
Poly(oxy-1,2-ethanediyl), .alpha.-[(1,1,3,3-tetramethylbutyl)phenyl]-.omega.-hydroxy-	Acute EC50 210 µg/l Fresh water	Algae - Selenastrum sp.	96 hours
	Acute LC50 10800 µg/l Marine water	Crustaceans - Pandalus montagui - Adult	48 hours
	Acute LC50 8600 µg/l Fresh water	Daphnia - Daphnia magna - Neonate	48 hours
	Acute LC50 7200 µg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours
10X Cloned Pfu Reaction Buffer			

Section 12. Ecological information

Ammonium sulphate	Chronic NOEC 7.5 mg/l Marine water	Algae - Phaeodactylum tricornutum - Exponential growth phase	96 hours
Polyoxyethylene octyl phenyl ether	Acute LC50 5.85 mg/l Fresh water	Crustaceans - Ceriodaphnia rigaudi - Neonate	48 hours
	Acute LC50 11.2 mg/l Fresh water	Daphnia - Daphnia magna - Neonate	48 hours
	Acute LC50 4500 µg/l Fresh water	Fish - Pimephales promelas	96 hours

12.2 Persistence and degradability

Product/ingredient name	Test	Result	Dose	Inoculum
PfuTurbo Hotstart DNA polymerase Glycerol	301D Ready Biodegradability - Closed Bottle Test	93 % - 30 days	-	-

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
10X Cloned Pfu Reaction Buffer Ammonium sulphate Polyoxyethylene octyl phenyl ether	- -	- -	Readily Readily

12.3 Bioaccumulative potential

Product/ingredient name	LogP _{ow}	BCF	Potential
PfuTurbo Hotstart DNA polymerase Glycerol	-1.76	-	low
Poly(oxy-1,2-ethanediyl), . alpha.-[(1,1,3,3-tetramethylbutyl)phenyl]-.omega.-hydroxy-	2.7	78.67	low
10X Cloned Pfu Reaction Buffer Ammonium sulphate Polyoxyethylene octyl phenyl ether	-5.1 4.86	- -	low high

12.4 Mobility in soil

Soil/water partition coefficient (K_{oc}) : Not available.

12.5 Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

13.1 Waste treatment methods

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Disposal should be in accordance with applicable regional, national and local laws and regulations. Local regulations may be more stringent than regional or national requirements.

The information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

Section 14. Transport information

DOT / TDG / Mexico / IMDG / IATA : Not regulated.

Special precautions for user : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according to IMO instruments : Not available.

Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

U.S. Federal regulations : **TSCA 8(a) PAIR:** Polyoxyethylene octyl phenyl ether; Poly(oxy-1,2-ethanediyl), .alpha.-[(1,1,3,3-tetramethylbutyl)phenyl]-.omega.-hydroxy-
TSCA 8(a) CDR Exempt/Partial exemption: Not determined
Clean Water Act (CWA) 311: Edetic acid

Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs) : Not listed

Clean Air Act Section 602 Class I Substances : Not listed

Clean Air Act Section 602 Class II Substances : Not listed

DEA List I Chemicals (Precursor Chemicals) : Not listed

Section 15. Regulatory information

DEA List II Chemicals (Essential Chemicals) : Not listed

SARA 302/304

Composition/information on ingredients

No products were found.

SARA 304 RQ : Not applicable.

SARA 311/312

Classification : PfuTurbo Hotstart DNA polymerase EYE IRRITATION - Category 2B
10X Cloned Pfu Reaction Buffer EYE IRRITATION - Category 2A

Composition/information on ingredients

Name	%	Classification
PfuTurbo Hotstart DNA polymerase		
Glycerol	≥50 - ≤75	EYE IRRITATION - Category 2B
10X Cloned Pfu Reaction Buffer		
Ammonium sulphate	≤3	EYE IRRITATION - Category 2A
Polyoxyethylene octyl phenyl ether	<2.5	ACUTE TOXICITY (oral) - Category 4 SKIN IRRITATION - Category 2 SERIOUS EYE DAMAGE - Category 1

SARA 313

	Product name	CAS number	%
Form R - Reporting requirements	10X Cloned Pfu Reaction Buffer Ammonium sulphate	7783-20-2	≤3
Supplier notification	10X Cloned Pfu Reaction Buffer Ammonium sulphate	7783-20-2	≤3

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations

Massachusetts : The following components are listed: GLYCERINE MIST
New York : None of the components are listed.
New Jersey : The following components are listed: GLYCERIN
Pennsylvania : The following components are listed: 1,2,3-PROPANETRIOL
[California Prop. 65](#)

This product does not require a Safe Harbor warning under California Prop. 65.

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Section 15. Regulatory information

Not listed.

Inventory list

Australia	: All components are listed or exempted.
Canada	: All components are listed or exempted.
China	: All components are listed or exempted.
Eurasian Economic Union	: Russian Federation inventory : All components are listed or exempted.
Japan	: Japan inventory (CSCL) : Not determined. Japan inventory (ISHL) : Not determined.
New Zealand	: All components are listed or exempted.
Philippines	: All components are listed or exempted.
Republic of Korea	: Not determined.
Taiwan	: All components are listed or exempted.
Thailand	: Not determined.
Turkey	: Not determined.
United States	: All components are active or exempted.
Viet Nam	: All components are listed or exempted.

Section 16. Other information

Procedure used to derive the classification

Classification	Justification
PfuTurbo Hotstart DNA polymerase EYE IRRITATION - Category 2B	Calculation method
10X Cloned Pfu Reaction Buffer EYE IRRITATION - Category 2A AQUATIC HAZARD (LONG-TERM) - Category 3	Calculation method Calculation method

History

Date of issue	: 11/29/2022
Date of previous issue	: 05/04/2022
Version	: 6.1
Key to abbreviations	: ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) N/A = Not available UN = United Nations

☑ Indicates information that has changed from previously issued version.

Notice to reader

Disclaimer: The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.