SAFETY DATA SHEET



Easy-A High-Fidelity PCR Cloning Enzyme, Part Number 600400

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name : Easy-A High-Fidelity PCR Cloning Enzyme, Part Number 600400

Part no. (chemical kit) : 600400

Part no. : Easy-A Hi-Fi PCR 600400-51 Cloning Enzyme

10X Easy-A Reaction 600400-52

Buffer

1.2 Relevant identified uses of the substance or mixture and uses advised against

Material uses : Analytical reagent.

Easy-A Hi-Fi PCR Cloning Enzyme 0.02 ml (100 U 5 U/µl)

10x Easy-A Reaction Buffer 1 ml

1.3 Details of the supplier of the safety data sheet

Agilent Technologies Manufacturing GmbH & Co. KG

Hewlett-Packard-Str. 8 76337 Waldbronn Germany

Germany 0800 603 1000

e-mail address of person : pdl-msds_author@agilent.com

responsible for this SDS

1.4 Emergency telephone number

Emergency telephone

number (with hours of

operation)

: CHEMTREC®: +(44)-870-8200418

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Product definition : Fasy-A Hi-Fi PCR Mixture

Cloning Enzyme

10X Easy-A Reaction Mixture

Buffer

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Easy-A Hi-Fi PCR Cloning

Enzyme

H412 LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 3

10X Easy-A Reaction Buffer

H315 SKIN CORROSION/IRRITATION - Category 2

H319 SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2

Ingredients of unknown

toxicity

Easy-A Hi-Fi PCR Cloning Enzyme

10X Easy-A Reaction

Buffer

Percentage of the mixture consisting of ingredient(s) of

unknown inhalation toxicity: 30 - 60%

Percentage of the mixture consisting of ingredient(s) of

unknown dermal toxicity: 10 - 30%

Percentage of the mixture consisting of ingredient(s) of

unknown inhalation toxicity: 10 - 30%

Percentage of the mixture consisting of ingredient(s) of

Date of issue/Date of : 23/11/2018 **1/18**

Easy-A High-Fidelity PCR Cloning Enzyme, Part Number 600400

SECTION 2: Hazards identification

unknown oral toxicity: 10 - 30%

Ingredients of unknown ecotoxicity

: 10X Easy-A Reaction Buffer

Percentage of the mixture consisting of ingredient(s) of unknown hazards to the aquatic environment: 11%

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

Hazard pictograms : 10X Easy-A Reaction

Buffer

Signal word

: Easy-A Hi-Fi PCR Cloning Enzyme

10X Easy-A Reaction

Buffer

Hazard statements

: Easy-A Hi-Fi PCR Cloning Enzyme

Buffer

No signal word.

Warning

10X Easy-A Reaction

H412 - Harmful to aquatic life with long lasting effects.

H319 - Causes serious eye irritation.

H315 - Causes skin irritation.

Precautionary statements

Prevention

: Easy-A Hi-Fi PCR Cloning Enzyme 10X Easy-A Reaction

Buffer

P273 - Avoid release to the environment.

P280 - Wear protective gloves. Wear eye or face protection.

P264 - Wash hands thoroughly after handling.

Response

: Easy-A Hi-Fi PCR Cloning Enzyme 10X Easy-A Reaction

Buffer

Not applicable.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

Storage

Easy-A Hi-Fi PCR Cloning Enzyme 10X Easy-A Reaction

Buffer

Not applicable.

Not applicable.

Disposal

: Fasy-A Hi-Fi PCR Cloning Enzyme 10X Easy-A Reaction

Buffer

P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.

Not applicable.

Hazardous ingredients

: Fasy-A Hi-Fi PCR Cloning Enzyme 10X Easy-A Reaction

Buffer

Not applicable.

Not applicable.

Supplemental label

elements

: Easy-A Hi-Fi PCR Cloning Enzyme

10X Easy-A Reaction

Buffer

Not applicable.

Not applicable.

Annex XVII - Restrictions on the manufacture, placing on the market

and use of certain dangerous substances, mixtures and articles

zasy-A Hi-Fi PCR Cloning Enzyme

10X Easy-A Reaction

Buffer

Not applicable.

Not applicable.

Special packaging requirements

Date of issue/Date of : 23/11/2018 2/18

Easy-A High-Fidelity PCR Cloning Enzyme, Part Number 600400

SECTION 2: Hazards identification

Tactile warning of danger

: Fasy-A Hi-Fi PCR Cloning Enzyme

Not applicable.

10X Easy-A Reaction Buffer

Not applicable.

2.3 Other hazards

classification

Other hazards which do not result in

: Fasy-A Hi-Fi PCR Cloning Enzyme

None known.

10X Easy-A Reaction

None known.

Buffer

SECTION 3: Composition/information on ingredients

3.1 Substances

: Fasy-A Hi-Fi PCR Cloning

Mixture

Enzyme

10X Easy-A Reaction Buffer

Mixture

Product/ingredient name	Identifiers	%	Regulation (EC) No. 1272/2008 [CLP]	Type
Easy-A Hi-Fi PCR Cloning				
Enzyme				
Glycerol	REACH #: Annex V EC: 200-289-5 CAS: 56-81-5	≥50 - ≤75	Not classified.	[2]
Poly(oxy-1,2-ethanediyl), .alpha[(1,1,3,3-tetramethylbutyl)phenyl] omegahydroxy-	CAS: 9036-19-5	<1	Eye Irrit. 2, H319 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 1, H410 (M=1)	[1] [5]
10X Easy-A Reaction Buffer				
2-Amino-2-(hydroxymethyl) propane-1,3-diol hydrochloride	EC: 214-684-5 CAS: 1185-53-1	≥10 - <20	Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335	[1]
			See Section 16 for the full text of the H statements declared above.	

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

<u>Type</u>

- Substance classified with a health or environmental hazard
- [2] Substance with a workplace exposure limit
- [3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII
- [4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII
- [5] Substance of equivalent concern
- [6] Additional disclosure due to company policy

SECTION 4: First aid measures

4.1 Description of first aid measures

Eye contact

: Easy-A Hi-Fi PCR Cloning Enzyme

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes.

Get medical attention if irritation occurs.

10X Easy-A Reaction

Buffer

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.

Date of issue/Date of : 23/11/2018 3/18

SECTION 4: First aid measures

Inhalation

: Fasy-A Hi-Fi PCR Cloning Enzyme

Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

10X Easy-A Reaction Buffer

Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

Skin contact

: Easy-A Hi-Fi PCR Cloning Enzyme

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.

10X Easy-A Reaction Buffer

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Ingestion

: Easy-A Hi-Fi PCR Cloning Enzyme

Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

10X Easy-A Reaction Buffer

Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Date of issue/Date of revision

: 23/11/2018 **4/18**

Easy-A High-Fidelity PCR Cloning Enzyme, Part Number 600400

SECTION 4: First aid measures

Protection of first-aiders

: Fasy-A Hi-Fi PCR Cloning Enzyme

10X Easy-A Reaction

No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person

providing aid to give mouth-to-mouth resuscitation. No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person

providing aid to give mouth-to-mouth resuscitation.

4.2 Most important symptoms and effects, both acute and delayed

Potential acute health effects

: Fasy-A Hi-Fi PCR **Eve contact**

Cloning Enzyme

10X Easy-A Reaction

Buffer

Causes serious eye irritation.

No known significant effects or critical hazards.

No known significant effects or critical hazards.

No known significant effects or critical hazards.

Inhalation : Easy-A Hi-Fi PCR

Cloning Enzyme 10X Easy-A Reaction

Buffer

: Fasv-A Hi-Fi PCR Skin contact

> Cloning Enzyme 10X Easy-A Reaction

Buffer

No known significant effects or critical hazards.

Causes skin irritation.

: Easy-A Hi-Fi PCR Ingestion

Cloning Enzyme

10X Easy-A Reaction

No known significant effects or critical hazards. No known significant effects or critical hazards.

Buffer

Over-exposure signs/symptoms

Eye contact

: Easy-A Hi-Fi PCR

Cloning Enzyme

10X Easy-A Reaction

Buffer

No specific data.

Adverse symptoms may include the following:

pain or irritation watering redness

Inhalation : Easy-A Hi-Fi PCR

Cloning Enzyme

10X Easy-A Reaction

Buffer

No specific data.

No specific data.

: Fasy-A Hi-Fi PCR Skin contact

Cloning Enzyme

10X Easy-A Reaction

Buffer

No specific data.

Adverse symptoms may include the following:

irritation redness

: Fasy-A Hi-Fi PCR Ingestion

Cloning Enzyme

10X Easy-A Reaction

Buffer

No specific data. No specific data.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician

: Fasy-A Hi-Fi PCR Cloning Enzyme 10X Easy-A Reaction Buffer

Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

Date of issue/Date of : 23/11/2018 5/18

Easy-A High-Fidelity PCR Cloning Enzyme, Part Number 600400

SECTION 4: First aid measures

Specific treatments

: Fasy-A Hi-Fi PCR Cloning Enzyme 10X Easy-A Reaction No specific treatment.

No specific treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

: Easy-A Hi-Fi PCR Cloning Enzyme 10X Easy-A Reaction Use an extinguishing agent suitable for the surrounding fire.

Use an extinguishing agent suitable for the surrounding fire.

Unsuitable extinguishing

media

: Fasy-A Hi-Fi PCR Cloning Enzyme

None known.

10X Easy-A Reaction

Buffer

Buffer

None known.

5.2 Special hazards arising from the substance or mixture

Hazards from the substance or mixture : Easy-A Hi-Fi PCR Cloning Enzyme

In a fire or if heated, a pressure increase will occur and the container may burst. This material is harmful to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.

10X Easy-A Reaction

Buffer

Buffer

In a fire or if heated, a pressure increase will occur and the

Decomposition products may include the following materials:

container may burst.

Hazardous combustion products

: Fasy-A Hi-Fi PCR Cloning Enzyme

carbon dioxide

10X Easy-A Reaction

carbon monoxide

Decomposition products may include the following materials:

carbon dioxide carbon monoxide nitrogen oxides

halogenated compounds

5.3 Advice for firefighters

Special precautions for fire-fighters

: Easy-A Hi-Fi PCR Cloning Enzyme

10X Easy-A Reaction

Buffer

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for firefighters

: Fasy-A Hi-Fi PCR Cloning Enzyme

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

10X Easy-A Reaction

Buffer

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a

basic level of protection for chemical incidents.

Date of issue/Date of : 23/11/2018 6/18

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: Easy-A Hi-Fi PCR Cloning Enzyme

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

10X Easy-A Reaction

Buffer

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

For emergency responders

: Fasy-A Hi-Fi PCR Cloning Enzyme

If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-

emergency personnel".

10X Easy-A Reaction

Buffer

If specialised clothing is required to deal with the spillage. take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-

emergency personnel".

6.2 Environmental precautions

: Easy-A Hi-Fi PCR Cloning Enzyme

Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.

10X Easy-A Reaction Buffer

Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution

(sewers, waterways, soil or air).

6.3 Methods and material for containment and cleaning up

Methods for cleaning up

: Fasy-A Hi-Fi PCR Cloning Enzyme

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose

of via a licensed waste disposal contractor.

10X Easy-A Reaction

Buffer

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

6.4 Reference to other sections

: See Section 1 for emergency contact information.

See Section 8 for information on appropriate personal protective equipment.

See Section 13 for additional waste treatment information.

Date of issue/Date of : 23/11/2018 7/18

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Protective measures

: Fasy-A Hi-Fi PCR Cloning Enzyme

Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapour or mist. Avoid release to the environment. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

10X Easy-A Reaction

Buffer

Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapour or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Advice on general occupational hygiene : Fasy-A Hi-Fi PCR Cloning Enzyme

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also

Section 8 for additional information on hygiene measures.

10X Easy-A Reaction Buffer

7.2 Conditions for safe storage, including any incompatibilities

Storage

: Fasy-A Hi-Fi PCR Cloning Enzyme

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

10X Easy-A Reaction Buffer

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

7.3 Specific end use(s) Recommendations

: Fasy-A Hi-Fi PCR Cloning Enzyme 10X Easy-A Reaction Buffer

Industrial applications, Professional applications.

Industrial applications, Professional applications.

Date of issue/Date of : 23/11/2018 8/18

Easy-A High-Fidelity PCR Cloning Enzyme, Part Number 600400

SECTION 7: Handling and storage

Industrial sector specific : Fasy-A Hi-Fi PCR solutions Cloning Enzyme

Cloning Enzyme
10X Easy-A Reaction

Not applicable.

Not applicable.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

Product/ingredient name	Exposure limit values
Easy-A Hi-Fi PCR Cloning Enzyme Glycerol	EH40/2005 WELs (United Kingdom (UK), 12/2011). TWA: 10 mg/m³ 8 hours. Form: Mist

Recommended monitoring procedures

If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

DNELs/DMELs

No DNELs/DMELs available.

PNECs

No PNECs available

8.2 Exposure controls

Appropriate engineering controls

 Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Individual protection measures

Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.

Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with sideshields.

Skin protection

Hand protection

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

Body protection

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Date of issue/Date of revision

: 23/11/2018 **9/18**

SECTION 8: Exposure controls/personal protection

Other skin protection

: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection

: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Environmental exposure controls

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

_						
Δ	n	n	2	ra	n	ce

Physical state : Fasy-A Hi-Fi PCR Liquid.

Cloning Enzyme

10X Easy-A Reaction Liquid.

Buffer

Colour : Fasy-A Hi-Fi PCR Not available.

Cloning Enzyme

10X Easy-A Reaction Not available.

Buffer

Odour : Fasy-A Hi-Fi PCR Not available.

Cloning Enzyme

10X Easy-A Reaction Not available.

Buffer

Odour threshold : Easy-A Hi-Fi PCR Not available.

Cloning Enzyme

10X Easy-A Reaction Not available.

Buffer

pH : Fasy-A Hi-Fi PCR 8

Cloning Enzyme

10X Easy-A Reaction 8.5

Buffer

Cloning Enzyme

10X Easy-A Reaction Not available.

Buffer

Initial boiling point and : Easy-A Hi-Fi PCR

boiling range

Easy-A Hi-Fi PCR Not available.
Cloning Enzyme
10X Easy-A Reaction Not available.

Buffer

Flash point : Fasy-A Hi-Fi PCR Not available.

Cloning Enzyme

10X Easy-A Reaction Not available.

Buffer

Evaporation rate : Fasy-A Hi-Fi PCR Not available.

Cloning Enzyme

10X Easy-A Reaction Not available.

Buffer

Flammability (solid, gas) : Fasy-A Hi-Fi PCR Not applicable.

Cloning Enzyme

10X Easy-A Reaction Not applicable.

Buffer

Date of issue/Date of : 23/11/2018 10/18

SECTION 9: Physical and chemical properties

Upper/lower flammability or

explosive limits

: Easy-A Hi-Fi PCR Cloning Enzyme

10X Easy-A Reaction

Buffer

Not available.

Not available.

Not available.

: Easy-A Hi-Fi PCR Vapour pressure

Cloning Enzyme 10X Easy-A Reaction

Not available.

Buffer

Vapour density

: Fasy-A Hi-Fi PCR Cloning Enzyme

Not available.

10X Easy-A Reaction

Buffer

Not available.

Relative density

: Easy-A Hi-Fi PCR Cloning Enzyme

Not available.

10X Easy-A Reaction

Buffer

Not available.

Solubility(ies)

: Easy-A Hi-Fi PCR Cloning Enzyme 10X Easy-A Reaction Easily soluble in the following materials: cold water and

hot water.

Buffer

Easily soluble in the following materials: cold water and

hot water.

Partition coefficient: noctanol/water

: Fasy-A Hi-Fi PCR Cloning Enzyme

Not available.

10X Easy-A Reaction

Buffer

Not available.

Auto-ignition temperature

: Easy-A Hi-Fi PCR Cloning Enzyme

Not available.

10X Easy-A Reaction

Buffer

Not available.

Decomposition temperature

: Fasy-A Hi-Fi PCR Cloning Enzyme

Not available.

10X Easy-A Reaction

Buffer

Not available.

: Fasy-A Hi-Fi PCR **Viscosity**

Cloning Enzyme 10X Easy-A Reaction Not available. Not available.

Buffer

: Fasy-A Hi-Fi PCR **Explosive properties**

Cloning Enzyme

Not available.

Buffer

10X Easy-A Reaction

Not available.

Oxidising properties

: Easy-A Hi-Fi PCR

Not available.

Cloning Enzyme 10X Easy-A Reaction

Not available.

Buffer

9.2 Other information

No additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity

: Fasy-A Hi-Fi PCR Cloning Enzyme 10X Easy-A Reaction Buffer

No specific test data related to reactivity available for this product or its ingredients.

No specific test data related to reactivity available for this product or its ingredients.

Date of issue/Date of : 23/11/2018 11/18

Easy-A High-Fidelity PCR Cloning Enzyme, Part Number 600400

SECTION 10: Stability and reactivity

10.2 Chemical stability

: Easy-A Hi-Fi PCR Cloning Enzyme 10X Easy-A Reaction The product is stable.

The product is stable.

10.3 Possibility of hazardous reactions : Fasy-A Hi-Fi PCR Cloning Enzyme 10X Easy-A Reaction Under normal conditions of storage and use, hazardous

reactions will not occur.

Under normal conditions of storage and use, hazardous

reactions will not occur.

10.4 Conditions to avoid

: Easy-A Hi-Fi PCR Cloning Enzyme

No specific data.

10X Easy-A Reaction

Buffer

Buffer

No specific data.

10.5 Incompatible

materials

: Fasy-A Hi-Fi PCR Cloning Enzyme

May react or be incompatible with oxidising materials.

10X Easy-A Reaction

Buffer

May react or be incompatible with oxidising materials.

10.6 Hazardous decomposition products : Fasy-A Hi-Fi PCR Cloning Enzyme 10X Easy-A Reaction Buffer

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Easy-A Hi-Fi PCR Cloning Enzyme Poly(oxy-1,2-ethanediyl), . alpha[(1,1,3, 3-tetramethylbutyl)phenyl] omegahydroxy-	LD50 Oral	Rat	2800 mg/kg	-

Acute toxicity estimates

Not available.

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Easy-A Hi-Fi PCR Cloning Enzyme Poly(oxy-1,2-ethanediyl), . alpha[(1,1,3, 3-tetramethylbutyl)phenyl] omegahydroxy-	Eyes - Severe irritant	Rabbit	-	1 Percent	-

Sensitiser

Conclusion/Summary

: Not available.

Mutagenicity

Conclusion/Summary

: Not available.

Carcinogenicity

Conclusion/Summary

Not available.

Reproductive toxicity

Conclusion/Summary : Not available.

Date of issue/Date of : 23/11/2018 12/18

SECTION 11: Toxicological information

Teratogenicity

Conclusion/Summary : Not available.

Specific target organ toxicity (single exposure)

Product/ingredient name	Category	Route of exposure	Target organs
2-Amino-2-(hydroxymethyl)propane-1,3-diol hydrochloride	Category 3	Not applicable.	Respiratory tract irritation

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on likely routes of exposure

: Easy-A Hi-Fi PCR Cloning Enzyme

Routes of entry anticipated: Oral, Dermal, Inhalation.

10X Easy-A Reaction

Routes of entry anticipated: Oral, Dermal, Inhalation.

Buffer

Potential acute health effects

Inhalation : **E**asy-A Hi-Fi PCR

No known significant effects or critical hazards.

Cloning Enzyme

10X Easy-A Reaction No known significant effects or critical hazards.

Buffer

Ingestion : Fasy-A Hi-Fi PCR No known significant effects or critical hazards.

Cloning Enzyme

10X Easy-A Reaction No known significant effects or critical hazards.

Buffer

Skin contact : Fasy-A Hi-Fi PCR No known significant effects or critical hazards.

Cloning Enzyme

10X Easy-A Reaction Causes skin irritation.

Buffer

Eye contact: Easy-A Hi-Fi PCR No known significant effects or critical hazards.

Cloning Enzyme 10X Easy-A Reaction

Buffer

Symptoms related to the physical, chemical and toxicological characteristics

Inhalation : Fasy-A Hi-Fi PCR No specific data.

Cloning Enzyme

10X Easy-A Reaction No specific data.

Buffer

Ingestion : Fasy-A Hi-Fi PCR No specific data.

Cloning Enzyme

10X Easy-A Reaction No specific data.

Buffer

Skin contact : Fasy-A Hi-Fi PCR No specific data.

Cloning Enzyme

10X Easy-A Reaction Adverse symptoms may include the following:

Buffer

irritation redness

Date of issue/Date of : 23/11/2018 **13/18**

SECTION 11: Toxicological information

: Fasy-A Hi-Fi PCR **Eye contact**

Cloning Enzyme

10X Easy-A Reaction

Buffer

No specific data.

Adverse symptoms may include the following:

pain or irritation watering redness

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Short term exposure

Potential immediate

effects

: Not available.

Potential delayed

effects

: Not available.

Long term exposure

Potential immediate

effects

Not available.

Potential delayed

effects

: Not available.

Potential chronic health effects

General : Easy-A Hi-Fi PCR No known significant effects or critical hazards.

Cloning Enzyme

10X Easy-A Reaction No known significant effects or critical hazards.

Buffer

: Fasy-A Hi-Fi PCR Carcinogenicity No known significant effects or critical hazards.

Cloning Enzyme

10X Easy-A Reaction No known significant effects or critical hazards.

Buffer

: Easy-A Hi-Fi PCR Mutagenicity No known significant effects or critical hazards.

Cloning Enzyme

10X Easy-A Reaction No known significant effects or critical hazards.

Buffer

Teratogenicity : Easy-A Hi-Fi PCR No known significant effects or critical hazards.

Cloning Enzyme

10X Easy-A Reaction

Buffer

No known significant effects or critical hazards. No known significant effects or critical hazards.

Developmental effects Easy-A Hi-Fi PCR

Cloning Enzyme

10X Easy-A Reaction No known significant effects or critical hazards.

Buffer

: Easy-A Hi-Fi PCR No known significant effects or critical hazards.

Cloning Enzyme

10X Easy-A Reaction No known significant effects or critical hazards.

Buffer

SECTION 12: Ecological information

12.1 Toxicity

Fertility effects

Product/ingredient name	Result	Species	Exposure
Easy-A Hi-Fi PCR Cloning Enzyme			
Poly(oxy-1,2-ethanediyl), . alpha[(1,1,3, 3-tetramethylbutyl)phenyl] omegahydroxy-	Acute EC50 210 μg/l Fresh water	Algae - Pseudokirchneriella subcapitata	96 hours
	Acute LC50 10800 μg/l Marine water	Crustaceans - Pandalus montagui - Adult	48 hours
	Acute LC50 8600 μg/l Fresh water	Daphnia - Daphnia magna -	48 hours

Date of issue/Date of : 23/11/2018 14/18 revision

Easy-A High-Fidelity PCR Cloning Enzyme, Part Number 600400

SECTION 12: Ecological information

Neonate Acute LC50 7200 µg/l Fresh water Fish - Oncorhynchus mykiss 96 hours

12.2 Persistence and degradability

Not available.

12.3 Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
Easy-A Hi-Fi PCR Cloning			
Enzyme			
Poly(oxy-1,2-ethanediyl), . alpha[(1,1,3,	3.77	78.67	low
3-tetramethylbutyl)phenyl]			
omegahydroxy-			

12.4 Mobility in soil

Soil/water partition

: Not available.

coefficient (Koc)

Mobility

: Not available.

12.5 Results of PBT and vPvB assessment

PBT : Not applicable. : Not applicable. **vPvB**

12.6 Other adverse effects: No known significant effects or critical hazards.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Methods of disposal

: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

Hazardous waste

Packaging

Methods of disposal

: The classification of the product may meet the criteria for a hazardous waste.

: The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

Special precautions

: This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

Date of issue/Date of : 23/11/2018 15/18

Easy-A High-Fidelity PCR Cloning Enzyme, Part Number 600400

SECTION 14: Transport information

ADR/RID / IMDG / IATA : Not regulated.

14.6 Special precautions for user

: Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the

event of an accident or spillage.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code : Not available.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorisation

Annex XIV

None of the components are listed.

Substances of very high concern

Ingredient name	Intrinsic property		Date of revision
Poly(oxy-1,2-ethanediyl), .alpha[(1,1,3, 3-tetramethylbutyl)phenyl]omegahydroxy-	Substance of equivalent concern for human health	ED/169/2012	2/10/2014

Annex XVII - Restrictions on the manufacture, placing on the market

: Fasy-A Hi-Fi PCR Cloning

Not applicable.

Enzyme

10X Easy-A Reaction Buffer Not applicable.

and use of certain dangerous substances, mixtures and articles

Other EU regulations

Ozone depleting substances (1005/2009/EU)

Not listed.

Prior Informed Consent (PIC) (649/2012/EU)

Not listed.

Seveso Directive

This product is not controlled under the Seveso Directive.

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol (Annexes A, B, C, E)

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Date of issue/Date of : 23/11/2018 16/18

Easy-A High-Fidelity PCR Cloning Enzyme, Part Number 600400

SECTION 15: Regulatory information

Inventory list

Australia : All components are listed or exempted.

Canada : All components are listed or exempted.

China : All components are listed or exempted.

Europe : All components are listed or exempted.

Japan inventory (ENCS): Not determined.

Japan inventory (ISHL): Not determined.

Malaysia : Not determined.

New Zealand : All components are listed or exempted.
Philippines : All components are listed or exempted.

Republic of Korea : Not determined.

Taiwan : All components are listed or exempted.

Thailand : Not determined.

Turkey : Not determined.

United States : All components are listed or exempted.

Viet Nam : Not determined.

15.2 Chemical safety

assessment

: This product contains substances for which Chemical Safety Assessments might

still be required.

SECTION 16: Other information

Indicates information that has changed from previously issued version.

Abbreviations and acronyms

: ATE = Acute Toxicity Estimate

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No.

1272/2008]

DNEL = Derived No Effect Level

EUH statement = CLP-specific Hazard statement PNEC = Predicted No Effect Concentration RRN = REACH Registration Number

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification	Justification
Easy-A Hi-Fi PCR Cloning Enzyme Aquatic Chronic 3, H412	Calculation method
10X Easy-A Reaction Buffer Skin Irrit. 2, H315 Eye Irrit. 2, H319	Calculation method Calculation method

Full text of abbreviated H statements

E asy-A Hi-Fi PCR Cloning Enzyme	
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
10X Easy-A Reaction Buffer	
H315	Causas akin irritation
1 10 10	Causes skin irritation.
H319	Causes skill irritation. Causes serious eye irritation.

Full text of classifications [CLP/GHS]

Date of issue/Date of : 23/11/2018 17/18

Easy-A High-Fidelity PCR Cloning Enzyme, Part Number 600400

SECTION 16: Other information

Easy-A Hi-Fi PCR Cloning Enzyme

Aquatic Acute 1, H400 Aquatic Chronic 1, H410 Aquatic Chronic 3, H412 Eye Irrit. 2, H319

10X Easy-A Reaction Buffer

Eye Irrit. 2, H319 Skin Irrit. 2, H315 STOT SE 3, H335 SHORT-TERM (ACUTE) AQUATIC HAZARD - Category 1 LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 1 LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 3 SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2

SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2 SKIN CORROSION/IRRITATION - Category 2 SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE (Respiratory tract irritation) - Category 3

Date of issue/ Date of

revision

: 23/11/2018

Date of previous issue : 28/11/2016

Version : 2

Notice to reader

Disclaimer: The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

Date of issue/Date of : 23/11/2018 **18/18**