# SAFETY DATA SHEET



PfuTurbo Cx Hotstart DNA Polymerase, Part Number 600414

# **Section 1. Identification**

1.1 Product identifier

Product name : PfuTurbo Cx Hotstart DNA Polymerase, Part Number 600414

Part no. (chemical kit) : 600414

Part no. : DMSO 600260-53

PfuTurbo Cx Hotstart DNA Polymerase 600414-51 10X PfuTurbo Cx Reaction Buffer 600410-52

Validation date : 12/16/2022

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Analytical reagent.

ØMSO1 mlPfuTurbo Cx Hotstart DNA Polymerase0.04 ml10X PfuTurbo Cx Reaction Buffer4 x 1 ml

1.3 Details of the supplier of the safety data sheet

**Supplier/Manufacturer**: Agilent Technologies, Inc.

5301 Stevens Creek Blvd Santa Clara, CA 95051, USA

800-227-9770

1.4 Emergency telephone number

In case of emergency : CHEMTREC®: 1-800-424-9300

### Section 2. Hazards identification

2.1 Classification of the substance or mixture

OSHA/HCS status : DMSO This material is considered hazardous by the OSHA

Hazard Communication Standard (29 CFR 1910.1200).

PfuTurbo Cx Hotstart DNA

Polymerase

10X PfuTurbo Cx Reaction

Buffer

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200). This material is considered hazardous by the OSHA

Hazard Communication Standard (29 CFR 1910.1200).

Classification of the substance or mixture

**™**MSO

H227 FLAMMABLE LIQUIDS - Category 4 H320 EYE IRRITATION - Category 2B

PfuTurbo Cx Hotstart DNA

**Polymerase** 

H320 EYE IRRITATION - Category 2B

10X PfuTurbo Cx Reaction

**Buffer** 

H319 EYE IRRITATION - Category 2A

H412 AQUATIC HAZARD (LONG-TERM) - Category 3

2.2 GHS label elements

**Date of issue**: 12/16/2022 **1/24** 

### Section 2. Hazards identification

: 10X PfuTurbo Cx Reaction Buffer **Hazard pictograms** 

Signal word : DMSO Warning PfuTurbo Cx Hotstart DNA Warning

Polymerase

10X PfuTurbo Cx Reaction Buffer

Warning

: MSO H227 - Combustible liquid. **Hazard statements** H320 - Causes eye irritation.

PfuTurbo Cx Hotstart DNA H320 - Causes eye irritation.

Polymerase

10X PfuTurbo Cx Reaction Buffer H319 - Causes serious eye irritation.

H412 - Harmful to aquatic life with long lasting

effects.

**Precautionary statements** 

**Prevention** : MSO P210 - Keep away from flames and hot surfaces.

> No smokina. Not applicable.

PfuTurbo Cx Hotstart DNA

Polymerase

10X PfuTurbo Cx Reaction Buffer P280 - Wear eye or face protection.

P273 - Avoid release to the environment.

P305 + P351 + P338 - IF IN EYES: Rinse Response : DMSO

> cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsina.

P337 + P313 - If eye irritation persists: Get medical

advice or attention.

PfuTurbo Cx Hotstart DNA

Polymerase

P305 + P351 + P338 - IF IN EYES: Rinse

cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

P337 + P313 - If eye irritation persists: Get medical

advice or attention.

10X PfuTurbo Cx Reaction Buffer P305 + P351 + P338 - IF IN EYES: Rinse

> cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

P337 + P313 - If eye irritation persists: Get medical

advice or attention.

: DMSO P403 + P235 - Store in a well-ventilated place. Storage

Keep cool.

Not applicable.

PfuTurbo Cx Hotstart DNA Not applicable.

Polymerase

10X PfuTurbo Cx Reaction Buffer

**Disposal** : DMSO P501 - Dispose of contents and container in

accordance with all local, regional, national and

international regulations.

PfuTurbo Cx Hotstart DNA

Polymerase

Not applicable.

10X PfuTurbo Cx Reaction Buffer

P501 - Dispose of contents and container in accordance with all local, regional, national and

international regulations.

Supplemental label

elements

: DMSO

PfuTurbo Cx Hotstart DNA

Polymerase

10X PfuTurbo Cx Reaction Buffer

None known. None known.

None known.

Date of issue: 12/16/2022 2/24

### Section 2. Hazards identification

2.3 Other hazards

Hazards not otherwise

classified

: DMSO PfuTurbo Cx Hotstart DNA

IΑ

None known. None known.

Polymerase

10X PfuTurbo Cx Reaction Buffer

None known.

# Section 3. Composition/information on ingredients

Substance/mixture

DMSO

PfuTurbo Cx Hotstart DNA

Substance Mixture

Polymerase

10X PfuTurbo Cx Reaction Buffer

Mixture

Ingredient name	%	CAS number
<b>P</b> MSO		
Dimethyl sulfoxide	100	67-68-5
PfuTurbo Cx Hotstart DNA Polymerase		
Glycerol	≥50 - ≤75	56-81-5
Poly(oxy-1,2-ethanediyl), .alpha[(1,1,3,3-tetramethylbutyl)phenyl]omegahydroxy-	<0.25	9036-19-5
10X PfuTurbo Cx Reaction Buffer		
Ammonium sulphate	≤3	7783-20-2
Polyoxyethylene octyl phenyl ether	<2.5	9002-93-1

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

### Section 4. First aid measures

#### 4.1 Description of necessary first aid measures

Eye contact : DMSO

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses.

Continue to rinse for at least 10 minutes. If irritation persists, get medical attention. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses.

Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. If irritation persists, get medical attention. Immediately flush eyes with plenty of water,

10X PfuTurbo Cx Reaction Buffer

PfuTurbo Cx Hotstart DNA

Polymerase

occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get

medical attention.

**Date of issue :** 12/16/2022 3/24

Inhalation : DMSO

PfuTurbo Cx Hotstart DNA Polymerase

10X PfuTurbo Cx Reaction Buffer

Skin contact : DMSO

PfuTurbo Cx Hotstart DNA Polymerase

10X PfuTurbo Cx Reaction Buffer

Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a

collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Date of issue: 12/16/2022 4/24

: MSO Ingestion

> PfuTurbo Cx Hotstart DNA Polymerase

10X PfuTurbo Cx Reaction Buffer

any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious. place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Wash out mouth with water. Remove dentures if

## 4.2 Most important symptoms/effects, acute and delayed

Potential acute health effects

Inhalation

: DMSO Eye contact

PfuTurbo Cx Hotstart DNA

Polymerase

10X PfuTurbo Cx Reaction Buffer

PfuTurbo Cx Hotstart DNA

Polymerase

Polymerase

10X PfuTurbo Cx Reaction Buffer

Skin contact : DMSO

PfuTurbo Cx Hotstart DNA

10X PfuTurbo Cx Reaction Buffer

Causes eye irritation. Causes eye irritation.

Causes serious eye irritation.

No known significant effects or critical hazards. No known significant effects or critical hazards.

No known significant effects or critical hazards. No known significant effects or critical hazards.

No known significant effects or critical hazards.

No known significant effects or critical hazards.

Date of issue: 12/16/2022 5/24

: DMSO Ingestion No known significant effects or critical hazards. No known significant effects or critical hazards.

PfuTurbo Cx Hotstart DNA

Polymerase

10X PfuTurbo Cx Reaction Buffer No known significant effects or critical hazards.

Over-exposure signs/symptoms

Eye contact : DMSO Adverse symptoms may include the following:

> irritation watering redness

PfuTurbo Cx Hotstart DNA

Polymerase

Adverse symptoms may include the following:

irritation watering redness

10X PfuTurbo Cx Reaction Buffer Adverse symptoms may include the following:

> pain or irritation watering redness

Inhalation : DMSO No specific data.

PfuTurbo Cx Hotstart DNA

Polymerase

No specific data.

No specific data.

10X PfuTurbo Cx Reaction Buffer No specific data. Skin contact : DMSO

No specific data. PfuTurbo Cx Hotstart DNA No specific data.

Polymerase

10X PfuTurbo Cx Reaction Buffer

Ingestion **DMSO** No specific data. No specific data.

PfuTurbo Cx Hotstart DNA

Polymerase

10X PfuTurbo Cx Reaction Buffer No specific data.

4.3 Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician : DMSO Treat symptomatically. Contact poison treatment

specialist immediately if large quantities have been

ingested or inhaled.

PfuTurbo Cx Hotstart DNA Treat symptomatically. Contact poison treatment

specialist immediately if large quantities have been Polymerase

ingested or inhaled.

10X PfuTurbo Cx Reaction Buffer In case of inhalation of decomposition products in a

> fire, symptoms may be delayed. The exposed person may need to be kept under medical

surveillance for 48 hours.

No specific treatment.

**Specific treatments** : DMSO No specific treatment.

PfuTurbo Cx Hotstart DNA

Polymerase

10X PfuTurbo Cx Reaction Buffer No specific treatment.

**Protection of first-aiders** No action shall be taken involving any personal risk **DMSO** 

> or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth

resuscitation.

PfuTurbo Cx Hotstart DNA

Polymerase

No action shall be taken involving any personal risk

or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth

resuscitation.

10X PfuTurbo Cx Reaction Buffer No action shall be taken involving any personal risk

> or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth

resuscitation.

12/16/2022 Date of issue: 6/24

See toxicological information (Section 11)

# Section 5. Fire-fighting measures

#### 5.1 Extinguishing media

Suitable extinguishing media

: DMSO PfuTurbo Cx Hotstart DNA Use dry chemical,  $CO_2$ , water spray (fog) or foam.

Use an extinguishing agent suitable for the

Polymerase surrounding fire. 10X PfuTurbo Cx Reaction Buffer Use an extinguis

Use an extinguishing agent suitable for the

surrounding fire.

Unsuitable extinguishing media

: DMSO

PfuTurbo Cx Hotstart DNA

Polymerase

10X PfuTurbo Cx Reaction Buffer

Do not use water jet.

None known.

None known.

### 5.2 Special hazards arising from the substance or mixture

Specific hazards arising from the chemical

: MSO

Combustible liquid. Runoff to sewer may create fire

or explosion hazard. In a fire or if heated, a pressure increase will occur and the container may

burst, with the risk of a subsequent explosion. The vapor/gas is heavier than air and will spread along the ground. Vapors may accumulate in low or confined areas or travel a considerable distance to

a source of ignition and flash back.

PfuTurbo Cx Hotstart DNA

Polymerase

10X PfuTurbo Cx Reaction Buffer

In a fire or if heated, a pressure increase will occur

and the container may burst.

In a fire or if heated, a pressure increase will occur

and the container may burst. This material is harmful to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to

any waterway, sewer or drain.

Hazardous thermal decomposition products

: DMSO

Decomposition products may include the following

materials: carbon dioxide carbon monoxide

sulfur oxides

PfuTurbo Cx Hotstart DNA

Polymerase

Decomposition products may include the following

materials: carbon dioxide

carbon monoxide

10X PfuTurbo Cx Reaction Buffer De

Decomposition products may include the following

materials: carbon dioxide carbon monoxide nitrogen oxides sulfur oxides

halogenated compounds

#### 5.3 Advice for firefighters

**Date of issue :** 12/16/2022 **7/24** 

## Section 5. Fire-fighting measures

Special protective actions for fire-fighters

: DMSO

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.

PfuTurbo Cx Hotstart DNA

Polymerase

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or

without suitable training.

10X PfuTurbo Cx Reaction Buffer

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or

without suitable training.

Special protective equipment for fire-fighters

: DMSO

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive

pressure mode.

PfuTurbo Cx Hotstart DNA

Polymerase

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive

pressure mode.

10X PfuTurbo Cx Reaction Buffer

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive

No action shall be taken involving any personal

pressure mode.

### Section 6. Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: DMSO

PfuTurbo Cx Hotstart DNA Polymerase

risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate

personal protective equipment.

10X PfuTurbo Cx Reaction Buffer

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate

personal protective equipment.

**Date of issue :** 12/16/2022 **8/24** 

### Section 6. Accidental release measures

For emergency responders: DMSO

PfuTurbo Cx Hotstart DNA Polymerase

10X PfuTurbo Cx Reaction Buffer

If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

**6.2 Environmental precautions** 

: MSO

PfuTurbo Cx Hotstart DNA Polymerase

10X PfuTurbo Cx Reaction Buffer

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers.

waterways, soil or air).

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.

### 6.3 Methods and materials for containment and cleaning up

Methods for cleaning up : DMSO

PfuTurbo Cx Hotstart DNA Polymerase

10X PfuTurbo Cx Reaction Buffer

Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste

disposal contractor.

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

**Date of issue**: 12/16/2022 **9/24** 

## Section 7. Handling and storage

#### 7.1 Precautions for safe handling

Protective measures : DMSO

(see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not enter storage areas and confined spaces unless adequately ventilated. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use only non-sparking tools. Empty containers retain product residue and can be hazardous. Do not reuse container.

Put on appropriate personal protective equipment

PfuTurbo Cx Hotstart DNA Polymerase

Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

10X PfuTurbo Cx Reaction Buffer

Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Avoid release to the environment. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Advice on general occupational hygiene

: DMSO

PfuTurbo Cx Hotstart DNA Polymerase

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove

contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

10X PfuTurbo Cx Reaction Buffer

**Date of issue**: 12/16/2022 **10/24** 

### Section 7. Handling and storage

7.2 Conditions for safe storage, including any incompatibilities

: DMSO

Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

PfuTurbo Cx Hotstart DNA Polymerase

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. Store in accordance with local regulations. Store in

10X PfuTurbo Cx Reaction Buffer

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

### 7.3 Specific end use(s)

Recommendations

: DMSO

PfuTurbo Cx Hotstart DNA

Polymerase

10X PfuTurbo Cx Reaction Buffer

Industrial applications, Professional applications. Industrial applications, Professional applications.

Industrial applications, Professional applications.

Industrial sector specific solutions

: MSO

PfuTurbo Cx Hotstart DNA

Polymerase

10X PfuTurbo Cx Reaction Buffer

Not available. Not available.

Not available.

# Section 8. Exposure controls/personal protection

**8.1 Control parameters** 

Occupational exposure limits

**Date of issue :** 12/16/2022 **11/24** 

## Section 8. Exposure controls/personal protection

Ingredient name	Exposure limits
Dimethyl sulfoxide	OARS WEEL (United States, 1/2021). TWA: 250 ppm 8 hours.
PfuTurbo Cx Hotstart DNA Polymerase Glycerol	OSHA PEL 1989 (United States, 3/1989).  TWA: 5 mg/m³ 8 hours. Form: Respirable fraction  TWA: 10 mg/m³ 8 hours. Form: Total dust OSHA PEL (United States, 5/2018).  TWA: 5 mg/m³ 8 hours. Form: Respirable fraction  TWA: 15 mg/m³ 8 hours. Form: Total dust
Poly(oxy-1,2-ethanediyl), .alpha[(1,1,3,3-tetramethylbutyl)phenyl] omegahydroxy-	None.
10X PfuTurbo Cx Reaction Buffer Ammonium sulphate Polyoxyethylene octyl phenyl ether	None. None.

#### **Biological exposure indices**

No exposure indices known.

#### 8.2 Exposure controls

Appropriate engineering controls

**Environmental exposure** controls

- : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
- : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

#### **Individual protection measures**

Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.

Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.

Skin protection

**Hand protection** 

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

**Body protection** 

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Date of issue**: 12/16/2022 **12/24** 

## Section 8. Exposure controls/personal protection

Other skin protection

: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection

Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

# Section 9. Physical and chemical properties and safety characteristics

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

**Appearance** 

Color

Odor

**Physical state** : DMSO Liquid. [Clear.]

PfuTurbo Cx Hotstart DNA Liquid.

Polymerase

10X PfuTurbo Cx Reaction Buffer Liquid. **DMSO** Colorless.

PfuTurbo Cx Hotstart DNA Not available.

Polymerase

10X PfuTurbo Cx Reaction Buffer Not available. **DMSO** Odorless. [Slight]

PfuTurbo Cx Hotstart DNA Not available.

Polymerase

10X PfuTurbo Cx Reaction Buffer Not available. **DMSO** Not available.

**Odor threshold** PfuTurbo Cx Hotstart DNA Not available.

Polymerase

10X PfuTurbo Cx Reaction Buffer Not available.

pН DMSO Not available.

PfuTurbo Cx Hotstart DNA 8.2

Polymerase

10X PfuTurbo Cx Reaction Buffer

18.5°C (65.3°F) Melting point/freezing point **DMSO** 

PfuTurbo Cx Hotstart DNA Not available.

Polymerase

10X PfuTurbo Cx Reaction Buffer 0°C (32°F)

189°C (372.2°F) **Boiling point, initial boiling** point, and boiling range PfuTurbo Cx Hotstart DNA Not available.

> Polymerase 10X PfuTurbo Cx Reaction Buffer 100°C (212°F)

Flash point

: MSO Closed cup: 87°C (188.6°F) [ASTM D 93]

Open cup: 87°C (188.6°F)

Not available. PfuTurbo Cx Hotstart DNA

Polymerase

10X PfuTurbo Cx Reaction Buffer Not available.

	Closed cup				Open cup		
Ingredient name	°C	°F	Method	°C	°F	Method	
PfuTurbo Cx Hotstart DNA Polymerase							
Glycerol				177	350.6		
10X PfuTurbo Cx							

12/16/2022 Date of issue: 13/24

# Section 9. Physical and chemical properties and safety characteristics

Reaction Buffer				
Polyoxyethylene octyl phenyl ether	251	483.8		

**Evaporation rate** : DMSO 0.026 (butyl acetate = 1)

PfuTurbo Cx Hotstart DNA Not available.

Polymerase

10X PfuTurbo Cx Reaction Buffer Not available.: DMSO Not applicable.

PfuTurbo Cx Hotstart DNA Not applicable.

Polymerase

10X PfuTurbo Cx Reaction Buffer Not applicable.

Lower and upper explosion limit/flammability limit

**Flammability** 

: DMSO Lower: 2.6%

Upper: 28.5%

PfuTurbo Cx Hotstart DNA Not available.

Polymerase

10X PfuTurbo Cx Reaction Buffer Not available.

Vapor pressure : MSO 0.056 kPa (0.42 mm Hg) [EU A.4]

PfuTurbo Cx Hotstart DNA Not available.

Polymerase

10X PfuTurbo Cx Reaction Buffer Not available.

	Vapor Pressure at 20°C			Vapor pressure at 50°C			
Ingredient name	mm Hg	kPa	Method	mm Hg	kPa	Method	
PfuTurbo Cx Hotstart DNA Polymerase							
water	23.8	3.2		92.258	12.3		
Glycerol	0.000075	0.00001		0.0025	0.00033		
10X PfuTurbo Cx Reaction Buffer							
water	23.8	3.2		92.258	12.3		
Polyoxyethylene octyl phenyl ether	0.997581	0.13					

Relative vapor density : DMSO

2.7 [Air = 1]

PfuTurbo Cx Hotstart DNA

Not available.

Not available.

Polymerase

10X PfuTurbo Cx Reaction Buffer Not available.

Relative density

DMSO 1.1

PfuTurbo Cx Hotstart DNA

Polymerase

10X PfuTurbo Cx Reaction Buffer Not available.

**Date of issue :** 12/16/2022 **14/24** 

# Section 9. Physical and chemical properties and safety characteristics

Solubility(ies) Media Result **DMSO** Soluble water PfuTurbo Cx Hotstart **DNA Polymerase** water Soluble 10X PfuTurbo Cx Reaction Buffer water Soluble

Partition coefficient: noctanol/water

: DMSO -1.35

PfuTurbo Cx Hotstart DNA Not applicable.

Polymerase

10X PfuTurbo Cx Reaction Buffer Not applicable.

**Auto-ignition temperature** 

**DMSO** PfuTurbo Cx Hotstart DNA

Not available.

Polymerase

10X PfuTurbo Cx Reaction Buffer Not available.

Ingredient name	°C	°F	Method
PfuTurbo Cx Hotstart DNA Polymerase			
Glycerol	370	698	

Not available.

300 to 302°C (572 to 575.6°F)

**Decomposition temperature** 

: DMSO 140 to 189°C (284 to 372.2°F)

PfuTurbo Cx Hotstart DNA

Polymerase

10X PfuTurbo Cx Reaction Buffer Not available.

: DMSO

Dynamic: 2.14 mPa·s (2.14 cP) **Viscosity** PfuTurbo Cx Hotstart DNA Not available.

Polymerase

10X PfuTurbo Cx Reaction Buffer Not available.

**Particle characteristics** 

: DMSO Median particle size Not applicable. PfuTurbo Cx Hotstart DNA Not applicable.

Polymerase

10X PfuTurbo Cx Reaction Buffer Not applicable.

# Section 10. Stability and reactivity

10.1 Reactivity **DMSO** No specific test data related to reactivity available

for this product or its ingredients.

No specific test data related to reactivity available PfuTurbo Cx Hotstart DNA

for this product or its ingredients. Polymerase

10X PfuTurbo Cx Reaction Buffer No specific test data related to reactivity available

for this product or its ingredients.

: DMSO The product is stable. 10.2 Chemical stability

PfuTurbo Cx Hotstart DNA The product is stable.

Polymerase

10X PfuTurbo Cx Reaction Buffer The product is stable.

10.3 Possibility of : DMSO Under normal conditions of storage and use, hazardous reactions will not occur. hazardous reactions

PfuTurbo Cx Hotstart DNA Under normal conditions of storage and use,

Polymerase hazardous reactions will not occur.

Under normal conditions of storage and use. 10X PfuTurbo Cx Reaction Buffer

hazardous reactions will not occur.

Date of issue: 12/16/2022 15/24

## Section 10. Stability and reactivity

10.4 Conditions to avoid : DMSO Avoid all possible sources of ignition (spark or

flame). Do not pressurize, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition. Do not allow vapor to accumulate in low

or confined areas.

PfuTurbo Cx Hotstart DNA

Polymerase

10X PfuTurbo Cx Reaction Buffer

No specific data.

No specific data.

10.5 Incompatible materials

DMSO

Reactive or incompatible with the following

materials:

oxidizing materials

PfuTurbo Cx Hotstart DNA

Polymerase

May react or be incompatible with oxidizing

naterials.

10X PfuTurbo Cx Reaction Buffer

May react or be incompatible with oxidizing

materials.

10.6 Hazardous decomposition products

: DMSO

Under normal conditions of storage and use,

hazardous decomposition products should not be

produced.

PfuTurbo Cx Hotstart DNA

Polymerase

Under normal conditions of storage and use, hazardous decomposition products should not be

produced.

10X PfuTurbo Cx Reaction Buffer

Under normal conditions of storage and use, hazardous decomposition products should not be

produced.

# **Section 11. Toxicological information**

### 11.1 Information on toxicological effects

#### **Acute toxicity**

Product/ingredient name	Result	Species	Dose	Exposure
<b>D</b> MSO				
Dimethyl sulfoxide	LD50 Dermal LD50 Oral	Rat Rat	40000 mg/kg 14500 mg/kg	-
PfuTurbo Cx Hotstart DNA				
Polymerase	I DE0 Onel	D-4	40000 //	
Glycerol	LD50 Oral	Rat	12600 mg/kg	-
Poly(oxy-1,2-ethanediyl), . alpha[	LD50 Oral	Rat	2800 mg/kg	-
(1,1,3,3-tetramethylbutyl)				
phenyl]omegahydroxy-				
10X PfuTurbo Cx Reaction				
Buffer				
Ammonium sulphate	LD50 Oral	Rat	2840 mg/kg	-
Polyoxyethylene octyl phenyl ether	LD50 Oral	Rat	1800 mg/kg	-

**Irritation/Corrosion** 

**Date of issue :** 12/16/2022 **16/24** 

## **Section 11. Toxicological information**

Product/ingredient name	Result	Species	Score	Exposure	Observation
<b>M</b> SO					
Dimethyl sulfoxide	Eyes - Mild irritant	Rabbit	-	100 mg	-
	Eyes - Mild irritant	Rabbit	-	24 hours 500	-
				mg	
	Skin - Mild irritant	Rabbit	-	100 mg	-
	Skin - Mild irritant	Rabbit	-	24 hours 500	-
				mg	
PfuTurbo Cx Hotstart DNA					
Polymerase					
Glycerol	Eyes - Mild irritant	Rabbit	-	24 hours 500	-
				mg	
	Skin - Mild irritant	Rabbit	-	24 hours 500	-
				mg	
Poly(oxy-1,2-ethanediyl), .	Eyes - Severe irritant	Rabbit	-	1 %	-
alpha[					
(1,1,3,3-tetramethylbutyl)					
phenyl]omegahydroxy-					
10X PfuTurbo Cx Reaction					
Buffer					
Polyoxyethylene octyl phenyl	Skin - Mild irritant	Rabbit	-	24 hours 500	-
ether				uL	

#### **Sensitization**

Not available.

**Mutagenicity** 

**Conclusion/Summary**: Not available.

Carcinogenicity

**Conclusion/Summary**: Not available.

Reproductive toxicity

**Conclusion/Summary**: Not available.

**Teratogenicity** 

Conclusion/Summary: Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

**Aspiration hazard** 

Not available.

Information on the likely routes of exposure

: DMSO

Routes of entry anticipated: Oral, Dermal,

Inhalation, Eyes.

PfuTurbo Cx Hotstart DNA

Routes of entry anticipated: Oral, Dermal,

Polymerase

Inhalation, Eyes.

10X PfuTurbo Cx Reaction Buffer

Routes of entry anticipated: Oral, Dermal,

Inhalation, Eyes.

Potential acute health effects

Eye contact

: DMSO PfuTurbo Cx Hotstart DNA Causes eye irritation. Causes eye irritation.

Polymerase

10X PfuTurbo Cx Reaction Buffer Causes serious eye irritation.

**Date of issue :** 12/16/2022 **17/24** 

## Section 11. Toxicological information

: DMSO Inhalation No known significant effects or critical hazards. No known significant effects or critical hazards.

PfuTurbo Cx Hotstart DNA

Polymerase

10X PfuTurbo Cx Reaction Buffer No known significant effects or critical hazards.

Skin contact **DMSO** No known significant effects or critical hazards.

> PfuTurbo Cx Hotstart DNA No known significant effects or critical hazards.

Polymerase

10X PfuTurbo Cx Reaction Buffer No known significant effects or critical hazards.

Ingestion : DMSO No known significant effects or critical hazards.

> PfuTurbo Cx Hotstart DNA No known significant effects or critical hazards.

Polymerase

10X PfuTurbo Cx Reaction Buffer No known significant effects or critical hazards.

#### Symptoms related to the physical, chemical and toxicological characteristics

: DMSO **Eye contact** Adverse symptoms may include the following:

> irritation watering redness

PfuTurbo Cx Hotstart DNA Adverse symptoms may include the following:

Polymerase

irritation watering redness

10X PfuTurbo Cx Reaction Buffer Adverse symptoms may include the following:

> pain or irritation watering

redness

Inhalation : DMSO No specific data.

PfuTurbo Cx Hotstart DNA No specific data.

Polymerase

10X PfuTurbo Cx Reaction Buffer No specific data. : DMSO No specific data.

Skin contact PfuTurbo Cx Hotstart DNA No specific data.

Polymerase

10X PfuTurbo Cx Reaction Buffer No specific data. No specific data. DMSO

No specific data. PfuTurbo Cx Hotstart DNA

Polymerase

10X PfuTurbo Cx Reaction Buffer No specific data.

#### Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate : Not available.

effects

Ingestion

Potential delayed effects : Not available.

**Long term exposure** 

Potential immediate : Not available.

effects

Potential delayed effects : Not available.

Potential chronic health effects

**General** : DMSO No known significant effects or critical hazards.

> PfuTurbo Cx Hotstart DNA No known significant effects or critical hazards.

Polymerase

10X PfuTurbo Cx Reaction Buffer No known significant effects or critical hazards.

12/16/2022 Date of issue: 18/24

## Section 11. Toxicological information

: DMSO Carcinogenicity No known significant effects or critical hazards. PfuTurbo Cx Hotstart DNA No known significant effects or critical hazards. Polymerase 10X PfuTurbo Cx Reaction Buffer No known significant effects or critical hazards. No known significant effects or critical hazards. Mutagenicity **DMSO** No known significant effects or critical hazards. PfuTurbo Cx Hotstart DNA Polymerase 10X PfuTurbo Cx Reaction Buffer No known significant effects or critical hazards. Reproductive toxicity : DMSO No known significant effects or critical hazards. PfuTurbo Cx Hotstart DNA No known significant effects or critical hazards. Polymerase 10X PfuTurbo Cx Reaction Buffer No known significant effects or critical hazards.

#### **Numerical measures of toxicity**

### **Acute toxicity estimates**

Product/ingredient name	Oral (mg/ kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapors) (mg/l)	Inhalation (dusts and mists) (mg/ I)
<b>D</b> MSO					
Dimethyl sulfoxide	14500	40000	N/A	N/A	N/A
PfuTurbo Cx Hotstart DNA Polymerase					
Glycerol	12600	N/A	N/A	N/A	N/A
Poly(oxy-1,2-ethanediyl), .alpha[ (1,1,3,3-tetramethylbutyl)phenyl]omegahydroxy-	500	N/A	N/A	N/A	N/A
10X PfuTurbo Cx Reaction Buffer					
10X PfuTurbo Cx Reaction Buffer	98687.3	N/A	N/A	N/A	N/A
Ammonium sulphate	2840	N/A	N/A	N/A	N/A
Polyoxyethylene octyl phenyl ether	1800	N/A	N/A	N/A	N/A

# Section 12. Ecological information

### 12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
₽́MSO			
Dimethyl sulfoxide	Acute LC50 25000 ppm Fresh water	Daphnia - Daphnia magna - Neonate	48 hours
	Acute LC50 34000000 μg/l Fresh water	Fish - Pimephales promelas	96 hours
	Chronic NOEC 100 ul/L Marine water Chronic NOEC 100 ul/L Fresh water	Algae - Ulva lactuca Daphnia - Daphnia magna -	72 hours 21 days
		Juvenile (Fledgling, Hatchling, Weanling)	
PfuTurbo Cx Hotstart DNA Polymerase			
Glycerol	Acute LC50 54000 mg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours
Poly(oxy-1,2-ethanediyl), . alpha[ (1,1,3,3-tetramethylbutyl)	Acute EC50 210 μg/l Fresh water	Algae - Selenastrum sp.	96 hours
phenyl]omegahydroxy-	Acute LC50 10800 μg/l Marine water	Crustaceans - Pandalus montagui - Adult	48 hours

**Date of issue :** 12/16/2022 **19/24** 

# Section 12. Ecological information

	Acute LC50 8600 μg/l Fresh water	Daphnia - Daphnia magna - Neonate	48 hours
	Acute LC50 7200 μg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours
10X PfuTurbo Cx Reaction Buffer			
Ammonium sulphate	Chronic NOEC 7.5 mg/l Marine water	Algae - Phaeodactylum tricornutum - Exponential growth phase	96 hours
Polyoxyethylene octyl phenyl ether	Acute LC50 5.85 mg/l Fresh water	Crustaceans - Ceriodaphnia rigaudi - Neonate	48 hours
	Acute LC50 11.2 mg/l Fresh water	Daphnia - Daphnia magna - Neonate	48 hours
	Acute LC50 4500 μg/l Fresh water	Fish - Pimephales promelas	96 hours

### 12.2 Persistence and degradability

Product/ingredient name	Test	Result	Dose	Inoculum
DMSO				
Dimethyl sulfoxide	OECD 301D Ready Biodegradability - Closed Bottle Test	31 % - Not readily - 28 days	-	-
PfuTurbo Cx Hotstart DNA Polymerase				
Glycerol	301D Ready Biodegradability - Closed Bottle Test	93 % - 30 days	-	-

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
Dimethyl sulfoxide	-	-	Not readily
10X PfuTurbo Cx Reaction Buffer			
Ammonium sulphate Polyoxyethylene octyl phenyl ether	-	-	Readily Readily

### 12.3 Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
<b>MSO</b> Dimethyl sulfoxide	-1.35	3.16	low
PfuTurbo Cx Hotstart DNA Polymerase Glycerol Poly(oxy-1,2-ethanediyl), alpha[ (1,1,3,3-tetramethylbutyl) phenyl]omegahydroxy-	-1.76 2.7	- 78.67	low low
10X PfuTurbo Cx Reaction Buffer			

**Date of issue**: 12/16/2022 **20/24** 

PfuTurbo Cx Hotstart DNA Polymerase, Part Number 600414			
Section 12. Ecological information			
Ammonium sulphate	-5.1	-	low
Polyoxyethylene octyl phenyl ether	4.86	-	high

12.4 Mobility in soil

Soil/water partition coefficient (Koc)

: Not available.

12.5 Other adverse effects

: No known significant effects or critical hazards.

# Section 13. Disposal considerations

#### 13.1 Waste treatment methods

**Disposal methods** 

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Disposal should be in accordance with applicable regional, national and local laws and regulations. Local regulations may be more stringent than regional or national requirements.

The information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

# Section 14. Transport information

DOT / TDG / Mexico / IMDG / : Not regulated. **IATA** 

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according : Not available. to IMO instruments

### Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

**U.S. Federal regulations** 

: FSCA 8(a) PAIR: Polyoxyethylene octyl phenyl ether; Poly(oxy-1,2-ethanediyl), .alpha.-[ (1,1,3,3-tetramethylbutyl)phenyl]-.omega.-hydroxy-

TSCA 8(a) CDR Exempt/Partial exemption: Not determined

Clean Water Act (CWA) 311: Edetic acid

Date of issue: 12/16/2022 21/24

## Section 15. Regulatory information

Clean Air Act Section 112

(b) Hazardous Air Pollutants (HAPs)

: Not listed

**Clean Air Act Section 602** 

Class I Substances

: Not listed

**Clean Air Act Section 602** 

Class II Substances

: Not listed

Class II Substances

DEA List I Chemicals

: Not listed

(Precursor Chemicals)

**DEA List II Chemicals** (Essential Chemicals)

: Not listed

#### **SARA 302/304**

#### **Composition/information on ingredients**

No products were found.

SARA 304 RQ : Not applicable.

**SARA 311/312** 

Classification : DMSO FLAMMABLE LIQUIDS - Category 4

EYE IRRITATION - Category 2B EYE IRRITATION - Category 2B EYE IRRITATION - Category 2A

PfuTurbo Cx Hotstart DNA Polymerase 10X PfuTurbo Cx Reaction Buffer

#### **Composition/information on ingredients**

Name	%	Classification
DMSO Dimethyl sulfoxide	100	FLAMMABLE LIQUIDS - Category 4 EYE IRRITATION - Category 2B
PfuTurbo Cx Hotstart DNA Polymerase Glycerol	≥50 - ≤75	EYE IRRITATION - Category 2B
10X PfuTurbo Cx Reaction Buffer Ammonium sulphate Polyoxyethylene octyl phenyl ether	≤3 <2.5	EYE IRRITATION - Category 2A ACUTE TOXICITY (oral) - Category 4 SKIN IRRITATION - Category 2 SERIOUS EYE DAMAGE - Category 1

#### **SARA 313**

	Product name	CAS number	%
Form R - Reporting requirements	10X PfuTurbo Cx Reaction Buffer Ammonium sulphate	7783-20-2	≤3
Supplier notification	10X PfuTurbo Cx Reaction Buffer Ammonium sulphate	7783-20-2	≤3

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

### **State regulations**

Massachusetts : The following components are listed: GLYCERINE MIST

New York : None of the components are listed.

Pennsylvania: The following components are listed: 1,2,3-PROPANETRIOL

California Prop. 65

**Date of issue :** 12/16/2022 **22/24** 

## **Section 15. Regulatory information**

This product does not require a Safe Harbor warning under California Prop. 65.

#### **International regulations**

### Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

#### **Montreal Protocol**

Not listed.

### **Stockholm Convention on Persistent Organic Pollutants**

Not listed.

#### Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

#### **UNECE Aarhus Protocol on POPs and Heavy Metals**

Not listed.

#### **Inventory list**

Australia : All components are listed or exempted.

Canada : All components are listed or exempted.

China : All components are listed or exempted.

Eurasian Economic Union : Russian Federation inventory: All components are listed or exempted.

Japan : Japan inventory (CSCL): Not determined.

**Japan inventory (ISHL)**: Not determined.

New Zealand : All components are listed or exempted.

Philippines : All components are listed or exempted.

Republic of Korea : Not determined.

Taiwan : All components are listed or exempted.

Thailand : Not determined.

Turkey : Not determined.

United States : All components are active or exempted.Viet Nam : All components are listed or exempted.

### Section 16. Other information

#### Procedure used to derive the classification

Classification	Justification
<b>୭mso</b> FLAMMABLE LIQUIDS - Category 4 EYE IRRITATION - Category 2B	On basis of test data On basis of test data
PfuTurbo Cx Hotstart DNA Polymerase EYE IRRITATION - Category 2B	Calculation method
10X PfuTurbo Cx Reaction Buffer EYE IRRITATION - Category 2A AQUATIC HAZARD (LONG-TERM) - Category 3	Calculation method Calculation method

#### **History**

Date of issue : 12/16/2022 Date of previous issue : 07/02/2020

Version : 8

**Date of issue**: 12/16/2022 **23/24** 

### **Section 16. Other information**

### **Key to abbreviations**

: ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973

as modified by the Protocol of 1978. ("Marpol" = marine pollution)

N/A = Not available UN = United Nations

▼ Indicates information that has changed from previously issued version.

#### **Notice to reader**

Disclaimer: The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

**Date of issue :** 12/16/2022 **24/24**