

SAFETY DATA SHEET



Brilliant II QRT-PCR Core Reagent Kit - 1-Step, Part Number 600810

Section 1. Identification

Product identifier	: Brilliant II QRT-PCR Core Reagent Kit - 1-Step, Part Number 600810		
Part No. (Chemical Kit)	: 600810		
Part No.	<ul style="list-style-type: none"> ☑ SureStart Taq DNA Polymerase Reference Dye 20 mM dNTP Mix (5 mM each dNTP) 50 mM Magnesium Chloride 10X Core RT-PCR Buffer Reverse Transcriptase 	<ul style="list-style-type: none"> 600530-51 600530-53 600530-52 600530-55 600532-51 600810-52 	

Relevant identified uses of the substance or mixture and uses advised against

Analytical reagent.

☑ SureStart Taq DNA Polymerase	0.1 ml	(500 U 5 U/μl)
Reference Dye	0.1 ml	(100 μl 1 mM)
20 mM dNTP Mix (5 mM each dNTP)	0.4 ml	
50 mM Magnesium Chloride	1.5 ml	
10X Core RT-PCR Buffer	1.7 ml	
Reverse Transcriptase	0.4 ml	(400 reactions)

Supplier/Manufacturer : Agilent Technologies Australia Pty Ltd
 679 Springvale Road
 Mulgrave
 Victoria 3170, Australia
 1800 802 402

Emergency telephone number (with hours of operation) : CHEMTREC®: +(61)-290372994

Section 2. Hazard(s) identification

Classification of the substance or mixture

Not classified.

☑ SureStart Taq DNA Polymerase	Percentage of the mixture consisting of ingredient(s) of unknown inhalation toxicity: 30 - 60%
Reference Dye	Percentage of the mixture consisting of ingredient(s) of unknown dermal toxicity: 1 - 10%
	Percentage of the mixture consisting of ingredient(s) of unknown inhalation toxicity: 1 - 10%
	Percentage of the mixture consisting of ingredient(s) of unknown oral toxicity: 1 - 10%
10X Core RT-PCR Buffer	Percentage of the mixture consisting of ingredient(s) of unknown dermal toxicity: 1 - 10%
	Percentage of the mixture consisting of ingredient(s) of unknown inhalation toxicity: 1 - 10%
	Percentage of the mixture consisting of ingredient(s) of unknown oral toxicity: 1 - 10%
Reverse Transcriptase	Percentage of the mixture consisting of ingredient(s) of unknown inhalation toxicity: 30 - 60%
☑ Reference Dye	Percentage of the mixture consisting of ingredient(s) of unknown hazards to the aquatic environment: 2.4%
10X Core RT-PCR Buffer	Percentage of the mixture consisting of ingredient(s) of unknown hazards to the aquatic environment: 2.4%

GHS label elements

Section 2. Hazard(s) identification

Signal word	: SureStart Taq DNA Polymerase Reference Dye 20 mM dNTP Mix (5 mM each dNTP) 50 mM Magnesium Chloride 10X Core RT-PCR Buffer Reverse Transcriptase	No signal word. No signal word. No signal word. No signal word. No signal word. No signal word.
Hazard statements	: SureStart Taq DNA Polymerase Reference Dye 20 mM dNTP Mix (5 mM each dNTP) 50 mM Magnesium Chloride 10X Core RT-PCR Buffer Reverse Transcriptase	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
<u>Precautionary statements</u>		
Prevention	: SureStart Taq DNA Polymerase Reference Dye 20 mM dNTP Mix (5 mM each dNTP) 50 mM Magnesium Chloride 10X Core RT-PCR Buffer Reverse Transcriptase	Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable.
Response	: SureStart Taq DNA Polymerase Reference Dye 20 mM dNTP Mix (5 mM each dNTP) 50 mM Magnesium Chloride 10X Core RT-PCR Buffer Reverse Transcriptase	Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable.
Storage	: SureStart Taq DNA Polymerase Reference Dye 20 mM dNTP Mix (5 mM each dNTP) 50 mM Magnesium Chloride 10X Core RT-PCR Buffer Reverse Transcriptase	Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable.
Disposal	: SureStart Taq DNA Polymerase Reference Dye 20 mM dNTP Mix (5 mM each dNTP) 50 mM Magnesium Chloride 10X Core RT-PCR Buffer Reverse Transcriptase	Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable.
Supplemental label elements		
Additional warning phrases	: SureStart Taq DNA Polymerase Reference Dye 20 mM dNTP Mix (5 mM each dNTP) 50 mM Magnesium Chloride 10X Core RT-PCR Buffer Reverse Transcriptase	Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable.

Section 2. Hazard(s) identification

Other hazards which do not result in classification	SureStart Taq DNA Polymerase	None known.
	Reference Dye	None known.
	20 mM dNTP Mix (5 mM each dNTP)	None known.
	50 mM Magnesium Chloride	None known.
	10X Core RT-PCR Buffer	None known.
	Reverse Transcriptase	None known.

Section 3. Composition and ingredient information

Substance/mixture	SureStart Taq DNA Polymerase	Mixture
	Reference Dye	Mixture
	20 mM dNTP Mix (5 mM each dNTP)	Mixture
	50 mM Magnesium Chloride	Mixture
	10X Core RT-PCR Buffer	Mixture
	Reverse Transcriptase	Mixture

CAS number/other identifiers

Ingredient name	% (w/w)	CAS number
SureStart Taq DNA Polymerase Glycerol	≥30 - ≤60	56-81-5
Reverse Transcriptase Glycerol	≥30 - ≤60	56-81-5

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact	SureStart Taq DNA Polymerase	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	Reference Dye	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	20 mM dNTP Mix (5 mM each dNTP)	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	50 mM Magnesium Chloride	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	10X Core RT-PCR Buffer	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	Reverse Transcriptase	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.

Section 4. First aid measures

Inhalation	: SureStart Taq DNA Polymerase	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	Reference Dye	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
	20 mM dNTP Mix (5 mM each dNTP)	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	50 mM Magnesium Chloride	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	10X Core RT-PCR Buffer	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
	Reverse Transcriptase	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Skin contact	: SureStart Taq DNA Polymerase	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	Reference Dye	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	20 mM dNTP Mix (5 mM each dNTP)	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	50 mM Magnesium Chloride	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	10X Core RT-PCR Buffer	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	Reverse Transcriptase	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	: SureStart Taq DNA Polymerase	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
	Reference Dye	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
	20 mM dNTP Mix (5 mM each dNTP)	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Section 4. First aid measures

50 mM Magnesium Chloride	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
10X Core RT-PCR Buffer	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Reverse Transcriptase	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact	: SureStart Taq DNA Polymerase	No known significant effects or critical hazards.
	Reference Dye	No known significant effects or critical hazards.
	20 mM dNTP Mix (5 mM each dNTP)	No known significant effects or critical hazards.
	50 mM Magnesium Chloride	No known significant effects or critical hazards.
	10X Core RT-PCR Buffer	No known significant effects or critical hazards.
Inhalation	: SureStart Taq DNA Polymerase	No known significant effects or critical hazards.
	Reference Dye	No known significant effects or critical hazards.
	20 mM dNTP Mix (5 mM each dNTP)	No known significant effects or critical hazards.
	50 mM Magnesium Chloride	No known significant effects or critical hazards.
	10X Core RT-PCR Buffer	No known significant effects or critical hazards.
Skin contact	: SureStart Taq DNA Polymerase	No known significant effects or critical hazards.
	Reference Dye	No known significant effects or critical hazards.
	20 mM dNTP Mix (5 mM each dNTP)	No known significant effects or critical hazards.
	50 mM Magnesium Chloride	No known significant effects or critical hazards.
	10X Core RT-PCR Buffer	No known significant effects or critical hazards.
Ingestion	: SureStart Taq DNA Polymerase	No known significant effects or critical hazards.
	Reference Dye	No known significant effects or critical hazards.
	20 mM dNTP Mix (5 mM each dNTP)	No known significant effects or critical hazards.
	50 mM Magnesium Chloride	No known significant effects or critical hazards.
	10X Core RT-PCR Buffer	No known significant effects or critical hazards.
	Reverse Transcriptase	No known significant effects or critical hazards.

Over-exposure signs/symptoms

Section 4. First aid measures

Eye contact	:	SureStart Taq DNA Polymerase	No specific data.
		Reference Dye	No specific data.
		20 mM dNTP Mix (5 mM each dNTP)	No specific data.
		50 mM Magnesium Chloride	No specific data.
		10X Core RT-PCR Buffer	No specific data.
		Reverse Transcriptase	No specific data.
Inhalation	:	SureStart Taq DNA Polymerase	No specific data.
		Reference Dye	No specific data.
		20 mM dNTP Mix (5 mM each dNTP)	No specific data.
		50 mM Magnesium Chloride	No specific data.
		10X Core RT-PCR Buffer	No specific data.
		Reverse Transcriptase	No specific data.
Skin contact	:	SureStart Taq DNA Polymerase	No specific data.
		Reference Dye	No specific data.
		20 mM dNTP Mix (5 mM each dNTP)	No specific data.
		50 mM Magnesium Chloride	No specific data.
		10X Core RT-PCR Buffer	No specific data.
		Reverse Transcriptase	No specific data.
Ingestion	:	SureStart Taq DNA Polymerase	No specific data.
		Reference Dye	No specific data.
		20 mM dNTP Mix (5 mM each dNTP)	No specific data.
		50 mM Magnesium Chloride	No specific data.
		10X Core RT-PCR Buffer	No specific data.
		Reverse Transcriptase	No specific data.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician	:	SureStart Taq DNA Polymerase	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
		Reference Dye	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
		20 mM dNTP Mix (5 mM each dNTP)	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
		50 mM Magnesium Chloride	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
		10X Core RT-PCR Buffer	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
		Reverse Transcriptase	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	:	SureStart Taq DNA Polymerase	No specific treatment.
		Reference Dye	No specific treatment.
		20 mM dNTP Mix (5 mM each dNTP)	No specific treatment.
		50 mM Magnesium Chloride	No specific treatment.
		10X Core RT-PCR Buffer	No specific treatment.
		Reverse Transcriptase	No specific treatment.

Section 4. First aid measures

Protection of first-aiders	: SureStart Taq DNA Polymerase Reference Dye	No action shall be taken involving any personal risk or without suitable training.
	20 mM dNTP Mix (5 mM each dNTP)	No action shall be taken involving any personal risk or without suitable training.
	50 mM Magnesium Chloride	No action shall be taken involving any personal risk or without suitable training.
	10X Core RT-PCR Buffer	No action shall be taken involving any personal risk or without suitable training.
	Reverse Transcriptase	No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

Section 5. Firefighting measures

Extinguishing media

Suitable extinguishing media	: SureStart Taq DNA Polymerase Reference Dye	Use an extinguishing agent suitable for the surrounding fire.
	20 mM dNTP Mix (5 mM each dNTP)	Use an extinguishing agent suitable for the surrounding fire.
	50 mM Magnesium Chloride	Use an extinguishing agent suitable for the surrounding fire.
	10X Core RT-PCR Buffer	Use an extinguishing agent suitable for the surrounding fire.
	Reverse Transcriptase	Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: SureStart Taq DNA Polymerase Reference Dye	None known.
	20 mM dNTP Mix (5 mM each dNTP)	None known.
	50 mM Magnesium Chloride	None known.
	10X Core RT-PCR Buffer	None known.
	Reverse Transcriptase	None known.

Specific hazards arising from the chemical

: SureStart Taq DNA Polymerase Reference Dye	In a fire or if heated, a pressure increase will occur and the container may burst.
	In a fire or if heated, a pressure increase will occur and the container may burst.
20 mM dNTP Mix (5 mM each dNTP)	In a fire or if heated, a pressure increase will occur and the container may burst.
50 mM Magnesium Chloride	In a fire or if heated, a pressure increase will occur and the container may burst.
10X Core RT-PCR Buffer	In a fire or if heated, a pressure increase will occur and the container may burst.
Reverse Transcriptase	In a fire or if heated, a pressure increase will occur and the container may burst.

Hazardous thermal decomposition products

: SureStart Taq DNA Polymerase	Decomposition products may include the following materials: carbon dioxide carbon monoxide
Reference Dye	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides halogenated compounds metal oxide/oxides

Section 5. Firefighting measures

20 mM dNTP Mix (5 mM each dNTP)	No specific data.
50 mM Magnesium Chloride	Decomposition products may include the following materials: halogenated compounds metal oxide/oxides
10X Core RT-PCR Buffer	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides halogenated compounds metal oxide/oxides
Reverse Transcriptase	Decomposition products may include the following materials: carbon dioxide carbon monoxide

Special protective actions for fire-fighters

SureStart Taq DNA Polymerase	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Reference Dye	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
20 mM dNTP Mix (5 mM each dNTP)	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
50 mM Magnesium Chloride	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
10X Core RT-PCR Buffer	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Reverse Transcriptase	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters

SureStart Taq DNA Polymerase	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
Reference Dye	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
20 mM dNTP Mix (5 mM each dNTP)	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
50 mM Magnesium Chloride	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
10X Core RT-PCR Buffer	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
Reverse Transcriptase	Fire-fighters should wear appropriate protective

Section 5. Firefighting measures

equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	: SureStart Taq DNA Polymerase	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
	Reference Dye	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
	20 mM dNTP Mix (5 mM each dNTP)	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
	50 mM Magnesium Chloride	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
	10X Core RT-PCR Buffer	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
	Reverse Transcriptase	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
For emergency responders	: SureStart Taq DNA Polymerase	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
	Reference Dye	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
	20 mM dNTP Mix (5 mM each dNTP)	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
	50 mM Magnesium Chloride	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
	10X Core RT-PCR Buffer	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

Section 6. Accidental release measures

Reverse Transcriptase If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

Environmental precautions	: SureStart Taq DNA Polymerase	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
	Reference Dye	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
	20 mM dNTP Mix (5 mM each dNTP)	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
	50 mM Magnesium Chloride	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
	10X Core RT-PCR Buffer	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
	Reverse Transcriptase	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and material for containment and cleaning up

Methods for cleaning up	: SureStart Taq DNA Polymerase	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	Reference Dye	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	20 mM dNTP Mix (5 mM each dNTP)	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	50 mM Magnesium Chloride	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	10X Core RT-PCR Buffer	Stop leak if without risk. Move containers from spill

Section 6. Accidental release measures

Reverse Transcriptase

area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Section 7. Handling and storage

Precautions for safe handling

Protective measures

SureStart Taq DNA Polymerase Reference Dye	Put on appropriate personal protective equipment (see Section 8). Put on appropriate personal protective equipment (see Section 8).
20 mM dNTP Mix (5 mM each dNTP)	Put on appropriate personal protective equipment (see Section 8).
50 mM Magnesium Chloride	Put on appropriate personal protective equipment (see Section 8).
10X Core RT-PCR Buffer	Put on appropriate personal protective equipment (see Section 8).
Reverse Transcriptase	Put on appropriate personal protective equipment (see Section 8).

Advice on general occupational hygiene

SureStart Taq DNA Polymerase	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Reference Dye	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
20 mM dNTP Mix (5 mM each dNTP)	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
50 mM Magnesium Chloride	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
10X Core RT-PCR Buffer	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Reverse Transcriptase	Eating, drinking and smoking should be prohibited in

Section 7. Handling and storage

Conditions for safe storage, including any incompatibilities :

SureStart Taq DNA Polymerase

areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Reference Dye

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

20 mM dNTP Mix (5 mM each dNTP)

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

50 mM Magnesium Chloride

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

10X Core RT-PCR Buffer

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Reverse Transcriptase

Store in accordance with local regulations. Store in

Section 7. Handling and storage

original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Section 8. Exposure controls and personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
SureStart Taq DNA Polymerase Glycerol	Safe Work Australia (Australia, 1/2014). TWA: 10 mg/m ³ 8 hours.
Reverse Transcriptase Glycerol	Safe Work Australia (Australia, 1/2014). TWA: 10 mg/m ³ 8 hours.

- Appropriate engineering controls** : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
- Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

- Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
- Eye/face protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
- Skin protection**
- Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
- Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Respiratory protection** : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

Appearance

Physical state	: SureStart Taq DNA Polymerase	Liquid.
	Reference Dye	Liquid.
	20 mM dNTP Mix (5 mM each dNTP)	Liquid.
	50 mM Magnesium Chloride	Liquid.
	10X Core RT-PCR Buffer	Liquid.
Colour	Reverse Transcriptase	Liquid.
	: SureStart Taq DNA Polymerase	Not available.
	Reference Dye	Not available.
	20 mM dNTP Mix (5 mM each dNTP)	Not available.
	50 mM Magnesium Chloride	Not available.
Odour	10X Core RT-PCR Buffer	Not available.
	Reverse Transcriptase	Not available.
	: SureStart Taq DNA Polymerase	Not available.
	Reference Dye	Not available.
	20 mM dNTP Mix (5 mM each dNTP)	Not available.
Odour threshold	50 mM Magnesium Chloride	Not available.
	10X Core RT-PCR Buffer	Not available.
	Reverse Transcriptase	Not available.
	: SureStart Taq DNA Polymerase	Not available.
	Reference Dye	Not available.
pH	20 mM dNTP Mix (5 mM each dNTP)	Not available.
	50 mM Magnesium Chloride	Not available.
	10X Core RT-PCR Buffer	Not available.
	Reverse Transcriptase	Not available.
	: SureStart Taq DNA Polymerase	Not available.
Melting point	Reference Dye	8
	20 mM dNTP Mix (5 mM each dNTP)	Not available.
	50 mM Magnesium Chloride	Not available.
	10X Core RT-PCR Buffer	Not available.
	Reverse Transcriptase	Not available.
Boiling point	: SureStart Taq DNA Polymerase	Not available.
	Reference Dye	Not available.
	20 mM dNTP Mix (5 mM each dNTP)	100°C (212°F)
	50 mM Magnesium Chloride	100°C (212°F)
	10X Core RT-PCR Buffer	Not available.
Reverse Transcriptase	Not available.	

Section 9. Physical and chemical properties

Flash point	: SureStart Taq DNA Polymerase	Not available.
	Reference Dye	Not available.
	20 mM dNTP Mix (5 mM each dNTP)	Not available.
	50 mM Magnesium Chloride	Not available.
	10X Core RT-PCR Buffer	Not available.
	Reverse Transcriptase	Not available.
Evaporation rate	: SureStart Taq DNA Polymerase	Not available.
	Reference Dye	Not available.
	20 mM dNTP Mix (5 mM each dNTP)	Not available.
	50 mM Magnesium Chloride	Not available.
	10X Core RT-PCR Buffer	Not available.
	Reverse Transcriptase	Not available.
Flammability (solid, gas)	: SureStart Taq DNA Polymerase	Not applicable.
	Reference Dye	Not applicable.
	20 mM dNTP Mix (5 mM each dNTP)	Not applicable.
	50 mM Magnesium Chloride	Not applicable.
	10X Core RT-PCR Buffer	Not applicable.
	Reverse Transcriptase	Not applicable.
Lower and upper explosive (flammable) limits	: SureStart Taq DNA Polymerase	Not available.
	Reference Dye	Not available.
	20 mM dNTP Mix (5 mM each dNTP)	Not available.
	50 mM Magnesium Chloride	Not available.
	10X Core RT-PCR Buffer	Not available.
	Reverse Transcriptase	Not available.
Vapour pressure	: SureStart Taq DNA Polymerase	Not available.
	Reference Dye	Not available.
	20 mM dNTP Mix (5 mM each dNTP)	Not available.
	50 mM Magnesium Chloride	Not available.
	10X Core RT-PCR Buffer	Not available.
	Reverse Transcriptase	Not available.
Vapour density	: SureStart Taq DNA Polymerase	Not available.
	Reference Dye	Not available.
	20 mM dNTP Mix (5 mM each dNTP)	Not available.
	50 mM Magnesium Chloride	Not available.
	10X Core RT-PCR Buffer	Not available.
	Reverse Transcriptase	Not available.
Relative density	: SureStart Taq DNA Polymerase	Not available.
	Reference Dye	Not available.
	20 mM dNTP Mix (5 mM each dNTP)	Not available.
	50 mM Magnesium Chloride	Not available.
	10X Core RT-PCR Buffer	Not available.
	Reverse Transcriptase	Not available.

Section 9. Physical and chemical properties

Solubility	: SureStart Taq DNA Polymerase	Soluble in the following materials: cold water and hot water.
	Reference Dye	Easily soluble in the following materials: cold water and hot water.
	20 mM dNTP Mix (5 mM each dNTP)	Easily soluble in the following materials: cold water and hot water.
	50 mM Magnesium Chloride	Easily soluble in the following materials: cold water and hot water.
	10X Core RT-PCR Buffer	Easily soluble in the following materials: cold water and hot water.
	Reverse Transcriptase	Soluble in the following materials: cold water and hot water.
Partition coefficient: n-octanol/water	: SureStart Taq DNA Polymerase	Not available.
	Reference Dye	Not available.
	20 mM dNTP Mix (5 mM each dNTP)	Not available.
	50 mM Magnesium Chloride	Not available.
	10X Core RT-PCR Buffer	Not available.
	Reverse Transcriptase	Not available.
Auto-ignition temperature	: SureStart Taq DNA Polymerase	Not available.
	Reference Dye	Not available.
	20 mM dNTP Mix (5 mM each dNTP)	Not available.
	50 mM Magnesium Chloride	Not available.
	10X Core RT-PCR Buffer	Not available.
	Reverse Transcriptase	Not available.
Decomposition temperature	: SureStart Taq DNA Polymerase	Not available.
	Reference Dye	Not available.
	20 mM dNTP Mix (5 mM each dNTP)	Not available.
	50 mM Magnesium Chloride	Not available.
	10X Core RT-PCR Buffer	Not available.
	Reverse Transcriptase	Not available.
Viscosity	: SureStart Taq DNA Polymerase	Not available.
	Reference Dye	Not available.
	20 mM dNTP Mix (5 mM each dNTP)	Not available.
	50 mM Magnesium Chloride	Not available.
	10X Core RT-PCR Buffer	Not available.
	Reverse Transcriptase	Not available.

Section 10. Stability and reactivity

Reactivity	: SureStart Taq DNA Polymerase	No specific test data related to reactivity available for this product or its ingredients.
	Reference Dye	No specific test data related to reactivity available for this product or its ingredients.
	20 mM dNTP Mix (5 mM each dNTP)	No specific test data related to reactivity available for this product or its ingredients.
	50 mM Magnesium Chloride	No specific test data related to reactivity available for this product or its ingredients.
	10X Core RT-PCR Buffer	No specific test data related to reactivity available for this product or its ingredients.
	Reverse Transcriptase	No specific test data related to reactivity available for this product or its ingredients.

Section 10. Stability and reactivity

Chemical stability	: SureStart Taq DNA Polymerase	The product is stable.
	Reference Dye	The product is stable.
	20 mM dNTP Mix (5 mM each dNTP)	The product is stable.
	50 mM Magnesium Chloride	The product is stable.
	10X Core RT-PCR Buffer	The product is stable.
	Reverse Transcriptase	The product is stable.
Possibility of hazardous reactions	: SureStart Taq DNA Polymerase	Under normal conditions of storage and use, hazardous reactions will not occur.
	Reference Dye	Under normal conditions of storage and use, hazardous reactions will not occur.
	20 mM dNTP Mix (5 mM each dNTP)	Under normal conditions of storage and use, hazardous reactions will not occur.
	50 mM Magnesium Chloride	Under normal conditions of storage and use, hazardous reactions will not occur.
	10X Core RT-PCR Buffer	Under normal conditions of storage and use, hazardous reactions will not occur.
	Reverse Transcriptase	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: SureStart Taq DNA Polymerase	No specific data.
	Reference Dye	No specific data.
	20 mM dNTP Mix (5 mM each dNTP)	No specific data.
	50 mM Magnesium Chloride	No specific data.
	10X Core RT-PCR Buffer	No specific data.
	Reverse Transcriptase	No specific data.
Incompatible materials	: SureStart Taq DNA Polymerase	May react or be incompatible with oxidising materials.
	Reference Dye	May react or be incompatible with oxidising materials.
	20 mM dNTP Mix (5 mM each dNTP)	May react or be incompatible with oxidising materials.
	50 mM Magnesium Chloride	May react or be incompatible with oxidising materials.
	10X Core RT-PCR Buffer	May react or be incompatible with oxidising materials.
	Reverse Transcriptase	May react or be incompatible with oxidising materials.
Hazardous decomposition products	: SureStart Taq DNA Polymerase	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	Reference Dye	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	20 mM dNTP Mix (5 mM each dNTP)	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	50 mM Magnesium Chloride	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	10X Core RT-PCR Buffer	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	Reverse Transcriptase	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
SureStart Taq DNA Polymerase Glycerol	LD50 Oral	Rat	12600 mg/kg	-
Reverse Transcriptase Glycerol	LD50 Oral	Rat	12600 mg/kg	-

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
SureStart Taq DNA Polymerase Glycerol	Eyes - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
Reverse Transcriptase Glycerol	Eyes - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-

Sensitisation

Not available.

Mutagenicity

Not available.

Carcinogenicity

Not available.

Reproductive toxicity

Not available.

Teratogenicity

Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on likely routes of exposure	SureStart Taq DNA Polymerase	Routes of entry anticipated: Oral, Dermal, Inhalation.
	Reference Dye	Routes of entry anticipated: Oral, Dermal, Inhalation.
	20 mM dNTP Mix (5 mM each dNTP)	Not available.
	50 mM Magnesium Chloride	Not available.
	10X Core RT-PCR Buffer	Routes of entry anticipated: Oral, Dermal, Inhalation.
	Reverse Transcriptase	Routes of entry anticipated: Oral, Dermal, Inhalation.

Potential acute health effects

Section 11. Toxicological information

Eye contact	: SureStart Taq DNA Polymerase	No known significant effects or critical hazards.
	Reference Dye	No known significant effects or critical hazards.
	20 mM dNTP Mix (5 mM each dNTP)	No known significant effects or critical hazards.
	50 mM Magnesium Chloride	No known significant effects or critical hazards.
	10X Core RT-PCR Buffer	No known significant effects or critical hazards.
	Reverse Transcriptase	No known significant effects or critical hazards.
Inhalation	: SureStart Taq DNA Polymerase	No known significant effects or critical hazards.
	Reference Dye	No known significant effects or critical hazards.
	20 mM dNTP Mix (5 mM each dNTP)	No known significant effects or critical hazards.
	50 mM Magnesium Chloride	No known significant effects or critical hazards.
	10X Core RT-PCR Buffer	No known significant effects or critical hazards.
	Reverse Transcriptase	No known significant effects or critical hazards.
Skin contact	: SureStart Taq DNA Polymerase	No known significant effects or critical hazards.
	Reference Dye	No known significant effects or critical hazards.
	20 mM dNTP Mix (5 mM each dNTP)	No known significant effects or critical hazards.
	50 mM Magnesium Chloride	No known significant effects or critical hazards.
	10X Core RT-PCR Buffer	No known significant effects or critical hazards.
	Reverse Transcriptase	No known significant effects or critical hazards.
Ingestion	: SureStart Taq DNA Polymerase	No known significant effects or critical hazards.
	Reference Dye	No known significant effects or critical hazards.
	20 mM dNTP Mix (5 mM each dNTP)	No known significant effects or critical hazards.
	50 mM Magnesium Chloride	No known significant effects or critical hazards.
	10X Core RT-PCR Buffer	No known significant effects or critical hazards.
	Reverse Transcriptase	No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact	: SureStart Taq DNA Polymerase	No specific data.
	Reference Dye	No specific data.
	20 mM dNTP Mix (5 mM each dNTP)	No specific data.
	50 mM Magnesium Chloride	No specific data.
	10X Core RT-PCR Buffer	No specific data.
	Reverse Transcriptase	No specific data.
Inhalation	: SureStart Taq DNA Polymerase	No specific data.
	Reference Dye	No specific data.
	20 mM dNTP Mix (5 mM each dNTP)	No specific data.
	50 mM Magnesium Chloride	No specific data.
	10X Core RT-PCR Buffer	No specific data.
	Reverse Transcriptase	No specific data.
Skin contact	: SureStart Taq DNA Polymerase	No specific data.
	Reference Dye	No specific data.
	20 mM dNTP Mix (5 mM each dNTP)	No specific data.
	50 mM Magnesium Chloride	No specific data.
	10X Core RT-PCR Buffer	No specific data.
	Reverse Transcriptase	No specific data.

Section 11. Toxicological information

Ingestion	: SureStart Taq DNA Polymerase	No specific data.
	Reference Dye	No specific data.
	20 mM dNTP Mix (5 mM each dNTP)	No specific data.
	50 mM Magnesium Chloride	No specific data.
	10X Core RT-PCR Buffer	No specific data.
	Reverse Transcriptase	No specific data.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Short term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Long term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Potential chronic health effects

Not available.

General	: SureStart Taq DNA Polymerase	No known significant effects or critical hazards.
	Reference Dye	No known significant effects or critical hazards.
	20 mM dNTP Mix (5 mM each dNTP)	No known significant effects or critical hazards.
	50 mM Magnesium Chloride	No known significant effects or critical hazards.
	10X Core RT-PCR Buffer	No known significant effects or critical hazards.
	Reverse Transcriptase	No known significant effects or critical hazards.
Carcinogenicity	: SureStart Taq DNA Polymerase	No known significant effects or critical hazards.
	Reference Dye	No known significant effects or critical hazards.
	20 mM dNTP Mix (5 mM each dNTP)	No known significant effects or critical hazards.
	50 mM Magnesium Chloride	No known significant effects or critical hazards.
	10X Core RT-PCR Buffer	No known significant effects or critical hazards.
	Reverse Transcriptase	No known significant effects or critical hazards.
Mutagenicity	: SureStart Taq DNA Polymerase	No known significant effects or critical hazards.
	Reference Dye	No known significant effects or critical hazards.
	20 mM dNTP Mix (5 mM each dNTP)	No known significant effects or critical hazards.
	50 mM Magnesium Chloride	No known significant effects or critical hazards.
	10X Core RT-PCR Buffer	No known significant effects or critical hazards.
	Reverse Transcriptase	No known significant effects or critical hazards.
Teratogenicity	: SureStart Taq DNA Polymerase	No known significant effects or critical hazards.
	Reference Dye	No known significant effects or critical hazards.
	20 mM dNTP Mix (5 mM each dNTP)	No known significant effects or critical hazards.
	50 mM Magnesium Chloride	No known significant effects or critical hazards.
	10X Core RT-PCR Buffer	No known significant effects or critical hazards.
	Reverse Transcriptase	No known significant effects or critical hazards.

Section 11. Toxicological information

Developmental effects	: SureStart Taq DNA Polymerase	No known significant effects or critical hazards.
	Reference Dye	No known significant effects or critical hazards.
	20 mM dNTP Mix (5 mM each dNTP)	No known significant effects or critical hazards.
	50 mM Magnesium Chloride	No known significant effects or critical hazards.
	10X Core RT-PCR Buffer	No known significant effects or critical hazards.
Fertility effects	Reverse Transcriptase	No known significant effects or critical hazards.
	: SureStart Taq DNA Polymerase	No known significant effects or critical hazards.
	Reference Dye	No known significant effects or critical hazards.
	20 mM dNTP Mix (5 mM each dNTP)	No known significant effects or critical hazards.
	50 mM Magnesium Chloride	No known significant effects or critical hazards.
10X Core RT-PCR Buffer	No known significant effects or critical hazards.	
Reverse Transcriptase	No known significant effects or critical hazards.	

Numerical measures of toxicity

Acute toxicity estimates

Not available.

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
SureStart Taq DNA Polymerase Glycerol	Acute LC50 54000 mg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours
Reverse Transcriptase Glycerol	Acute LC50 54000 mg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours

Persistence and degradability

Product/ingredient name	Test	Result	Dose	Inoculum
SureStart Taq DNA Polymerase Glycerol	301D Ready Biodegradability - Closed Bottle Test	93 % - 30 days	-	-
Reverse Transcriptase Glycerol	301D Ready Biodegradability - Closed Bottle Test	93 % - 30 days	-	-

Bioaccumulative potential

Section 12. Ecological information

Product/ingredient name	LogP _{ow}	BCF	Potential
SureStart Taq DNA Polymerase Glycerol	-1.76	-	low
Reverse Transcriptase Glycerol	-1.76	-	low

Mobility in soil

Soil/water partition coefficient (K_{oc}) : Not available.

Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

ADG / IMDG / IATA : Not regulated as Dangerous Goods according to the ADG Code .

Special precautions for user : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according to Annex II of Marpol and the IBC Code : Not available.

Section 15. Regulatory information

Standard Uniform Schedule of Medicine and Poisons

Not regulated.

Model Work Health and Safety Regulations - Scheduled Substances

No listed substance

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol (Annexes A, B, C, E)

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

Section 15. Regulatory information

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Inventory list

Australia	: Not determined.
Canada	: Not determined.
China	: <input checked="" type="checkbox"/> All components are listed or exempted.
Europe	: Not determined.
Japan	: <input checked="" type="checkbox"/> Japan inventory (ENCS) : Not determined. Japan inventory (ISHL) : Not determined.
Malaysia	: Not determined.
New Zealand	: Not determined.
Philippines	: Not determined.
Republic of Korea	: Not determined.
Taiwan	: Not determined.
Thailand	: <input checked="" type="checkbox"/> Not determined.
Turkey	: <input checked="" type="checkbox"/> Not determined.
United States	: <input checked="" type="checkbox"/> Not determined.
Viet Nam	: <input checked="" type="checkbox"/> Not determined.

Section 16. Any other relevant information

History

Date of issue/Date of revision	: 27/10/2017
Date of previous issue	: 16/06/2015.
Version	: 5

Key to abbreviations

: ADG = Australian Dangerous Goods
: ATE = Acute Toxicity Estimate
: BCF = Bioconcentration Factor
: GHS = Globally Harmonized System of Classification and Labelling of Chemicals
: IATA = International Air Transport Association
: IBC = Intermediate Bulk Container
: IMDG = International Maritime Dangerous Goods
: LogPow = logarithm of the octanol/water partition coefficient
: MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
: NOHSC = National Occupational Health and Safety Commission
: SUSMP = Standard Uniform Schedule of Medicine and Poisons
: UN = United Nations

Procedure used to derive the classification

Classification	Justification
Not classified.	

References : Not available.

Indicates information that has changed from previously issued version.

Notice to reader

Disclaimer: The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.