



SAFETY DATA SHEET

Issuing Date 18-Aug-2025

Revision date 18-Aug-2025

Revision Number 1

Section 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product Code(s) 6610030000

Product Name ICP-OES Wavelength Calibration Solution: 50mg/L Al, As, Ba, Cd, Co, Cr, Cu, Mn, Mo, Ni, Pb, Se, Sr, Zn and 500mg/L K in 5% HNO₃

Other means of identification

Synonyms No information available

Recommended use of the chemical and restrictions on use

Recommended use Reagents and Standards for Analytical Chemical Laboratory Use

Uses advised against Do not use outside of recommended applications

Supplier's details

Supplier

Agilent Technologies Deutschland GmbH
Hewlett-Packard-Str. 8
76337 Waldbronn
Germany

0800 603 1000

For further information, please contact _____

Emergency telephone number

Emergency Telephone CHEMTREC®: +60 3-9212 5794

E-mail address pdl-msds_author@agilent.com

SECTION 2: Hazard identification

Classification of the substance or mixture

Corrosive to metals	Category 1
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1

Label elements

SAFETY DATA SHEET

6610030000 - ICP-OES Wavelength Calibration Solution:
50mg/L Al, As, Ba, Cd, Co, Cr, Cu, Mn, Mo, Ni, Pb, Se, Sr, Zn
and 500mg/L K in 5% HNO₃

Revision date 18-Aug-2025



Signal word

Danger

Hazard statements

H290 - May be corrosive to metals

H315 - Causes skin irritation

H318 - Causes serious eye damage

Precautionary statements

P280 - Wear eye and face protection

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/physician

P406 - Store in corrosive resistant aluminium container with a resistant inner liner

P234 - Keep only in original container

Other hazards which do not result in classification

No information available.

Section 3: Composition/information on ingredients

Substance

Not applicable

Mixture

Chemical nature aqueous solution.

Chemical name	CAS No.	Weight-%
Nitric Acid	7697-37-2	4.5

Additional information

The concentration of the acid stated in this SDS is calculated as an absolute mass concentration (%w/v). This is less than the acid concentration stated on the product label and COA, which reflects a percent value of the commercially available concentrated aqueous form of the acid.

SECTION 4: First aid measures

Description of necessary measures

General advice	Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.
Inhalation	Remove to fresh air. Get medical attention immediately if symptoms occur.
Skin contact	Wash off immediately with soap and plenty of water for at least 15 minutes. Get medical attention if irritation develops and persists.

SAFETY DATA SHEET

6610030000 - ICP-OES Wavelength Calibration Solution:
50mg/L Al, As, Ba, Cd, Co, Cr, Cu, Mn, Mo, Ni, Pb, Se, Sr, Zn
and 500mg/L K in 5% HNO₃

Revision date 18-Aug-2025

Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get immediate medical attention.
Ingestion	Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a doctor.
Specific first aid facilities	Have eye-wash facilities immediately available. Facilities for quickly drenching the body should be provided within the immediate work area for emergency use where there is a possibility of exposure.
Self-protection of the first aider	Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

Most important symptoms and effects, both acute and delayed

Symptoms Burning sensation.

Indication of immediate medical attention and special treatment needed, if necessary

Note to doctors Treat symptomatically.

SECTION 5: Firefighting measures

Suitable (and unsuitable) extinguishing media

Suitable Extinguishing Media Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

Specific hazards arising from the chemical No information available.

Special protective equipment and precautions for fire-fighters

Special protective equipment and precautions for fire-fighters Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required.

Other information Refer to protective measures listed in Sections 7 and 8.

For emergency responders Use personal protection recommended in Section 8.

Environmental precautions

SAFETY DATA SHEET

6610030000 - ICP-OES Wavelength Calibration Solution:
50mg/L Al, As, Ba, Cd, Co, Cr, Cu, Mn, Mo, Ni, Pb, Se, Sr, Zn
and 500mg/L K in 5% HNO₃

Revision date 18-Aug-2025

Environmental precautions Prevent further leakage or spillage if safe to do so.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labelled containers.

Precautions to prevent secondary hazards

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

SECTION 7: Handling and storage

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash it before reuse.

General hygiene considerations Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Wash hands before breaks and after work. Wear suitable gloves and eye/face protection. Regular cleaning of equipment, work area and clothing is recommended.

Conditions for safe storage, including any incompatibilities

Storage Conditions Please refer to the manufacturer's certificate for specific storage and transport temperature conditions. Store only in the original receptacle unless other advice is given on the CoA. Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from moisture. Store locked up. Keep out of the reach of children. Store away from other materials.

Incompatible materials Oxidising agent. Strong acids. Strong bases.

Section 8: Exposure controls and personal protection

Control parameters

Exposure Limits

Chemical name	Malaysia	ACGIH TLV
Nitric Acid 7697-37-2	TWA: 2 ppm TWA: 5.2 mg/m ³	TWA: 2 ppm STEL: 4 ppm

Biological occupational exposure limits

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

Appropriate engineering controls

Engineering controls Showers
Eyewash stations
Ventilation systems.

SAFETY DATA SHEET

6610030000 - ICP-OES Wavelength Calibration Solution:
50mg/L Al, As, Ba, Cd, Co, Cr, Cu, Mn, Mo, Ni, Pb, Se, Sr, Zn
and 500mg/L K in 5% HNO₃

Revision date 18-Aug-2025

Individual protection measures, such as personal protective equipment

Eye/face protection	Avoid contact with eyes. Wear safety glasses with side shields (or goggles). Tight sealing safety goggles.
Hand protection	Wear protective Neoprene™ gloves. The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374. Wear suitable gloves. Impervious gloves.
Skin and body protection	Wear suitable protective clothing. Long sleeved clothing.
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
Environmental exposure controls	No information available.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance	Liquid	Colour	colourless
Physical state	Liquid	Odour threshold	No information available
Odour	Odourless.		

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	No data available	None known
Melting point / freezing point	No data available	None known
Initial boiling point and boiling range	No data available	None known
Flash point	No data available	None known
Evaporation rate	No data available	None known
Flammability	No data available	None known
Upper/lower flammability or explosive limits		None known
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Vapour pressure	No data available	None known
Relative vapour density	No data available	None known
Relative density	No data available	None known
Water solubility	No data available	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Autoignition temperature	460 °C	None known
Decomposition temperature		None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known

Other information

Explosive properties	No information available
Oxidising properties	No information available
Molecular weight	No information available
VOC content	No information available
Particle characteristics	

SAFETY DATA SHEET

6610030000 - ICP-OES Wavelength Calibration Solution:
50mg/L Al, As, Ba, Cd, Co, Cr, Cu, Mn, Mo, Ni, Pb, Se, Sr, Zn
and 500mg/L K in 5% HNO₃

Revision date 18-Aug-2025

SECTION 10: Stability and reactivity

Reactivity

Reactivity Contact with acids liberates very toxic gas.

Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

Conditions to avoid

Conditions to avoid Exposure to air or moisture over prolonged periods. Exposure to air or moisture over prolonged periods.

Incompatible materials

Incompatible materials Oxidising agent Strong acids Strong bases

Hazardous decomposition products

Hazardous decomposition products None known based on information supplied.

SECTION 11: Toxicological information

Information on the likely routes of exposure

Product Information

Inhalation	Specific test data for the substance or mixture is not available.
Ingestion	Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.
Skin contact	Specific test data for the substance or mixture is not available. Causes skin irritation. (based on components).
Eye contact	Specific test data for the substance or mixture is not available. Causes serious eye damage. May cause irreversible damage to eyes.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Redness. Burning. May cause blindness. May cause redness and tearing of the eyes.

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	99,999.00 mg/kg
ATEmix (dermal)	99,999.00 mg/kg

SAFETY DATA SHEET

6610030000 - ICP-OES Wavelength Calibration Solution:
50mg/L Al, As, Ba, Cd, Co, Cr, Cu, Mn, Mo, Ni, Pb, Se, Sr, Zn
and 500mg/L K in 5% HNO₃

Revision date 18-Aug-2025

ATEmix (inhalation-gas) 99,999.00 ppm
ATEmix (inhalation-dust/mist) 99,999.00 mg/l
ATEmix (inhalation-vapour) 58.90 mg/l

Chronic (long-term) toxicity

No information available

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Water	> 90 mL/kg (Rat)		
Nitric Acid			= 2500 ppm (Rat) 1 h ATE (vapours) = 2.65 mg/L
Potassium nitrate	= 3015 mg/kg (Rat)	> 5000 mg/kg (Rat)	> 0.527 mg/L (Rat) 4 h
Selenium	= 6700 mg/kg (Rat)		
Aluminium nitrate nonahydrate	= 542.5 mg/kg (Rat)		
Chromium (III) nitrate nonahydrate	= 3250 mg/kg (Rat)		
Barium nitrate	= 300 mg/kg (Rat)		> 1.1 mg/L (Rat) 243 min
Strontium nitrate	= 2750 mg/kg (Rat)		> 4.5 mg/L (Rat) 4 h
Diammonium molybdate	= 680 mg/kg (Rat)		
Manganese	= 9 g/kg (Rat)		> 5.14 mg/L (Rat) 4 h
Nickel	> 9000 mg/kg (Rat)		> 10.2 mg/L (Rat) 1 h
Arsenic	= 15 mg/kg (Rat)		
Cadmium	= 1140 mg/kg (Rat)		= 25 mg/m ³ (Rat) 30 min
Cobalt	= 6171 mg/kg (Rat)		< 0.05 mg/L (Rat) 4 h
Copper			> 5.11 mg/L (Rat) 4 h
Zink (stabilized)	= 630 mg/kg (Rat)		

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation

Classification based on data available for ingredients Causes skin irritation

Serious eye damage/eye irritation

Classification based on data available for ingredients. Causes burns. Causes serious eye damage.

Respiratory or skin sensitisation

No information available.

Germ cell mutagenicity

No information available.

SAFETY DATA SHEET

6610030000 - ICP-OES Wavelength Calibration Solution:
50mg/L Al, As, Ba, Cd, Co, Cr, Cu, Mn, Mo, Ni, Pb, Se, Sr, Zn
and 500mg/L K in 5% HNO₃

Revision date 18-Aug-2025

Carcinogenicity Contains a known or suspected carcinogen.

Reproductive toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposure No information available.

Aspiration hazard No information available.

SECTION 12: Ecological information

Ecotoxicity

The environmental impact of this product has not been fully investigated.

Persistence and degradability

Persistence and degradability No information available.

Bioaccumulative potential

Bioaccumulation There is no data for this product.

Component Information

Chemical name	Partition coefficient
Nitric Acid	-2.3

Mobility

Mobility in soil No information available.

PBT and vPvB assessment The product does not contain any substance(s) classified as PBT or vPvB above the threshold of declaration.

Chemical name	PBT and vPvB assessment
Nitric Acid	The substance is not PBT / vPvB.

Other adverse effects

Other adverse effects No information available.

Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors.

SAFETY DATA SHEET

6610030000 - ICP-OES Wavelength Calibration Solution:
50mg/L Al, As, Ba, Cd, Co, Cr, Cu, Mn, Mo, Ni, Pb, Se, Sr, Zn
and 500mg/L K in 5% HNO₃

Revision date 18-Aug-2025

Chemical name	EU - REACH (1907/2006) - Article 59(1) - Candidate List of Substances of Very High Concern (SVHC) for Authorisation	EU - REACH (1907/2006) - Endocrine Disruptor Assessment List of Substances
Nitric Acid	-.	-.

SECTION 13: Disposal information

Disposal methods

Waste from residues/unused products Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Do not reuse empty containers.

SECTION 14: Transportation information

IMDG

UN number UN3264
UN proper shipping name Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid)
Transport hazard class(es) 8
Packing group III
Description UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid), 8, III
Marine pollutant NP
Environmental hazards No
Special Provisions 223, 274
EmS-No. F-A S-B
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code No information available

RID

UN number UN3264
UN proper shipping name Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid)
Transport hazard class(es) 8
Packing group III
Description UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid), 8, III
Environmental hazards No
Special Provisions 274
Classification code C1

ADR

UN number UN3264
UN proper shipping name Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid)
Transport hazard class(es) 8
Packing group III
Description UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid), 8, III, (E)
Environmental hazards No
Special Provisions 274
Classification code C1
Tunnel restriction code (E)

IATA

UN number UN3264

SAFETY DATA SHEET

6610030000 - ICP-OES Wavelength Calibration Solution:
50mg/L Al, As, Ba, Cd, Co, Cr, Cu, Mn, Mo, Ni, Pb, Se, Sr, Zn
and 500mg/L K in 5% HNO3

Revision date 18-Aug-2025

UN proper shipping name	Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid)
Transport hazard class(es)	8
Packing group	III
Description	UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid), 8, III
Environmental hazards	No
Special Provisions	A3, A803
ERG Code	8L

Special precautions which a user needs to be aware of, or needs to comply with, in connection with transport or conveyance either within or outside their premises

Special precautions for user	Special provisions from the regulations relative to the specified mode of transport are noted by numeric code. Refer to the regulations for the full text of special provisions
Hazchem code	2X

SECTION 15: Regulatory information

Safety, health and environmental regulations specific for the product in question

National regulations

Malaysia - Applicable regulations:

OSHA (Occupational Safety and Health Act) 1994 and relevant regulations

Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations
Occupational Safety and Health (Use and Standards of Exposure of Chemicals Hazardous to Health) Regulations

An occupational medicine specialist familiar with national and regional regulations and standards must be consulted to establish a program of medical examinations for workers exposed to substances with biological limit values. See section 8 for national exposure control parameters.

Chemical name	Pre-employment screening and appropriate health surveillance
Nitric Acid - 7697-37-2	Listed

Factories and Machinery Act 1967 and relevant regulations

Environmental Quality Act 1974 and regulations

Road Transport (Construction and Use) (Dangerous Goods Vehicle) Rules 2015

International Inventories

TSCA	U.S. INVENTORY (TSCA): Listed on inventory. For purposes of 40 CFR 720.36, this product is for Research and Development (R&D) Use Only.
DSL/NDSL	Contact supplier for inventory compliance status.
EINECS/ELINCS	Contact supplier for inventory compliance status.
ENCS	Contact supplier for inventory compliance status.
IECSC	Contact supplier for inventory compliance status.
KECL	Contact supplier for inventory compliance status.
PICCS	Contact supplier for inventory compliance status.
AIIC	Contact supplier for inventory compliance status.

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

SAFETY DATA SHEET

6610030000 - ICP-OES Wavelength Calibration Solution:
50mg/L Al, As, Ba, Cd, Co, Cr, Cu, Mn, Mo, Ni, Pb, Se, Sr, Zn
and 500mg/L K in 5% HNO₃

Revision date 18-Aug-2025

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AICS - Australian Inventory of Chemical Substances

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

SECTION 16: Other information

Date of preparation of the SDS 18-Aug-2025

Date of revision of the SDS 18-Aug-2025

Revision Note The symbol (*) in the margin of this SDS indicates that this line has been revised.

Key or legend to abbreviations and acronyms used in the safety data sheet

X - Listed

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	Sk*	Skin designation

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)
U.S. Environmental Protection Agency ChemView Database
European Food Safety Authority (EFSA)
EPA (Environmental Protection Agency)
Acute Exposure Guideline Level(s) (AEGl(s))
U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act
U.S. Environmental Protection Agency High Production Volume Chemicals
Food Research Journal
Hazardous Substance Database
International Uniform Chemical Information Database (IUCLID)
Japan GHS Classification
Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
NIOSH (National Institute for Occupational Safety and Health)
National Library of Medicine's ChemID Plus (NLM CIP)
National Library of Medicine's PubMed database (NLM PUBMED)
National Toxicology Program (NTP)
New Zealand's Chemical Classification and Information Database (CCID)
Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications
Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme
Organisation for Economic Co-operation and Development Screening Information Data Set
World Health Organization

Disclaimer

SAFETY DATA SHEET

6610030000 - ICP-OES Wavelength Calibration Solution:
50mg/L Al, As, Ba, Cd, Co, Cr, Cu, Mn, Mo, Ni, Pb, Se, Sr, Zn
and 500mg/L K in 5% HNO₃

Revision date 18-Aug-2025

The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

End of Safety Data Sheet