

Safety data sheet
according to NOHSC 2003

Printing date 19.08.2015

Revision: 19.08.2015

Hazardous according to criteria of Australian Safety and Compensation Council

1 Identification of the substance/mixture and of the company/undertaking

- **English additional compounds**
- **Product identifier**
- **Product Name:** Multi-Element Calibration Standard-4, Part Number 8500-6942
- **Part Number:** 8500-6942
- **Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- **Application of the substance / the mixture**
Analytical Chemistry
A 100mL Solution
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Agilent Technologies Australia Pty Ltd
679 Springvale Road
Muggrave
Victoria 3170, Australia
- **Further information obtainable from:** product safety department
- **Emergency telephone number:** CHEMTREC®: +(61) - 290372994

2 Hazards identification

- **Classification of the substance or mixture**



Eye Irrit. 2 H319 Causes serious eye irritation.

- **Label elements**
- **GHS label elements** The product is classified and labelled according to the Globally Harmonised System (GHS).
- **Hazard pictograms**



GHS07

- **Signal word** Warning
- **Hazard-determining components of labelling:**
hydrofluoric acid
- **Hazard statements**
Causes serious eye irritation.
- **Precautionary statements**
If medical advice is needed, have product container or label at hand.
Keep out of reach of children.
Read label before use.
Wear protective gloves/protective clothing/eye protection/face protection.
Wash thoroughly after handling.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice/attention.
- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

AU

(Contd. on page 2)

Safety data sheet
according to NOHSC 2003

Printing date 19.08.2015

Revision: 19.08.2015

Product Name: Multi-Element Calibration Standard-4, Part Number 8500-6942

(Contd. of page 1)

3 Composition/information on ingredients

- **Chemical characterisation: Mixtures**
- **Description:** Mixture of substances listed below with nonhazardous additions.

- **Dangerous components:**

7664-39-3	hydrofluoric acid	⚠ Acute Tox. 2, H300; Acute Tox. 1, H310; Acute Tox. 2, H330; ⚠ Skin Corr. 1A, H314	0.2%
-----------	-------------------	---	------

- **CHEMICAL IDENTIFICATION OF THE SUBSTANCE/PREPARATION**

7697-37-2	nitric acid	⚠ Ox. Liq. 3, H272; ⚠ Skin Corr. 1A, H314	0.9%
7723-14-0	Phosphorus from Ammonium dihydrogenorthophosphate		0.001%
7440-32-6	titanium	⚠ Self-heat. 1, H251; Water-react. 1, H260	0.001%
7440-21-3	alkali fluorosilicates (NH4)	⚠ Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331	0.001%
7440-33-7	tungsten		0.001%
7440-42-8	Boron from Ammonium tetraborate tetrahydrate	⚠ Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	0.001%
7440-56-4	Germanium from Ammonium hexafluorogermanate(IV)	⚠ Acute Tox. 3, H331; ⚠ Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	0.001%
7439-98-7	molybdenum		0.001%
7704-34-9	Sulfur (from Dibenzothiophene)	⚠ Skin Irrit. 2, H315	0.001%
7440-67-7	Zirconium from Zirconium(IV) oxynitrate hydrate	⚠ Ox. Sol. 2, H272; ⚠ Skin Corr. 1B, H314; Eye Dam. 1, H318	0.001%
7440-25-7	tantalum		0.001%
7440-03-1	Niobium from Diniobium pentaoxide	⚠ Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	0.001%
7440-15-5	Rhenium from Ammonium perrhenate	⚠ Ox. Liq. 2, H272; ⚠ Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	0.001%
7732-18-5	water, distilled, conductivity or of similar purity		98.888%

- **Additional information:** For the wording of the listed risk phrases refer to section 16.

4 First aid measures

- **Description of first aid measures**
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:** Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:** If symptoms persist consult doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

5 Firefighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.

(Contd. on page 3)



Safety data sheet according to NOHSC 2003

Printing date 19.08.2015

Revision: 19.08.2015

Product Name: Multi-Element Calibration Standard-4, Part Number 8500-6942

(Contd. of page 2)

- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Ensure adequate ventilation.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- **Handling:**
- **Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
- **Information about fire - and explosion protection:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep container tightly sealed.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.
- **Control parameters**
- **Ingredients with limit values that require monitoring at the workplace:**
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists valid during the making were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing
Wash hands before breaks and at the end of work.
Avoid contact with the eyes.
Avoid contact with the eyes and skin.
- **Respiratory protection:**
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.
- **Protection of hands:**
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Material of gloves**
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 4)

Safety data sheet
according to NOHSC 2003

Printing date 19.08.2015

Revision: 19.08.2015

Product Name: Multi-Element Calibration Standard-4, Part Number 8500-6942

(Contd. of page 3)

· **Eye protection:**

Tightly sealed goggles

9 Physical and chemical properties

· **Information on basic physical and chemical properties**· **General Information**· **Appearance:**

· Form:	Liquid
· Colour:	Colourless
· Odour:	Odourless
· Odour threshold:	Not applicable.

· **pH-value:** 2· **Change in condition**

· Melting point/Melting range:	0 °C (32°F)
· Boiling point/Boiling range:	100 °C (212°F)

· **Flash point:** Not applicable.· **Flammability (solid, gaseous):** Not applicable.· **Ignition temperature:**· **Decomposition temperature:** Not applicable.· **Self-igniting:** Product is not selfigniting.· **Danger of explosion:** Product does not present an explosion hazard.· **Explosion limits:**

· Lower:	Not applicable.
· Upper:	Not applicable.

· **Vapour pressure at 20 °C:** 23 hPa· **Density:** 1.0 g/mL @ 20 °C· **Relative density:** Not applicable.· **Vapour density:** Not applicable.· **Evaporation rate:** Not applicable.· **Solubility in / Miscibility with water:**

Miscible

· **Partition coefficient (n-octanol/water):** Not applicable.· **Viscosity:**· **Dynamic:** Not applicable.· **Kinematic:** Not applicable.· **Solvent content:**

· Organic solvents:	0.0 %
· Water:	98.9 %
· VOC (EC)	0.00 %

· **Other information:** No further relevant information available.

10 Stability and reactivity

· **Reactivity**· **Chemical stability**· **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.· **Possibility of hazardous reactions:** No dangerous reactions known.

(Contd. on page 5)

Safety data sheet
according to NOHSC 2003

Printing date 19.08.2015

Revision: 19.08.2015

Product Name: Multi-Element Calibration Standard-4, Part Number 8500-6942

(Contd. of page 4)

- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity**
- **Primary irritant effect:**
- **Skin corrosion/irritation** No irritant effect.
- **Serious eye damage/irritation** Irritating effect.
- **Respiratory or skin sensitisation** No sensitising effects known.
- **Additional toxicological information:**
The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:
Irritant

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behaviour in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation** Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

- | | |
|----------------------------------|---|
| · UN-Number | |
| · ADG, IMDG, IATA | UN3264 |
| · UN proper shipping name | |
| · ADG | 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
(HYDROFLUORIC ACID, NITRIC ACID SOLUTION) |
| · IMDG, IATA | CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (HYDROFLUORIC ACID, NITRIC ACID SOLUTION) |

(Contd. on page 6)


Safety data sheet
according to NOHSC 2003

Printing date 19.08.2015

Revision: 19.08.2015

Product Name: Multi-Element Calibration Standard-4, Part Number 8500-6942

(Contd. of page 5)

<ul style="list-style-type: none"> · Transport hazard class(es) · ADG, IMDG, IATA 	
	
<ul style="list-style-type: none"> · Class · Label 	8 Corrosive substances. 8
<ul style="list-style-type: none"> · Packing group · ADG, IMDG, IATA 	III
<ul style="list-style-type: none"> · Environmental hazards: · Marine pollutant: 	No
<ul style="list-style-type: none"> · Special precautions for user · Danger code (Kemler): · EMS Number: · Segregation groups 	Warning: Corrosive substances. 80 F-A,S-B Acids
<ul style="list-style-type: none"> · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code 	Not applicable.
<ul style="list-style-type: none"> · Transport/Additional information: 	
<ul style="list-style-type: none"> · ADG · Limited quantities (LQ) · Excepted quantities (EQ) 	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
<ul style="list-style-type: none"> · Transport category · Tunnel restriction code 	3 E
<ul style="list-style-type: none"> · IMDG · Limited quantities (LQ) · Excepted quantities (EQ) 	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
<ul style="list-style-type: none"> · UN "Model Regulation": 	UN3264, CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (HYDROFLUORIC ACID, NITRIC ACID SOLUTION), 8, III

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· Australian Inventory of Chemical Substances	
7697-37-2	nitric acid
7664-39-3	hydrofluoric acid
7723-14-0	Phosphorus from Ammonium dihydrogenorthophosphate
7440-32-6	titanium
7440-21-3	alkali fluorosilicates (NH4)
7440-33-7	tungsten
7439-98-7	molybdenum
7704-34-9	Sulfur (from Dibenzothiophene)
7440-25-7	tantalum
7440-03-1	Niobium from Diniobium pentaoxide
7440-15-5	Rhenium from Ammonium perrhenate
7732-18-5	water, distilled, conductivity or of similar purity

(Contd. on page 7)

Safety data sheet
according to NOHSC 2003

Printing date 19.08.2015

Revision: 19.08.2015

Product Name: Multi-Element Calibration Standard-4, Part Number 8500-6942

(Contd. of page 6)

Standard for the Uniform Scheduling of Medicines and Poisons

7697-37-2	nitric acid	S5, S6
7440-42-8	Boron from Ammonium tetraborate tetrahydrate	S4

- **GHS label elements** The product is classified and labelled according to the Globally Harmonised System (GHS).
- **Hazard pictograms**



GHS07

- **Signal word** Warning
- **Hazard-determining components of labelling:**
hydrofluoric acid
- **Hazard statements**
Causes serious eye irritation.
- **Precautionary statements**
If medical advice is needed, have product container or label at hand.
Keep out of reach of children.
Read label before use.
Wear protective gloves/protective clothing/eye protection/face protection.
Wash thoroughly after handling.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice/attention.
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

Disclaimer: The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

- **Relevant phrases**
H300 Fatal if swallowed.
H310 Fatal in contact with skin.
H314 Causes severe skin burns and eye damage.
H330 Fatal if inhaled.
- **Department issuing SDS:** product safety department
- **Contact:**
Agilent Technologies Australia Pty Ltd
1800 802 402
- **Abbreviations and acronyms:**
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
VOC: Volatile Organic Compounds (USA, EU)
Acute Tox. 2: Acute toxicity, Hazard Category 2
Acute Tox. 1: Acute toxicity, Hazard Category 1
Skin Corr. 1A: Skin corrosion/irritation, Hazard Category 1A
Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2