Conforms to US OSHA Hazard Communication 29CFR1910.1200

SAFETY DATA SHEET

Agilent Technologies

Brilliant III Ultra-Fast QPCR Master Mix Sample Size, Part Number 930880

Section 1. Identification

1.1 Product identifier

Product name : Brilliant III Ultra-Fast QPCR Master Mix Sample Size, Part Number 930880

Part no. (chemical kit) : 930880

Part no. : 2X Brilliant III QPCR Master Mix Sample Size 930880-51
Reference Dye 600530-53

Validation date : 11/6/2023

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Analytical reagent.
2X Brilliant III QPCR Master Mix Sample Size 1 ml
Reference Dye (100 µl 1 mM)

1.3 Details of the supplier of the safety data sheet

Supplier/Manufacturer : Agilent Technologies, Inc.
5301 Stevens Creek Blvd
Santa Clara, CA 95051, USA
800-227-9770

1.4 Emergency telephone number

In case of emergency : CHEMTREC®: 1-800-424-9300

Section 2. Hazards identification

2.1 Classification of the substance or mixture

OSHA/HCS status : 2X Brilliant III QPCR Master Mix Sample Size
Reference Dye

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200). While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.

Classification of the substance or mixture

2X Brilliant III QPCR Master Mix Sample Size

H320 EYE IRRITATION - Category 2B

2.2 GHS label elements

Signal word : 2X Brilliant III QPCR Master Mix Sample Size — Warning
Reference Dye — No signal word.

Hazard statements : 2X Brilliant III QPCR Master Mix Sample Size — H320 - Causes eye irritation.
Reference Dye — No known significant effects or critical hazards.

Precautionary statements

Prevention : 2X Brilliant III QPCR Master Mix Sample Size — Not applicable.
Reference Dye — Not applicable.

Section 2. Hazards identification

Response	:	2X Brilliant III QPCR Master Mix Sample Size	P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists: Get medical advice or attention.
		Reference Dye	Not applicable.
Storage	:	2X Brilliant III QPCR Master Mix Sample Size	Not applicable.
		Reference Dye	Not applicable.
Disposal	:	2X Brilliant III QPCR Master Mix Sample Size	Not applicable.
		Reference Dye	Not applicable.
Supplemental label elements	:	2X Brilliant III QPCR Master Mix Sample Size	None known.
		Reference Dye	None known.

2.3 Other hazards

Hazards not otherwise classified	:	2X Brilliant III QPCR Master Mix Sample Size	None known.
		Reference Dye	None known.

Section 3. Composition/information on ingredients

Substance/mixture	:	2X Brilliant III QPCR Master Mix Sample Size	Mixture
		Reference Dye	Mixture

Ingredient name	%	CAS number
2X Brilliant III QPCR Master Mix Sample Size		
Glycerol	≥10 - ≤25	56-81-5
Potassium chloride	≤3	7447-40-7
Magnesium chloride	<0.25	7786-30-3
Polyoxyethylene octyl phenyl ether	<0.1	9002-93-1
Reference Dye		
Potassium chloride	≤5	7447-40-7

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

4.1 Description of necessary first aid measures

Section 4. First aid measures

Eye contact	:	2X Brilliant III QPCR Master Mix Sample Size	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. If irritation persists, get medical attention.
		Reference Dye	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	:	2X Brilliant III QPCR Master Mix Sample Size	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
		Reference Dye	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Skin contact	:	2X Brilliant III QPCR Master Mix Sample Size	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
		Reference Dye	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	:	2X Brilliant III QPCR Master Mix Sample Size	Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
		Reference Dye	Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

4.2 Most important symptoms/effects, acute and delayed

Section 4. First aid measures

Potential acute health effects

Eye contact	:	2X Brilliant III QPCR Master Mix Sample Size	Causes eye irritation.
		Reference Dye	No known significant effects or critical hazards.
Inhalation	:	2X Brilliant III QPCR Master Mix Sample Size	No known significant effects or critical hazards.
		Reference Dye	No known significant effects or critical hazards.
Skin contact	:	2X Brilliant III QPCR Master Mix Sample Size	No known significant effects or critical hazards.
		Reference Dye	No known significant effects or critical hazards.
Ingestion	:	2X Brilliant III QPCR Master Mix Sample Size	No known significant effects or critical hazards.
		Reference Dye	No known significant effects or critical hazards.

Over-exposure signs/symptoms

Eye contact	:	2X Brilliant III QPCR Master Mix Sample Size	Adverse symptoms may include the following: irritation watering redness
		Reference Dye	No specific data.
Inhalation	:	2X Brilliant III QPCR Master Mix Sample Size	No specific data.
		Reference Dye	No specific data.
Skin contact	:	2X Brilliant III QPCR Master Mix Sample Size	No specific data.
		Reference Dye	No specific data.
Ingestion	:	2X Brilliant III QPCR Master Mix Sample Size	No specific data.
		Reference Dye	No specific data.

4.3 Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician	:	2X Brilliant III QPCR Master Mix Sample Size	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
		Reference Dye	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	:	2X Brilliant III QPCR Master Mix Sample Size	No specific treatment.
		Reference Dye	No specific treatment.
Protection of first-aiders	:	2X Brilliant III QPCR Master Mix Sample Size	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
		Reference Dye	No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media	:	2X Brilliant III QPCR Master Mix Sample Size	Use an extinguishing agent suitable for the surrounding fire.
		Reference Dye	Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	:	2X Brilliant III QPCR Master Mix Sample Size	None known.
		Reference Dye	None known.

5.2 Special hazards arising from the substance or mixture

Specific hazards arising from the chemical	:	2X Brilliant III QPCR Master Mix Sample Size	In a fire or if heated, a pressure increase will occur and the container may burst.
		Reference Dye	In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous thermal decomposition products	:	2X Brilliant III QPCR Master Mix Sample Size	Decomposition products may include the following materials: carbon dioxide carbon monoxide halogenated compounds metal oxide/oxides
		Reference Dye	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides halogenated compounds metal oxide/oxides

5.3 Advice for firefighters

Special protective actions for fire-fighters	:	2X Brilliant III QPCR Master Mix Sample Size	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
		Reference Dye	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	2X Brilliant III QPCR Master Mix Sample Size	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
		Reference Dye	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	:	2X Brilliant III QPCR Master Mix Sample Size	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate

Section 6. Accidental release measures

		personal protective equipment.
	Reference Dye	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
For emergency responders :	2X Brilliant III QPCR Master Mix Sample Size	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
	Reference Dye	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
6.2 Environmental precautions :	2X Brilliant III QPCR Master Mix Sample Size	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
	Reference Dye	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up :	2X Brilliant III QPCR Master Mix Sample Size	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	Reference Dye	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Section 7. Handling and storage

7.1 Precautions for safe handling

Protective measures :	2X Brilliant III QPCR Master Mix Sample Size	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
	Reference Dye	Put on appropriate personal protective equipment (see Section 8).

Section 7. Handling and storage

Advice on general occupational hygiene	:	2X Brilliant III QPCR Master Mix Sample Size	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
		Reference Dye	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
7.2 Conditions for safe storage, including any incompatibilities	:	2X Brilliant III QPCR Master Mix Sample Size	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
		Reference Dye	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

7.3 Specific end use(s)

Recommendations	:	2X Brilliant III QPCR Master Mix Sample Size	Industrial applications, Professional applications.
		Reference Dye	Industrial applications, Professional applications.
Industrial sector specific solutions	:	2X Brilliant III QPCR Master Mix Sample Size	Not available.
		Reference Dye	Not available.

Section 8. Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

Section 8. Exposure controls/personal protection

Ingredient name	Exposure limits
2X Brilliant III QPCR Master Mix Sample Size	
Glycerol	**OSHA PEL 1989 (United States, 3/1989).** TWA: 5 mg/m³ 8 hours. Form: Respirable fraction TWA: 10 mg/m³ 8 hours. Form: Total dust **OSHA PEL (United States, 5/2018).** TWA: 5 mg/m³ 8 hours. Form: Respirable fraction TWA: 15 mg/m³ 8 hours. Form: Total dust **CAL OSHA PEL (United States, 5/2018).** TWA: 5 mg/m³ 8 hours. Form: respirable fraction TWA: 10 mg/m³ 8 hours. Form: total dust
Potassium chloride	None.
Magnesium chloride	None.
Polyoxyethylene octyl phenyl ether	None.
Reference Dye	
Potassium chloride	None.

Biological exposure indices

No exposure indices known.

8.2 Exposure controls

Appropriate engineering controls : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Environmental exposure controls : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

Hygiene measures : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.

Skin protection

Hand protection : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Body protection : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Section 8. Exposure controls/personal protection

Respiratory protection : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties and safety characteristics

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

Appearance

Physical state : 2X Brilliant III QPCR Master Mix Sample Size — Liquid.
Reference Dye — Liquid.

Color : 2X Brilliant III QPCR Master Mix Sample Size — Not available.
Reference Dye — Not available.

Odor : 2X Brilliant III QPCR Master Mix Sample Size — Not available.
Reference Dye — Not available.

Odor threshold : 2X Brilliant III QPCR Master Mix Sample Size — Not available.
Reference Dye — Not available.

pH : 2X Brilliant III QPCR Master Mix Sample Size — 7.8
Reference Dye — 8

Melting point/freezing point : 2X Brilliant III QPCR Master Mix Sample Size — Not available.
Reference Dye — Not available.

Boiling point, initial boiling point, and boiling range : 2X Brilliant III QPCR Master Mix Sample Size — Not available.
Reference Dye — Not available.

Flash point :

Ingredient name	Closed cup °C	Closed cup °F	Closed cup Method	Open cup °C	Open cup °F	Open cup Method
2X Brilliant III QPCR Master Mix Sample Size						
Glycerol	-	-	-	177	350.6	-

Evaporation rate : 2X Brilliant III QPCR Master Mix Sample Size — Not available.
Reference Dye — Not available.

Flammability : 2X Brilliant III QPCR Master Mix Sample Size — Not applicable.
Reference Dye — Not applicable.

Lower and upper explosion limit/flammability limit : 2X Brilliant III QPCR Master Mix Sample Size — Not available.
Reference Dye — Not available.

Vapor pressure :

Section 9. Physical and chemical properties and safety characteristics

Ingredient name	Vapor Pressure at 20˚C			Vapor pressure at 50˚C		
	mm Hg	kPa	Method	mm Hg	kPa	Method
2X Brilliant III QPCR Master Mix Sample Size						
water	17.5	2.3	-	92.258	12.3	-
Glycerol	0.000075	0.00001	-	0.0025	0.00033	-
Reference Dye						
water	17.5	2.3	-	92.258	12.3	-

Relative vapor density :
- 2X Brilliant III QPCR Master Mix Sample Size: Not available.
- Reference Dye: Not available.

Relative density :
- 2X Brilliant III QPCR Master Mix Sample Size: Not available.
- Reference Dye: Not available.

Solubility(ies) :

Media	Result
2X Brilliant III QPCR Master Mix Sample Size	
water	Soluble
Reference Dye	
water	Soluble

Partition coefficient: n-octanol/water :
- 2X Brilliant III QPCR Master Mix Sample Size: Not applicable.
- Reference Dye: Not applicable.

Auto-ignition temperature :

Ingredient name	°C	°F	Method
2X Brilliant III QPCR Master Mix Sample Size			
Glycerol	370	698	-

Decomposition temperature :
- 2X Brilliant III QPCR Master Mix Sample Size: Not available.
- Reference Dye: Not available.

Viscosity :
- 2X Brilliant III QPCR Master Mix Sample Size: Not available.
- Reference Dye: Not available.

Particle characteristics

Median particle size :
- 2X Brilliant III QPCR Master Mix Sample Size: Not applicable.
- Reference Dye: Not applicable.

Section 10. Stability and reactivity

10.1 Reactivity :
- 2X Brilliant III QPCR Master Mix Sample Size: No specific test data related to reactivity available for this product or its ingredients.
- Reference Dye: No specific test data related to reactivity available for this product or its ingredients.

Section 10. Stability and reactivity

10.2 Chemical stability : 2X Brilliant III QPCR Master Mix Sample Size — The product is stable.
Reference Dye — The product is stable.

10.3 Possibility of hazardous reactions : 2X Brilliant III QPCR Master Mix Sample Size — Under normal conditions of storage and use, hazardous reactions will not occur.
Reference Dye — Under normal conditions of storage and use, hazardous reactions will not occur.

10.4 Conditions to avoid : 2X Brilliant III QPCR Master Mix Sample Size — No specific data.
Reference Dye — No specific data.

10.5 Incompatible materials : 2X Brilliant III QPCR Master Mix Sample Size — May react or be incompatible with oxidizing materials.
Reference Dye — May react or be incompatible with oxidizing materials.

10.6 Hazardous decomposition products : 2X Brilliant III QPCR Master Mix Sample Size — Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Reference Dye — Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
2X Brilliant III QPCR Master Mix Sample Size				
Glycerol	LD50 Oral	Rat	12600 mg/kg	-
Potassium chloride	LD50 Oral	Rat	2600 mg/kg	-
Magnesium chloride	LD50 Dermal	Rat - Male, Female	>2000 mg/kg	-
	LD50 Oral	Rat	2800 mg/kg	-
Polyoxyethylene octyl phenyl ether	LD50 Oral	Rat	1800 mg/kg	-
Reference Dye				
Potassium chloride	LD50 Oral	Rat	2600 mg/kg	-

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
2X Brilliant III QPCR Master Mix Sample Size					
Glycerol	Eyes - Mild irritant	Rabbit	-	24 hours 500 mg	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 mg	-
Potassium chloride	Eyes - Mild irritant	Rabbit	-	24 hours 500 mg	-
Polyoxyethylene octyl phenyl ether	Skin - Mild irritant	Rabbit	-	24 hours 500 uL	-
Reference Dye					

Section 11. Toxicological information

Potassium chloride	Eyes - Mild irritant	Rabbit	-	24 hours 500 mg	-

Sensitization

Not available.

Mutagenicity

Conclusion/Summary : Not available.

Carcinogenicity

Conclusion/Summary : Not available.

Reproductive toxicity

Conclusion/Summary : Not available.

Teratogenicity

Conclusion/Summary : Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on the likely routes of exposure	:	2X Brilliant III QPCR Master Mix	Routes of entry anticipated: Oral, Dermal, Inhalation, Eyes.
		Sample Size	
		Reference Dye	Not available.

Potential acute health effects

Eye contact	:	2X Brilliant III QPCR Master Mix	Causes eye irritation.
		Sample Size	
		Reference Dye	No known significant effects or critical hazards.
Inhalation	:	2X Brilliant III QPCR Master Mix	No known significant effects or critical hazards.
		Sample Size	
		Reference Dye	No known significant effects or critical hazards.
Skin contact	:	2X Brilliant III QPCR Master Mix	No known significant effects or critical hazards.
		Sample Size	
		Reference Dye	No known significant effects or critical hazards.
Ingestion	:	2X Brilliant III QPCR Master Mix	No known significant effects or critical hazards.
		Sample Size	
		Reference Dye	No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact	:	2X Brilliant III QPCR Master Mix	Adverse symptoms may include the following:
		Sample Size	irritation watering redness
		Reference Dye	No specific data.
Inhalation	:	2X Brilliant III QPCR Master Mix	No specific data.
		Sample Size	
		Reference Dye	No specific data.
Skin contact	:	2X Brilliant III QPCR Master Mix	No specific data.
		Sample Size	
		Reference Dye	No specific data.

Section 11. Toxicological information

Ingestion	:	2X Brilliant III QPCR Master Mix Sample Size	No specific data.
		Reference Dye	No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate effects	:	Not available.
Potential delayed effects	:	Not available.

Long term exposure

Potential immediate effects	:	Not available.
Potential delayed effects	:	Not available.

Potential chronic health effects

General	:	2X Brilliant III QPCR Master Mix Sample Size	No known significant effects or critical hazards.
		Reference Dye	No known significant effects or critical hazards.
Carcinogenicity	:	2X Brilliant III QPCR Master Mix Sample Size	No known significant effects or critical hazards.
		Reference Dye	No known significant effects or critical hazards.
Mutagenicity	:	2X Brilliant III QPCR Master Mix Sample Size	No known significant effects or critical hazards.
		Reference Dye	No known significant effects or critical hazards.
Reproductive toxicity	:	2X Brilliant III QPCR Master Mix Sample Size	No known significant effects or critical hazards.
		Reference Dye	No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Product/ingredient name	Oral (mg/kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapors) (mg/l)	Inhalation (dusts and mists) (mg/l)
2X Brilliant III QPCR Master Mix Sample Size					
2X Brilliant III QPCR Master Mix Sample Size	190265.5	N/A	N/A	N/A	N/A
Glycerol	12600	N/A	N/A	N/A	N/A
Potassium chloride	2600	N/A	N/A	N/A	N/A
Magnesium chloride	2800	2500	N/A	N/A	N/A
Polyoxyethylene octyl phenyl ether	1800	N/A	N/A	N/A	N/A
Reference Dye					
Reference Dye	70270.3	N/A	N/A	N/A	N/A
Potassium chloride	2600	N/A	N/A	N/A	N/A

Section 12. Ecological information

12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
2X Brilliant III QPCR Master Mix Sample Size			
Glycerol	Acute LC50 54000 mg/l Fresh water	Fish - *Oncorhynchus mykiss*	96 hours
Potassium chloride	Acute EC50 9.24 g/L Fresh water	Algae - *Desmodesmus subspicatus*	72 hours
	Acute EC50 1337000 µg/l Fresh water	Algae - *Navicula seminulum*	96 hours
	Acute LC50 9.68 mg/l Fresh water	Crustaceans - *Pseudosida ramosa* - Neonate	48 hours
	Acute LC50 93000 µg/l Fresh water	Daphnia - *Daphnia magna*	48 hours
	Acute LC50 509.65 mg/l Fresh water	Fish - *Danio rerio*	96 hours
Magnesium chloride	Acute EC50 >100 mg/l Fresh water	Algae - *Desmodesmus subspicatus*	72 hours
	Acute EC50 180000 µg/l Fresh water	Crustaceans - *Eudiaptomus padanus ssp. padanus* - Adult	48 hours
	Acute IC50 6.8 mg/l Fresh water	Aquatic plants - *Lemna aequinoctialis*	96 hours
	Acute LC50 32000 µg/l Fresh water	Daphnia - *Daphnia hyalina* - Adult	48 hours
	Acute LC50 2120 mg/l Fresh water	Fish - *Pimephales promelas*	96 hours
	Acute NOEC 100 mg/l Fresh water	Algae - *Desmodesmus subspicatus*	72 hours
	Chronic NOEC 0.1 mg/l Fresh water	Fish - *Cyprinus carpio*	35 days
Polyoxyethylene octyl phenyl ether	Acute LC50 5.85 mg/l Fresh water	Crustaceans - *Ceriodaphnia rigaudi* - Neonate	48 hours
	Acute LC50 11.2 mg/l Fresh water	Daphnia - *Daphnia magna* - Neonate	48 hours
	Acute LC50 4500 µg/l Fresh water	Fish - *Pimephales promelas*	96 hours
	Chronic NOEC 0.004 mg/l Fresh water	Fish - *Gambusia holbrooki*	28 days
Reference Dye			
Potassium chloride	Acute EC50 9.24 g/L Fresh water	Algae - *Desmodesmus subspicatus*	72 hours
	Acute EC50 1337000 µg/l Fresh water	Algae - *Navicula seminulum*	96 hours
	Acute LC50 9.68 mg/l Fresh water	Crustaceans - *Pseudosida ramosa* - Neonate	48 hours
	Acute LC50 93000 µg/l Fresh water	Daphnia - *Daphnia magna*	48 hours
	Acute LC50 509.65 mg/l Fresh water	Fish - *Danio rerio*	96 hours

12.2 Persistence and degradability

Product/ingredient name	Test	Result	Dose	Inoculum
2X Brilliant III QPCR Master Mix Sample Size				
Glycerol	301D Ready Biodegradability - Closed Bottle Test	93 % - 30 days	-	-

Section 12. Ecological information

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
2X Brilliant III QPCR Master Mix Sample Size			
Potassium chloride	-	-	Readily
Polyoxyethylene octyl phenyl ether	-	-	Readily
Reference Dye			
Potassium chloride	-	-	Readily

12.3 Bioaccumulative potential

Product/ingredient name	$LogP_{ow}$	BCF	Potential
2X Brilliant III QPCR Master Mix Sample Size			
Glycerol	-1.76	-	Low
Potassium chloride	-0.46	-	Low
Polyoxyethylene octyl phenyl ether	4.86	-	High
Reference Dye			
Potassium chloride	-0.46	-	Low

12.4 Mobility in soil

Soil/water partition coefficient (K_{OC}) : Not available.

12.5 Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

13.1 Waste treatment methods

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Disposal should be in accordance with applicable regional, national and local laws and regulations. Local regulations may be more stringent than regional or national requirements.

The information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

Section 14. Transport information

DOT / TDG / Mexico / IMDG / IATA : Not regulated.

Special precautions for user : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according to IMO instruments : Not available.

Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

U.S. Federal regulations : **TSCA 8(a) PAIR**: Polyoxyethylene octyl phenyl ether; Poly(oxy-1,2-ethanediyl), .alpha.-[(1,1,3,3-tetramethylbutyl)phenyl]-.omega.-hydroxy-

TSCA 8(a) CDR Exempt/Partial exemption: Not determined

Clean Water Act (CWA) 311: Edetic acid

Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs) : Not listed

Clean Air Act Section 602 Class I Substances : Not listed

Clean Air Act Section 602 Class II Substances : Not listed

DEA List I Chemicals (Precursor Chemicals) : Not listed

DEA List II Chemicals (Essential Chemicals) : Not listed

SARA 302/304

Composition/information on ingredients

No products were found.

SARA 304 RQ : Not applicable.

SARA 311/312

Classification :

2X Brilliant III QPCR Master Mix Sample Size	EYE IRRITATION - Category 2B
Reference Dye	Not applicable.

Composition/information on ingredients

Name	%	Classification
2X Brilliant III QPCR Master Mix Sample Size		
Glycerol	≥10 - ≤25	EYE IRRITATION - Category 2B
Potassium chloride	≤3	EYE IRRITATION - Category 2B
Reference Dye		
Potassium chloride	≤5	EYE IRRITATION - Category 2B

State regulations

Massachusetts : The following components are listed: GLYCERINE MIST

New York : None of the components are listed.

New Jersey : The following components are listed: GLYCERIN

Section 15. Regulatory information

Pennsylvania : The following components are listed: 1,2,3-PROPANETRIOL

California Prop. 65

This product does not require a Safe Harbor warning under California Prop. 65.

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Inventory list

Australia : Not determined.

Canada : Not determined.

China : Not determined.

Japan : **Japan inventory (CSCL)**: Not determined.
Japan inventory (ISHL): Not determined.

New Zealand : Not determined.

Philippines : Not determined.

Republic of Korea : Not determined.

Taiwan : Not determined.

Thailand : Not determined.

Turkey : Not determined.

United States : Not determined.

Viet Nam : Not determined.

Section 16. Other information

Procedure used to derive the classification

Classification	Justification
2X Brilliant III QPCR Master Mix Sample Size EYE IRRITATION - Category 2B	Calculation method

History

Date of issue/Date of revision : 11/06/2023

Date of previous issue : 08/11/2020

Version : 7

Section 16. Other information

Key to abbreviations : ATE = Acute Toxicity Estimate
BCF = Bioconcentration Factor
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
IATA = International Air Transport Association
IBC = Intermediate Bulk Container
IMDG = International Maritime Dangerous Goods
LogPow = logarithm of the octanol/water partition coefficient
MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
N/A = Not available
UN = United Nations

Indicates information that has changed from previously issued version.

Notice to reader

Disclaimer: The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.