

SAFETY DATA SHEET



Caffeine HPLC Kit - 25 µg/mL, Part Number 9910131200

Section 1. Identification

Product identifier	: Caffeine HPLC Kit - 25 µg/mL, Part Number 9910131200	
Part No. (Chemical Kit)	: 9910131200	
Part No.	: Vial #1	Not available.
	: Vial #2	Not available.
	: Vial #3	Not available.
	: Vial #4	Not available.
	: Vial #5	Not available.
	: Vial #6	Not available.
	: Vial #7	Not available.
	: Vial #8	Not available.
	: Vial #9	Not available.
	: Vial #10	Not available.

Relevant identified uses of the substance or mixture and uses advised against

Analytical chemistry.

10 vials x 1 ml

Vial #1	1 ml
Vial #2	1 ml
Vial #3	1 ml
Vial #4	1 ml
Vial #5	1 ml
Vial #6	1 ml
Vial #7	1 ml
Vial #8	1 ml
Vial #9	1 ml
Vial #10	1 ml

Supplier/Manufacturer : Agilent Technologies Australia Pty Ltd
679 Springvale Road
Mulgrave
Victoria 3170, Australia
1800 802 402

Emergency telephone number (with hours of operation) : CHEMTREC®: +(61)-290372994

Section 2. Hazard(s) identification

Classification of the substance or mixture

Not classified.

GHS label elements

Signal word	: <input checked="" type="checkbox"/> Vial #1	No signal word.
	: Vial #2	No signal word.
	: Vial #3	No signal word.
	: Vial #4	No signal word.
	: Vial #5	No signal word.
	: Vial #6	No signal word.
	: Vial #7	No signal word.
	: Vial #8	No signal word.
	: Vial #9	No signal word.
	: Vial #10	No signal word.

Section 2. Hazard(s) identification

Hazard statements	: <input checked="" type="checkbox"/> Vial #1	No known significant effects or critical hazards.
	Vial #2	No known significant effects or critical hazards.
	Vial #3	No known significant effects or critical hazards.
	Vial #4	No known significant effects or critical hazards.
	Vial #5	No known significant effects or critical hazards.
	Vial #6	No known significant effects or critical hazards.
	Vial #7	No known significant effects or critical hazards.
	Vial #8	No known significant effects or critical hazards.
	Vial #9	No known significant effects or critical hazards.
	Vial #10	No known significant effects or critical hazards.

Precautionary statements

Prevention	: <input checked="" type="checkbox"/> Vial #1	Not applicable.
	Vial #2	Not applicable.
	Vial #3	Not applicable.
	Vial #4	Not applicable.
	Vial #5	Not applicable.
	Vial #6	Not applicable.
	Vial #7	Not applicable.
	Vial #8	Not applicable.
	Vial #9	Not applicable.
	Vial #10	Not applicable.

Response	: <input checked="" type="checkbox"/> Vial #1	Not applicable.
	Vial #2	Not applicable.
	Vial #3	Not applicable.
	Vial #4	Not applicable.
	Vial #5	Not applicable.
	Vial #6	Not applicable.
	Vial #7	Not applicable.
	Vial #8	Not applicable.
	Vial #9	Not applicable.
	Vial #10	Not applicable.

Storage	: <input checked="" type="checkbox"/> Vial #1	Not applicable.
	Vial #2	Not applicable.
	Vial #3	Not applicable.
	Vial #4	Not applicable.
	Vial #5	Not applicable.
	Vial #6	Not applicable.
	Vial #7	Not applicable.
	Vial #8	Not applicable.
	Vial #9	Not applicable.
	Vial #10	Not applicable.

Disposal	: <input checked="" type="checkbox"/> Vial #1	Not applicable.
	Vial #2	Not applicable.
	Vial #3	Not applicable.
	Vial #4	Not applicable.
	Vial #5	Not applicable.
	Vial #6	Not applicable.
	Vial #7	Not applicable.
	Vial #8	Not applicable.
	Vial #9	Not applicable.
	Vial #10	Not applicable.

Supplemental label elements

Additional warning phrases	: <input checked="" type="checkbox"/> Vial #1	Not applicable.
	Vial #2	Not applicable.
	Vial #3	Not applicable.
	Vial #4	Not applicable.
	Vial #5	Not applicable.
	Vial #6	Not applicable.
	Vial #7	Not applicable.
	Vial #8	Not applicable.
	Vial #9	Not applicable.

Section 2. Hazard(s) identification

Vial #10 Not applicable.

Other hazards which do not result in classification :

Vial #1	None known.
Vial #2	None known.
Vial #3	None known.
Vial #4	None known.
Vial #5	None known.
Vial #6	None known.
Vial #7	None known.
Vial #8	None known.
Vial #9	None known.
Vial #10	None known.

Section 3. Composition and ingredient information

Substance/mixture :

Vial #1	Mixture
Vial #2	Mixture
Vial #3	Mixture
Vial #4	Mixture
Vial #5	Mixture
Vial #6	Mixture
Vial #7	Mixture
Vial #8	Mixture
Vial #9	Mixture
Vial #10	Mixture

CAS number/other identifiers

There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact :

Vial #1	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Vial #2	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Vial #3	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Vial #4	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Vial #5	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Vial #6	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Vial #7	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get

Section 4. First aid measures

	Vial #8	medical attention if irritation occurs. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	Vial #9	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	Vial #10	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	: Vial #1	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	Vial #2	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	Vial #3	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	Vial #4	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	Vial #5	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	Vial #6	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	Vial #7	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	Vial #8	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	Vial #9	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	Vial #10	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Skin contact	: Vial #1	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	Vial #2	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	Vial #3	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	Vial #4	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	Vial #5	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	Vial #6	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	Vial #7	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get

Section 4. First aid measures

	Vial #8	medical attention if symptoms occur. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	Vial #9	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	Vial #10	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	: Vial #1	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
	Vial #2	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
	Vial #3	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
	Vial #4	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
	Vial #5	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
	Vial #6	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
	Vial #7	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
	Vial #8	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of

Section 4. First aid measures

Vial #9

water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Vial #10

Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact

: Vial #1
Vial #2
Vial #3
Vial #4
Vial #5
Vial #6
Vial #7
Vial #8
Vial #9
Vial #10

No known significant effects or critical hazards.
No known significant effects or critical hazards.
No known significant effects or critical hazards.
No known significant effects or critical hazards.
No known significant effects or critical hazards.
No known significant effects or critical hazards.
No known significant effects or critical hazards.
No known significant effects or critical hazards.
No known significant effects or critical hazards.
No known significant effects or critical hazards.

Inhalation

: Vial #1
Vial #2
Vial #3
Vial #4
Vial #5
Vial #6
Vial #7
Vial #8
Vial #9
Vial #10

No known significant effects or critical hazards.
No known significant effects or critical hazards.
No known significant effects or critical hazards.
No known significant effects or critical hazards.
No known significant effects or critical hazards.
No known significant effects or critical hazards.
No known significant effects or critical hazards.
No known significant effects or critical hazards.
No known significant effects or critical hazards.
No known significant effects or critical hazards.

Skin contact

: Vial #1
Vial #2
Vial #3
Vial #4
Vial #5
Vial #6
Vial #7
Vial #8
Vial #9
Vial #10

No known significant effects or critical hazards.
No known significant effects or critical hazards.
No known significant effects or critical hazards.
No known significant effects or critical hazards.
No known significant effects or critical hazards.
No known significant effects or critical hazards.
No known significant effects or critical hazards.
No known significant effects or critical hazards.
No known significant effects or critical hazards.
No known significant effects or critical hazards.

Ingestion

: Vial #1
Vial #2
Vial #3
Vial #4
Vial #5
Vial #6
Vial #7
Vial #8
Vial #9
Vial #10

No known significant effects or critical hazards.
No known significant effects or critical hazards.
No known significant effects or critical hazards.
No known significant effects or critical hazards.
No known significant effects or critical hazards.
No known significant effects or critical hazards.
No known significant effects or critical hazards.
No known significant effects or critical hazards.
No known significant effects or critical hazards.
No known significant effects or critical hazards.

Over-exposure signs/symptoms

Section 4. First aid measures

Eye contact	:	Vial #1	No specific data.
		Vial #2	No specific data.
		Vial #3	No specific data.
		Vial #4	No specific data.
		Vial #5	No specific data.
		Vial #6	No specific data.
		Vial #7	No specific data.
		Vial #8	No specific data.
		Vial #9	No specific data.
		Vial #10	No specific data.
Inhalation	:	Vial #1	No specific data.
		Vial #2	No specific data.
		Vial #3	No specific data.
		Vial #4	No specific data.
		Vial #5	No specific data.
		Vial #6	No specific data.
		Vial #7	No specific data.
		Vial #8	No specific data.
		Vial #9	No specific data.
		Vial #10	No specific data.
Skin contact	:	Vial #1	No specific data.
		Vial #2	No specific data.
		Vial #3	No specific data.
		Vial #4	No specific data.
		Vial #5	No specific data.
		Vial #6	No specific data.
		Vial #7	No specific data.
		Vial #8	No specific data.
		Vial #9	No specific data.
		Vial #10	No specific data.
Ingestion	:	Vial #1	No specific data.
		Vial #2	No specific data.
		Vial #3	No specific data.
		Vial #4	No specific data.
		Vial #5	No specific data.
		Vial #6	No specific data.
		Vial #7	No specific data.
		Vial #8	No specific data.
		Vial #9	No specific data.
		Vial #10	No specific data.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician	:	Vial #1	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
		Vial #2	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
		Vial #3	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
		Vial #4	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
		Vial #5	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
		Vial #6	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
		Vial #7	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

Section 4. First aid measures

	Vial #8	ingested or inhaled. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	Vial #9	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	Vial #10	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: Vial #1	No specific treatment.
	Vial #2	No specific treatment.
	Vial #3	No specific treatment.
	Vial #4	No specific treatment.
	Vial #5	No specific treatment.
	Vial #6	No specific treatment.
	Vial #7	No specific treatment.
	Vial #8	No specific treatment.
	Vial #9	No specific treatment.
	Vial #10	No specific treatment.
Protection of first-aiders	: Vial #1	No action shall be taken involving any personal risk or without suitable training.
	Vial #2	No action shall be taken involving any personal risk or without suitable training.
	Vial #3	No action shall be taken involving any personal risk or without suitable training.
	Vial #4	No action shall be taken involving any personal risk or without suitable training.
	Vial #5	No action shall be taken involving any personal risk or without suitable training.
	Vial #6	No action shall be taken involving any personal risk or without suitable training.
	Vial #7	No action shall be taken involving any personal risk or without suitable training.
	Vial #8	No action shall be taken involving any personal risk or without suitable training.
	Vial #9	No action shall be taken involving any personal risk or without suitable training.
	Vial #10	No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

Section 5. Firefighting measures

Extinguishing media

Suitable extinguishing media	: Vial #1	Use an extinguishing agent suitable for the surrounding fire.
	Vial #2	Use an extinguishing agent suitable for the surrounding fire.
	Vial #3	Use an extinguishing agent suitable for the surrounding fire.
	Vial #4	Use an extinguishing agent suitable for the surrounding fire.
	Vial #5	Use an extinguishing agent suitable for the surrounding fire.
	Vial #6	Use an extinguishing agent suitable for the surrounding fire.
	Vial #7	Use an extinguishing agent suitable for the surrounding fire.
	Vial #8	Use an extinguishing agent suitable for the surrounding fire.
	Vial #9	Use an extinguishing agent suitable for the surrounding fire.

Section 5. Firefighting measures

	Vial #10	surrounding fire. Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: Vial #1	None known.
	Vial #2	None known.
	Vial #3	None known.
	Vial #4	None known.
	Vial #5	None known.
	Vial #6	None known.
	Vial #7	None known.
	Vial #8	None known.
	Vial #9	None known.
	Vial #10	None known.
Specific hazards arising from the chemical	: Vial #1	In a fire or if heated, a pressure increase will occur and the container may burst.
	Vial #2	In a fire or if heated, a pressure increase will occur and the container may burst.
	Vial #3	In a fire or if heated, a pressure increase will occur and the container may burst.
	Vial #4	In a fire or if heated, a pressure increase will occur and the container may burst.
	Vial #5	In a fire or if heated, a pressure increase will occur and the container may burst.
	Vial #6	In a fire or if heated, a pressure increase will occur and the container may burst.
	Vial #7	In a fire or if heated, a pressure increase will occur and the container may burst.
	Vial #8	In a fire or if heated, a pressure increase will occur and the container may burst.
	Vial #9	In a fire or if heated, a pressure increase will occur and the container may burst.
	Vial #10	In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous thermal decomposition products	: Vial #1	No specific data.
	Vial #2	No specific data.
	Vial #3	No specific data.
	Vial #4	No specific data.
	Vial #5	No specific data.
	Vial #6	No specific data.
	Vial #7	No specific data.
	Vial #8	No specific data.
	Vial #9	No specific data.
	Vial #10	No specific data.
Special protective actions for fire-fighters	: Vial #1	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	Vial #2	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	Vial #3	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	Vial #4	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	Vial #5	Promptly isolate the scene by removing all persons

Section 5. Firefighting measures

		from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	Vial #6	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	Vial #7	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	Vial #8	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	Vial #9	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	Vial #10	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: Vial #1	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
	Vial #2	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
	Vial #3	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
	Vial #4	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
	Vial #5	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
	Vial #6	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
	Vial #7	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
	Vial #8	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
	Vial #9	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
	Vial #10	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	: Vial #1	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
	Vial #2	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
	Vial #3	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
	Vial #4	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
	Vial #5	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
	Vial #6	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
	Vial #7	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
	Vial #8	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
	Vial #9	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
	Vial #10	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.

Section 6. Accidental release measures

For emergency responders :	Vial #1	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
	Vial #2	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
	Vial #3	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
	Vial #4	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
	Vial #5	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
	Vial #6	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
	Vial #7	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
	Vial #8	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
	Vial #9	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
	Vial #10	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions :	Vial #1	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
	Vial #2	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
	Vial #3	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
	Vial #4	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
	Vial #5	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

Section 6. Accidental release measures

	Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Vial #6	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Vial #7	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Vial #8	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Vial #9	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Vial #10	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and material for containment and cleaning up

Methods for cleaning up : Vial #1

	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Vial #2	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Vial #3	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Vial #4	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Vial #5	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Vial #6	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an

Section 6. Accidental release measures

	inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Vial #7	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Vial #8	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Vial #9	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Vial #10	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Section 7. Handling and storage

Precautions for safe handling

Protective measures	:	Vial #1	Put on appropriate personal protective equipment (see Section 8).
		Vial #2	Put on appropriate personal protective equipment (see Section 8).
		Vial #3	Put on appropriate personal protective equipment (see Section 8).
		Vial #4	Put on appropriate personal protective equipment (see Section 8).
		Vial #5	Put on appropriate personal protective equipment (see Section 8).
		Vial #6	Put on appropriate personal protective equipment (see Section 8).
		Vial #7	Put on appropriate personal protective equipment (see Section 8).
		Vial #8	Put on appropriate personal protective equipment (see Section 8).
		Vial #9	Put on appropriate personal protective equipment (see Section 8).
		Vial #10	Put on appropriate personal protective equipment (see Section 8).
Advice on general occupational hygiene	:	Vial #1	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
		Vial #2	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment

Section 7. Handling and storage

Vial #3	before entering eating areas. See also Section 8 for additional information on hygiene measures. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Vial #4	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Vial #5	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Vial #6	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Vial #7	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Vial #8	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Vial #9	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Vial #10	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Section 7. Handling and storage

Conditions for safe storage, :  Vial #1
including any
incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Vial #2

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Vial #3

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Vial #4

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Vial #5

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Vial #6

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled

Section 7. Handling and storage

Vial #7

containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Vial #8

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Vial #9

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Vial #10

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Section 8. Exposure controls and personal protection

Control parameters

Occupational exposure limits

None.

Appropriate engineering controls

: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Environmental exposure controls

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Section 8. Exposure controls and personal protection

Individual protection measures

- Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
- Eye/face protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
- Skin protection**
- Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
- Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Respiratory protection** : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

Appearance

Physical state	:	Vial #1	Liquid. [Clear.]
		Vial #2	Liquid. [Clear.]
		Vial #3	Liquid. [Clear.]
		Vial #4	Liquid. [Clear.]
		Vial #5	Liquid. [Clear.]
		Vial #6	Liquid. [Clear.]
		Vial #7	Liquid. [Clear.]
		Vial #8	Liquid. [Clear.]
		Vial #9	Liquid. [Clear.]
		Vial #10	Liquid. [Clear.]
Colour	:	Vial #1	Not available.
		Vial #2	Not available.
		Vial #3	Not available.
		Vial #4	Not available.
		Vial #5	Not available.
		Vial #6	Not available.
		Vial #7	Not available.
		Vial #8	Not available.
		Vial #9	Not available.
		Vial #10	Not available.
Odour	:	Vial #1	Odourless.
		Vial #2	Odourless.
		Vial #3	Odourless.
		Vial #4	Odourless.
		Vial #5	Odourless.
		Vial #6	Odourless.
		Vial #7	Odourless.
		Vial #8	Odourless.
		Vial #9	Odourless.
		Vial #10	Odourless.

Section 9. Physical and chemical properties

Odour threshold	:	Vial #1	Not available.
		Vial #2	Not available.
		Vial #3	Not available.
		Vial #4	Not available.
		Vial #5	Not available.
		Vial #6	Not available.
		Vial #7	Not available.
		Vial #8	Not available.
		Vial #9	Not available.
		Vial #10	Not available.
pH	:	Vial #1	Not available.
		Vial #2	Not available.
		Vial #3	Not available.
		Vial #4	Not available.
		Vial #5	Not available.
		Vial #6	Not available.
		Vial #7	Not available.
		Vial #8	Not available.
		Vial #9	Not available.
		Vial #10	Not available.
Melting point	:	Vial #1	0°C (32°F)
		Vial #2	0°C (32°F)
		Vial #3	0°C (32°F)
		Vial #4	0°C (32°F)
		Vial #5	0°C (32°F)
		Vial #6	0°C (32°F)
		Vial #7	0°C (32°F)
		Vial #8	0°C (32°F)
		Vial #9	0°C (32°F)
		Vial #10	0°C (32°F)
Boiling point	:	Vial #1	100°C (212°F)
		Vial #2	100°C (212°F)
		Vial #3	100°C (212°F)
		Vial #4	100°C (212°F)
		Vial #5	100°C (212°F)
		Vial #6	100°C (212°F)
		Vial #7	100°C (212°F)
		Vial #8	100°C (212°F)
		Vial #9	100°C (212°F)
		Vial #10	100°C (212°F)
Flash point	:	Vial #1	Not available.
		Vial #2	Not available.
		Vial #3	Not available.
		Vial #4	Not available.
		Vial #5	Not available.
		Vial #6	Not available.
		Vial #7	Not available.
		Vial #8	Not available.
		Vial #9	Not available.
		Vial #10	Not available.
Evaporation rate	:	Vial #1	Not available.
		Vial #2	Not available.
		Vial #3	Not available.
		Vial #4	Not available.
		Vial #5	Not available.
		Vial #6	Not available.
		Vial #7	Not available.
		Vial #8	Not available.
		Vial #9	Not available.
		Vial #10	Not available.

Section 9. Physical and chemical properties

Flammability (solid, gas)	: Vial #1	Not applicable.
	Vial #2	Not applicable.
	Vial #3	Not applicable.
	Vial #4	Not applicable.
	Vial #5	Not applicable.
	Vial #6	Not applicable.
	Vial #7	Not applicable.
	Vial #8	Not applicable.
	Vial #9	Not applicable.
	Vial #10	Not applicable.
Lower and upper explosive (flammable) limits	: Vial #1	Not available.
	Vial #2	Not available.
	Vial #3	Not available.
	Vial #4	Not available.
	Vial #5	Not available.
	Vial #6	Not available.
	Vial #7	Not available.
	Vial #8	Not available.
	Vial #9	Not available.
	Vial #10	Not available.
Vapour pressure	: Vial #1	2.3 kPa (17.542 mm Hg) [room temperature]
	Vial #2	2.3 kPa (17.542 mm Hg) [room temperature]
	Vial #3	2.3 kPa (17.542 mm Hg) [room temperature]
	Vial #4	2.3 kPa (17.542 mm Hg) [room temperature]
	Vial #5	2.3 kPa (17.542 mm Hg) [room temperature]
	Vial #6	2.3 kPa (17.542 mm Hg) [room temperature]
	Vial #7	2.3 kPa (17.542 mm Hg) [room temperature]
	Vial #8	2.3 kPa (17.542 mm Hg) [room temperature]
	Vial #9	2.3 kPa (17.542 mm Hg) [room temperature]
	Vial #10	2.3 kPa (17.542 mm Hg) [room temperature]
Vapour density	: Vial #1	Not available.
	Vial #2	Not available.
	Vial #3	Not available.
	Vial #4	Not available.
	Vial #5	Not available.
	Vial #6	Not available.
	Vial #7	Not available.
	Vial #8	Not available.
	Vial #9	Not available.
	Vial #10	Not available.
Relative density	: Vial #1	1 [Water = 1]
	Vial #2	1 [Water = 1]
	Vial #3	1 [Water = 1]
	Vial #4	1 [Water = 1]
	Vial #5	1 [Water = 1]
	Vial #6	1 [Water = 1]
	Vial #7	1 [Water = 1]
	Vial #8	1 [Water = 1]
	Vial #9	1 [Water = 1]
	Vial #10	1 [Water = 1]
Solubility	: Vial #1	Easily soluble in the following materials: cold water and hot water.
	Vial #2	Easily soluble in the following materials: cold water and hot water.
	Vial #3	Easily soluble in the following materials: cold water and hot water.
	Vial #4	Easily soluble in the following materials: cold water and hot water.
	Vial #5	Easily soluble in the following materials: cold water and hot water.
	Vial #6	Easily soluble in the following materials: cold water

Section 9. Physical and chemical properties

	Vial #7	and hot water. Easily soluble in the following materials: cold water and hot water.
	Vial #8	Easily soluble in the following materials: cold water and hot water.
	Vial #9	Easily soluble in the following materials: cold water and hot water.
	Vial #10	Easily soluble in the following materials: cold water and hot water.
Partition coefficient: n-octanol/water	: Vial #1	Not available.
	Vial #2	Not available.
	Vial #3	Not available.
	Vial #4	Not available.
	Vial #5	Not available.
	Vial #6	Not available.
	Vial #7	Not available.
	Vial #8	Not available.
	Vial #9	Not available.
	Vial #10	Not available.
Auto-ignition temperature	: Vial #1	Not available.
	Vial #2	Not available.
	Vial #3	Not available.
	Vial #4	Not available.
	Vial #5	Not available.
	Vial #6	Not available.
	Vial #7	Not available.
	Vial #8	Not available.
	Vial #9	Not available.
	Vial #10	Not available.
Decomposition temperature	: Vial #1	Not available.
	Vial #2	Not available.
	Vial #3	Not available.
	Vial #4	Not available.
	Vial #5	Not available.
	Vial #6	Not available.
	Vial #7	Not available.
	Vial #8	Not available.
	Vial #9	Not available.
	Vial #10	Not available.
Viscosity	: Vial #1	Not available.
	Vial #2	Not available.
	Vial #3	Not available.
	Vial #4	Not available.
	Vial #5	Not available.
	Vial #6	Not available.
	Vial #7	Not available.
	Vial #8	Not available.
	Vial #9	Not available.
	Vial #10	Not available.

Section 10. Stability and reactivity

Reactivity	: Vial #1	No specific test data related to reactivity available for this product or its ingredients.
	Vial #2	No specific test data related to reactivity available for this product or its ingredients.
	Vial #3	No specific test data related to reactivity available for this product or its ingredients.
	Vial #4	No specific test data related to reactivity available for this product or its ingredients.
	Vial #5	No specific test data related to reactivity available for this product or its ingredients.

Section 10. Stability and reactivity

Vial #6	No specific test data related to reactivity available for this product or its ingredients.
Vial #7	No specific test data related to reactivity available for this product or its ingredients.
Vial #8	No specific test data related to reactivity available for this product or its ingredients.
Vial #9	No specific test data related to reactivity available for this product or its ingredients.
Vial #10	No specific test data related to reactivity available for this product or its ingredients.

Chemical stability	:	Vial #1	The product is stable.
		Vial #2	The product is stable.
		Vial #3	The product is stable.
		Vial #4	The product is stable.
		Vial #5	The product is stable.
		Vial #6	The product is stable.
		Vial #7	The product is stable.
		Vial #8	The product is stable.
		Vial #9	The product is stable.
		Vial #10	The product is stable.

Possibility of hazardous reactions	:	Vial #1	Under normal conditions of storage and use, hazardous reactions will not occur.
		Vial #2	Under normal conditions of storage and use, hazardous reactions will not occur.
		Vial #3	Under normal conditions of storage and use, hazardous reactions will not occur.
		Vial #4	Under normal conditions of storage and use, hazardous reactions will not occur.
		Vial #5	Under normal conditions of storage and use, hazardous reactions will not occur.
		Vial #6	Under normal conditions of storage and use, hazardous reactions will not occur.
		Vial #7	Under normal conditions of storage and use, hazardous reactions will not occur.
		Vial #8	Under normal conditions of storage and use, hazardous reactions will not occur.
		Vial #9	Under normal conditions of storage and use, hazardous reactions will not occur.
		Vial #10	Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid	:	Vial #1	No specific data.
		Vial #2	No specific data.
		Vial #3	No specific data.
		Vial #4	No specific data.
		Vial #5	No specific data.
		Vial #6	No specific data.
		Vial #7	No specific data.
		Vial #8	No specific data.
		Vial #9	No specific data.
		Vial #10	No specific data.

Incompatible materials	:	Vial #1	May react or be incompatible with oxidising materials.
		Vial #2	May react or be incompatible with oxidising materials.
		Vial #3	May react or be incompatible with oxidising materials.
		Vial #4	May react or be incompatible with oxidising materials.
		Vial #5	May react or be incompatible with oxidising materials.
		Vial #6	May react or be incompatible with oxidising materials.
		Vial #7	May react or be incompatible with oxidising materials.

Section 10. Stability and reactivity

	Vial #8	May react or be incompatible with oxidising materials.
	Vial #9	May react or be incompatible with oxidising materials.
	Vial #10	May react or be incompatible with oxidising materials.
Hazardous decomposition products	: Vial #1	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	Vial #2	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	Vial #3	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	Vial #4	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	Vial #5	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	Vial #6	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	Vial #7	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	Vial #8	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	Vial #9	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	Vial #10	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Not available.

Irritation/Corrosion

Not available.

Sensitisation

Not available.

Mutagenicity

Not available.

Carcinogenicity

Not available.

Reproductive toxicity

Not available.

Teratogenicity

Not available.

Specific target organ toxicity (single exposure)

Not available.

Section 11. Toxicological information

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on likely routes of exposure	: Vial #1	Not available.
	Vial #2	Not available.
	Vial #3	Not available.
	Vial #4	Not available.
	Vial #5	Not available.
	Vial #6	Not available.
	Vial #7	Not available.
	Vial #8	Not available.
	Vial #9	Not available.
	Vial #10	Not available.

Potential acute health effects

Eye contact	: Vial #1	No known significant effects or critical hazards.
	Vial #2	No known significant effects or critical hazards.
	Vial #3	No known significant effects or critical hazards.
	Vial #4	No known significant effects or critical hazards.
	Vial #5	No known significant effects or critical hazards.
	Vial #6	No known significant effects or critical hazards.
	Vial #7	No known significant effects or critical hazards.
	Vial #8	No known significant effects or critical hazards.
	Vial #9	No known significant effects or critical hazards.
	Vial #10	No known significant effects or critical hazards.
Inhalation	: Vial #1	No known significant effects or critical hazards.
	Vial #2	No known significant effects or critical hazards.
	Vial #3	No known significant effects or critical hazards.
	Vial #4	No known significant effects or critical hazards.
	Vial #5	No known significant effects or critical hazards.
	Vial #6	No known significant effects or critical hazards.
	Vial #7	No known significant effects or critical hazards.
	Vial #8	No known significant effects or critical hazards.
	Vial #9	No known significant effects or critical hazards.
	Vial #10	No known significant effects or critical hazards.
Skin contact	: Vial #1	No known significant effects or critical hazards.
	Vial #2	No known significant effects or critical hazards.
	Vial #3	No known significant effects or critical hazards.
	Vial #4	No known significant effects or critical hazards.
	Vial #5	No known significant effects or critical hazards.
	Vial #6	No known significant effects or critical hazards.
	Vial #7	No known significant effects or critical hazards.
	Vial #8	No known significant effects or critical hazards.
	Vial #9	No known significant effects or critical hazards.
	Vial #10	No known significant effects or critical hazards.
Ingestion	: Vial #1	No known significant effects or critical hazards.
	Vial #2	No known significant effects or critical hazards.
	Vial #3	No known significant effects or critical hazards.
	Vial #4	No known significant effects or critical hazards.
	Vial #5	No known significant effects or critical hazards.
	Vial #6	No known significant effects or critical hazards.
	Vial #7	No known significant effects or critical hazards.
	Vial #8	No known significant effects or critical hazards.
	Vial #9	No known significant effects or critical hazards.
	Vial #10	No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Section 11. Toxicological information

Eye contact	:	Vial #1	No specific data.
		Vial #2	No specific data.
		Vial #3	No specific data.
		Vial #4	No specific data.
		Vial #5	No specific data.
		Vial #6	No specific data.
		Vial #7	No specific data.
		Vial #8	No specific data.
		Vial #9	No specific data.
		Vial #10	No specific data.
Inhalation	:	Vial #1	No specific data.
		Vial #2	No specific data.
		Vial #3	No specific data.
		Vial #4	No specific data.
		Vial #5	No specific data.
		Vial #6	No specific data.
		Vial #7	No specific data.
		Vial #8	No specific data.
		Vial #9	No specific data.
		Vial #10	No specific data.
Skin contact	:	Vial #1	No specific data.
		Vial #2	No specific data.
		Vial #3	No specific data.
		Vial #4	No specific data.
		Vial #5	No specific data.
		Vial #6	No specific data.
		Vial #7	No specific data.
		Vial #8	No specific data.
		Vial #9	No specific data.
		Vial #10	No specific data.
Ingestion	:	Vial #1	No specific data.
		Vial #2	No specific data.
		Vial #3	No specific data.
		Vial #4	No specific data.
		Vial #5	No specific data.
		Vial #6	No specific data.
		Vial #7	No specific data.
		Vial #8	No specific data.
		Vial #9	No specific data.
		Vial #10	No specific data.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Short term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Long term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Potential chronic health effects

Not available.

General	:	Vial #1	No known significant effects or critical hazards.
		Vial #2	No known significant effects or critical hazards.
		Vial #3	No known significant effects or critical hazards.
		Vial #4	No known significant effects or critical hazards.
		Vial #5	No known significant effects or critical hazards.
		Vial #6	No known significant effects or critical hazards.
		Vial #7	No known significant effects or critical hazards.

Section 11. Toxicological information

	Vial #8	No known significant effects or critical hazards.
	Vial #9	No known significant effects or critical hazards.
	Vial #10	No known significant effects or critical hazards.
Carcinogenicity	: Vial #1	No known significant effects or critical hazards.
	Vial #2	No known significant effects or critical hazards.
	Vial #3	No known significant effects or critical hazards.
	Vial #4	No known significant effects or critical hazards.
	Vial #5	No known significant effects or critical hazards.
	Vial #6	No known significant effects or critical hazards.
	Vial #7	No known significant effects or critical hazards.
	Vial #8	No known significant effects or critical hazards.
	Vial #9	No known significant effects or critical hazards.
	Vial #10	No known significant effects or critical hazards.
Mutagenicity	: Vial #1	No known significant effects or critical hazards.
	Vial #2	No known significant effects or critical hazards.
	Vial #3	No known significant effects or critical hazards.
	Vial #4	No known significant effects or critical hazards.
	Vial #5	No known significant effects or critical hazards.
	Vial #6	No known significant effects or critical hazards.
	Vial #7	No known significant effects or critical hazards.
	Vial #8	No known significant effects or critical hazards.
	Vial #9	No known significant effects or critical hazards.
	Vial #10	No known significant effects or critical hazards.
Teratogenicity	: Vial #1	No known significant effects or critical hazards.
	Vial #2	No known significant effects or critical hazards.
	Vial #3	No known significant effects or critical hazards.
	Vial #4	No known significant effects or critical hazards.
	Vial #5	No known significant effects or critical hazards.
	Vial #6	No known significant effects or critical hazards.
	Vial #7	No known significant effects or critical hazards.
	Vial #8	No known significant effects or critical hazards.
	Vial #9	No known significant effects or critical hazards.
	Vial #10	No known significant effects or critical hazards.
Developmental effects	: Vial #1	No known significant effects or critical hazards.
	Vial #2	No known significant effects or critical hazards.
	Vial #3	No known significant effects or critical hazards.
	Vial #4	No known significant effects or critical hazards.
	Vial #5	No known significant effects or critical hazards.
	Vial #6	No known significant effects or critical hazards.
	Vial #7	No known significant effects or critical hazards.
	Vial #8	No known significant effects or critical hazards.
	Vial #9	No known significant effects or critical hazards.
	Vial #10	No known significant effects or critical hazards.
Fertility effects	: Vial #1	No known significant effects or critical hazards.
	Vial #2	No known significant effects or critical hazards.
	Vial #3	No known significant effects or critical hazards.
	Vial #4	No known significant effects or critical hazards.
	Vial #5	No known significant effects or critical hazards.
	Vial #6	No known significant effects or critical hazards.
	Vial #7	No known significant effects or critical hazards.
	Vial #8	No known significant effects or critical hazards.
	Vial #9	No known significant effects or critical hazards.
	Vial #10	No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Not available.

Section 12. Ecological information

Toxicity

Not available.

Persistence and degradability

Not available.

Bioaccumulative potential

Not available.

Mobility in soil

Soil/water partition coefficient (K_{oc}) : Not available.

Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

ADG / IMDG / IATA : Not regulated as Dangerous Goods according to the ADG Code .

Special precautions for user : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according to Annex II of Marpol and the IBC Code : Not available.

Section 15. Regulatory information

Standard Uniform Schedule of Medicine and Poisons

Not regulated.

Model Work Health and Safety Regulations - Scheduled Substances

No listed substance

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol (Annexes A, B, C, E)

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Section 15. Regulatory information

Not listed.

[Rotterdam Convention on Prior Informed Consent \(PIC\)](#)

Not listed.

[UNECE Aarhus Protocol on POPs and Heavy Metals](#)

Not listed.

[Inventory list](#)

Australia	: All components are listed or exempted.
Canada	: All components are listed or exempted.
China	: All components are listed or exempted.
Europe	: All components are listed or exempted.
Japan	: Japan inventory (ENCS) : All components are listed or exempted. Japan inventory (ISHL) : All components are listed or exempted.
Malaysia	: Not determined.
New Zealand	: All components are listed or exempted.
Philippines	: All components are listed or exempted.
Republic of Korea	: All components are listed or exempted.
Taiwan	: All components are listed or exempted.
Thailand	: <input checked="" type="checkbox"/> Not determined.
Turkey	: Not determined.
United States	: All components are listed or exempted.
Viet Nam	: <input checked="" type="checkbox"/> Not determined.

Section 16. Any other relevant information

[History](#)

Date of issue/Date of revision : 21/11/2017

Date of previous issue : 25/02/2016.

Version : 4

[Key to abbreviations](#)

: ADG = Australian Dangerous Goods
ATE = Acute Toxicity Estimate
BCF = Bioconcentration Factor
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
IATA = International Air Transport Association
IBC = Intermediate Bulk Container
IMDG = International Maritime Dangerous Goods
LogPow = logarithm of the octanol/water partition coefficient
MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
NOHSC = National Occupational Health and Safety Commission
SUSMP = Standard Uniform Schedule of Medicine and Poisons
UN = United Nations

[Procedure used to derive the classification](#)

Classification	Justification
Not classified.	

References : Not available.

Indicates information that has changed from previously issued version.

[Notice to reader](#)

Disclaimer: The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.