Agilent

Printing date 27.03.2019

1 Identification

Version number 3

Revision: 22.03.2019

*

· Product identifier

• Trade name: Acrolein and Acrylonitrile Standard (1X1 mL)

• Part number: AMN-613-1

• Relevant identified uses of the substance or mixture and uses advised against Reagents and Standards for Analytical Chemical Laboratory Use

• Details of the supplier of the safety data sheet

• **Manufacturer/Supplier:** Agilent Technologies Australia Pty Ltd 679 Springvale Road Mulgrave Victoria 3170, Australia

Further information obtainable from: Telephone: 1800 802 402
e-mail: pdl-msds_author@agilent.com
Emergency telephone number: CHEMTREC®: +(61) - 290372994

2 Hazard(s) Identification

· Classification of the substance or mixture



Carc. 1B H350 May cause cancer.



Skin Corr. 1 H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

· Label elements

• GHS label elements The product is classified and labelled according to the Globally Harmonised System (GHS). • Hazard pictograms



· Signal word Danger

Hazard-determining components of labelling: acrylaldehyde acrylonitrile
Hazard statements Causes severe skin burns and eye damage. May cause cancer.

• **Precautionary statements** If medical advice is needed, have product container or label at hand. Keep out of reach of children.

(Contd. on page 2)

AU

Revision: 22.03.2019

Trade name: Acrolein and Acrylonitrile Standard (1X1 mL)

(Contd. of page 1) Read label before use. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dusts or mists. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Use personal protective equipment as required. IF SWALLOWED: rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. IF exposed or concerned: Get medical advice/attention. Specific treatment (see on this label). Wash contaminated clothing before reuse. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Other hazards · Results of PBT and vPvB assessment • **PBT:** Not applicable.

• **vPvB:** Not applicable.

3 Composition and Information on Ingredients

· Chemical characterisation: Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:

•	
	0.1%
 Flam. Liq. 2, H225; Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331; Carc. 1B, H350; Eye Dam. 1, H318; Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335 	
	0.1%
 Flam. Liq. 2, H225; Acute Tox. 2, H300; Acute Tox. 3, H311; Acute Tox. 1, H330; Skin Corr. 1, H314 	
	acrylaldehyde

• Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First Aid Measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.
- · Information for doctor:

• Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)



Printing date 27.03.2019

Version number 3

V

Safety Data Sheet

according to WHS Regulations

Printing date 27.03.2019

Version number 3

Revision: 22.03.2019

Trade name: Acrolein and Acrylonitrile Standard (1X1 mL)

(Contd. of page 2)

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire Fighting Measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental Release Measures

· Personal precautions, protective equipment and emergency procedures Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralising agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

7 Handling and Storage

- · Handling:
- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace.
- Open and handle receptacle with care.
- Prevent formation of aerosols.
- Information about fire and explosion protection: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.
- Specific end use(s) No further relevant information available.
- **8 Exposure controls and personal protection**

• Additional information about design of technical facilities: No further data; see item 7.

(Contd. on page 4)



AU

Printing date 27.03.2019

Version number 3

Revision: 22.03.2019

Trade name: Acrolein and Acrylonitrile Standard (1X1 mL)

(Contd. of page 3)

0	dients with limit values that require monitoring at the workplace: 3-1 acrylonitrile
	Long-term value: 4.3 mg/m ³ , 2 ppm
	Sk, Sen
WES	Long-term value: 4.3 mg/m ³ , 2 ppm
	Sk, Sen
107-0	2-8 acrylaldehyde
NES	Short-term value: 0.69 mg/m ³ , 0.3 ppm
	Long-term value: 0.23 mg/m ³ , 0.1 ppm
WES	Short-term value: 0.69 mg/m ³ , 0.3 ppm
	Long-term value: 0.23 mg/m ³ , 0.1 ppm
· Addi	tional information: The lists valid during the making were used as basis.
· Evno	sure controls
	onal protective equipment:
	ral protective equipment:
	away from foodstuffs, beverages and feed.
	diately remove all soiled and contaminated clothing
Wash	hands before breaks and at the end of work.
Store	protective clothing separately.
	l contact with the eyes.
	l contact with the eyes and skin.
	iratory protection:
	used as intended with Agilent instruments the use of the product under normal laboratory conditions and
	standard practices does not result in significant airborne exposures and therefore respiratory protection is
neede	a. r an emergency condition where a respirator is deemed necessary, use a NIOSH or equivalent approved
	e equipment with appropriate organic or acid gas cartridge.
	ection of hands:
	ugh not recommended for constant contact with the chemicals or for clean up, nitrile gloves 11-13mil
	these are recommended for normal use. The breakthrough time is 1 hr. For cleaning a spill where there is di
	ct of the chemical, butyl rubber gloves are recommended 12-15mil thickness with breakthrough times
	ding 4 hrs. Supplier recommendations should be followed.
	rial of gloves
	ormal use: nitrile rubber, 11-13 mil thickness
	irect contact with the chemical: butyl rubber, 12-15 mil thickness
	tration time of glove material
	ormal use: nitrile rubber: 1 hour
	irect contact with the chemical: butyl rubber: > 4 hours
ьyeр	protection:
	Tightly sealed goggles

AU



Safety Data Sheet

according to WHS Regulations

Agilent

Printing date 27.03.2019

Version number 3

Revision: 22.03.2019

Trade name: Acrolein and Acrylonitrile Standard (1X1 mL)

(Contd. of page 4)

Information on basis abusisal and show	ical nuonoution
 Information on basic physical and chem General Information 	ical properties
· Appearance:	
Form:	Fluid
Colour:	Colourless
· Odour:	Odourless
· Odour threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range:	100 °C
· Flash point:	Not applicable.
· Flammability (solid, gas):	Not applicable.
· Decomposition temperature:	Not determined.
· Auto-ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapour pressure at 20 °C:	23 hPa
· Density at 20 °C:	0.99965 g/cm ³
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
water:	Not miscible or difficult to mix.
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	
Dynamic at 20 °C:	0.952 mPas
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	0.1 %
Water:	99.8 %
VOC (EC)	0.10 %
Solids content:	0.0 %
· Other information	No further relevant information available.

10 Stability and Reactivity

· Reactivity No further relevant information available.

(Contd. on page 6)

AU

Printing date 27.03.2019

Revision: 22.03.2019

Trade name: Acrolein and Acrylonitrile Standard (1X1 mL)

(Contd. of page 5)

· Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological Information

- · Information on toxicological effects
- · Acute toxicity

· LD/LC50 values relevant for classification:

ATE (Acu	ite Toxicity	y Estimates)
Oral	LD50	19,741 mg/kg (rat)
Dermal	LD50	106,103 mg/kg (rabbit)
Inhalative	LC50/4 h	1,873 mg/L (rat)

107-13-1 acrylonitrile

-			-
]	Inhalative	LC50/4 h	2.09 mg/L (rat)
		LD50	226 mg/kg (rabbit)
(Oral		82 mg/kg (rat)

107-02-8 acrylaldehyde

	···· J -····	<i>,</i>
Oral	LD50	26 mg/kg (rat)
		200 mg/kg (rabbit)
Inhalative	LC50/4 h	18 mg/L (rat)

· Primary irritant effect:

· Skin corrosion/irritation Strong caustic effect on skin and mucous membranes.

· Serious eve damage/irritation

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

- · Respiratory or skin sensitisation No sensitising effects known.
- · Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

- Corrosive
- Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) Carc. 1B

12 Ecological Information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.

(Contd. on page 7)

Version number 3

ΔIJ

Revision: 22.03.2019

Trade name: Acrolein and Acrylonitrile Standard (1X1 mL)

(Contd. of page 6)

· Behaviour in environmental systems:

- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

· Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information

· Not Regulated, De minimus Quantities	s -	
· UN-Number · ADG, ADN, IMDG, IATA	not regulated	
[·] UN proper shipping name [·] ADG, ADN, IMDG, IATA	not regulated	
· Transport hazard class(es)		
· ADG, ADN, IMDG, IATA · Class	not regulated	
· Packing group · ADG, IMDG, IATA	not regulated	
· Environmental hazards:	Not applicable.	
· Special precautions for user	Not applicable.	
· Transport in bulk according to Annex and the IBC Code	II of Marpol Not applicable.	
· UN "Model Regulation":	not regulated	

(Contd. on page 8)



Printing date 27.03.2019

Version number 3

Safety Data Sheet

according to WHS Regulations

Printing date 27.03.2019

Version number 3

Revision: 22.03.2019

Trade name: Acrolein and Acrylonitrile Standard (1X1 mL)

(Contd. of page 7)

S7

S7

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· Australian Inventory of Chemical Substances

All ingredients are listed.

· Standard for the Uniform Scheduling of Medicines and Poisons

107-13-1 acrylonitrile

107-02-8 acrylaldehyde

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· National regulations:

• Additional classification according to Decree on Hazardous Materials, Annex II: Carcinogenic hazardous material group III (dangerous).

· Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

· Relevant phrases

H225 Highly flammable liquid and vapour.

H300 Fatal if swallowed.

H301 Toxic if swallowed.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H330 Fatal if inhaled.

H331 Toxic if inhaled.

H335 May cause respiratory irritation.

H350 May cause cancer.

· Department issuing SDS: Document Control / Regulatory

• **Contact:** regulatory@ultrasci.com

 Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

- VOC: Volatile Organic Compounds (USA, EU)
- LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative



Printing date 27.03.2019

Version number 3

Revision: 22.03.2019

Trade name: Acrolein and Acrylonitrile Standard (1X1 mL)

(Contd. of page 8)

AU

Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox. 2: Acute toxicity – Category 2 Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 1: Acute toxicity – Category 1 Skin Corr. 1: Skin corrosion/irritation – Category 1 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Skin Sens. 1: Skin sensitisation – Category 1 Carc. 1B: Carcinogenicity – Category 1B STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 • * Data compared to the previous version altered.

